



ASTM INTERNATIONAL
Helping our world work better

100 Barr Harbor Drive
P.O. Box C700
West Conshohocken, PA
19428-2959
USA

tel +1.610.832.9500
fax +1.610.832.9555
memserv@astm.org
www.astm.org

ASTM International Technical Committee C04 on Vitrified Clay Pipe

Scope

The development and review specifications, terminology, practices, and test methods for: (1) vitrified clay pipe and fittings, vitrified clay liner plates, compression joints for vitrified clay pipe and fittings, uses for the conveyance of sewage, industrial wastes and storm water; (2) vitrified clay filter block for trickling filters; (3) clay flue linings; and (4) clay drain tile.

Technical Subcommittees

- C04.10 Editorial
- C04.20 Methods of Test and Specifications
- C04.90 Executive

Key Documents

- C4 Standard Specification for Clay Drain Tile and Perforated Clay Drain Tile
- C12 Standard Practice for Installing Vitrified Clay Pipe Lines
- C700 Standard Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated
- C828 Standard Test Method for Low-Pressure Air Test of Vitrified Clay Pipe Lines



Quick Facts

Established 1904

Number of Members 35

Number of Standards 13

The standards are available in

Volume 04.05 in the *Annual Book of ASTM Standards*

Meetings C04 meets once each year in June

Staff Manager

Jimmy Farrell

ASTM International

Headquarters

100 Barr Harbor Drive

West Conshohocken, PA 19428

USA

tel +1 610.832.9661

jfarrell@astm.org

Learn more about Committee C04
www.astm.org/COMMIT/C04

Join ASTM
www.astm.org/join