



ASTM INTERNATIONAL  
Helping our world work better

100 Barr Harbor Drive  
P.O. Box C700  
West Conshohocken, PA  
19428-2959  
USA

tel +1.610.832.9500  
fax +1.610.832.9555  
memserv@astm.org  
www.astm.org

# ASTM International Technical Committee D37 on Cannabis

## Scope

The development and maintenance of standards and guidance materials for cannabis and its products and processes. The work of this committee will be coordinated with other ASTM committees and other organizations having mutual interest..

## Technical Subcommittees

- D37.01 Indoor and Outdoor Horticulture and Agriculture
- D37.02 Quality Management Systems
- D37.03 Laboratory
- D37.04 Processing and Handling
- D37.05 Security and Transportation
- D37.06 Personnel Training, Assessment, Credentialing
- D37.90 Executive
- D37.91 Terminology

## Proposed Standards

- WK60039 Practice for Standard Practice for the Labeling of Packaged Cannabis Products for Wholesale distribution
- WK60084 Practice for Quality Management System (QMS) on Corrective Action Preventive Action (CAPA) for Cannabis Cultivation, Processing, Manufacturing, Testing, and Distribution
- WK60134 Practice for Determining Water Activity in Cannabis
- WK60135 Specification for Acceptable Water Activity (Aw) Range for Dry Cannabis Flower
- WK60446 Practice for Standard for labeling and packaging of cannabis product for consumer use (i.e., recreational/adult and medical use)



## Quick Facts

**Established** 2017  
**Number of Members** 290+  
**Global Participation**  
12 Countries represented  
**Published standards will be available in**  
Volume 15.10 in the *Annual Book of ASTM Standards*  
**Meetings** D37 meets twice each year, in January and June

### Staff Manager

Robert Morgan  
ASTM International  
Headquarters  
100 Barr Harbor Drive  
West Conshohocken, PA 19428  
USA

tel +1 610.832.9732  
rmorgan@astm.org

**Join ASTM**  
[www.astm.org/join](http://www.astm.org/join)

**Learn more about Committee D37**  
[www.astm.org/COMMIT/D37](http://www.astm.org/COMMIT/D37)