

# LOW-TEMPERATURE PUMPABILITY CHARACTERISTICS OF ENGINE OILS IN FULL-SCALE ENGINES

DS 57



AMERICAN SOCIETY FOR TESTING AND MATERIALS

# LOW-TEMPERATURE PUMPABILITY CHARACTERISTICS OF ENGINE OILS IN FULL-SCALE ENGINES

Prepared by the  
Data Analysis Panel  
of ASTM Committee D-2  
R & D Division VII-C  
on Non-Newtonian, Low-Shear Phenomena

ASTM DATA SERIES PUBLICATION 57

List Price \$16.00  
05-057000-12



AMERICAN SOCIETY FOR TESTING AND MATERIALS  
1916 Race Street, Philadelphia, Pa. 19103

© by AMERICAN SOCIETY FOR TESTING AND MATERIALS 1975  
Library of Congress Catalog Card Number: 75-24603

**NOTE**

The Society is not responsible, as a body,  
for the statements and opinions  
advanced in this publication.

Printed in Long Island City, N.Y.  
September 1975

**Data Series DS 57**  
**American Society for Testing and Materials**

## **Related ASTM Publications**

**Multicylinder Test Sequences for Evaluating Automotive Engine Oils,  
STP 315F (1972), \$8.25, 04-315060-12**

**Shear Stability of Multigrade Crankcase Oil—IP Fleet Tests, DS 49-S1  
(1974), \$4.00, 05-049001-12**

**Single Cylinder Engine Tests for Evaluating Performance of Crankcase  
Lubricants, STP 509 (1972), \$5.00, 04-509000-12**

## **Editorial Staff**

Jane B. Wheeler, *Managing Editor*  
Helen M. Hoersch, *Associate Editor*  
Charlotte E. Wilson, *Senior Assistant Editor*  
Ellen J. McGlinchey, *Assistant Editor*

