

# Index

## A

- abnormal situation management (ASM), 724  
absorption, 108, 205–206, 254, 292, 323 (figure)  
absorption process, 292  
acid, 161, 163, 167. *See also specific acids*  
acid corrosion, 440. *See also naphthenic acid corrosion*  
acid dew point, 336  
acid gas, 250, 252–254  
acid rain, 712 (table)  
acid sites, 229–230  
active matrix, 146–147  
activity-based management (ABM), 739–740, 740 (figure)  
additives  
    fluid catalytic cracking (FCC), 149 (figure), 149–152  
    fuel, 476–477  
    gasoline, 476  
    *See also specific additives*  
Advanced Energy Initiative, 756  
advanced process control (APC), 13, 362–364, 375, 689, 744. *See also instrumentation; process control*  
advisory system, 391 (figure)  
Africa  
    crude oil reserves of, 43, 43 (figure), 45 (figure), 46  
    energy sources and, 770 (table)  
    natural gas and, 48, 48 (figure), 50 (figure), 51 (figure), 64–65  
    oil imports and, 774 (table)  
    refining in, 68–69, 609 (table), 612 (table), 613 (table)  
    *See also specific countries*  
agricultural feedstock, 752, 754–755, 759–760, 762 (table), 763  
agricultural land-use, 751, 752, 766  
air cooled exchangers, 328–229, 330 (table)  
air fin fan coolers, 413  
air grid, 142–143, 143 (figure)  
Albermarle technology, 231–232, 232 (table), 234 (table)  
algorithms  
    genetic, 537, 678–682  
    optimization, 483  
    *See also computer-aided process operations; mathematical methods*  
alignment, 397–399, 398 (figure), 399 (figure)  
alkaline stress corrosion cracking (SCC), 443  
alkanes, 21–22, 22 (figure), 80 (figure), 86 (figure), 159  
alkenes, 22  
AlkyClean™ process, 212, 213, 237 (table)  
alkylation, 103, 113–114, 114 (figure), 115 (figure), 121 (table), 626 (table), 628  
alkylbenzenes, 86 (figure)  
alkylbenzothiophene, 198  
alkylcyclopentanes, 86 (figure)  
Alkylene™ process, 114, 210–213, 211 (figure), 212 (figure), 212 (table), 237 (table)  
alkylthiophenes, 198, 200  
alloy analysis, 409  
alloy N04400, 438  
alternative energy, 769. *See also biofuels; ethanol; specific sources*  
  
alumina  
    Al<sub>2</sub>O<sub>3</sub>, 154, 224  
    γ-alumina, 236  
    catalyst technology and, 229–230, 246  
American Gas Association (AGA), 558  
American Petroleum Institute (API), 80, 89 105 (table), 562–563, 714. *See also specific API standards*  
American Petroleum Institute (API) gravity, 26, 773 (figure)  
American Society of Mechanical Engineers (ASME) standards, 550, 551, 561  
American Society for Testing and Materials (ASTM), 88. *See also specific ASTM standards*  
amine, 74, 252–254, 253 (figure)  
amine sweetening unit, 75 (figure)  
ammonium corrosion, 440  
ammonium chloride salts (NH<sub>4</sub>Cl), 437  
amorphous oxide, 163  
angular misalignment, 398 (figure)  
antiknock compounds, 476  
aniline point, 86  
anti-icing additives, 476  
anode coke, 117  
antifriction bearings, 395  
APCI single mixed refrigerant process, 268  
AP-X® process, 264, 265 (figure)  
aquafuel technology, 793–794  
aqueous effluents, 702 (table), 703, 704–705 (table), 808 (figure)  
area target setting, 663  
aromatics, 22–23, 23 (figure), 30, 203, 462 (table), 474, 777–780. *See also monoaromatic hydrocarbons; polyaromatic hydrocarbons (PAHs)*  
artificial neural nets (ANN), 388, 391, 391 (figure)  
Asia  
    crude oil reserves of, 43, 43 (figure), 45 (figure), 46  
    diesel fuel quality and, 95  
    energy sources and, 770 (table)  
    natural gas and, 48 (figure), 50 (figure), 51 (figure), 65  
    oil imports and, 774 (table)  
    refining in, 58, 71, 72 (table), 609 (table), 612 (table), 613 (table)  
Aspen MBO (Multi-Blend Optimization), 694 (table)  
Aspen PIMS (Process Industry Modeling System), 694 (table)  
Aspen Technologies, 694–695 (table)  
Aspen XT, 694 (table)  
asphalt, 29–30  
asphaltene, 23 (figure), 60–61, 109, 179–180, 182 (table), 777–780, 778 (table), 790 (figure)  
Association Française de Normalisation (AFNOR), 89  
ASTM D975-09a, 95 (table)  
ASTM D1655-07, 94 (table)  
ASTM D2699, 460, 461  
ASTM D7170, 460  
ASTM subcommittees, 460  
ASTM test methods, 457, 458–459 (table), 460–461, 462 (table)

- Athabasca bitumen, 215 (figure), 216 (table)  
 atmospheric distillation, 4 (figure), 4 (table), 6, 7 (table), 8 (table), 25–26, 61 (figure), 121 (table), 606 (table)  
 atmospheric emissions. *See* emissions; *specific emissions*  
 atmospheric residue (AR), 233 *See also* bottom-of-the-barrel upgrading  
 atmospheric unit, 380  
 attrition index (AI), 153–154  
 Australia, 94 (table)  
 Auto Oil Programme, 92  
 automated control systems, 724–725  
 automatic tank gauging system (ATGS), 485  
 automation. *See* process automation  
 automation effectiveness index, 494–495  
 automation incentives, 516–519  
 autothermal reforming (ATR), 277–278, 278 (figure)  
 aviation fuel, 95 (table)  
 axial compressor, 346
- B**
- backcasting, 660  
 backwashing filter, 351, 352  
 balanced scorecard, 735  
 baseload plants, 261–262  
 basis refinery production (BRP), 664–665  
 basket pricing, 588 (table)  
 batch distillation, 310–311  
 bearing fitting tool kit, 400  
 bearings, 395, 400  
 behavioral safety, 721  
 benchmarking, 733 (figure), 733–734  
 benefits model equation, 517  
 benzene, 22, 23, 103, 108, 109, 112, 113  
 best practice, 733 (table), 733–734, 734 (figure)  
 bias, 461, 479, 480 (figure)  
 binder pitch, 214  
 bioalcohols, 31  
 biobutanol, 759  
 bio-crudes, 764  
 biodiesel (FAME), 19 (table), 31, 54, 65–66, 66 (table), 752  
   production of, 757 (table), 759–763, 760 (figure), 761 (figure)  
   quality control and, 461  
   specifications of, 96, 98 (table), 762 (table)  
 bioethanol, 55, 754  
 biofuel, 31, 53, 26, 53–54, 747, 750 (figure), 752–753, 753 (figure), 766, 776 (table)  
   demand for, 747–749, 749 (figure)  
   economics of, 746–766, 765 (figure)  
   production of, 54–55, 55 (table)  
   regional consumption of, 66 (figure), 66 (table)  
   sustainability and, 749–752  
   technology, 792–793, 794–795  
   for transportation, 753–754, 761 (table)  
   *See also* biodiesel; bioethanol; ethanol  
 biogas, 31  
 biohydrogen routes, 292  
 biomass, 749, 751, 752, 763–764  
   characteristics of, 53–54, 776 (table)  
   technology, 792–793, 794–795  
   *See also* biodiesel; biofuel; agricultural feedstock  
 biorefineries, 18–19  
 biosolid waste, 702 (table), 703  
 bitumen reserves, 46, 177, 178 (figure)  
 black oils, 24, 25 (table), 26  
 blend equation, 483 (figure)  
 blend headers, 492–493  
 blend nonlinearity, 477–480  
 blend water, 758  
 blending, 6, 90–91, 120, 457–458, 523–529, 524 (table), 526 (figure), 527 (figure), 528 (figure), 529 (figure)  
   biofuels and, 753, 754, 757–759  
   configurations, 474 (figure), 484 (table) 485 (figure)  
   instrumentation and, 485, 486 (figure), 486 (table)  
   models, 477–481, 480 (figure)  
   planning and, 491 (figure), 544  
   quality analysis and, 487 (figure)  
   scheduling, 691, 692, 693  
   system, 483–490, 484 (figure), 484 (table), 486 (figure), 488 (figure), 489 (figure), 490 (figure)  
   variables, 482  
   *See also* fuel blending  
 block flow diagram, 276  
 BOG, 269, 270  
 boiler fuel, 214  
 boiler inspection, 427  
 boiling point, 4 (table), 6, 19 (table), 26, 27  
   n-alkanes and, 80 (figure)  
   properties of, 79, 86 (figure)  
   separation process and, 102  
 boil-off-gas (BOG), 256  
 bolt tensioners, 399  
 bonding systems, 404–405  
 boot, 344  
 Bohpal, India, 717–718  
 boroscopic/fiberscopic inspection, 409  
 bottom-of-the-barrel upgrading, 233–237  
 box-type reformer, 240–241  
 Brazil, 754  
 breakdown maintenance, 393  
 breech lock exchanger, 413  
 bubble cap tray, 318  
 bucket and weir, 342, 344  
 bullet tank, 499  
 burns, 719–720  
 busbars, 403  
 business process, 732–733, 742, 743 (figure). *See also* markets; process control; refining industry  
 butane, 21, 31, 115  
 butanol, 31  
 butene, 114. *See also* isobutene  
 byproducts, 8 (table), 19. *See also* petroleum coke; *specific products*
- C**
- cables, 403  
 cake feed, 118, 119 (table)  
 calcinated coke, 98, 99 (table)  
 calculated cetane index (CCI), 86, 462 (table)  
 California Reformulated Gasoline specifications (CaRFGH), 92  
 California, 748–749  
 Canada, 46  
   crude oil and, 187 (table)  
   gasoline quality and, 93–94

- heavy oil processing and, 191–192
  - refining in, 612 (figure)
- Canadian tar sand bitumen, 783 (table)
- capability assessment, 466 (figure)
- capacity cost, 592
- capacity creep, 601
- capital expenditures (CAPEX), 563
- carbon dioxide (CO<sub>2</sub>) emissions, 66, 712 (table), 713 (table), 713, 714, 714 (table), 750–751, 775 (figure), 775–776
  - biofuels and, 749, 751
  - sulfur and, 119
- carbon monoxide, 719
- carbon rejection, 9. *See also* solvent separation; thermal treatment
- carbon residue (CR), 86–87
- carbon steel, 446
- carburization attack, 446–447
- cartridge filter, 351, 352
- catalyst slide valve, 137 (table)
- catalyst, 1, 8, 9, 152, 236 (figure), 239 (figure), 245, 246
  - bottom-of-the-barrel upgrading and, 233–237
  - commercial, 164–165, 167–171, 168 (table), 226–227, 230 (table), 241 (table)
  - conversion and, 72, 237
  - design, 147–149, 148 (figure)
  - desulfurization and, 64, 202–203, 225–227
  - fixed-bed reactors and, 189–190, 278
  - fluid catalytic cracking (FCC) and, 129, 142 (figure), 144–149, 146 (figure), 147 (figure), 148 (figure)
  - hydrodesulfurization (HDS) and, 201, 206, 210, 213, 225 (table), 225–230, 226 (figure), 226 (table), 244–245
  - hydrogen production and, 239–243
  - monitoring of, 152–153
  - properties of, 152 (table), 153–155, 154 (figure)
  - reforming, 385 (figure)
  - residium hydrotreating and, 235 (figure), 235–237, 237 (figure)
  - solid acid and, 237 (table), 237–239
  - supports and, 243–246
  - VGO hydrotreating and, 230–233
- See also* Co(Ni)-Al<sub>2</sub>O<sub>3</sub>; *specific catalysts*; zeolite
- catalytic conversion, 72, 103, 121, 208 (figure). *See also* catalyst; desulfurization; fluid catalytic cracking (FCC); hydrodesulfurization; hydroprocessing; isomerization
- catalytic cracking. *See* fluid catalytic cracking (FCC); hydrocracking; *specific cracking methods*
- Catalytic Crude Upgrading (CCU™), 224
- catalytic fixed-bed process. *See* fixed-bed process
- catalytic hydrocracking. *See* hydrocracking
- catalytic isomerization. *See* isomerization
- catalytic pretreatment, 226–227, 227 (figure). *See also* fluid catalytic cracking pretreatment (FCC-PT)
- catalytic reforming, 60, 102, 111–113, 113 (figure), 114 (figure), 121 (table), 626 (table), 627. *See also* catalytic reforming unit (CRU)
- catalytic reforming unit (CRU), 383–385
- Catalytic Research Associated (CRA), 197
- catalytic technology, 232 (table), 233, 380–385. *See also* *specific processes*; *specific technology*
- catalytically cracked gasoline (CCG), 198–202, 198 (table), 199 (table), 201 (figure)
  - hydrodesulfurization (HDS) and, 201–202, 227–228
- caustic stress corrosion cracking (SCC), 442–443
- caustic sodium hydroxide (NaOH), 442
- Central America. *See* South and Central America
- centralized control, 355
- centrifugal compressor, 346, 348 (figure)
- centrifugal pump, 348–350, 416
- cetane index (CI), 203
- cetane number (CN), 86, 462 (table), 474–475
- CFHT/HyC-10, 207 (table)
- C/H ratio, 82
- change management, 736 (table), 736–737
- chargers, 405
- Chemical Safety and Hazard Investigation Board (CSB), 720, 722
- Chen's friction factor equation, 555
- Chevron, 172, 189. *See also* ISOCRACKING
- Chiba, 71, 217, 796
- Chiyoda, 217–218
- chloride stress corrosion cracking (SCC), 442
- chloride, 440
- chlorination, 161
- chromatography, 82. *See also* *specific types*
- civil maintenance, 407–408
- cladded columns, 411
- clathrates, 282
- Claus process, 120–121
- clay-based catalysts, 223
- Cleveland Open Cup method, 84
- Climate Challenge Programs, 714
- Closed Tag method, 83–84
- cloud point, 84–85, 85 (table), 462 (table)
- CO combustion promoter, 150–151, 152
- Co/(Co+Mo) ratio, 225, 226 (figure)
- coal, 5 (figure), 5, 23, 52–53, 763, 776 (table)
  - consumption of, 52–53, 54 (figure)
  - history of, 35
  - processing of, 76
  - production of, 54 (figure)
- coal-bed methane (CBM), 42
- cobalt, 226 (figure); hydrotreating and, 232
- coke combustion, 131–132, 132 (figure); regeneration and, 141–142
- coke. *See also* petroleum coke; *specific coke types*
- coke-laid-down catalyst, 152
- coking refineries, 614, 615
- coking, 117–119, 118 (table), 119 (table), 121 (table)
  - cost and, 626 (table)
  - delayed, 184–185, 184 (figure), 185 (table)
  - flexi-, 185
  - fluid, 185, 186 (table)
  - hydrodesulfurization and, 226–227, 227 (figure)
  - refineries, 614, 615
- cold filter plugging point (CFPP), 462 (table)
- Colebrook equation, 555, 557, 558, 559–560, 568
- column commissioning, 319
- column inspection, 411
- combined reformer, 278
- combustion, 150–151, 334–335
- commercial catalyst. *See* catalyst, commercial
- commercial scheduling, 544
- commercial simulation, 322, 648 (figure)
- commercial software, 641–643
- Co-Mo/γ-Al<sub>2</sub>O<sub>3</sub>, 225, 229 (figure)

- CoMoS phase, 229
- companies. *See* refining companies
- complex refineries, 613
- complexity index, 625 (table)
- compositional analysis, 81–83
- compressed natural gas (CNG), 74, 279–281, 549–550
- compressibility, 250, 260, 279
- compressor, 345–348, 348 (figure), 569
- compressor map, 347–348, 348 (figure)
- computational approach, 636
- computational fluid dynamics (CFD) model, 670
- computer-aided process operations, 685, 686–696, 687 (figure)
- developments, 693
  - instrumentation for automation and, 686, 696–698
  - See also* computer process control refining units; computer systems
- computer process control refining units, 357–377, 376 (table), 388–391
- catalytic processing and, 380–385
  - coking, 386–387
  - hydrocracking and, 385–386
  - See also* computer systems; computer systems
- computer systems, 686
- blending and, 490–492
  - future considerations and, 795–796
  - personal, 647
  - pipeline equations and, 554
  - process operations and, 685, 686–698, 687 (figure)
  - See also* computer-aided process operations; computer process control refining units; software
- concarbon (CCR), 187, 462 (table)
- condition monitoring, 402
- conductivity, 309
- C-1/2Mo steel, 449
- ConocoPhillips, 263–264, 606
- Conradson carbon (CCR), 133
- consumption. *See* energy consumption
- contaminant
- control, 230–231, 231 (table), 515
  - natural gas and, 251–252
  - technology, 274 (figure), 275 (table)
  - contamination. *See* contaminant
- continuous catalyst regeneration (CCR), 112
- continuous compressor, 345, 346. *See also* compressor
- continuous distillation column, 312 (figure)
- contract pricing, 588 (table)
- contracts, 578 (table). *See also* refining economics
- control loop, 356 (figure), 485
- control matrix, 480
- control problems, 366
- control process. *See* process control
- control schemes, 357–362
- control valve, 357, 360–362 (table)
- conventional reserves. *See* crude oil, conventional, reserves; natural gas, conventional, reserves
- conversion process, 102 (figure), 103, 110–119, 112 (figure), 113 (figure), 114 (figure), 115 (figure), 116 (figure), 117 (figure), 597. *See also* catalytic conversion; fluid catalytic cracking (FCC); *specific processes*
- cooler arrangement, 142 (figure)
- copper, 155
- correlation index, 88
- corrosion, 14, 23, 414
- dry, 443–445
  - inhibitors, 476
  - prevention and, 450–451, 726
  - rates, 447–449
  - resistance, 438
  - wet, 437–441
  - See also specific types*
- corrosion-resistant material, 438, 439
- Coselle™, 280
- cost. *See* refining economics
- cost control, 739
- cost estimation, 621
- cracking refineries, 613–614, 614 (figure)
- creep, 409, 446, 601
- crisis management systems, 688
- critical equipment, 396
- critical vapor locking index (CVLI), 83
- crude atmospheric tower, 381 (figure), 381 (table)
- crude distillation unit (CDU), 104–107, 106 (figure)
- crude oil
- assays, 89, 90 (table), 660
  - blending, 524–525, 526 (figure), 527 (figure). *See also* blending
  - characteristics of, 1, 2–3, 2 (figure), 3 (table), 42, 651 (figure), 774, 779 (figure), 780 (figure)
  - consumption of, 53 (table), 56–57, 57 (figure)
  - conventional, 55, 56 (figure)
  - conventional, reserves, 35 (table), 42–45, 43 (figure), 44 (figure), 45 (figure), 46 (figure), 769
  - desalting units, 306. *See also* desalting units
  - distillation, 771 (figure)
  - production of, 2, 51–52, 51 (figure), 52 (figure), 53 (figure), 56 (figure), 56 (table)
  - products, 4 (figure)
  - quality of, 89, 466–467, 649–650, 650 (figure), 777–780. *See also* quality control
  - refining of, 6, 7 (table), 9 (figure)
  - streams, 649; sulfur content in, 119; supply, 581, 598, 599
  - trade, 577–580, 578 (table). *See also* markets
  - unconventional, reserves, 46, 46 (figure), 47 (figure)
  - upgrading, 780–790, 790 (figure), 791 (table), 780–785
  - See also* crude oil refining; heavy crude; heavy oil; light crude; markets, crude oil trade and; petroleum products; pricing, crude oil and; reserves-to-production ratio (R/P)
- Crude Oil Entitlement Program, 600
- crude oil refining, 124–125, 380
- evolution of, 121–124, 121 (figure), 122 (table), 122 (figure), 123 (figure), 124 (table)
  - flow and, 102 (figure), 102–103
  - history of, 101, 121 (figure)
  - objectives of, 101–102
  - process of, 103–121, 105 (figure), 106 (figure), 109 (figure), 110 (figure), 112 (figure), 113 (figure), 114 (figure), 115 (figure), 116 (figure), 117 (figure), 122 (figure)
  - scheduling and, 543–544, 544 (table)
  - See also* computer process control refining units; crude oil; process control; refining; refining process
- crude overhead units, 437, 438
- crude vacuum tower, 382 (table)



- cryogenic energy, 271–272, 272 (table)  
cryogenic separation, 272, 294–295, 295 (figure), 297 (figure)  
cryoscopy method, 81  
C3–C4 olefins, 113  
C3-MR process, 262–263, 236 (figure)  
Cu corrosion, 462 (table)  
cubic equation of state, 250–251  
culverts, 407  
customer relations management (CRM), 464, 469  
Cu-Zu-Al type catalysts, 243  
cycloalkanes, 22  
cyclone device, 345  
cyclones, 137 (table), 143, 145 (figure)  
cylindrical tanks, 499, 500 (figure), 510 (figure)
- D**  
DAO, 18  
Darcy-Weisbach equation, 552  
dead legs, 440–441  
deasphalted oil (DAO), 107, 109–110  
deasphalting, 109–110, 110 (figure), 121 (table), 18  
debottlenecking, 666  
decane, 166 (table)  
decision making, 633, 635, 676, 686, 687 (figure). *See also* computer-aided process operations; refinery planning  
deepwater projects, 52  
dehydration, 255–257, 255 (figure), 256 (table), 257 (figure), 257 (table)  
dehydration unit, 255 (figure), 257 (figure)  
delayed coker unit, 386–387, 389 (figure), 389 (table)  
delayed coking, 117–118, 118 (table), 119 (table), 184–185, 184 (figure), 185 (table)  
demand, 3, 598, 599, 773 (figure)  
    evolution of, 122 (table), 609 (figure)  
    global, 776  
    natural gas and, 5–6, 75–76  
    transportation fuel and, 61–67, 63 (figure), 64 (figure)  
    *See also* biodiesel; crude oil; diesel; gasoline; natural gas; petroleum; utilization  
Demet catalysts, 230, 231  
demulsifiers, 476  
denitrogenation, 228  
density, 80, 203, 462 (table), 506  
deposit-control additives, 476  
desalting, 6, 25, 103–104, 105 (figure)  
desalting units, 306–309, 307 (figure), 308 (figure)  
desulfurization, 62–64  
    cost of, 67  
    of diesel fuel, 202–203, 227–229  
    of gas oil, 228–229  
    reactor, 204–206, 209 (figure)  
    *See also* hydrodesulfurization (HDS); sulfur content  
deterministic model, 637–640, 638 (table), 639 (table), 640 (figure), 642–643  
dew point, 27  
dewaxing, 108–109, 109 (figure), 121 (table), 172–173, 174  
dibenzothiophene (DBTs), 228  
diesel, 19 (table), 29, 474–476  
    catalysts and, 227–230  
    fuel grades, 94–96, 95 (table), 96 (table)  
    hydrodesulfurization (HDS) and, 202–206, 202–203, 203 (figure), 205 (figure), 245 (figure)  
    specifications for, 761 (figure)  
    sulfur content and, 119 (table)  
    supply and demand, 62–65, 65–66  
    synthetic, 64–67, 752, 763–764  
    ultralow sulfur, 62–64, 792  
    yield, 224  
    *See also* biodiesel; natural gas, as transportation fuel  
diesel index (DI), 86  
diesel oil, sulfur-free, 229  
Dimersol®, 115  
dimethyl disulfide (DMDS), 189  
dimethylether (DEM), 752, 764  
Direct DeSulfurization site (DDS), 210  
discrete optimization method, 543  
disengagement theory, 337  
dissolved gas, 350  
distillation, 104–108, 106 (figure), 106 (table), 203, 462 (table), 476, 597  
    batch, 310–311  
    biofuel and, 762  
    capacity, 606, 610  
    cost of, 626 (table)  
    extractive, 372–373  
    flash, 310 (figure)  
    with reflux, 311–313  
    temperature, 782 (figure), 783 (figure)  
    *See also* distillation columns  
    distillation column, 106–107, 313 (figure)  
    design of, 309–313, 311 (figure), 312 (figure)  
    energy requirements and, 314–315  
    multicomponent systems and, 313–314, 313 (figure), 315 (figure)  
    operational aspects and, 317–319  
    size calculations and, 319–322  
    tray, 312 (figure), 317 (figure), 318 (figure)  
    *See specific column types*; distillation column tray  
distillation model, 654–655  
distillation point, 474  
distillation unit, 62 (figure). *See also* atmospheric distillation; distillation column; vacuum distillation  
distributed control system (DCS), 355, 366, 489, 686, 687, 688, 698  
DMR high performance random packing, 318 (figure)  
DMTP high performance random packing, 318 (figure)  
downflow distribution devices, 209 (table)  
downside risk, 634 (figure), 636  
downstream process, 732 (figure)  
drag reducers, 476  
drainage system, 407  
Dranchuk and Abou-Kassem correlation, 568  
drill down, 736 (figure)  
dry gas, 24  
Dual Independent Expander Refrigeration Cycle (Niche LNG<sup>SM</sup>), 268  
dual mixed refrigerant (DMR), 266  
DuPont, 479, 480 (figure)  
DuPont interaction coefficients, 478–480  
dye penetrant test, 408  
dyes, 476  
dynamic compressor, 346  
dynamic model, 65 (figure), 668  
dynamic pump, 348  
dynamic simulation, 670

## E

- earthing systems, 404–405
- eddy current examination, 409
- efficiency, 335–336
- ejectors, 346
- electrical systems, 401–406
- electricity generation, 41 (figure)
- electrolysis of water, 291
- electrostatic desalter, 307 (figure)
- elemental analysis, 82–83
- emission reduction, 71, 701, 703, 706 (table), 708, 709, 710 (table), 713–714. *See also specific emissions*
- emissions, 702, 703, 710–711 (table), 712 (table), 713–714, 714 (table). *See also* carbon dioxide (CO<sub>2</sub>) emission; emission reduction; fugitive emissions; greenhouse gas (GHG) emission; nitrogen oxide (NO<sub>x</sub>) emission; particulate emission; refineries, emissions of; sulfur oxide (SO<sub>x</sub>) emission
- emulsion stability, 309
- end point (EP). *See* final boiling point (FBP)
- energy balance, 551–552, 793. *See also* pipelines, flow equations and
- energy consumption, 601 (figure)
  - current, 35–39, 36 (figure) 37 (figure), 38 (figure), 39 (figure), 40 (figure)
  - biofuel, 66 (figure), 66 (table)
  - chemical, 289 (figure)
  - coal, 52–53, 54 (figure)
  - crude oil, 53 (table), 56–57, 57 (figure), 177, 178 (figure)
  - distillates and, 288 (figure)
  - by fuel, 35, 37 (figure), 38 (table), 38–39
  - future, 39–41, 39 (figure), 40 (figure), 41 (figure)
  - hydrogen, 203
  - natural gas, 72, 74 (figure), 787 (table)
  - regional, 65 (figure)
  - sources, 41 (figure)
  - transportation fuel and, 61–67, 63 (figure), 64 (figure), 65 (figure)*See also* demand; energy consumption; *specific countries*; *specific regions*
- energy dependence, 38 (figure). *See also* energy balance; energy consumption
- energy efficiency, 39, 735
- energy equivalency, 36
- Energy Independence and Security Act (EISA), 748
- Energy Information Administration (EIA), 617–619
- energy monitoring, 218 (figure)
- energy-saving, 216 (table)
- energy sharing, 216–219, 218 (figure)
- energy supply, 3–6. *See also* energy balance
- EnerSea, 280
- engineering
  - management and, 745
  - process, 665–668
  - safety and, 724
  - environmental impact, 18
    - assessment, 709, 713
    - fluid catalytic cracking (FCC) and, 224–225
    - gasoline and, 91–92
    - heavy oil processing and, 181, 183, 185, 190 (table)
    - transportation and, 159
  - See also* desulfurization; emissions; environmental regulations; hydrosulfurization (HDS); sulfur content
- environmental impact assessment study, 709, 713
- environmental issues, 407, 701–702
- environmental legislation
  - in the European Union, 288 (table), 748
  - sulfur content and, 227
- Environmental Protection Agency (EPA), 62
  - diesel regulation and, 119–120
  - gasoline regulation and, 91
  - hazardous chemicals and, 722–723
  - risk management program of, 723–724
- environmental regulation, 62–64, 71–72, 703, 714 (table), 776
  - air pollutants and, 703, 713–714. *See also specific emissions*
  - aqueous effluents and, 703
  - biofuels and, 748
  - cost and, 701
  - European Union and, 71, 748
  - refineries and, 71–72
  - standards of, 750
  - sulfur and, 119 (table), 119–120, 464
  - transportation fuels and, 777 (figure)
  - wastewater and, 709 (table)*See also* Environmental Protection Agency (EPA); greenhouse gas emission
- epoxy coating, 408
- equations
  - flow, 551–560, 554 (figure), 556 (figure), 558 (table), 559 (figure), 565–570, 571–573
  - velocity, 561–562, 563
- equations of state (EOS), 653
- equilibrium catalyst (e-cat), 152–153, 152 (table), 153 (figure), 153 (table), 153–155
- equipment spacing, 726
- equipment, 680 (table)
  - design, 11, 13, 237, 366, 444
  - electrical, 402–406
  - hazardous area, 406
  - inspection, 411 (table)
  - refinery, 399–400, 409–410; test, 467–468
  - troubleshooting and, 666*See also* instrumentation
- error prediction, 463
- estimation, 628–629
- ethane, 21, 22, 26, 258
- ethanol, 31, 55, 92
- ether, 626 (table), 628
- ethyl alcohol (EtOH), 751, 752 (table), 752, 754, 759
  - blends, 757–758
  - fuel properties of, 756 (table), 76–757
  - handling of, 758–759
- Eureka process, 213–215, 312 (figure), 215 (figure)
- Europe
  - crude oil reserves of, 43, 43 (figure), 45 (figure), 46
- energy sources and, 770 (table)
- environmental regulations and, 288 (table)
  - gasoline quality and, 92, 93 (table), 288 (table)
  - natural gas reserves of, 48, 48 (figure), 50 (figure), 51 (figure)
  - product imports and, 71, 774 (table)
  - refining in, 70–71, 71 (figure), 103, 123, 609 (table), 610, 612 (table), 613 (table)
  - safety incidents in, 717

- European Biofuels Technology Platform, 750–751  
European Commission, 95  
exchange of futures for potential (EFP), 587 (table)  
exchangers, 326–329, 328 (table). *See specific types*  
existing gum, 462 (table)  
expected gross refinery margin (EGRM), 636, 640–641  
explosion proofing, 725  
explosions, 717–718  
export-import parity, 590  
ExSact™ process, 213  
extraction unit, 324 (figure), 325 (figure)  
extractive distillation (ED), 372–373, 374 (figure)  
ExxonMobil, 197, 623, 625 (table), 695 (table)  
    hydrodesulfurization (HDS) and, 201–202  
    hydroisomerization and, 171–173
- F**  
facility siting, 726  
failure analysis techniques, 396–397  
failure mode effects analysis (FMEA), 396–397  
failure mode effects and critical analysis (FMECA), 396–397  
Fanning friction factor, 553–554  
fatty acid composition, 757 (table), 760 (figure), 761–762  
fault detection, 688, 689  
FBA™ process, 21, 212 (figure), 237 (table)  
    alkalation and, 238  
feed. *See* feedstock  
feed nozzle, 136–138, 137 (table), 138 (figure)  
feed plate heat exchanger, 413  
feedstock, 3, 7 (table), 8 (table), 151 (figure), 661, 662 (table)  
    agricultural, 752, 754–755, 759–760, 762 (table), 763  
    density, 132–133, 133 (figure)  
    desulfurization and, 204  
    distillation and, 107–108  
    fluid catalytic cracking (FCC) and, 132 (table), 132–133, 133 (figure), 148  
    hydrodesulfurization (HDS) and, 203, 228–229, 229 (figure)  
    oil and, 180–181, 228–229, 229 (figure)  
    petrochemical, 29, 224  
    quality, 617 (figure), 660, 777–780. *See also* crude oil, quality of  
    refining and, 72, 111–113, 613–614, 614 (figure), 637  
    residue, 198  
    selection, 737  
    testing of, 455, 659  
    ultra-heavy conversion, 224  
    *See also* biomass; cake feed; feed density  
Fe-Powder test, 448  
fibre reinforced plastic (FBR™), 280, 281 (figure)  
50%/50% mixture method, 479–480  
filtration, 351–352. *See also* distillation  
final boiling point (FBP), 79  
financial reporting, 617–619  
financial risk management, 17, 633–634 (figure), 635 (figure), 636 (figure)  
finishing process, 102 (figure), 103, 119–120  
fire suppression system, 725–726  
fired heaters  
    control, 368–369, 370 (figure)  
    inspection, 412, 422  
first generation biofuels, 753, 765  
Fischer-Tropsch (FT) technology, 64, 787, 788–789  
fixed absolute pricing mechanism, 586 (table), 588–589  
fixed-bed process, 186–189, 188 (figure), 189 (figure), 190 (table), 278  
fixed differential pricing, 587 (table)  
fixed heaters, 331–336, 322 (figure)  
fixed lighting installations, 404  
fixed operational cost, 591  
fixed price, 579 (table), 580 (table), 586 (table), 588–589  
fixed roof tank, 499, 513  
flame ionization detector (FID), 179  
flammability, 85, 718  
flange spreaders, 399  
flash distillation, 107, 310 (figure), 474  
flexicoking, 121 (table), 185  
Flixborough, UK, 717  
floating absolute pricing mechanism, 586–587, 587–588 (table)  
floating liquefied natural gas, 268  
floating roof sinking, 515  
floating roof tank, 499, 501 (figure), 513–514  
flooding, 319  
flow rate, 395, 585. *See also* pipelines, flow equations and  
fluid catalytic cracking (FCC), 6–7, 97, 111, 112 (figure), 121 (table), 610  
    additives and, 149 (figure), 149–152  
    applications of, 155–156  
    design and, 135–144, 135 (figure), 137 (table), 138 (figure), 139 (figure)  
    development, 197–198  
    liquid petroleum gas (LPG) and, 127–128, 131, 135, 148 (figure)  
    major reactions of, 128–132  
    operation control and, 372 (figure), 373 (figure)  
    process of, 127–128, 128 (figure), 134–135, 134 (table), 155  
    products of, 198–202  
    reactor-regenerator, 371 (figure)  
    technology and, 223–225  
    *See also* coke; desulfurization; fluid catalytic cracking (FCC) unit; fluid catalytic cracking pretreatment (FCC-PT); gasoline; hydrodesulfurization; *specific parts*  
fluid catalytic cracking (FCC) unit, 136, 137 (table), 138–140, 380–383, 384 (table)  
    corrosion and, 447  
    innovation and, 197–198  
    optimization and, 679–682, 680 (table), 681 (figure), 681 (table)  
fluid catalytic cracking pretreatment (FCC-PT), 231–233, 232  
fluid coking, 185, 186 (table)  
fluidized catalytic reactor control, 370–372, 371 (figure)  
foam, 345  
FOC, 217–218  
food price, 765  
formal panel pricing, 588 (table)  
formula pricing, 587 (table)  
fouling factors, 329  
4,6-dimethyldibenzothiophene (4,6-DMDBT), 228–229, 228 (table)  
Fourier-transform infrared (FTIR) spectroscopy, 364  
fractional distillation, 107

fractionation, 259–260, 260 (figure)  
 fractions, 26–27, 27 (table)  
 freeze point, 84, 462 (table)  
 fresh fluid cracking catalyst, 152 (table)  
 friction factor, 553–555; gas and, 557–560; liquids and, 555–557  
 front-end scheduling, 691  
 fuel, 27–29, 473–476, 476 (figure)  
   additives, 476–477  
   quality, 457. *See also* quality control  
   shortage, 197  
   specifications, 67, 91–93, 91 (table), 92 (table), 93 (table), 94 (table), 97 (table)  
   *See also* diesel; gasoline; heating oil; jet fuel; liquid petroleum gas (LPG); petroleum coke; residual fuel oil; *specific fuels*  
 fuel blending, 14, 15 (figure), 492 (figure), 493–496, 495 (figure), 496 (figure), 497 (figure)  
   modes of, 473–477, 474 (table), 480 (figure)  
   optimization of, 482–483  
   quality and, 478, 486–487, 487 (figure), 488 (figure)  
   technology and, 475 (figure), 483–490, 484 (figure), 48 (table), 485 (figure), 486 (figure), 487 (figure), 488 (figure), 489 (figure), 490 (figure), 491 (figure)  
 fuel cells, 793  
 fuel coke, 117  
 fuel system, 291  
 fuel volatility index (FVI), 83  
 fugitive emissions, 513–514  
 functionality, 518  
 fungibility, 753–754  
 furnace tubes, 452–453  
 futures, 580 (table), 587 (table)  
 fuzzy logic, 391, 392 (figure)

## G

gas absorption column, 322 (figure)  
 gas chromatography (GC), 79  
 gas condensates, 24, 25 (figure)  
 gas flow, 552–553, 557–560, 558 (table), 559 (figure). *See also* pipelines, flow equations and  
 gas metering, 271  
 gas oil, 228–229, 228 (figure)  
 gas plant, 387–388, 390 (figure), 390 (table)  
 gas processing, 626 (table), 628  
 gases, 80  
 gasification, 291. *See also* regasification  
 gasifier feed, 214  
 gasoline processing, 111–119, 130 (figure), 130–131, 225–227. *See also* alkylation; catalytic reforming; coking; fluid catalytic cracking (FCC); hydrocracking; isomerization; polymerization; thermal cracking; visbreaking  
 gasoline, 27–28, 473–474, 476 (figure)  
   additives, 476  
   catalyst supports and, 245  
   catalytically cracked (CCG), 198–202, 198 (table), 199 (table), 201 (figure)  
   environmental protection standards and, 91–92  
   hydrodesulfurization (HDS) and, 201–202, 227–228  
   hydroisomerization and, 167, 171–172, 171 (figure), 172 (figure), 173 (figure)  
   low sulfur, 198–200, 199 (figure)

octane boosting and, 167–171  
 price of, 67–68, (figure)  
 quality of, 89–90, 461  
 specifications, 91–93, 92 (table), 93 (table)  
 sulfur content and, 90 (figure), 149–150, 150 (table)  
*See also* gasoline processing  
 gasoline sulfur reduction (GSR) additive, 149–150, 150 (table)  
 gas-to-liquid (GLT), 274–275, 276 (figure)  
   plants, 64–65, 277  
   technology, 787–788  
   transportation and, 550, 563, 565  
 gas-to-oil ratio, 24  
 GC-AED, 198, 199 (figure)  
 gel permeation chromatography, 80  
 GEMMS, 695 (table)  
 geographical distribution  
   of biofuel, 53–55, 55 (figure)  
   of coal, 52–53  
   of conventional oil, 42, 44 (figure), 45 (figure), 46 (figure)  
   of crude oil, 51–52, 52 (figure), 53 (figure), 56 (figure), 56 (table), 61 (figure)  
   of natural gas, 52, 53 (figure), 54 (figure), 56 (figure), 56 (table)  
   reserves/production ratio and, 55–57, 56 (table), 57 (figure)  
   of unconventional oils, 33, 46  
 Germany, 760  
 glands, 403  
 Go-finding, 207 (table)  
 government regulation, 41, 62–64, 71. *See also*  
   environmental regulation  
 GPSA *K* value, 337 (table)  
 gravity, 80, 618 (figure)  
 green cokes, 98, 99 (table)  
 green diesel, 795. *See also* biodiesel  
 Green Paper, 748  
 greenhouse gas (GHG) emission, 65, 750–751, 751 (figure)  
   reduction of, 751–752, 752 (table). *See also* emissions reduction  
   refinery impacts on, 71–72; standards, 71  
   *See also* carbon dioxide (CO<sub>2</sub>) emissions; emission standards; environmental regulation; *specific emissions*  
 gross refinery margin (GRM), 631, 640. *See also* estimated gross refinery margin (EGRM)  
 guard-bed catalyst, 230–231, 231 (table)  
 gunite vessel, 412

## H

H<sub>2</sub>S, 225 (figure), 225 (table), 226 (figure), 226 (table), 438  
 H<sub>2</sub>S/NH<sub>3</sub> inhibition, 210  
 hardness test, 409  
 Hardy Cross method, 567  
 Haverly Systems (HIS), 694 (table)  
 hazardous area equipment, 406  
 hazardous waste, 703  
 hazards. *See* safety issues, hazards and  
 Hazen-Williams correlation, 55–557, 556 (table)  
 HDM, 235 (figure), 235–237  
 heat exchange, 240, 262. *See also* heat exchanger; heat exchanger network (HEN)



- heat exchanger, 326–328, 328 (table), 330 (table), 368  
inspection of, 410, 412–413, 414, 424  
mathematical methods and, 534–535
- heat exchanger network (HEN), 104–105, 106 (figure),  
216, 536 (figure)
- heater tubes, 446
- heating coils, 329–331
- heating oil, 29, 96
- heating value, 251
- heavy crude, 26, 177, 178 (figure), 778. *See also* heavy oil
- heavy fraction (HCCG), 198, 199 (figure)
- heavy gas oil (HGA), 107
- heavy oil, 2 (figure), 89, 380  
challenges of, 9  
molecular weight and, 25 (figure)  
processing of, 57–58, 60–61, 191  
refining of, 6, 9 (figure)  
reserves, 33, 46, 46 (figure)  
residue and, 3 (table), 9 (figure)  
upgrading, 191
- heavy residue, 3 (table), 6
- heavy vacuum gas oil (HVGO), 107, 445, 451–452
- heavy-oil, 177–179, 178 (figure)  
characteristics of, 187 (table), 188 (table)  
upgrading, 181–193, 183 (table), 184 (figure), 185  
(table), 186 (figure)  
*See also* asphaltene
- heptane, 162–164
- heteroatom compounds, 9, 119
- heteroatom removal, 9. *See also* hydrotreating
- heterogeneously catalyzed hydrodesulfurization (HDS),  
120
- heteropoly acid, 163
- HETP, 320–321
- HEXSORB, 168, 169
- high-pressure liquid chromatography (HPLC), 82, 179. *See  
also* liquid chromatography (LC)
- high-pressure separator (HPS), 127–128
- high-temperature hydrogen attack, 445–446, 446 (figure)
- high-temperature sulfide corrosion, 443–444
- Honeywell Process Solutions, 694 (table)
- human resources, 746. *See also* workforce
- hybrid systems, 295, 296 (figure), 297 (figure)
- HYCON, 190, 191 (figure)
- hydrates, 2
- hydraulic nut splitter, 399–400
- hydraulic torque wrenches, 399
- hydraulics planning, 691
- hydrocarbon  
characteristics of, 1, 2, 7 (table), 21  
resource classification, 41–42, 42 (figure)  
*See also* aromatics; olefins; paraffins; naphthenes
- hydrocarbon conductivity, 309
- hydrocarbon group analysis, 179
- Hydrocarbon Processing*, 621
- hydrocracking, 60, 103, 116, 117 (figure), 121 (table), 159  
heavy crude and, 186–190, 189 (figure), 189 (table),  
190 (table), 191 (table)  
pretreater, 233  
unit, 385–386, 387 (figure), 388 (table), 795
- hydrodealkylation (HDA), 208, 210
- hydrodemetallation (HDM), 187–190, 245–246
- hydrodenitrogenation (HDN), 120, 208, 210
- hydrodesulfurization (HDS), 121 (table), 187, 189–190  
active site and, 226  
catalysts and, 245. *See also specific catalysts*; zeolite  
catalytically cracked gasoline and, 201–202, 226–227  
deep, 227–228  
units, 203–207, 204 (figure), 209 (figure)  
*See also* desulfurization; hydroprocessing; VGO  
hydrotreating
- hydrofluoric acid, 114
- hydrogen, 7 (table), 302, 793  
balance, 287  
-to-carbon ratio, 2, 5, 10  
coal and, 5  
consumption, 203  
crude oil and, 2–3  
management of, 10–11  
network targeting and, 296–300  
petroleum refineries and, 10–11  
plant, 13 (figure), 300–302  
production, 13 (figure), 103, 288–292, 290 (figure),  
291 (figure)  
purification, 292–295  
surplus, 299 (figure)  
transportation, 295–296  
*See also* hydrogen plants; hydroisomerization
- hydrogen addition, 9. *See also* catalytic hydrogenation;  
hydrocracking
- hydrogen attack, 445–446, 446 (figure)
- hydrogen blister, 439
- hydrogen composite curves, 297, 298 (figure)
- hydrogen induced-cracking (HIC), 439
- hydrogen pinch concept, 296–300
- hydrogen plants, 289–291, 290 (figure), 291 (figure),  
293 (figure), 294 (figure), 296 (figure), 297 (figure),  
301 (figure), 302 (figure). *See also* pressure swing  
adsorption
- hydrogen sulfide, 23
- hydrogen surplus curve, 297, 300 (figure)
- hydrogen transfer (HT), 150
- hydrogenated vegetable oils (HVOs), 752, 762 (table),  
763
- hydrogenation, 121 (table)
- hydroisomerization, 9, 12 (figure), 159–166, 161 (figure),  
164 (table), 166 (table), 170 (figure), 171 (figure), 171–  
174, 172 (figure), 173 (figure)  
base oil and, 171–173  
catalysts and, 160–167, 162 (table), 164 (table), 166  
(table), 167 (table), 167 (table), 168 (figure), 168  
(table), 174  
gasoline and, 167–171  
thermodynamics and, 159–160  
*See also* catalyst chemistry; thermodynamics
- hydroprocessing, 64, 452  
units, 442  
vacuum gas oil (VGO) and, 207 (table) 207–210, 207.  
*See also* hydrodesulfurization
- “hydroskimming” refineries, 613
- hydrostatic testing, 409, 412–413
- hydrosulfurization (HDS), 198–202, 199 (table), 201  
(figure)  
diesel fuel and, 202–206  
*See also* sulfur content; sulfur removal
- hydrotreater, 369–370

- hydrotreating, 119–120, 133–134, 134 (table), 627  
 capacity and, 610, 611  
 cost of, 626 (table)  
 particulates and, 230  
 HYSOMER process, 168
- I**
- import terminal, 269 (figure), 272 (figure)  
 impurities, 21, 25  
 natural gas and, 74. *See also* natural gas, processing of  
*See also* acids; alcohols; aromatics; detergents; polymers  
 in situ metallography, 409  
 incident prevention, 738  
 India  
 consumption and, 776  
 gasoline and, 92–93, 93 (table)  
 refining in, 71  
 safety incidents in, 717–718  
 induction heater, 400  
 industry reporting, 41  
 inert gas, 256–257  
 inerting, 725  
 information technology (IT), 685, 698, 741. *See also*  
 computer-aided process operation; computer systems;  
 software  
 infrared (IR) thermography, 395  
 Ingenious, Inc., 695 (table)  
 inhibitor sweetening, 121 (table)  
 inlet device, 344–351  
 inline blenders, 475 (figure), 495 (figure)  
 inline gasoline batch blender, 475 (figure)  
 input streams, 612–613  
 inspection. *See* refinery inspection  
 Institute François du Petrol (IFP), 792  
 instrumentation, 355  
 advances in, 366, 368  
 for automation, 696–698  
 blending and, 485, 486 (figure)  
 maintenance, 406–407, 435  
 reliability and, 366–368, 396, 466–467  
*See also* equipment; measuring instruments, refinery;  
 process control  
 insulation, 407  
 insulation resistance test, 403  
 integrated gasification combined cycle (IGCC), 795  
 integrity audits, 738  
 interaction coefficient values, 480  
 intermediate fluid vaporizer (IFV), 270  
 intermediate precision, 461  
 intermediate streams, 107  
 intermittent compressor, 345. *See also* compressor  
 International Energy Agency (IEA), 749, 750  
 International Organization for Standardization (ISO), 88  
 Invensys Production Management, 695 (table)  
 inventory calculation, 507–510, 508 (figure), 509 (figure)  
 inventory policy, 679, 681, 682  
 inverters, 405  
 investment, 619, 621  
 IPSORB, 168, 169  
 isobutane, 210–211  
 isobutene, 113, 114, 115  
 ISOCRACKING, 207 (table), 208, 210  
 ISODEWAXING®, 172, 173 (figure)  
 isomer, 21, 22  
 isomerization, 103, 115–116, 116 (figure), 121 (table), 159,  
 171 (table), 628  
 cost and, 626 (table)  
 light naphtha and, 160–165, 168 (table)  
 long chain paraffins and, 165–171  
*See also* hydroisomerization  
 isoolefin HG active site, 226  
 ISOP catalyst, 239–241, 240 (figure), 240 (table), 241  
 (table)  
 isoparaffins, 21, 86 (figure), 113  
 isothermal flow, 570–571  
 IsTerming, 207 (table), 208
- J**
- Japan, 216–219  
 jet fuel, 94  
 J-T expansion, 258
- K**
- KBR FCC configuration, 136 (figure)  
 Kellogg Orthoflow™, 141–142  
 kerosene, 28–29, 101, 107, 651 (figure)  
 Ketjenfine 757, 231  
 Ketjenfine 848, 232, 233 (figure)  
 Ketjenfine KF 542-9R/-5R, 230  
 Ketjenfine KF 647, 231  
 Ketjenfine KG-1, 231  
 Ketjenfine KG 6, 231  
 Ketjenfine KG-55, 230  
 key performance indicators (KPIs), 466, 734–736  
 kinematic viscosity, 84  
 kinetic reactor model, 655, 661, 662  
 Knutsen CNG ship, 281 (figure)
- L**
- L/D ratios, 340 (table)  
 labor cost, 593 (table)  
 labor safety, 721. *See also* refineries, safety and  
 laboratories  
 cost and, 511 (figure)  
 operations of, 744  
 testing and, 463–464  
*See also* laboratory information management system  
 (LIMS)  
 laboratory information management system (LIMS), 465,  
 466  
 landfill, 796  
 laser beam alignment, 399 (figure)  
 lead, 712 (table)  
 leadership, 729–730  
 leak test, 409  
 leaks, 515  
 licensors, 181, 183, 185  
 life cycle assessment (LCA), 713, 751  
 light crude oil (LCO), 25 (figure), 116  
 light distillates, 116, 288 (figure). *See also specific  
 distillates*  
 light gas oil (LGA), 107  
 light vacuum gas oil (LVGO), 107  
 linear model, 658  
 linear programming, 532, 657, 659–664, 692  
 Linear Theory method, 567–568

- line-up errors, 515
- liquefaction, 261–267, 262 (figure), 263 (figure), 264 (figure), 265 (figure), 26 (figure)
- liquefaction plants, 72–73, 259, 262 (figure), 277 (table)
- Liquefin™ process, 264–265, 265 (figure)
- liquid chromatography (LC), 82, 177–179
- liquid flow, 552, 555–557, 556 (figure), 557 (table)
- liquid hold-up, 338 (table)
- liquid hydrocarbons: measurement of, 80. *See also specific hydrocarbons*
- liquid-liquid extraction, 323. *See also separators*
- liquid natural gas. *See natural gas liquids (NGL)*
- liquid petroleum gas (LPG), 27, 31, 91 (table), 119, 127–128, 131, 156
- liquid-ring compressor, 346
- LNG Smart®, 268
- long-chained molecules, 370. *See also fluidized catalytic reactor control*
- long-term contracts, 578 (table)
- Louisiana, 623, 625 (table)
- “Low Carbon Fuel Standard” (LCFS), 748–749
- low-temperature operability, 474
- low-temperature separation, 257–258
- low temperature shift (LTS) catalyst, 242
- LPG. *See liquid petroleum gas*
- lube oil, 160, 173 (figure), 525, 544
- lubricating oil, 29, 109, 394–395, 626 (table), 628
- lubricity, 462 (table), 477
- lumped bias, 479, 480 (figure)
- lumping methodologies, 650–652
- M**
- magnetic particle testing, 408–409
- main-bed hydrotreating, 231–233
- maintenance. *See refinery maintenance; instrumentation, maintenance and; specific forms of maintenance*
- maintenance costs. *See refinery maintenance, cost and management information system (MIS), 542. See also refinery management*
- management of change, 736–737
- management strategy, 730 (figure), 730–732, 731–732 (table), 740. *See also refinery management*
- Manager for Interactive Modeling Interface (MIMI), 695 (table)
- Manning correlation, 556 (table), 557
- marine diesel fuel, 96, 96 (table)
- marine terminal, 523
- marker crude oil, 580 (table), 581 (table)
- markets, 17, 774–775
- analysis of, 776
- crude oil trading and, 577–580, 578 (table)
- drivers of, 774–777
- gas-to-liquid process and, 275
- pricing and, 580 (table), 580–581, 582–583 (table), 583 (figure), 584 (table), 585 (table), 586 (table), 587–588 (table), 585–589
- products and, 589, 614
- See also products, pricing of; pricing*
- Markov decision process, 635–636
- marshaled energy, 720
- mass spectrometry (MS), 82
- MAT/FST unit, 153
- mathematical methods, 532–538
- algorithms and, 483, 537, 678–682
- flow equations and, 551–560, 554 (figure), 556 (figure), 558 (table), 559 (figure), 565–570, 571–573
- scheduling and, 542–543
- See also equations*
- Maya heavy crude, 188 (table), 781 (figure), 782 (figure)
- mean time between failure (MTBF), 397
- mean time to repair (MTTR), 397
- measurement, 79–81. *See also specific types of measurement*
- measuring instruments, 358–360 (table), 364–366
- mechanical puller, 400
- melting point, 84
- membrane separation, 74–75, 75 (figure), 292–293, 294 (figure), 295
- mercury, 256
- Merox process, 119
- mesoporous material, 166–167 (table)
- metal deactivators, 476
- metal salt, 163
- metallic constituents, 82–83
- metals, 160, 394 (table), 778. *See also specific metals*
- methane, 10, 26, 72–73, 249
- coal-bed, 42
- natural gas hydrate and, 282 (figure)
- See also natural gas*
- methanol, 764
- methanol-to-gasoline process, 789
- Mexico, 612 (table)
- MFC Linde process, 266–267, 267 (figure)
- middle distillates, 6, 9, 116
- consumption of, 288 (figure)
- demand for, 62, 64, 64 (figure)
- See also specific distillates*
- Middle East
- crude oil reserves and, 33, 34 (figure), 43, 43 (figure), 44 (figure), 46
- natural gas reserves and, 48 (figure), 49 (figure), 51 (figure)
- refining in, 69, 69 (figure), 609 (table), 612 (table), 613 (table)
- See also specific countries*
- milling, 754–755
- minimum number calculation, 313
- minimum reflux, 313
- mixed refrigerant processes, 266–268. *See also specific processes*
- mixed silica-alumina (MSA), 163
- mixed-flow compressor, 346
- Mizushima, 217
- MoO<sub>3</sub>, 163–164
- Mochida, 210, 211 (figure)
- model calibration, 655
- model development, 648–649. *See also refinery modeling; simulation model*
- modeling trends, 669–670
- molecular simulation, 670
- molecular weight, 80–81
- molybdenum, 163–164
- monitoring points, 410
- monoaromatic hydrocarbons, 23
- mono-olefins, 22
- Monte Carlo simulation, 675–678, 679

- Moody friction factor, 554, 555, 556 (table), 557
- MoS<sub>2</sub>, 232–233
- motor current monitoring, 395–396
- motor fuel, 237–239
- MSDW<sup>TM</sup>, 172
- mud wash, 309
- Multi State Mixed Refrigerant process (LiMuM), 268
- multifunction gauging system, 505 (figure), 506 (table), 506–507
- multiheader crude blending, 526 (figure)
- multiheader distillate run-down blender, 457 (figure)
- multiphase flow, 563–565, 564 (figure), 569
- multiple operator interfaces, 515
- multiplexed sampling system, 487
- multiunit refinery model, 666–667
- multivariable control (MVC), 375, 376 (table)
- multivariable predictive control (MVPC) technology, 375–377, 376 (figure), 377 (figure), 378 (figure), 380
- atmospheric processing and, 381 (figure), 381 (table)
- catalytic processing and, 383 (figure), 385 (figure), 386 (table)
- crude vacuum processing and, 382 (table)
- delayed coking and, 389 (figure), 389 (table)
- fluid catalytic cracking (FCC) and, 383 (figure), 384 (table)
- gas plant and, 387–388, 390 (figure), 390 (table)
- hydrocracking and, 387 (figure), 388 (table)
- variables, 381 (figure), 381 (table), 382 (table), 384 (table), 386 (table), 388 (table), 389 (table), 390 (table)
- Murphree efficiency, 315
- Muse, Stancil, & Co., 620 (figure)
- N**
- nanoparticles, 243–244, 246
- naphtha complex, 667
- naphtha, 29, 107
- blending, 525–528, 528 (figure), 529 (figure)
- isomerization and, 160–165
- sulfur and, 119
- naphthenes, 22, 174
- naphthenic acid corrosion, 444–445, 447, 449, 451–452
- National Institute of Occupational Safety and Health (NIOSH), 724
- natural gas, 72–73, 763, 776 (table), 785 (table)
- applications of, 78 (figure)
- conditioning and, 251–257, 253 (figure), 255 (figure), 256 (table), 257 (figure)
- consumption of, 31, 72, 74 (figure), 787 (table)
- conventional, reserves of, 33, 46–48, 48 (figure), 49 (figure), 50 (figure), 55–56, 56 (figure), 249, 250 (figure)
- definition of, 1–2, 2 (figure), 9, 10
- demand for, 5–6, 9, 75–76
- fraction and, 259–260, 260 (figure)
- hydrates, 281
- gas-to-liquids (GLT) and, 284, 282 (figure), 283 (figure), 786–787
- liquefaction of, 251 (figure), 261–267, 262 (figure), 263 (figure), 264 (figure), 265 (figure), 266 (figure)
- molecular weight and, 25 (figure)
- pricing and, 787 (figure)
- processing of, 9–10, 11–13, 11 (figure), 12 (figure), 19, 72–75, 74 (figure), 784, 785–786, 788 (figure)
- properties of, 23, 42, 249–251, 250 (table), 251 (table), 258 (figure)
- production of, 3, 13 (figure), 257–259
- refineries, 252 (figure), 253 (figure)
- regasification and, 268–270
- regional realities of, 73 (figure)
- storage of, 273–274, 274 (figure), 275 (figure)
- technology and, 786 (figure)
- thermodynamic properties and, 250
- transportation, 249, 260–261, 269 (figure), 279–281, 288 (figure), 549–550
- as transportation fuel, 66–67, 7 (figure)
- unconventional, reserves of, 42, 48–51, 51 (figure). *See also* coal-bed methane (CBM)
- See also* Natural gas hydrates (NGH); natural gas liquids (NGL); natural gas processing
- Natural gas hydrates (NGH), 270–273, 281. *See also* compressed natural gas (CNG); gas-to-liquids (GLT); natural gas liquids (NGL); natural gas processing
- natural gas liquids (NGL), 9, 10, 31, 73–74
- process of, 261–267, 262 (figure), 263 (figure), 264 (figure), 265 (figure), 266 (figure)
- regasification and, 268–270
- storage and, 273–274, 273 (table), 274 (figure), 274 (table), 275 (figure), 275 (table). *See also* tank
- transportation of, 549
- vaporization and, 270–273
- See also* gas-to-liquids (GLT); natural gas
- natural gas processing, 11–14, 784, 784, 788 (figure), 789.
- See also* natural gas, processing of; refineries
- natural gas vehicles, 67 (figure)
- near infrared spectroscopy (NIS), 82, 364–366
- Nebula technology, 233
- Nelson-Farrar, 624 (table)
- net positive suction head (NPSH), 348, 350–351
- network targeting, 296–300
- New Zealand, 94 (table)
- Newton-Raphson method, 567, 568
- nickel, 154–155, 230–231
- nickle-based alloy, 442
- NIR spectroscopy, 697–698
- nitrogen, 229, 781 (figure)
- nitrogen oxide (NO<sub>x</sub>) emission, 225, 336, 703, 712 (table), 751
- nitrogen reduction, 336
- NLP-based optimization, 532–536
- noble-metal-based water-gas shift (WGS) catalyst, 242–243
- nodes, 566
- noise, 395
- noise pollution, 706, 708–709
- noncatalytic POX, 277 (figure)
- noncooling process, 258
- noncritical equipment, 396
- nondestructive examination, 414
- nonfuel products, 29–31, 30 (figure). *See also* asphalt; lubricating oil; naphthas; petrochemical feedstock; petroleum coke; solvent; waxes
- nonhydrocarbons, 291–292
- nonlinear model, 477–478, 660–665
- normal boiling point. *See* boiling point
- North America
- conventional natural gas reserves of, 48 (figure), 49 (figure), 51 (figure)



- crude oil reserves of, 43 (figure), 44 (figure), 46  
 energy sources and, 770 (table)  
 refining in, 69–70, 70 (figure), 609 (table), 612 (table),  
 613 (table)  
*See also specific countries*
- NO<sub>x</sub> reduction additive, 151–152, 151 (figure)
- NYMEX, 585
- O**
- objective function, 482–483, 483 (figure), 682 (table)  
 objective value, 678 (figure)
- OCR, 189
- OCR/UFR-RDS process, 234 (table)
- octane blending, 167–171, 756–757. *See also* blending
- octane number, 85, 86 (table), 103, 113, 473
- offline optimization, 489
- offloading, 269
- offset misalignment, 398 (figure)
- offshore import terminal, 273
- offsite operations, 473, 622, 743–744. *See also* fuel blending
- offsite piping, 414
- oil, 178 (table). *See also specific types*
- Oil and Gas Journal*, 621
- oil field variability, 21
- oil-gas separator, 24
- oil imports, 774 (table). *See also specific countries*
- oil movement, 514–521, 515 (table), 516 (table), 518  
 (table), 520 (figure), 521 (figure)  
 control levels, 518–519, 519 (figure)  
*See also* pipelines
- oil price, 40 (figure), 67–68, 68 (figure), 770, 785 (figure)  
 energy consumption and, 39–40  
 future considerations and, 796
- oil shale, 25 (figure)
- olefin, 22, 210, 225, 474  
 boiling point and, 86 (figure)  
 fluid catalytic cracking (FCC) and, 198, 200  
 plant optimizer, 668
- Olefin HG active site, 227
- OmniSuite, 694 (table)
- 1-octene, 225, 226, 227
- online analysis, 696–698  
 blending and, 486–487  
 tank farms and, 511–512, 512 (figure)
- online analyzers, 650
- on-shift process optimization, 658
- onsite and offsite operations, 14 (figure), 15 (figure),  
 743–744
- on-stream inspection, 410 (table), 429–434
- open rack vaporizer (ORV), 270 (figure)
- operate environmental units, 744
- operate utilities, 744
- operational efficiency (OE), 397
- operations management, 742
- operator training simulators, 669
- operations support, 744
- opportunity value (OV), 635, 641 (table), 642 (table), 643  
 (table)
- OPTI, 192–193, 193 (figure)
- optimization, 482–483, 531, 536–537, 543, 643–644, 667  
 algorithms, 483  
 challenges of, 538  
 lend control and, 488–491, 489 (figure), 490 (figure)
- maintenance and, 678  
 methods, 538–539, 664 (figure)  
 offline, 489, 490 (figure)  
 planning tools and, 658–665. *See also* simulation tools;  
*specific tools*  
 real-time, 689–691, 691 (table)  
 scheduling and, 691  
 software and, 690, 691 (table)  
 variables, 531  
*See also* refineries, scheduling and
- Optimized Cascade process, 263–264, 264 (figure)
- Organization of Petroleum Exporting Countries (OPEC), 33
- Orinoco Oil Belt, 193 (table)
- OSHA, 720, 721, 722
- overall process effectiveness, (OPE), 397
- overhead corrosion, 437–438
- oxidation, 206, 277, 288, 462 (table)
- oxidation inhibitors, 476
- ozone, 712 (table)
- P**
- packed columns, 320–321, 321 (figure)
- packed towers, 319
- packing, 319
- PAD district, 607, 608 (table)
- paints, 408
- pall rings, 318 (figure)
- panhandle equations, 557, 558, 559
- paper markets, 578–580, 579 (table), 580 (table)
- paraffins, 21–22, 22 (figure)  
 fluid catalytic cracking (FCC) and, 198  
 hydroisomerization and, 159–160, 163  
 isomerization and, 165–167  
 RON of, 160
- parallel mixed refrigerant (PMR), 266
- Par-Isom process, 115–116, 116 (figure), 169, 170 (figure)
- particle size distribution (PSD), 153
- particulate emission, 225, 712 (table)
- peak oil, 52–53, 53 (figure)
- PEFCs, 243
- performance monitoring, 397, 737–738
- permeability, 294 (table)
- permit-to-work system, 721–722
- PETRO LP, 695 (table)
- petrol. *See* gasoline
- petroleum  
 definition of, 1, 2 (figure)  
 formation process, 1–2, 21  
 history of, 1, 8 (table), 772–774  
 refining of, 6–9, 8 (table), 10 (figure), 19–20. *See also*  
 refineries  
*See also* crude oil; products; *specific types*; *specific*  
*products*
- petroleum coke, 29, 30  
 fluid catalytic cracking and, 130, 131, 147–148  
 production of, 117–119  
 properties of, 97–98, 117 (figure)  
 quality of, 118, 118 (table)  
*See also specific types*
- petroleum cuts, 27. *See also* products
- petroleum fractions, 81–82, 98–99
- petroleum products. *See* products
- Petroleum Resources Management System (PRMS), 42

- petroleum streams, 649
- photovoltaic energy, 793
- physical markets, 577–578
- PINA, 81
- pinch technology, 216–219
- pipeline terminal, 523
- pipelines
- ASME specifications and, 550, 551
  - cost and, 563, 561
  - design, 560–563
  - flow considerations, 563–565, 564 (figure)
  - flow equations and, 551–560, 554 (figure), 556 (figure), 558 (table), 559 (figure), 565–570, 571–573
  - hydrogen and, 295
  - natural gas and, 260–261
  - networks, 565–570, 566 (figure), 568 (figure)
  - inspection of, 428
  - standards of, 550 (table), 550–551
  - temperature profiles and, 570–573
  - terminals and, 523
- pipelines-to-tanks crude blending, 526 (figure)
- pipng, 410, 725
- pitch, 213, 214 (table)
- planned inspection, 410
- planning headquarters (HQ), 664
- planning, 16 (figure), 16–17, 539, 540, 657 (table), 657–658, 664
- plants. *See* baseload plants; biorefineries; gas plant; gas-to-liquid plants; hydrogen plants; liquefaction plants; natural gas processing plants; refineries; refinery economics; tank farm
- plate exchangers, 326
- PLATOFORM, 695 (table)
- platts, 585
- PLEX technology, 208
- Poiseuille's law, 554, 556 (table)
- polyaromatic aromatic hydrocarbons (PAHs), 23, 81, 99, 203
- polymer electrolyte fuel cells (PEFCs), 241
- polymerization process, 103, 114–115, 115 (figure), 121 (table)
- polypropylene, 193, 193 (table). *See also* catalyst, commercial
- polythionic acid stress corrosion cracking (PTA SCC), 441, 451
- positive displacement pump, 348, 350–351
- pour point, 84, 85 (table), 203
- power transformers, 403
- precision, 461, 470
- precoat filter, 351–352
- predictive control, 362
- predictive maintenance, 394
- preheat exchange control, 369 (figure)
- pressure, 395, 506
- pressure drop, 329 (table), 553
- pressure swing adsorption (SPA), 289–291, 290 (figure), 292, 295, 297 (figure)
- pressured natural gas (PNG®), 281
- pretreatment, 226–227, 227 (figure), 231
- preventative maintenance, 393, 416, 675. *See also* refinery maintenance
- prevention methods. *See* corrosion, prevention and price reporting journals, 585
- price variation, 67–68
- pricing, 3, 581–585
- agreements, 585
  - crude oil and, 580 (table), 580, 581, 582–583 (table), 583 (figure), 584 (table), 585 (table), 585–589, 586 (table), 587–588 (table)
  - differentials, 587–588 (table), 588–589
  - information sources for, 585, 590–591
  - mechanisms, 585–589, 586–587 (table), 589 (table)
  - models, 637–641, 638 (table), 639 (table), 640 (figure)
  - products and, 589–591, 590 (table), 614–615, 615 (figure), 636, 637–638, 639 (figure). *See also* markets; refinery economics
- PRICO®, 268
- process alarm management, 366
- process automation, 686, 687–688
- instrumentation and, 686, 696–698
  - offsite, 691
- process control, 355–364, 375–377, 376 (table), 388–391, 668–669, 688–689
- case studies, 368–373
  - distributed, 698
  - planning and, 691–696, 694–695 (table)
  - real-time optimization (RTO) and, 689–691
  - reliability and, 366–368
  - See also* computer-aided process operations; process automation; process control
- process modeling, 693–698, 694–695 (table)
- process parameters, 395
- process safety, 722–723
- process simulation. *See* simulation model
- processing technologies, 621–623, 622 (table)
- processing
- capacity, 58–60, 62 (figure)
  - cost of, 625–628, 626 (table), 627 (figure)
  - See also* refinery economics
- production control, 665
- products, 3, 4 (figure), 4 (table), 5, 7 (table), 15 (figure), 16 (figure), 17, 124, 772 (table), 778 (figure)
- Alaskan crude oil and, 28 (figure)
  - analysis of, 14, 457–465, 462 (table)
  - atmospheric distillation and, 4 (figure), 61 (figure), 6
  - bio-based, 18–19
  - distribution of, 61–72, 605 (table), 606 (figure), 606 (table), 607, 611 (table)
  - future of, 796
  - import-export of, 63
  - mixed, 10
  - natural gas and, 31
  - pricing of, 584 (table), 589–591, 590 (table), 614–615, 615 (figure), 636, 637–638, 639 (figure). *See also* pricing, products and; refinery economics
  - quality of, 89–91, 132–134, 133 (figure), 134 (figure). *See also* quality control
  - regional consumption of, 65 (figure). *See also* consumption
  - specifications, 458, 460
  - supply and demand for, 598–599, 599 (figure), 560 (figure). *See also* demand; supply
  - test methods, 457, 458–459 (table), 460–463, 462 (table)
  - upgrading, 267. *See also* upgrading
  - yield, 134 (table), 135 (table), 602 (table)
- See also* blending; byproducts; fuel products; nonfuel products; products; *specific products*

- proficiency test, 468  
 programmable logic controller (PLC), 489, 686–687, 687–688  
 programming, 631, 633, 662–663, 663 (figure), 664 (figure)  
 propane, 21, 258  
 propene, 22, 114  
 ProPlan, 695 (table)  
 proportional integral derivative (PID), 375, 376 (table), 380  
 propylene, 31, 158, 198  
 ProSched, 695 (table)  
 PSA cycle, 293 (figure)  
 Pt, 242, 243  
 Pt/alumina, 164–165, 164 (table), 166 (table)  
 Pt/CeO<sub>2</sub>, 242, 243  
 Pt/TiO<sub>2</sub>, 242, 243  
 pump, 348–351, 349 (figure), 351 (table), 569  
 pump around heat exchanger, 368  
 pump curve, 349  
 pump inspection, 417  
 pumpout system, 269  
 pure vegetable oils (PVOs), 752, 765 (figure)  
 purging, 725  
 purification process, 292–295. *See also* distillation  
 purifiers, 300  
 purity tradeoff, 297–298
- Q**
- quality audit, 469–470  
 quality control, 14, 19, 455–457, 465 (figure), 465–470, 468 (figure), 470 (table), 471 (table)  
   blending and, 486–487, 487 (figure), 488 (figure)  
   planning and, 658  
   process units and, 697 (table)  
 quality cost, 469, 471  
 quality giveaway, 455–456, 471 (table)  
 quality measuring instruments, 364–366
- R**
- radiography, 409  
 rag formation, 309  
 rag processing, 309  
 railcar terminal, 523  
 rare earth, 154, 224  
 reaction network, 652 (figure)  
 reactor  
   desulfurization, 204–206, 209 (figure)  
   fluid catalytic cracking (FCC) and, 371 (figure), 371–372  
   residua thermal cracking, 214  
 reactor effluent air cooler (REAC), 440  
 reactor model, 655 (figure), 655–656  
 reactor-regenerator, 371 (figure), 372  
 real-time optimization (RTO), 689–692, 691 (table)  
 reciprocating pump, 350–351, 350 (table)  
 reduction additive, 149–150, 151–152  
 reference pricing, 580–581  
 refineries, 8 (table), 17–18, 59 (figure), 59 (table), 46 (figure), 638 (figure)  
   automation and, 687–688, 696–698  
   configuration and, 122–123, 502 (figure), 503 (table)  
   distribution of, 68–71. *See also specific regions*  
   emissions and environmental issues of, 18, 71–72, 292 (table), 513–514, 616, 706 (table). *See also* refinery pollutants  
   energy consumption in, 17, 616, 619 (figure)  
   equipment and, 358–360 (table), 364–366, 399–400, 409–410  
   future of, 9, 10 (figure)  
   management and, 17–18  
   margins and, 57, 469, 471. *See also* refinery economics  
   material problems and, 451–453  
   natural gas, 252 (figure), 253 (figure)  
   offsite operations of, 14 (figure), 15 (figure), 15–16  
   planning and scheduling for, 16–17, 657 (table), 657–658, 677, 691–696  
   products, 4 (figure), 4 (table), 7 (table), 103. *See also* products  
   safety and, 14, 467–468, 513–514, 677, 687, 696–698, 746. *See also* safety issues  
   scheduling and, 531–544, 541 (figure), 541 (table), 544 (table), 677. *See also* scheduling  
   technology, 9 (figure), 598 (table), 621–623, 780–784, 790, 792  
   *See also* baseload plants; biorefineries; gas-to-liquid plants; gas plant; hydrogen plants; liquefaction plants; natural gas processing plants; refineries; quality control; refinery capacity; refinery inspection; refinery maintenance; refinery management; refinery modeling; refinery planning; refinery economics; refining industry; refining processes; tank; tank farm  
 Refinery and Petrochemical Modeling System (RPMS), 694 (table)  
 refinery capacity, 58–60, 58 (figure), 59 (figure), 59 (table), 60 (figure), 60 (table), 61 (figure), 62 (figure), 64, 68  
   global, 609–611, 611 (figure), 611 (table), 612 (figure)  
   regional statistics and, 607–608, 609 (table), 610 (figure)  
   in the United States, 600–604, 603 (figure), 604 (figure)  
 refinery economics, 17, 67–68, 614, 617–621, 636, 774  
   blending and, 494, 495 (figure)  
   biofuels and, 746–766, 765 (figure)  
   capital cost, 592, 594 (table)  
   cost control and, 739  
   environmental regulation and, 701  
   financial risk management and, 632–633, 641 (table)  
   labor cost, 593 (table)  
   loss and, 679–680  
   margins and profits and, 592–593, 594 (figure), 595 (table), 619, 620 (figure), 620 (table). *See also* refining planning  
   operating and, 124, 591 (table), 589, 591 (figure), 591 (table), 591–592, 593 (table), 594 (figure), 595 (table), 611, 615, 612, 621 (figure)  
   pipelines and, 563  
   process cost function and, 625–628, 626 (table), 627 (figure)  
   supply and, 591 (figure), 592 (figure)  
   tank operation and, 516  
   *See also* oil price; products, price of; price variation; pricing  
 refinery inspection, 13–14, 402–406, 408–415, 410 (table), 411 (table), 413 (table), 447  
   criteria, 410–411  
   documentation, 414–415, 433  
   tools, 411 (table)  
   *See also* quality control

- refinery maintenance, 13, 16 (figure), 17, 393–401, 675–676  
 cost and, 594 (table), 676–677  
 civil, 407–408  
 electrical systems and, 401–401. *See also* electrical systems  
 instrumentation and, 406–407, 435 (table), 340  
 maintenance and, 736 (table), 739 (table)  
 management and, 736 (table), 739 (table), 742–746  
 performance measurement and, 733 (figure), 733 (table), 733–736, 734 (figure), 735 (figure)  
 personnel and, 729–730, 741–742  
 strategy and, 730 (figure), 730–732, 731–732 (table), 735 (figure), 736–737  
 support aspects and, 737–742  
*See also* instrumentation, maintenance and; *specific forms of maintenance*
- refinery modeling, 649 (figure), 656–658, 660 (figure), 669–670  
 design and, 665–666  
 development and, 649, 653–654  
 model components, 652–653, 645–656, 63 (figure), 655 (figure), 656 (figure), 669–670  
 software and, 658 (table), 658–669  
 technology and, 649–652  
*See also* process engineering
- refinery planning  
 computerized, 692–696, 694–695 (table)  
 management and, 737 (figure), 737–738  
 risk management and, 632–633, 633–636, 738  
 supply chain and, 631–632
- refinery pollutants, 702 (table), 702–706, 706 (table)  
 air, 703, 710–711 (table), 712, 713 (table), 713–714, 714 (table)  
 noise, 706, 708–709  
 water, 702 (table), 702–703, 704–705 (table), 708 (figure)
- refining companies, 605 (table), 606 (table), 772 (figure).  
*See also specific companies*
- refining industry, 60, 612–616, 629, 769–71  
 challenges of, 33–34, 60–61, 794–796  
 configuration, 612–613 (table)  
 history of, 61 (figure), 73, 101, 121–123, 772–774  
 regional, 63 (figure)  
 structure, 604–607. *See also* geographical distribution  
*See also* markets; refineries; refinery capacity; refinery economics; refining processes; *specific industry aspects*
- refining processes, 378–387, 388, 390 (figure), 390 (table), 522 (figure), 597–598, 610–611  
 automated, 724–725  
 complexity and, 623, 659 (figure)  
 control schemes and, 378–386, 379 (table), 690 (figure)  
 gas and, 38  
*See also* optimization; refinery capacity; refinery economics, process cost function and; *specific processes*
- reflux ratio, 311
- RefOpt, 695 (table)
- reformed gas shifting, 290–291
- reformer, 277–278, 277 (figure), 278 (figure). *See also specific reformers*
- reformer reactor model, 667
- reformulated gasoline (RFG), 28, 92
- refractive index, 81
- refractivity intercept, 87
- refractory lined vessel, 412
- refrigeration, 279
- RefSim, 695 (table)
- regasification, 268–270, 282, 283 (figure)
- regenerator, 137 (table), 141–142, 142 (figure), 151 (figure), 153 (figure), 371 (figure), 372
- regenerator heat balance, 15
- regional production, 607 (figure), 607 (table), 607–608, 608 (table), 609 (table), 610 (figure), 610–611, 612 (table), 796
- regulatory blend control, 489
- Reid vapor pressure (RVP), 83, 473
- reliability, 366–368, 369, 401
- Reliance refinery, 58
- remote-impounding, 726
- repeatability, 462
- reproducibility, 462–463
- reserves  
 regional, 35 (table)  
 conventional crude oil and, 35 (table), 42–45, 43 (figure), 44 (figure), 45 (figure), 46 (figure)  
 conventional natural gas and, 46–51, 48 (figure), 49 (figure), 50 (figure), 51 (figure), 786 (figure)  
 heavy crude and, 177, 178 (figure)  
 unconventional crude oil and, 46, 46 (figure), 47 (figure)  
 unconventional natural gas and, 48–51, 51 (figure)  
*See also* regional distribution; *specific products*; *specific regions*
- reserves-to-production ratio (R/P), 55–57, 56 (table), 57 (figure)
- reservoir fluids, 23–24, 24 (table), 25 (table)
- residua thermal cracking, 213–215
- residual fuel oil, 29
- residual hydrocracking, 121 (table)
- residue upgrading, 213–215, 215 (figure), 780–790, 784 (table), 785 (table)
- residuum desulfurization (RDS), 234–237, 234 (table), 237 (figure)
- resin, 777, 778 (table)
- resource classification, 41–42, 42 (figure)
- resource constraint, 675, 678 (figure)
- reverse rim alignment, 398–399
- Reynolds number, 331, 337, 339, 342, 344, 553–554
- rigorous model, 661, 662 (figure), 664, 667
- rim and face alignment, 398 (figure)
- riser heat balance, 155
- Riser Separation System (RS™), 138, 140
- riser termination device, 138–140, 139 (figure)
- riser-reactor, 127, 151 (figure)
- risk curve, 634 (figure), 636 (figure), 640 (figure), 641 (figure)
- roads, 407
- ROK-Finer process flow, 202 (figure)
- RONs, 113, 160 (table), 163, 168, 169 (table), 478
- root mean square error prediction, 463
- rotary compressor, 345–346
- rotary displacement pump, 351
- rotary equipment, 409
- rotating electrical machines, 404
- rotating equipment alignment, 397–399
- roughness coefficient ( $C_{HW}$ ), 555–557, 559
- round-robin evaluation, 468
- rudimentary control, 356
- Russia, 612 (table)



- S**
- “saccharification,” 754–755
  - safety, hazard, and operability analysis (HAZOP), 676
  - safety assurance, 696–697. *See also* refineries, safety and
  - safety devices, 414
  - safety issues, 17, 18, 717
    - gasoline and, 91–92; 718
    - hazards and, 718–720
    - management and, 721–726
    - standards, 720–721*See also* refineries, safety and
  - salt, 103–104, 307. *See also* desalting
  - sand filter, 351
  - sand pipes, 137 (table), 141, 144 (figure)
  - sanitation, 407
  - saturate, aromatic, resin, and sphalrene (SARA), 81, 178–179, 179 (figure), 777–780. *See also specific components*
  - SCANfinding process, 201–202, 227 (table)
  - scheduling time horizon, 540–541
  - scheduling, 16–17, 531, 539–542, 691, 692 (figure)
    - blending and, 490
    - computerized, 692–696, 694–695 (table)
    - industrial applications and, 543–544
    - maintenance and, 677
    - management and, 737–738
    - mathematical tools and, 542–543
    - offsite, 541 (figure)
    - short term, 539–540, 541
    - tools, 543, 544*See also* refineries, scheduling and
  - second generation biofuels, 753, 765
  - security disclosures, 41
  - Selas-Linde GmbH, 270 (figure)
  - semicritical equipment, 396
  - sensitization, 41
  - separation assistance device, 344–351. *See also* compressor; pump
  - separation process, 102–103, 102 (figure), 102–110, 105 (figure), 105 (table), 106 (figure), 106 (table), 109 (figure), 110 (figure). *See also* desalting; distillation; *specific processes*
  - separation units. *See* heat transfer equipment; *specific units*; three-phase separators; two-phase separators
  - sequential systems, 687–688
  - settling regime, 337
  - Seveso, Italy, 717
  - Shaw/Axen’s feed injectors, 138
  - Shell, 189, 266, 695 (table)
  - shipment execution, 737
  - shock pulse monitoring, 395
  - shot coke, 117
  - shutdown maintenance, 400–401
  - sieve tray distillation column, 316 (figure), 318 (figure)
  - sigma phase, 447
  - silica, 246
  - silicoaluminophosphate (SAPO) molecular sieves, 165–166
  - simple deflection box, 344–345
  - simple refineries, 613
  - SimSci-Esscor’s ROMEo, 690
  - simulated annealing (SA), 536, 537 (figure), 537 (table), 537–538, 538 (figure), 538 (table)
  - simulated distillation (SD), 79
  - simulation model, 17–18, 200–201, 447, 543, 646–648, 663–664, 69. *See also* refinery modeling
  - simulation tools, 648 (figure). *See also* optimization, planning tools and; process modeling; *specific tools*
  - single-phase gases, 552–553. *See also* gas flow
  - single-phase liquids, 552. *See also* liquid flow
  - Site Source Sink Profile (SSSP), 216–217, 217 (figure), 218 (figure)
  - site steering committees, 741
  - skill level, 742
  - slack variables, 482
  - sliding vane compressor, 346
  - sludge, 702 (table), 703
  - slurry bubble column reactors (SBCRs), 278
  - slurry water-based hydrate process, 238–284
  - smog formers, 712 (table)
  - smoke point, 87, 462 (table)
  - SO<sub>3</sub>, 336
  - soda ash neutralization, 441
  - Sodegaura Refinery, 215
  - sodium (Na), 154
  - software
    - applications, 658 (table), 658–665
    - commercial, 641–643
    - for process engineering, 665–668
    - real-time optimization (RTO) and, 691 (table)
    - scheduling and, 692 (figure), 692–696, 694–695 (table)
  - solid acid catalyst, 237–239
  - solid alkylation process, 210–213, 211 (table). *See also* alkylate process
  - solid waste, 702 (table)
  - solvent, 18, 29, 81, 108, 121 (table), 325 (figure)
  - sour oil, 26
  - source and sink location, 296–297, 298 (figure)
  - South Africa, 64–65, 95
  - South and Central America, 609 (table), 612 (table), 613 (table)
    - crude oil reserves of, 43, 43 (figure), 44 (figure), 46
    - energy sources and, 770 (table), 774 (table)
    - natural gas reserves of, 48 (figure), 49 (figure), 51 (figure)
    - refining in, 70 (figure)*See also specific countries*
  - SOX reduction additive, 150, 151 (figure)
  - spares philosophy, 407
  - specific gravity (SG), 80
  - spectroscopy, 82, 242, 364
  - spectrum-based blending indices, 480
  - spherical tank, 499
  - spiral exchangers, 326
  - Spit MR™, 263
  - spot contracts, 578 (table)
  - stainless steel, 441, 442, 444, 447
  - standard deviation, 463
  - standard error prediction, 463
  - standard methods, 88–89, 89 (table). *See also specific organizations*
  - Standard Oil of New Jersey, 197. *See also* Exxon Mobile
  - starters, 402
  - static devices, 405
  - static electricity controls, 726
  - static equipment, 409
  - steady-state model, 653–656, 665, 693, 696

- steam generator system, 291  
 steam methane reformer, 277 (figure)  
 steam reforming, 289–290  
 steam reforming catalysts, 239–243  
 stochastic model, 638–641, 639 (table), 640 (figure), 641 (figure), 641 (table), 643 (figure)  
 stochastic optimization, 536  
 stochastic programming, 633  
 stock quality, 486–487  
 stock tank, 487  
 storage tank. *See* tank  
 storage tank inventory. *See* tank inventory  
 straight-edge alignment, 398  
 straight-run products, 107  
 strainer, 351  
 Strategic Research Agenda, 750–751  
 stream identification, 533 (table)  
 stream pooling, 485  
 stress corrosion cracking (SCC), 441–443  
 stress-related failure, 414  
 stripper, 137 (table), 140 (figure), 140–141, 151 (figure), 323 (figure)  
 stripping, 108. *See also* stripping  
 structure-oriented lumping (SOL), 652  
 sugar cane, 754  
 sulfur, 23, 462 (table)  
   additives, 150  
   corrosion and, 443–444  
   fluid catalytic cracking (FCC) and, 150 (figure), 151 (figure)  
   fuel and, 94–95, 474, 476. *See also specific fuels*  
   grades of, 94–95  
   measurement of, 465  
   recovery of, 120–121, 254–255, 626 (table), 628  
   refining and, 612–613  
   removal of, 62–64, 149–150, 150 (table). *See also* desulfurization  
   *See also* sulfur content; ultralow sulfur diesel (ULSD)  
 sulfur content, 82  
   in crude oil, 119, 616, 618, 781 (figure)  
   in diesel fuel, 119 (table), 202–203, 203 (figure), 205 (figure)  
   in diesel oil, 229  
   environmental legislation and, 227, 464–465. *See also* environmental regulation  
   in gasoline, 89, 90 (figure), 149–150, 150 (table), 198–200, 199 (figure)  
   *See also* desulfurization; hydrodesulfurization (HDS)  
 sulfur oxide (SO<sub>x</sub>) emission, 224–225, 703  
 sulfur reduction additive, 149–150, 150 (table)  
 Sumitomo Chemical Company (SCC), 217–218  
 Sumitomo Precision Products, 270 (figure)  
 SUNCOR, 191, 192 (figure)  
 Super Type-II Active Reaction Sites (STARSTM), 232 (figure)  
 supercritical equipment, 396  
 supply cost, 591–592  
 supporting process, 102 (figure), 103, 120–121  
 surface production operations, 24–25  
 sustainability, 749–752  
 Sweden, 63  
 sweet crude, 444. *See also* sweetening  
 sweetening, 121 (table), 252–254. *See also* pretreatment  
 switchgear, 402–403  
 Syn Technology, 207 (table), 210  
 Syncrude process, 192 (figure)  
 SynSat process, 204 (figure)  
 SynTechnology, 64  
 synthesis gas technology, 275, 277, 278  
 synthetic catalysts, 223  
 synthetic fuel (BLT), 752, 762 (table), 763–764  
 S-Zorb process, 205, 206 (figure)
- T**  
 tabu search, 537  
 tail gas, 292, 293 (figure)  
 tank, 273, 513–514  
   cleaning, 408  
   costs and, 516  
   environmental concerns and, 704 (table), 710 (table)  
   inspection, 408, 413 (table), 413–414, 425, 426  
   quality measurement and, 487, 488 (figure)  
   types, 499–502, 500 (figure), 501 (figure)  
   *See also* tank farm  
 tank farm, 14, 15 (figure), 16, 484–485, 499, 504 (table)  
   capacity of, 502 (figure), 503 (figure), 503–504, 504 (figure)  
   design of, 499–504, 500 (figure), 501 (figure), 502 (figure), 502 (table), 503 (table), 507 (figure)  
   inventory, 504–510, 505 (figure), 506 (table), 508 (figure), 509 (figure), 510 (figure)  
   oil movement in, 514–521, 515 (table), 516 (table), 518 (table), 520 (figure), 521 (figure)  
   qualities, 510–514  
   *See also* tank  
 tank inventory, 504–510, 505 (figure), 506 (table), 508 (figure), 509 (figure), 510 (figure)  
 tank inventory calculations, 507–510, 508 (figure), 509 (figure)  
 tank lube inline blending, 527 (figure)  
 tank quality estimation, 512–513, 513 (figure)  
 tank quality measurement, 487, 488 (figure), 513 (figure)  
 tar sand, 25 (figure). *See also* Canadian tar sands  
 task status monitoring, 521  
 TEAL process, 268  
 technical management systems, 686  
 technology, emerging, 790, 791 (table)  
 temperature  
   distillation, 782 (figure), 783 (figure)  
   fluid catalytic cracking (FCC) and, 155, 201  
   hydrogen processing, 294–295  
   measurement, 506, 534  
   pipe flow and, 570–573  
   refining maintenance and, 395  
   reformers and, 240–241, 241 (figure)  
 Ten-lump kinetic model, 131 (figure)  
 terminal operations, 521–523, 523 (figure), 524 (figure)  
 terminals, 403. *See also* terminal operations  
 test method. *See* product, test method  
 test productivity, 463–464  
 thermal conversion technologies, 103, 182–185, 183 (figure), 626 (table). *See also* thermal cracking  
 thermal cracking, 103, 116–117, 121 (table), 626 (table)  
 thermal reforming, 121 (table)  
 thermodynamic models, 652–653  
 thermodynamics, 159, 161 (figure), 250, 409. *See also* hydroisomerization

- thermolysis of water, 291–292
- thin layer chromatography (TLC), 179
- thiol formation, 200 (figure)
- thiophene hydrodesulfurization, 226 (figure)
- three stage separator, 311 (figure)
- TLC/FID analysis, 181 (figure)
- total acid numbers (TANs), 393, 448
- total isomerization process (TIP), 168, 170 (figure)
- toxicity, 719
- trade. *See* crude oil, trading; fuel oil, pricing; markets
- training, 669, 696, 742
- training simulator, 696
- transesterification, 31
- transportation fuel, 18, 752
  - demand for, 61–67, 63 (figure), 64 (figure)
  - regional consumption and, 61–62, 65 (figure)
  - See also* biodiesel; biofuel; diesel; gasoline; natural gas, as transportation fuel; *specific fuels*
- transportation, 16, 549–550, 608 (table)
  - acids and, 114
  - cost and, 549
  - heavy crude and, 191 (figure)
  - hydrogen and, 295–296
  - modeling and, 565–570
  - natural gas and, 9–10, 279–281, 288, 549–550, 550 (figure), 563, 568 (figure)
  - See also* pipelines; gas transport modules (GTM™)
- tray columns, 319–320, 320 (figure)
- trays, 317, 318 (figure)
- truck terminal, 523, 524
- true boiling points (TBPs), 79
- trueness, 463
- tube plugging, 413
- tungstate-promoted zirconia, 166–167
- tungsten oxycarbide, 163–164
- turboexpander extraction, 259, 268
- twin laser reverse indication alignment, 399 (figure)
- Twister™, 258
- two-phase separators
  - horizontal, 340 (table), 340–342, 341 (figure)
  - vertical, 339 (figure), 339–340
- two-stage desalter, 308 (figure)
- two-tier blending, 490 (figure)
- U**
- U.S. Clean Air Act (CAA), 703
- UFR/OCR process, 236
- ultra-heavy feedstock conversion, 224
- ultralow sulfur diesel (ULSD), 62–64, 464, 792
- ultrasonic analysis, 395, 409
- unconventional hydrocarbon. *See specific products*
- unconventional oil, 33, 42 (figure), 46
- unconventional reserves. *See* crude oil, unconventional, reserves; natural gas, unconventional, reserves
- Unionfiding/APCU, 207 (table)
- unit programming modeling (UPM), 662–663, 663 (figure), 664 (figure)
- unit shutdown, 410, 411 (table)
  - unit troubleshooting, 666
- United States
  - biofuel and, 756
  - crude oil and, 288 (table)
  - demand in, 598–599, 599 (figure), 560 (figure)
  - diesel fuel and, 95 (table), 103
  - environmental regulations and, 714 (table)
  - gasoline and, 91–92
  - industry structure and, 604–607
  - refining in, 103, 123, 123 (figure), 599–604, 602 (figure), 602 (table), 603 (figure), 604 (figure), 216 (table), 613 (table), 615
  - refining companies in, 605 (figure), 605 (table), 606 (figure), 606 (table), 606–607, 608 (table)
  - regional specialization in, 607–608
- Universal Oil Products (UOP), 109, 110 (figure), 112 (figure), 114–115, 117, 119. *See also* UOP FCC process; UOP/FWUSA solvent deasphalting
- UOP CCR, 112, 112 (figure)
- UOP FCC process, 111, 112 (figure)
- UOP/FWUSA solvent deasphalting, 109–110, 110 (figure)
- upgrading
  - bottom-of-the-barrel, 233–237
  - crude oil, 780–790, 790 (figure), 791 (table), 780–785
  - heavy-oil, 181–193, 183 (table), 184 (figure), 185 (table), 186 (figure)
  - residue, 213–215, 215 (figure), 780–790, 784 (table), 785 (table)
  - technology and, 791 (table)
- upside potential (UP), 635
- urea electrolysis, 292
- utilization, 601, 605 (figure). *See also* demand
- V**
- vacuum distillation, 4 (figure), 6, 7 (table), 8 (table), 10 (figure), 26, 61 (figure), 121 (table). *See also* vacuum distillation unit
- vacuum distillation unit, 380, 438, 451–452
- vacuum gas oil (VGO) hydrotreating, 207 (table) 207–210, 207
  - catalyst technology and, 230–231, 231 (table)
  - heat exchanger network (HEN) and, 537–538
- vacuum residue (VR), 233. *See also* bottom-of-the-barrel
- vacuum tower, 107
- Valero, 606
- value at risk (VaR), 634–635, 635 (figure)
- valve actuators, 405–406
- vanadium, 23, 148, 154–155, 230–231
- vane-type device, 345
- vapor liquid contact, 316 (figure)
- vapor pressure, 81, 83, 462 (table), 757 (figure)
- vapor product, 107
- vaporization, 270–273, 271 (table)
- vapor-liquid equilibrium (VLE), 309–310
- vapor-to-liquid (V/L) ratio, 83
- variable costs, 591
- variance, 463
- velocity equations, 561–562, 563. *See also* pipelines, flow equations
- Venezuela, 46, 70, 187 (table), 193 (table)
- ventilation, 725
- vessel inspection, 412, 423
- vibration monitoring, 394, 418, 419–421
- videoscopic inspection, 409
- visbreaking, 117, 111, 112 (figure), 182–184, 183 (figure)
- viscosity, 84, 462 (table). *See also* viscosity index
- viscosity gravity constant (VGC), 87–88
- viscosity index, 29, 88

volatile oils, 24  
volatile organic compounds (VOC), 712 (table)  
volatility, 758  
volatility index. *See* fuel volatility index (FVI)  
volatility models, 651–652  
Vortex Separation System (VSS™), 138, 140  
VOTRANS™, 280

**W**

warehouse management, 744–745  
wastewater, 702, 703, 707 (table), 709 (table), 711 (table)  
water-gas shift (WGS) catalyst, 241, 242  
water pollution, 702 (table), 702–703, 704–705 (table), 708 (figure)  
water washing, 450  
Watson (UOP) characterization factor, 87  
wavelength-dispersive X-ray fluorescence (WDXRF), 465  
waxes, 29  
wear metal, 394 (table)  
wet gas, 24  
wet H<sub>2</sub>S corrosion, 438, 440  
Weymouth equation, 557, 558–559  
wobbee index (WI), 251  
workforce, 682 (table), 729–730, 741–742, 746  
World Energy Outlook, 774–775

**X**

X-ray absorption fine structure (XAFS), 243

**Y**

yield estimation, 152  
YPF La Plata Refinery, 252 (figure)

**Z**

zeolite, 127, 129, 130, 133, 14  
    active matrix and, 146–147  
    alkylation and, 237–23  
    fluid catalytic cracking (FCC) and, 223–224  
    hydrodesulfurization and, 212  
    hydroisomerization and, 161–163, 165, 162 (table), 164 (table)  
    innovation and, 197  
    synthesis of, 144–146, 146 (figure)  
    *See also* thermal cracking; zeolite Y; ZSM-5  
zeolite-to-matrix ratio, 224  
zeolite Y, 145–146  
zeolitic catalysts. *See* zeolite  
ZSM-5, 130–131, 149 (figure), 162, 224  
ZSM-12, 162  
ZSM-22 (TON), 165  
ZSM-23 (MTT), 165