

Index

- A**
- Admixtures
 - Calcium nitrite, 64-73
 - Chelating, 51-62
 - Retarders, 65
 - Superplasticizers, 66
 - Analog-to-digital converter, 69
 - Anions, inhibiting, 142-159
 - Anode
 - Current, impressed, 34
 - Half-cell reaction, 143
 - Reactions, 11
 - Atomic adsorption measurements, 52
- B**
- Breaking strength, reduction, 17
 - Bridge decks
 - Annual cost of repairs, 4
 - Critical concentration chlorides, 13
 - Test structures, 70, 133
- C**
- Chromates
 - Passivation by, 143-159
 - Reduction of, 155
 - Cl^- , 3, 11
 - Importance, 12, 15
 - Ions, 18
 - Calcium nitrite, 64-74
 - Cathodic reduction, 11
 - Chlorides
 - Calcium, additions, 105
 - Concentration threshold, 13, 19
 - Critical concentration, 13, 15, 138
 - Effect on steel corrosion reaction products, 18, 77
 - Measurement, 134
 - Migration, transport mechanisms, 18
 - Penetration, 97
 - Chromate, pH, 143
 - Concrete
 - Breaking strength, 17
 - Carbonation, 108, 112
 - Chemical attack, 77
 - Chromate additives, 103, 143
 - Correlation cracks with breaking strength, 17
 - Corrosion inhibition, 3
 - Corrosion reaction with steel, 77
 - Cover, 142
 - Cracking and spalling, 51
 - Effect sulfates in seawater, 77
 - Inspection test specimens, 22
 - Internally sealed, 93-101

- Metal fiber reinforced, 75
 - Monitoring and testing, 20
 - Petrographic examination, 134, 140
 - pH, 3, 143
 - Poor quality, 122
 - Prestressed beams, 17
 - Prestressed concrete pressure vessels (PCPV), 32
 - Prestressed specimen, 19
 - Reaction with seawater, 77
 - Reinforced, 3
 - Resistivity, 13, 24
 - Concrete beams, internally sealed, 93-101
 - Concrete, galvanized reinforced
 - Bond characteristics, 179
 - Definition performance requirements, 191
 - Field performance, 187
 - Laboratory investigation of corrosion, 163
 - Marine, 77-78
 - Mechanical properties, 185
 - Durability, 102-131
 - Measurement techniques, 132-141
 - Coatings, protective
 - Cadmium, 104
 - Flaws, 37, 49
 - Galvanized, 102-131
 - Grease or waxes, 33
 - Nickel, 104
 - Portland cement grout, 33
 - Conduction, ionic, 24
 - Chelating agents, 55
 - Corrosion
 - Accelerated tests, 105, 145
 - Correlation with ampere hours, 22
 - Cracking, 125
 - Damage as function of potential, 30
 - Effect of chlorides, 132, 144
 - Films, analyses, 138, 146, 153
 - Inhibitor, 64, 143-159
 - Localized attack, 17
 - Mechanism in presence of stray currents, 19
 - Monitoring, 19
 - Performance requirements, 191, 192
 - pH of steel, 18, 48
 - Potential, double probe method, 70
 - Probes, polarization, 4
 - Products, solubility limits, 52
 - Products, volume, 143
 - Protection systems, 133
 - Rate, 4, 15, 43, 87
 - Rate calculation, formula for, 8
 - Rate meter results, 14
 - Steel in concrete, factors, 4, 9, 10, 22, 51, 78, 103
 - Stray current, 17-31
 - Stress corrosion cracking, 34, 38
 - Time potential on and off, 26
 - Cracking, concrete
 - Flexural, 94
 - Induced, 108
 - Tensile, 123
 - Time to, 61, 62
 - Width, 96, 104
 - Critique, testing procedures, 160-195
 - Current, anodic and cathodic, 9
 - Current density, 17, 61
 - Stray anodic, 18, 19
 - Curves
 - Anodic polarization, 15
 - Cathodic polarization, 15
 - Polarization errors, 15
 - Polarization resistance, 8
- D**
- Deterioration reinforcing steel, 15
 - Freeze-thaw, 78
 - Marine concrete, 77

E

- Electrode
 - Reference, copper/copper sulfate, 69, 71
 - Reference, saturated calomel, 18
 - Reference, silver/silver chloride, 17, 19, 21, 26
- Electrochemistry, steel in concrete, 3-16
- Embrittlement, hydrogen, 47
- Experiments
 - Compressive strength, 55
 - Concrete cracking, 58
 - Cracking tendency, 54
 - Solubility limits, 54

F

- Fracture, brittle, 33

G

- Galvanized steel
 - Chromate treatment, 124
 - Cracking of concrete with, 109-112
 - Critique, testing procedures, 160-195
 - Evaluation structures, 132-141
 - Performance, 102-131
 - Weight loss, 112-115

H

- Half-cell
 - Copper/copper sulfate, 69, 71
 - Potentials, 97
 - Saturated calomel, 145
 - Silver/silver chloride, 21
- Humidity, relative, 34
- Hydrogen evolution, 48, 103, 143, 147, 155, 158

I

- IR drop, 13
- Ion
 - Ion solubility limit, 52, 61
 - Transport, 26

L

- Laboratory testing, 20
- Lime leaching, 98
- Loads, static and repeated, 96

M

- Marine concrete, degradation factors, 78
- Metal fiber reinforced concrete, 75-92
 - Alternatives from conventional mix design, 78
 - Attainable properties, 76
 - Cement content, aggregate size, 76
- Degradation in marine environments, 78
 - Mechanical strength, abrasion advantage, 76
 - Suggested mix design, 90
 - Type of fibers, 80
- Metallographic microscope, 134
- Micrograph, scanning electron, carbon and stainless steel fibers, 85
- Microprocessor, 68
- Mill scale, 11
- Moisture content, effects, 12

N

- Nuclear reactors, 33, 34

O

Oxygen, availability, 48

P

Passivation of zinc (*see* Zinc, passivation)
 Photomicrograph, 138
 Pitting, potential, 62
 Polarization
 Anodic, 62
 Galvanostatic experiments, 146
 Linear, 87
 Resistance curve, 8, 87
 Scans, anodic, 55
 Potential
 Corrosion in concrete, 28
 Free corrosion, 8, 9
 Leveling, 28
 On and off, 26
 Open circuit, 65, 68
 Time to change, 17

R

Resistance measurements, 17, 26
 Of concrete, 26
 Variation with exposure time, 22
 Retarder, 65
 Reinforcing steel, 3, 7
 Polarization resistance, 12-14
 Resistivity, equations, 24

S

Salt, deicing, usage, 3
 Seawater, flowing test, 80-82, 86
 Steel
 High-strength, 35
 Passivity in alkaline environment, 18
 Prestressing, 33

Stern-Geary equation, 8
 Superplasticizers, 65, 66

T

Tafel slope, 9, 13, 14
 Equation, 71
 Tendons, in steel pressure vessels, 32-50
 Tension, cable, 33
 Test
 Impressed current, 145, 161
 Procedures, design, 161
 Tests, electrochemical, 7
 Accelerated bridge deck corrosion, 65
 Laboratory, 103
 Test structures
 Bermuda Yacht Club, 133, 137
 Hamilton dock, 133, 137
 Longbird bridge, 133, 136
 New Hampshire bridge, 70
 St. George dock, 133, 136

W

Wax beads, 93-101
 Wire
 Coated, stressed and unstressed, 44
 Prestressing, 17

Z

Zinc
 Corrosion products, 143
 Inhibiting ions, 155, 156
 Passivation, 143-159
 Polarization, 145