

Index

A

Accelerated irradiation, 10-11, 85-86, 242-243, 246-248, 251-252, 257-258
 Annealing, 9, 12, 57, 119, 149, 151, 202, 217, 222-223, 225, 248
 Archive material, 33, 54, 139, 225
 ASME Codes, 4-6, 13, 27, 57, 59, 62, 76, 79, 83, 102, 145, 147, 175, 216, 219-222, 224
 ASTM Standards, 4-5, 8, 25, 27, 40, 56-57, 63, 65, 76, 83, 88, 92, 133, 152, 160, 171, 175-176, 195, 197, 204, 208, 218, 221, 224-225, 227, 236
 AWS Standards, 111

B

Base plate (base metal), 28, 56, 60, 62, 83, 91, 93, 139-141, 195-196, 201, 204-205, 210-215, 218, 239, 241, 246
 Beltline flux/fluence, 15, 17, 22
 Beltline materials, 26, 28, 36, 58, 70, 107, 133, 146, 152, 160-161, 171, 178-180, 225

C

Capsule (surveillance), 19, 28, 33, 37, 50-51, 54, 64, 67-68, 70-71, 73, 75, 85-87, 105, 109, 112-113, 123, 138, 154-157, 162, 204-206

Charpy V-notch (energy and shelf), 4, 15, 17, 19, 27-29, 35-36, 40-46, 51-52, 56, 59-60, 65, 68-69, 76-78, 83-84, 89, 92-99, 102, 107-109, 114-115, 122, 132-133, 135, 138-144, 147-150, 152, 160, 163-169, 171-177, 192-195, 199, 201-203, 210-215, 218-219 (Chapter 8 by individual reactor)
 Chemical composition (steel), 17, 28, 38-39, 41, 52, 59-60, 78, 82-83, 85, 102, 104, 107, 111, 120, 133, 135, 150, 161, 195, 201, 207-208, 218-220 (Chapter 8 by individual reactor)
 Chemical composition requirements, 11, 28, 55, 107
 Composition effects [*see* Chemical composition (steel)]

D

Damage function (*see also* Neutron spectrum), 7, 54
 Ductile-brittle transition temperature (*see* Transition temperature)
 Dosimetry (*see* Neutron dosimetry)

E

Embrittlement (*see* Transition temperature increase)

F

- Fatigue, 7
 Fission spectrum (*see* Neutron spectrum)
 Forging, 6, 139–141, 160–165, 172–173, 178–180, 182–183, 193 (Chapter 8 by individual reactor)
 Fracture mechanics, 3, 6–7, 36, 79, 111, 122–123, 160, 162, 217–219, 221, 223, 225–226 (Chapter 8 by individual reactor)
 Fracture mechanics analysis, 9, 13, 54, 57, 59, 100–101, 150, 152, 163, 176–177, 179, 181–187, 219, 223 (Chapter 8 by individual reactor)
 Fracture toughness, 3, 6, 22, 35, 36, 56, 76, 92, 96, 109, 147, 176, 182–187, 218–219, 223 (Chapter 8 by individual reactor)

H

- Heat affected zone (HAZ), 10, 27, 56, 62–63, 83, 91, 95, 152, 167, 175, 204, 207, 218, 225, 242, 246
 Heat treatment, 29, 38–39, 63, 83, 161, 194, 218
 Heavy section steel technology program, 33, 38, 65, 105, 113, 224

I

- Inspection, 62–63, 145, 222

K

- K_{Ic} , K_{Ia} , K_{IR} (*see also* Fracture mechanics, Fracture mechanics analysis, Fracture toughness), 9, 79

L

- Longitudinal (*see* Orientation)
 Low energy tearing (*see* Charpy V, Transition temperature)

M

- Metal Properties Council, 1, 219, 220–221, 228
 Monitor, flux (*see* Neutron dosimetry)

N

- Nil ductility transition temperature (NDT) (*see also* Reference transition (RT_{NDT}), Reactors), 3, 6, 9, 13, 27–28, 51–53, 56, 59–60, 65, 76, 78–79, 83, 92, 98, 102–103, 110, 121, 133, 137, 139, 146–147, 150, 171, 175, 192, 197, 199, 200–201, 205, 218, 228, 241–243, 245, 258
 Neutron dosimetry (flux monitoring), 7, 10, 19, 21, 39, 42, 46–48, 65–66, 69, 74, 77, 87–89, 113, 124–129, 133, 152, 156, 160, 197, 200, 207, 218, 225 (Chapter 8 by individual reactor)
 Neutron energy, 7, 47–48, 50
 Neutron exposure, 7, 21, 23, 42–46, 48, 50, 156–157, 187, 200
 Neutron fluence (*see also* Beltline flux/fluence), 21, 24–25, 43, 50, 53
 Lead factor, 21–22, 49, 82, 88–89, 134–135, 160, 187, 197, 199–200 (Chapter 8 by individual reactor)
 Neutron flux [*see* Neutron dosimetry (flux monitoring)]
 Neutron spectrum, 7, 17, 45, 65, 127–129, 134, 136, 138, 187, 202

Calculations, 25, 45, 66, 159, 187
 Computer codes, 17, 46-47, 88-89,
 127-129, 158-159, 187

O

Orientation, 27, 29, 35, 39, 64-65,
 78-79, 83, 87, 102, 105, 138,
 195, 207-208, 238-239, 249,
 251

P

Pressure vessel, Pressure vessel steel
 (*see* Beltline materials, Base
 plate, Forging, Heat affected
 zone)

R

Reactors

Surveillance programs

Arkansas 1, 26, 28, 231, 233,
 266
 Beaver Valley 1, 153
 Big Rock Point 2, 229, 235
 Browns Ferry 1, 229, 239-240
 Browns Ferry 2, 229
 Browns Ferry 3, 229
 Calvert Cliff 1, 80-81, 229
 Calvert Cliff 2, 80-81, 229
 Connecticut Yankee, 230, 232,
 240
 Cook (Donald C.) 1, 153, 231,
 233, 268-269
 Cook (Donald C.) 2, 153
 Cooper, 229, 239
 Crystal River Unit 3, 26, 28
 Davis Besse Unit 1, 26, 28
 Diablo Canyon 1, 153, 229
 Diablo Canyon 2, 153, 229
 Dresden 1, 2, 234, 237, 239, 252

Dresden 2, 230, 232, 246-247,
 249, 252
 Dresden 3, 230, 232, 246-247,
 249
 Farley 1 and 2, 153
 Fort Calhoun 1, 80-82, 229
 Fort St. Vrain, 189-190, 203-208,
 229
 Genos Plant, 229
 Ginna, 153, 160-187, 230, 232,
 244-246
 Haddam Neck, 153
 Hanford N, 229
 Hatch 1, 229, 240
 Humboldt Bay 2, 138, 229,
 236-240
 Humboldt Bay 3, 239
 Indian Point 1, 220, 229
 Indian Point 2, 153, 231, 233,
 262
 Indian Point 3, 153, 231, 233,
 269
 Kewaunee, 153, 229
 LaCrosse, 230, 232, 242
 Maine Yankee, 57, 69, 77, 80-81,
 82-105, 230, 232, 257-258
 McGuire (Wm. B.) 1 and 2, 153
 Millstone 1, 80-81, 229, 238
 Monticello, 229, 239
 Nine Mile Point, 229, 238
 North Anna 1 and 2, 153
 Oconee 1, 15-16, 26, 28, 38-53,
 231, 233, 260-261
 Oconee 2, 26, 28, 231, 233, 261
 Oconee 3, 26, 28, 231, 233, 261
 Oyster Creek, 229
 Palisades, 77, 80, 230, 232, 251
 Peach Bottom, 189, 191-203, 229
 Pilgrim 1, 229, 239
 Point Beach 1, 153, 230, 232,
 248-249, 270
 Point Beach 2, 153, 230, 253-254
 Priarie Island 1, 153, 231, 233,
 263

Priarie Island 2, 153, 231, 233, 267
 Quad Cities 1, 229-230, 232, 252
 Quad Cities 2, 229-230, 232, 252-253
 Rancho Seco, 26, 288
 Robinson 2, 153, 230, 232, 248-250
 St. Lucie 1, 80-81
 Salem 1 and 2, 153, 229
 Sequoyah 1 and 2, 153
 Shippingport, 8, 153
 San Onofre 1, 153
 Summer (Virgil C.), 153
 Surry 1, 153, 230, 232, 256-257
 Surry 2, 153, 229
 Three Mile Island, 26, 28, 231, 233, 264
 Trojan, 153
 Turkey Point 3, 153, 230, 232, 255-256
 Turkey Point 4, 153, 231, 233, 262
 Vermont Yankee, 229, 239
 Watts Bar 1, 153
 Yankee Rowe 2, 151, 153, 229, 234-235
 Zion 1 and 2, 153, 231, 233, 259
 Reference steel, 10, 33, 38, 57-58, 63-64, 66, 87, 89, 96, 102, 105-106, 113, 160, 168, 195, 218 (Chapter 8 by individual reactor), (also cites steels by type)
 Regulation (regulatory rules), 3, 7-9, 13, 15, 51-52, 57, 74, 76, 82, 102, 107, 132-133, 136, 145, 147, 149, 156, 202, 216, 220-222, 224-227, 240, 243, 250
 Reference transition (RT_{NDT}) (*see* Nil ductility transition, Charpy V-notch)
 Rolling direction (*see* Orientation)

S

Saturation, embrittlement (includes flux rate), 8, 54, 136, 248
 Sensitivity, embrittlement, 58, 60-61, 95, 102, 104, 107, 137, 201, 219-220 (Chapter 8 by individual reactor)
 Shelf (*see* Charpy V-notch)
 Shelf toughness (*see* Charpy V-notch)
 Shell course (*see* Beltline)
 Shift (*see* NDT increase, Transition temperature increase)
 Spectrum (*see* Neutron spectrum)
 Steel specimens (*see* Charpy, Fracture mechanics, Tensile)
 Steel fracture (*see* Fracture mechanics, Fracture toughness)
 Steel properties (*see* Charpy-V, Nil-ductility transition, Fracture mechanics, Tensile properties)
 Surveillance capsules (*see* Capsules)
 Surveillance requirements (*see also* Reactors), 4, 26, 35, 53, 83, 105, 109-120, 134, 138, 154-156, 160-187, 203-208, 219
 Surveillance results (*see also* Reactors), 4, 53, 82-105, 191-197 (Chapter 8 by individual reactor)

T

Temperature, irradiation, 41, 92, 138, 147, 236
 Temperature or thermal monitor, 10, 19, 25, 39, 41, 54, 67, 69, 87, 113, 134, 152, 160, 163, 208 (Chapter 8 by individual reactor)
 Tensile specimens, properties, 38, 40-41, 50, 65, 69, 76, 78, 91-92, 114-115, 122, 160, 162, 170,

176, 178–181, 218, 223 (Chapter 8 by individual reactor)
 Thermal aging monitor, 33, 38
 Thermal control, 19, 35, 218
 Transition temperature (transition temperature increase), 41, 42–51, 89, 92, 98–99, 102–103, 134, 139–144, 151, 164–169, 171, 203, 210–215, 244, 245
 Transition temperature increase (*see* Shift, ΔT , ΔRT_{NDT} , Nil-ductility transition temperature (NDT), 42–51
 Service limit projection (*see* Vessel life)
 Transverse (*see* Orientation)

V

Vessel design, 21–22, 26, 30, 56–59, 108, 132–135, 151, 157, 190–191
 Vessel life (vessel life limit, end-of-life) (*see also* Neutron exposure), 4, 10, 22, 29, 50, 59, 60, 107–110, 133, 136, 145–146, 148–150, 203, 217, 224 (Chapter 8 by individual reactor)
 Vessel repair, 222–223, 225

W

Weld metal, 28–29, 51, 56, 62, 93–94, 98, 139, 142–143, 152, 161–163, 166, 174, 178, 181–183, 194, 196, 201–202, 204, 207–208, 210–215, 218, 227, 239–243, 246, 252–253