

Subject Index

A

- Adaptation, 14, 20, 103–104
 ambient, 14, 20–21
 effects of concentration on, 22
 laboratory, 21–22
 ozone and SO₂ threshold level exposures, 21–22
- Aerosols
 breath-holding test, respiratory maneuver, 62
 decay curves during rebreathing, 66
 measuring mucociliary clearance, 66–70
 screening tests for airway obstruction, 65–66
 used as probes of airway and air space dimensions, 62–65
- Age, effect on response to pollutants, 14, 19–20
- Air quality criteria document, 2
- Air spaces
 aerosols as probes of, 62–65
 mean effective dimension of, 64
 size, intersubject coefficient of variation, 61
- Airway
 asthmatic subjects, 45, 53
 baseline caliber differences, 57
 change in conductance from sulfate aerosol exposure, 49–50
 defenses, 41
 deposition of tagged particles, 61
 inflammation of, 54
 nasal, 39
 obstruction, aerosol use as screening tests, 65–66
 oronasal, 39
 peripheral function, 48
 reactivity, 44–45
- Airway resistance, 54
 asthmatics, SO₂
 encumbered breathing, 133
 exercising, 132
 unencumbered breathing, 124, 136
 correlation with symptom dose-response relationship, 79–80
 effects of exercise in asthmatics, 123, 125–127, 129
 measurement of, 46–47
 regression equations for, 114
- Airway responsiveness
 acute effects of pollution on, 55–57
 change measurement, 56
 inhaled agents, 54
 bronchoconstrictor stimuli, 54–55
 hyperresponsiveness of asthmatic subjects, 53
 measurement, 53–57
 methods, 54–55
 transient alteration, 56
- Airway space
 aerosols as probes, 62–65
 size
 intersubject coefficient of variation, 61
 measurement with aerosols, 60
 variability among healthy people, 63
- Ambient adaptation, effect of season on, 14, 20–21

Arachidonate metabolism and ozone,
101, 104

Asthmatic subjects

adolescents, exercise-induced bronchospasm, susceptibility to inhaled SO_2 , 85, 87

airway resistance (*see* Airway resistance)

airway responsiveness, 53

bronchoconstriction and drug concentrations, 55

comparison of individual and group mean values, 130

exercising

regression results, 139

SO_2 response, 85, 87

mean and standard deviation per subject, 131

measurement of respiratory impedance by forced white noise, 12

relationship between airway reactivity and responsiveness to H_2SO_4 , 45

Atopic adolescents

classification, 86

effects of pollutants on, without exercise-induced bronchospasm, 90

incidence, 90

B

Behavioral responses, 44

Blood biochemistry, as index of pulmonary response, 44

Bonferroni inequality correction, 12

Bronchodilator drugs, effect on airway responsiveness, 56

Bronchoconstriction

cold dry air effects on, 16

enhancement of response by ozone, 103

stimuli producing, 54–55

C

Chronic lung disease

deposited particles, 103

inflammatory response, 104

nodulation, 103

pathogenesis, 100–105

potential role of environmental agents, 101

Chronic obstructive pulmonary disease, exposure studies, 92–98

bronchial hyperreactivity as predisposition to, 45–46

characteristics of, 92–93

exposure studies

intercurrent medication usage, 95–96

limited tolerance to secondary stresses, 95

noise level minimization, 96

priorities of concern, 92, 94

smokers, value of studies of, 96

subject selection and characterization, 94–95

problems in studying people, 93–96

risk of harm, 93–94

Circadian variations, effect on response to pollutants, 14, 17

Clean Air Act

background, 4–5

purpose, 85

Clean air exposure, hot conditions, 15

Clinical research

basic and applied, 2

Data aggregation (*see* Data aggregation)

experimental design (*see* Experimental design)

extrapolation of data, 101

host factors, 102

overview, 2

respiratory epithelium, 104–105

secondary effects of reactions to environmental agents, 101

use of special animal models, 104
 CO (carbon monoxide)
 breath concentrations, 97
 effects of age on response to, 19
 studies in smokers and people with
 COPD, 92–98
 Consensus protocols, 9–10
 COPD (*see* Chronic obstructive pul-
 monary disease)
 Criteria document, 2, 5

D

Data aggregation, 117–147
 choice of effects parameters, 121–
 122
 consideration of dose, 120
 determination of effects, 122–129
 development of a unified integrative
 format, 120–122
 independent confirmation, 119
 quantitative rigor, 118–119
 real-world relevance, 119
 replicability, 119–120
 response of FEV to ozone in normal
 exercising subjects, 140–144
 response of G_{aw} to ozone, 144–146
 response of specific airway resis-
 tance to SO_2 , 132–140
 results out of line, 120
 sham percentage of change, 122, 124,
 129
 versus sham exposure, 124, 128
 study selection, 118–120
 use of group mean versus individual
 subject data, 129–132
 Deposition patterns of inhaled toxi-
 cants, 61–62
 Discomfort meter, 80
 Dose-response relationship, 10–11
 biological significance, 11
 individual variance, 13
 influence of nondisease factors, 14–
 22

Double-blind protocol, 50

E

Environmental stress, effects on re-
 sponse to pollutants, 102
 Exercise, effect on air resistance in
 asthmatics, 123, 125–127, 129
 Exercise protocols (*see also* Ventila-
 tion) 25–34
 continuous and intermittent, effects
 on pulmonary functions, 26
 duration in relation to maximum
 aerobic capacity, 29, 32
 effects of prior exercise and timing
 of measurements, 26–27
 examples, 30–31
 factors that influence results and
 interpretations, 29
 intensity of exercise, 34
 major considerations, 29
 timing of physiological measure-
 ments, 34
 work load selection, 32
 Experimental design, 9–13, 101
 Bonferroni inequality correction, 12
 combining studies, 115
 comparison of individual responses,
 11
 consensus protocols, 9–10
 designing comparison studies, 110–
 113
 double-blind protocol, 50
 exercise protocols (*see* Exercise pro-
 tocols)
 experimental protocols, 9
 hypothesis testing, types of, 10
 inference issues, 115
 measuring the response, 3
 mechanism elucidation versus de-
 scriptive study, 11–12
 mechanism of pollutant action stud-
 ies, 9
 mechanistic studies, 11

Experimental design (*cont.*)
 paired and unpaired designs, 110–111
 protocol development, 50–51
 randomized block design (*see* Randomized block design)
 regression studies, 113–114
 sample size, 109, 113
 scientific method, 9
 statistical considerations, 3–4, 109–116
 statistical power of study, 12
 subpopulations, 114
 techniques and tests, 12
t-test results to ozone in normal exercising subjects, 143

Extrapolation of data, soundness of, 101

F

Forced expiratory volume, response to ozone in normal exercising subjects, 140–144

Forced vital capacity
 measurements of, 47–48
 reduction with heat exposure or prolonged exercise, 16
 wet-bulb globe temperature index analysis, 15

Formaldehyde, impairment of nasal function, 41

G

Gender, effect on response to pollutants, 14, 17–19
 amount of pollutant in relation to lung size, 17–18
 female susceptibility, 18
 oxidant response in relation to, 25

H

Hardwood dust, impairment of nasal function, 41

Histamine, bronchoconstrictor responses, 55

Homeostatic mechanism, 101–102

H₂SO₄

airway reactivity and responsiveness to, 45

effects on mucociliary clearance, 68–69

Humidity, effect on response to pollutant exposure, 14–16

Hypothesis testing, types of, 10

I

Index of dispersion, comparison in smokers and nonsmokers, 65

Inspiratory path to lungs, 39–42

air modification during oronasal breathing, 41

nasal, 40–41

oral, 40–41

oral, 40–41

L

Leukocytes, polymorphonuclear, accumulation and ozone exposure, 104

Leukotriene B₄, 104

Lungs

chronic disease of (*see* Chronic lung disease; Chronic obstructive pulmonary disease)

inspiratory path, 39–42

M

Maximal expiratory flow, 54

Mechanistic studies, 11

Methacholine, bronchoconstrictor responses to, 55

Mucociliary clearance

aerosols, use for measuring, 66–70

alteration of rates, 44

animal studies, 69–70

deposition of tagged particles, 61
 effects of H₂SO₄ on, 68–69
 significance of pollutant-induced alterations, 70
 thoracic retention, 67–68
 use of aerosols for measuring, 60

N

NaCl aerosol

change in pulmonary function, exercise tests, 88
 inhalation effects in adolescents, 89

National ambient air quality standards, 4–5

Neurophysiologic responses, 44

NO₂, effects of age on response to, 19

Nodulation, significance of, 103

Nose

clearance, 41
 defenses, screening of workers for effectiveness of, 41–42
 impaired function and pollutants, 41
 inspired air modification, 39
 physiology, 40
 proportion of airflow, 40

O

Oxidants

arachidonate metabolism, 101, 104
 effects on response to environmental agents, 102
 episodes, during summer inversions, 15
 response to and gender, 25

Ozone

adaptation to, 11, 20
 and chronic lung disease, 100
 diphasic response pattern to, 103–104
 dose-response studies, symptom-score results, 79–80

effects of age on response to, 19
 enhancement of airway response to bronchoconstrictors, 103
 importance of activity during exposure to, 26
 interindividual variability in decrease of vital capacity, 102
 laboratory adaptation to, 21
 mucociliary clearance effects of, 70
 no-effects level of, 11
 polymorphonuclear leukocyte accumulation, 104
 response in normal exercising subjects, 140–144
 response of G_{aw} to, 144–146
 resting exposure to and gender, 18
 studies of effects of
 on people with COPD, 94
 on smokers, 97
 symptom data, 73
t-test results, 143

P

Particle deposition, 103

mechanisms of, 61–62

Peroxyacetyl nitrate, effects of age on response to, 19

Pulmonary function

changes, 12–13
 choice of tests, 48–49
 continuous and intermittent exercise effects on, 26
 decrements in active individuals, 25
 exercise protocols, 25
 interpretation of changes, 44–46
 parameters, 43–51
 tests
 double-blind protocol, 50
 exposure-response relationship, 49
 protocol development, 50–51
 timing and measurement and effects of exercise on, 27

R

- Randomized block design, 109, 111
 - alternative *t*-tests, power comparisons, 112
 - one factor at four levels, 112
 - two factors at two levels, 111–112
 - use of, 113
- Regression analysis, 109
- Regression equations, relating airway resistance to exposure, 114
- Regression studies, 113–114
- Respiratory epithelium, 104–105
- Responsiveness, diminished (*see* Adaptation)

S

- Sample size, 109
 - power considerations for, 113
- Sham exposure method, 122, 124
- Smokers (*see also* Chronic obstructive pulmonary disease)
 - exposure studies, 92–98
 - problems in studying, 96–97
- Smoking
 - pulmonary health effects, 102–103
 - stopping before and during exposure, 97
- SO₂
 - adaptation to, 20
 - asthmatics, response to, 123, 125–127, 129
 - airway resistance in individual exercising asthmatics, 132
 - atopic adolescents, response to, 85–91
 - change in pulmonary function, exercise tests, 88
 - combined with cold air, 16
 - dose-response studies, symptom-score results, 81
 - effects of age on response to, 19
 - episodes, association with cool or cold conditions, 15

- healthy adolescents, response to, 87, 89
- impairment of nasal function, 41
- individual symptom score changes, 80
- laboratory adaptation to, 21
- methods of symptom reporting, 75
- response of specific airway resistance to, 132
- responses of exercising asthmatics to, 137–138
- symptom data, 73
- Spirometry, confounding problem with, 48
- Susceptibility
 - defined, 19
 - of individuals, study of, 3
- Symptom data
 - collection and analysis, 73–81
 - dose-response studies with ozone and SO₂, 79–81
 - evaluation methods, 74–76
 - multiple-symptom, ordinal scoring procedure, 76–79
 - reliability, 74
 - response to irritant gases, 77
 - scoring procedure, 78
 - statistical analysis, 78

T

- Temperature, effect on response to pollutant exposure, 14–16
- Thoracic resistance, measurement of, 47
- Threshold level exposures, adaptation to, 22
- Tracheobronchial clearance, 41
- Trend test, 113

V

- Ventilation, 25

- duration of measurement period, 29, 32
- failure to measure exercise loads, 27–28
- minute
 - difficulty in utilizing measurement with repeated or continuous exercise, 32
 - gestimates based on work load, 33
 - shift of patterns, 28
 - technical details of measurement during exercise, 29
- Viral upper respiratory tract infections, effect on airway responsiveness, 56

W

- White noise, forced, for measurement of respiratory impedance, 12