

Index

A

Acoustic emission, 448
 Adams, Donald F., 95-111
 Aliyu, A. A., 336-348
 Anderson, G. P., 115-134
 Anisotropy, 5
 ASTM standards
 D 297, 115
 D 897, 115
 D 1344, 115
 D 2094, 115

B

Bathias, Claude, 217-237
 Blikstad, Märten, 411-423
 Blom, Anders F., 168-188
 Bradley, Walter L., 389-410
 Bucinell, R. B., 135-167
 Butt joint, 115

C

Carlsson, Leif A., 168-188
 Cohen, Ronald N., 389-410
 Conti, Paolo, 35-51
 Contoured delamination, 135
 Cracked lap shear specimen, 189,
 267, 315, 349

D

Daniel, I. M., 336-348
 De Paulis, Antonio, 35-51
 Design of bonded joints, 189, 238

DeVries, K. L., 115-134
 Double cantilever beam specimen,
 200, 219, 315, 336, 349, 396
 Dynamic fracture mechanics, 5

E

Edge delamination, 69, 135, 282,
 298, 375
 Effective flaw concept, 135
 Elastoplastic fracture mechanics, 95
 End notched flexural specimen, 351
 Environmental testing, 168, 349
 Everett, R. A., Jr., 267-281

F

Forward shearing mode test, 200
 Fractography, 168, 389, 411, 430,
 448

G

Gradin, P. A., 200-216
 Gustafson, C-G., 200-216, 448-464
 Gustavsson, Anders I., 168-188

H

Hackles, 418
 Harris, Charles E., 424-447
 Hart-Smith, L. J., 238
 Hillman, Debra J., 481-493
 Hillman, Richard L., 481-493
 Hybrid finite element, 5

I

Interlaminar fracture, 52, 282, 298,
349
Interlaminar stresses, 35, 52, 69

J

Jilkén, L., 200-216
Jing, Hung-Sying, 465-480
Johannesson, Thomas, 411-423
Johnson, W. S., 1-2, 189-199, 267-
281, 497-499

K

Kenner, Vernal H., 465-480
Knight, Marvin, 298-314
Kuo, An-Yu, 5-34

L

Laksimi, Abdelouahed, 217-237

M

Mahishi, Jayant M., 95-111
Mall, S., 189-199
Matrix ply cracks, 282-297
Mignery, A., 371-385
Mixed-mode flexural specimen, 351,
396
Mixed-mode fracture criteria, 331,
360, 411
Mohlin, Tommy, 168-188
Moisture effects, 349
Morris, Don H., 424-447

N

Notched composite laminate, 95, 168

O

O'Brien, T. Kevin, 282-297
Overload effects, 217

P

Peel stresses, 238
Propagation law, 183, 190, 267, 333

Q

Quasi-three-dimensional analysis, 69

R

Raju, Ivatury S., 69-94
Ramkumar, R. L., 315-335
Rehfield, Lawrence W., 52-68
Russell, Alan J., 349-370

S

Seldén, Ragnar B., 448-464
Sharon, G., 115
Single-lap joint, 238
Single-strap joint, 238
Slomiana, M., 135-167
Staab, George H., 465-480
Stitching, 371
Strain energy release rate, 5, 52, 69,
95, 135, 168, 282, 298, 315,
336, 349, 389
Threshold, 189, 200, 217
Total, 189, 332, 400
Strain rate effects, 336
Street, Ken N., 349-370
Stress intensity factor, 5
Sublaminar analysis, 52
Sun, C. T., 371-385

T

Tan, T. M., 371-385
Temperature effects, 349
Tensile adhesion test, 115
Thermographic inspection, 481
Thickness effects, 69, 437
Three-dimensional finite element
analysis, 95

U

Ultrasonic C-scan, 489

V

Valisetty, R. Rao, 52-68

W

Wang, A. S. D., 135-167
Wang, Su-Su, 5-34
Whitcomb, John D., 69-94, 315-335
Whitney, James M., 298-314

X

X-ray radiography, 168, 428, 448