

Subject Index

A

- Adsorption
 - toxic pollutants, 13
 - zinc, marine clays, 50
- Air emissions, contaminated dredged materials, modeling, 227
- Anchored sheet pile wall, 220
- Areas of Concern
 - Canadian Great Lakes, 112
 - Great Lakes, 1
 - Port Hope Harbour, 297
 - potential, U. S., 1
- Assessment and Remediation of Contaminated Sediments Program, 145

B

- Background concentrations, heavy metals, 58
- Bathymetry, sediment characterization, 40
- Bay sediments, heavy metal concentrations, 58
- Biochemical oxygen demand, 136
- Biodegradation, 145
- Bioremediation, polychlorinated biphenyls, 155
- Biostimulant, 155

C

- Cement-bentonite cutoff wall, 252
- Clamshell bucket, 112
- Coal tar, seepage abatement, surface water bodies, 220
- Compatibility, soil-bentonite slurry cutoff walls, 239
- Compression, unconfined, 252
- Compressive strength, unconfined, 136
- Confined disposal facility, contaminant pathway control, 195
- Containment, 1
 - cement-bentonite cutoff wall, 252
 - soil-bentonite slurry cutoff walls, 239
- Contaminants
 - dredged materials, air emission modeling, 227
 - hazard/risk assessment, 306
 - hydraulic isolation, 271
 - management strategies, 289

- pathway control, 195
 - releases during dredging, 128
 - remediation, 297, 319
 - removal by dredging, 77
 - soil-bentonite slurry cutoff walls, 239
 - toxic, 13
- Contaminated Sediment Removal Program, 112
- Cutoff wall
 - cement-bentonite, 252
 - soil-bentonite, 239, 271

D

- Dechlorination, *in-situ* anaerobic, 155
- Dehalogenation, reductive, 155
- Design mix methodology, 239, 252
- Diaphragm walls, 271
- Diffusion, 271
- Diffusive equilibration in thin-film, 170
- Diffusive gradient in thin-film, 170
- Dredged materials
 - contaminated, 128, 289
 - air emission modeling, 227
 - pathway control, 195
 - remediation, 319
- Dredging, 289
 - contaminant releases during, 128
 - cutterless suction, 182
 - equipment, 77
 - field studies, 77
 - mercury-contaminated sludge, 182
 - sediment characterization, 40
 - solidification technique, 136
 - technologies, 1

E

- Environmental media, 40
- Environmental regulation, remediation, 319
- Environmental restoration, 297
- Equipment, dredging of contaminated sediments, 77

F

- Fate, toxic pollutants, 13
- Federal Navigation Project, 40
- Fox River, Wisconsin, anaerobic dechlorination of PCBs, 155
- Functional groups, 13

G

- Great Lakes
 Areas of Concern, 1
 Canada, 112
 regulatory approaches, 319

H

- Hazard/risk assessment, contaminated
 sediments, 306
 Heavy metals
 adsorption, marine clays, 50
 in bay sediments, 58
 fate, 13
 Port Hope Harbour, 297
 removal efficiency, 145
 Hydraulic conductivity, 252
 Hydraulic isolation, contaminated sites, 271

I

- Indiana Harbor, 40
 Interlocks, sealed, coal tar seepage
 abatement, 220
 Ion-exchange resin, 170
 Iron oxide, marine clays, 50
 Isolation, 1

J

- James Bay Development Project, 252
 Japan
 heavy metal concentration, bay
 sediments, 58
 Minamata Bay, mercury contamination,
 182

L

- Laboratory testing
 cement-bentonite cutoff wall, 252
 soil-bentonite slurry cutoff walls, 239,
 271
 Lachine Canal decontamination project, 306

M

- Management strategies, 1
 contaminated sediments, 289
 Marine clays
 pyrite oxidation, 50
 zinc adsorption, 50

- Mercury-contaminated sludge, dredging,
 182
 Minamata Bay, mercury-contaminated
 sludge treatment, 182
 Minamata Disease, 182
 Monitoring program, dredging, 128

N

- Navigation projects, 40
 Nutrients, dechlorination stimulation, 155

O

- Oil products, soil-bentonite slurry cutoff
 walls, 239
 Organic chemicals, fate, 13
 Oxidation, pyrite, in marine clays, 50
 Oxygen, dissolved, 136

P

- Partitioning, 13
 Pathways, contaminant control, 195
 Permeability, 271
 Persistence, toxic pollutants, 13
 pH
 change, pyrite oxidation in marine clays,
 50
 leachate from solidification, 136
 Pilot-scale demonstrations, treatment
 technologies, 145
 Plastic barrier, cement-bentonite cutoff
 wall, 252
 Pneuma pump, 112
 Pollution
 criteria, 1
 degree of, 58
 Polyacrylamide gel, metals measurement,
 170
 Polychlorinated biphenyls
in-situ anaerobic dechlorination, 155
 Port Hope Harbour, 297
 removal efficiency, 145
 Polynuclear aromatic hydrocarbons,
 removal efficiency, 145
 Pore water, trace metals, *in-situ*
 measurement procedures, 170
 Port Hope Harbour Remedial Action Plan,
 297
 Pyrite, oxidation, in marine clays, 50

Q

Quality criteria, 306

R

Radioactive waste, low-level, remediation, 297
 Regulatory determinations, 40
 Regulatory strategies, remediation, 319
 Remediation, 1, 289
 contaminated sediments, 319
 Port Hope Harbour Remedial Action Plan, 297
 Removal technologies
 clamshell bucket, 112
 pneuma pump, 112
 Resource Conservation and Recovery Act, 40
 Revetment, 182
 Risk assessment, 306

S

Sediment characterization, bathymetry, 40
 Sediment disposal, 182
 Sediment resuspension, 128
 Sediment washing, 145
 Seepage, coal tar, abatement, surface water bodies, 220
 Selectivity, 13
 Sheet piling, coal tar seepage abatement, 220
 Site encapsulation, 271
 Slurry cutoff wall
 cement-bentonite, 252
 soil-bentonite, 239, 271
 Soil-bentonite slurry cutoff walls, 239, 271

Solidification technique, dredging, 136

Solvent extraction, 145

Storage capacity, of sediments, 13

Sulfuric acid, produced by pyrite oxidation, 50

Surface water bodies, coal tar seepage abatement, 220

Surfactants, dechlorination stimulation, 155

Suspended sediment, 128

Suspended solid, 136

T

Thermal desorption, 145

Toxic pollutants, fate, 13

Trace metals, *in-situ* measurement procedures, 170

Treatment technologies, 1
 field demonstrations, 145

Triaxial compression, 252

V

Volatile organic compounds, air emissions from contaminated dredged materials, 227

W

Water quality, contaminant release during dredging, 128

Water Quality Act of 1987, 145

Water Resources Development Act, 1

Wisconsin, *in-situ* anaerobic dechlorination of PCBs, 155

Z

Zinc, adsorption, marine clays, 50