

Subject Index

A

Alkaline hydrolysis, nonwoven polyester geotextiles, 4–16

B

Biodegradation, geosynthetic durability, 26–32
 Biological stress, geosynthetics, 26–32
 Brittle fracture, polyethylene geomembranes, 57–76

C

Capillary barrier, geotextile microstructure, 147–164
 Chemical degradation, nonwoven polyester geotextiles, 4–16
 Chemical stress, geosynthetics, 26–32
 Concrete pipe, geomembrane durability, 17–25
 Crack analysis, polyethylene geomembrane seams, 78–89
 Craze analysis, polyethylene geomembrane seams, 78–89

D

Differential scanning calorimetry (DSC)
 geomembrane durability, 17–25
 nitric acid degradation, 48–56
 polyester geotextiles, 4–16
 Dynamic mechanical analysis (DMA)
 geomembrane durability, 17–25
 polyester geotextiles, 4–16

F

Fiber analysis
 nonwoven geotextiles, 120–135
 polyethylene geomembrane seams, 78–89
 Field-welding technique, high-density polyethylene geomembrane, 34–47

Filter criterion, nonwoven geotextiles, 102–119
 Filtration, pore size determination, 90–101
 Filtration opening size (FOS)
 geotextile structure, 90–101
 nonwoven geotextiles, 102–119
 Flake analysis, polyethylene geomembrane seams, 78–89
 Flexible membrane fiber, geosynthetics, 26–32
 Flexible membrane liner
 brittle fracture, 57–76
 stress cracking morphology, 78–89
 Frost heaves, geotextile microstructure, 147–164

G

Geomembrane evaluation
 durability evaluation, 17–25
 high-density polyethylene, 34–47
 polyethylene
 brittle fracture, 57–76
 stress cracking morphology, 78–89
 Geosynthetics (Geotextiles)
 freezing effects, 147–164
 hazardous waste management facilities, 26–32
 microstructural analysis, 137–146
 nonwoven
 orientation analysis, 120–135
 porometry and filtration opening size, 102–119
 thermal analysis, 4–16
 performance microstructure, 1–3
 physical properties, 4–16
 pore size determination, 90–101
 thermal analysis, 4–16

H

Hackle analysis, polyethylene geomembrane seams, 78–89

Hazardous waste, geosynthetic durability, 26–32

High-density polyethylene geomembrane evaluation, 34–47
nitric acid degradation, 48–56

Hydroelectric plant, geomembrane durability, 17–25

I

Infrared spectrometry (IR), nitric acid degradation, 48–56

L

Lamellar analysis, polyethylene geomembrane seams, 78–89

Linear medium density polyethylene (LMDPE), nitric acid degradation, 48–56

M

Macrostructure, geosynthetic performance, 1–3

Mechanical stress, geosynthetics, 26–32

Microscopic analysis

high-density polyethylene geomembrane, 34–47

nonwoven geotextile orientation, 120–135

Microstructural analysis

freezing of geotextiles, 147–164

geosynthetic performance, 1–3, 137–146

polymers, 17–25

Microtome, nonwoven geotextiles, 120–135

Municipal waste, geosynthetic durability, 26–32

N

Nitric acid degradation, polyethylene geomembrane, 48–56

Nonwoven geotextiles

orientation, 120–135

porometry and filtration opening size, 102–119

O

Orientation analysis, nonwoven geotextiles, 120–135

Orientation tensor, nonwoven geotextiles, 120–135

P

Peel test, high-density polyethylene geomembrane, 34–47

Performance evaluation
geomembrane durability, 17–25
geosynthetics, 1–3

Poissonian polyhedra, nonwoven geotextiles, 102–119

Polyester geotextiles, thermal analysis, 4–16

Polyethylene geomembranes

see also High density polyethylene degradation, 48–56

brittle fracture, 57–76

stress cracking morphology, 78–89

Polymer microstructure, 17–25

Porometry

nonwoven geotextiles, 102–119

pore size determination, geotextiles, 90–101

Property sensing techniques, polyethylene geomembrane degradation, 48–56

R

Retention criterion, nonwoven geotextiles, 102–119

S

Scanning electron microscopy (SEM), geotextile microstructure, 147–164

Seam evaluation

brittle fracture, 57–76

high-density polyethylene geomembrane, 34–47

Seepage phenomena, microscopic analysis, 137–146

Service life, geosynthetics, 26–32

Shear test, high-density polyethylene geomembrane, 34–47

Soil/geotextile system, microscopic analysis, 137–146

Stabilizers, geosynthetic performance, 1–3

Stress cracking, polyethylene geomembranes, 57–76, 78–89

T

Thermal analysis

geomembrane durability, 17–25

polyester geotextiles, 4–16

Thermal-gravimetric analysis (TGA)

geomembrane durability, 17–25

nitric acid degradation, 48–56

Thermal mechanical analysis (TMA)
geomembrane durability, 17–25
polyester geotextiles, 4–16

Triaxial cell, geotextile microstructure, 147–
164

W

Water flow, geotextile microstructure, 147–
164

Waterproofing, geomembrane durability,
17–25