

## Subject Index

### A

Adjuvants, 158, 193  
 Aerosol science, 10  
 Alachlor, 24  
 Application technology,  
 247  
 ASTM test methods,  
 D 56: 149  
 D 93: 149  
 E 1116: 97  
 Atmospheric dispersion, 10  
 Atrazine, 24

### B

*Bacillus thuringiensis*, 271  
 Beacon, 258  
 Biocontrol agents, 173

### C

Closed system, 183  
 Compatibility, 73, 121, 134  
 Compression, 105  
 Computer codes, 10  
 Controlled droplet  
 application (CDA), 183  
 Controlled release, 48, 57  
 Cosolvents, 149

### D

Diazinon, 57  
 Disintegration, 105  
 Dispersion, 134  
 Drift, 193  
 Droplet atomization, 193  
 Drop spectra, 193  
 Dry flowable, 134

Dynamic surface tension, 158

### E

Efficacy, 271  
 Efficiency, 183  
 Emulsifiable concentrates, 73  
 Emulsion stability, 158  
 Encapsulation, 33, 41, 97  
 Excipients, 105

### F

Fertilizer compatibility, 134  
 Flash point, 149  
 Forest weeds, 247  
 Formulations, 73, 121

### G

Granules, 48  
 Ground water, 41

### H

Hardness, 105  
 Herbicides, 41  
 Hydrophilic:lipophilic balance  
 (HLB), 258

### I-J

Inert ingredients, 3  
 Johnsongrass, 218

## L

Lasers, 193  
 Leaf surface coverage, 218  
 Leaf wax chemistry, 218  
 Liquid fertilizer, 121

## M

Mathematical models, 10  
 Microbial pest control agents, 173  
 Mineral oil, 218  
 Mixed active ingredients, 73  
 Molecular weight, 258

## N

N-alkyl pyrrolidones, 73  
 Nonaqueous applications, 218  
 Nozzles, 193, 206

## P-Q

Pattern, 206  
 Patternators, 206  
 Permethrin, 24  
 Pesticides, 48, 57, 73, 97, 121, 183  
   applications, 183  
   airborne, 10  
   biological, 33  
   waste management, 24  
 Pumps, 193  
 Quackgrass, 208

## R

Redispersion, 97  
 Regulations, 149  
   Pesticide Enforcement Act, 3  
   Protection Act of

Environmental Protection Act of 1990, 3  
 Roundup, 247

## S

Shaker test, 134  
 Slow release, 41  
 Sprays, 206  
   depositions, 271  
 Solvents, 149  
   optimization, 73  
 Spruce budworms, 271  
 Starch, 33, 41  
 Surface tension, 158, 258  
 Surfactants, 73, 149, 247  
 Suspending ability, 134

## T

Tablets, 105  
 Tank mix, 121  
 Temperature, 97  
   cloud point, 258  
   pour point, 258  
 Temperature-activated, 57  
 Test method, 121 (*see* ASTM Test Methods)  
 Translocation, 247  
 Trifluralin, 57

## U-V

Ultralow volume (ULV), 218  
 Vapor pressure, 149  
 Vegetable oil, 218

## W

Water, 121  
   hardness, 97  
 Wear, 206  
 Wetting, 218  
   agents,  
 Worker exposure,