

Subject Index

A

Acetone, wastes containing, 61
 Adsorption, permanence evaluation, 33
 Alkalinity, solidified heavy metal sludges, 283
 Aluminum phosphate hardener, hazardous waste incinerator residues, 90
 Anion exchange resins, solidification, grout-based waste forms, 133
 ANS 16 I test, 204
 Appraisal, full-size radioactive waste packages, 479
 Arsenic, metal-contaminated soils, 426

B

Benzene, wastes containing, 61
 Binders, chemistry, 374
 Biogeochemistry, municipal solid waste incinerator ash, 119
 Bitumen, low-level radioactive waste disposal, 3
 Boiler ash, hazardous waste incinerator residues, 90
 Borate waste
 cementation by adding slaked lime, 338
 dried, solidification with polyester, 297

C

Cadmium
 GEODUR additive and leachability, 320
 municipal solid waste incinerator ash, 119
 Calcium hydroxide, cement attack of water or undersaturated lime solutions, 227
 Calcium oxide, solidification with polyester, 297
 Calcium silicate hydrates, cement attack of water or undersaturated lime solutions, 227
 Cement
 additives, 320
 effect of water or undersaturated lime solutions, 227

 generalized acid neutralization capacity test, 361
 hazardous wastes, 255
 in-line grout meter, 394
 low-level radioactive waste disposal, 3
 wastes containing volatile organic compounds, 61
 Cementation, borate waste by adding slaked lime, 338
 Cemented boiling water reactor, cesium from evaporator concentrates, 182
 Cementing agents, hazardous organic wastes, 43
 Cement waste forms, toxic element release, 171
 Cement waste forms
 anion exchange resins, 133
 leachability of Co-60, Sr-85, and Cs-137, 204
 Ceramic-clay matrices, incorporation of radioactive wastes, 86
 Ceramics, incorporation of radioactive wastes, 86
 Cesium
 GEODUR additive and leachability, 320
 leachability, 182
 lysimeter data and performance assessment plans, 448
 Cesium nitrate, immobilized, hydrating water effect, 217
 Characterization, full-size radioactive waste packages, 479
 Chemical bonding, permanence evaluation, 33
 Chemical fixation, flue gas desulfurization sludges and fly ash, 103
 Chlorinated phenol contaminated soil, solidification and stabilization, 73
 Chlorobenzene, wastes containing, 61
 Chloroform, wastes containing, 61
 Chromium, metal-contaminated soils, 426
 Clays, incorporation of radioactive wastes, 86
 Clinoptilolite, leachability of Co-60, Sr-85, and Cs-137, 204
 Cobalt, lysimeter data and performance assessment plans, 448

Compressive strength tests, metal-contaminated soils, 426
 Cone index test, 385
 Copper
 generalized acid neutralization capacity test, 361
 GEODUR additive and leachability, 320
 municipal solid waste incinerator ash, 119
 toxic element release, 171
 waste sandblasting grit, 466

D

Degradation, modelling, cement attack, 227
 Detonation, explosive-contaminated solid wastes, 378
 1,2-Dichloroethene, wastes containing, 61
 Differential scanning calorimetry, stabilization/solidification evaluation, 33
 Diffusion coefficient, immobilized cesium nitrate release, 217
 Diffusion models, environmental product certification, 149
 Dilution, permanence evaluation, 33
 Dolomite, generalized acid neutralization capacity test, 361
 Durability testing, anion exchange resin solidification, 133
 Dynamic compaction, radioactive waste, 440

E

Electrical resistance, in-line grout meter, 394
 Environmental product certification, leaching characteristics, 149
 Environmental Protection Agency, SITE demonstrations, uncontrolled hazardous waste sites, 409
 Explosive reactivity, explosive-contaminated solid wastes, 378
 Extraction procedure toxicity tests, metal-contaminated soils, 426

F

Filter dust, hazardous waste incinerator residues, 90
 Flow-around leach tests, 204
 Flue ash, hazardous waste incinerator residues, 90
 Flue gas, desulfurization sludges and fly ash, chemical fixation, 103

Fly ash
 flue gas desulfurization, 103
 generalized acid neutralization capacity test, 361
 municipal solid waste incinerator, 119
 Fourier transform infrared spectra, stabilization/solidification evaluation, 33

G

Gap test, explosive-contaminated solid wastes, 378
 Generalized acid neutralization capacity test, 361
 GEODUR process, 320
 Grout
 in-line meter, 394
 in situ, radioactive solid waste burial trenches, 415
 waste forms, solidification of anion exchange resins, 133
 wastes containing volatile organic compounds, 6

H

Hazardous waste
 environmental product certification, 149
 long-term leaching performance, 242
 metal-contaminated soils, 426
 organic, effectiveness of stabilization and solidification, 43
 solidified, disposal, 283
 solidification and stabilization, 18
 short-term penetration testing, 385
 uncontrolled sites, 409
 Hazardous waste incinerators, residue fixation, 90
 Hazardous waste sites, public and regulatory acceptance of performance standards, 12
 Heavy metals
 flue gas desulfurization sludges and fly ash, 103
 GEODUR additive and leachability, 320
 hazardous waste incinerator residues, 90
 solidified sludge, disposal, 283
 stabilization, 193
 stabilization/solidification in sediment, 304
 High-integrity containers, low-level radioactive waste disposal, 3

Hydrating water, effect on diffusion release of cesium nitrate, 217
 Hydraulic conductivity, in situ grouting with polyacrylamide, 415

I

Immobilization
 heavy metals in sediment, 304
 proper application, 18
 toxic element release, 171
 wastes containing volatile organic compounds, 61
 Internal ignition test, explosive-contaminated solid wastes, 378
 Ion exchange resins, leaching behavior of Co-60, Sr-85, and Cs-137, 204

K

Kiln dust, generalized acid neutralization capacity test, 361

L

Leachability
 cesium, 182
 Co-60, Sr-85, and Cs-137 from cemented ion-exchange resin waste forms, 204
 flue gas desulfurization sludges and fly ash, 103
 generalized acid neutralization capacity test, 361
 GEODUR additive and, 320
 hazardous wastes
 incinerator residues, 90
 radioactive waste solidification methods, 255
 heavy metals in sediment, 304
 hydrating water effect, 217
 long-term, commercially stabilized waste, 242
 lysimeter data and performance
 assessment plans, 448
 sandblasting grit, 466
 solidified dried borate waste, 297
 solidified heavy metal sludges, 283
 stabilization/solidification of metal-contaminated soils, 426
 strontium, 182
 waste constituents and, 193
 Leaching mechanisms, environmental product certification, 149
 Leaching test, toxic element release from solidified wastes, 171

Lead
 generalized acid neutralization capacity test, 361
 GEODUR additive and leachability, 320
 metal-contaminated soils, 426
 municipal solid waste incinerator ash, 119
 SITE demonstrations, uncontrolled hazardous waste sites, 409
 waste sandblasting grit, 466
 LIMB ash, 103
 Lime, generalized acid neutralization capacity test, 361
 Lime-pozzolan matrices, toxic element release, 171
 Lime solutions, undersaturated, cement attack, 227
 Lithium toxic element release, 171
 Lysimeter, site specific performance assessment plans, 448

M

Marine disposal
 GEODUR additive and leachability, 320
 municipal solid waste incinerator ash, 119
 Marine sediment, municipal solid waste incinerator ash, ocean disposal effects, 119
 Metal-contaminated soils, stabilization/solidification, 426
 Metal finishing waste treatment, leachability, 193
 Metals, SITE demonstrations, uncontrolled hazardous waste sites, 409
 Methyl ethyl ketone, wastes containing, 61
 Municipal solid waste incinerator ash
 cement additives, 320
 ocean disposal and marine sediments, 119
 Munitions, explosive-contaminated solid wastes, 378

N

Netherlands Energy Research Foundation, leach database, 149
 New Bedford Harbor Superfund site, stabilization/solidification of heavy metals in sediment, 304
 Nuclear waste See Radioactive waste

P

PCBs, SITE demonstrations, uncontrolled hazardous waste sites, 409

Penetration resistance, in situ grouting with polyacrylamide, 415

Perchloroethene, wastes containing, 61

Performance assessment
full-size radioactive waste packages, 479
site specific plans, lysimeter data, 448

Performance standards, wastes in hazardous waste sites, 12

Phenol contaminated soil, solidification and stabilization, 73

Polyacrylamide, in situ grouting, radioactive solid waste burial trenches, 415

Polyester
dried borate waste solidification, 297
resins, hazardous wastes, 255

Polymer solidification, hazardous wastes, 255

Porosity factor, immobilized cesium nitrate release, 217

Port Hope Harbor, radioactive contaminated sediments, stabilization and in situ management, 266

Pressurized water reactors, evaporator concentrate cementation, 338

Q

Quality control, in-line grout meter, 394

Quaternary ammonium modified clays, hazardous organic wastes, 43

R

Radioactive ashes, incorporation into ceramic-clay matrices, 86

Radioactive contaminated soil, cement additives, 320

Radioactive waste
cesium leaching, 182
contaminated sediments, stabilization and in situ management, 266
dynamic compaction, 440
incorporation into ceramic-clay matrices, 86
in situ grouting with polyacrylamide, 415
low-level disposal, 3
lysimeter data and performance assessment plans, 448
performance appraisal of full-size packages, 479
solidification methods, application to hazardous wastes, 255

Residue fixation, hazardous waste incinerators, 90

Risk assessment, wastes in hazardous waste sites, 12

S

Salts, hazardous waste incinerator residues, 90

Sandblasting grit, solidification/stabilization, 466

Sediment
municipal solid waste incinerator ash, ocean disposal effects, 119
radioactive contaminated, stabilization and in situ management, 266
stabilization/solidification of heavy metals, 304

Shallow land disposal, hazardous waste incinerator residues, 90

Slag, hazardous waste incinerator residues, 90

Slaked lime, borate waste cementation, 338

Solidification
anion exchange resins, 133
dried borate waste with polyester, 297
effectiveness, hazardous organic wastes, 43
flue gas desulfurization sludges and fly ash, 103
hazardous waste, short-term penetration testing, 385
heavy metals in sediment, 304
heavy metal sludges, 283
in-line grout meter, 394
leachability and waste constituents, 193
metal-contaminated soils, 426
municipal solid waste incinerator ash, 119
permanence evaluation, 33
phenol and chlorinated phenol contaminated soils, 73
proper application, 18
radioactive waste methods, application to hazardous wastes, 255

SITE demonstrations, uncontrolled hazardous waste sites, 409

toxic element release, 171

waste sandblasting grit, 466

wastes containing volatile organic compounds, 61

wastes in hazardous waste sites, 12

Solid wastes, explosive-contaminated, explosive reactivity, 378

Stability, long-term, commercially stabilized waste, 242

Stabilization
cement additives, 320

effectiveness, hazardous organic wastes, 43
 flue gas desulfurization sludges and fly ash, 103
 hazardous waste, short-term penetration testing, 385
 heavy metals in sediment, 304
 in-line grout meter, 394
 in situ grouting with polyacrylamide, 415
 leachability and waste constituents, 193
 long-term leaching performance, 242
 low-level radioactive waste disposal, 3
 metal-contaminated soils, 426
 municipal solid waste incinerator ash, 119, 320
 permanence evaluation, 33
 phenol and chlorinated phenol contaminated soils, 73
 proper application, 18
 radioactive contaminated soil, 320
 sandblasting grit, 466
 SITE demonstrations, uncontrolled hazardous waste sites, 409
 wastes containing volatile organic compounds, 61
 wastes in hazardous waste sites, 12
 Static test, cesium leaching, 182
 Strontium
 leaching, 182
 lysimeter data and performance assessment plans, 448
 Sulfate wastes, cesium leaching, 182

T

Tank leach test, 149
 Thermogravimetric analysis, stabilization/solidification evaluation, 33
 Toxic element release, solidification and, 171

Toxicity Characteristic Leaching Procedures, 73
 commercially stabilized waste, 242
 SITE demonstrations, uncontrolled hazardous waste sites, 409
 Toxic waste, solidification/stabilization, 18, 73
 Trichloroethene, wastes containing, 61

U

Unconfined compressive strength test, 385
 Urea-formaldehyde resins, hazardous wastes, 255
 U S Nuclear Regulatory Commission, low-level radioactive waste disposal, 3

V

Vinyl ester styrene waste forms, anion exchange resins, 133
 Volatile organic compounds, wastes containing, stabilization/solidification, 61

W

Waste treatment, solidification and stabilization, 18
 Water, cement attack, 227
 Water glass, hazardous waste incinerator residues, 90
 Wetting/drying test, anion exchange resin solidification, 133

Z

Zeolon 900-Na, leachability of Co-60, Sr-85, and Cs-137, 204
 Zinc, GEODUR additive and leachability, 320