

Subject Index

A—B

Aeolian vibrations, 231
 AES spectrometry, 210
 Aluminum alloys, testing at Royal
 Aerospace Establishment, 129
 Aluminum conductor steel reinforced
 electrical conductor, 231
 Bearing steel, fretting wear, 190
 Biaxial loading test, 170
 Boundary element method, 85, 101

C

Carbon fiber-reinforced epoxy laminates,
 243
 Cast iron, nodular, fatigue strength, 178
 Cathodic protection, high strength steel,
 217
 Ceramics, 170
 Clamping pressure, 13
 Coefficient of friction, 60
 Constant amplitude tests, fatigue strength of
 nodular cast iron and steel, 178
 Contact fatigue, fretting maps and, 49
 Contact pressure, 263
 distribution, 85
 fatigue of high strength steel and titanium
 alloy, 115
 Corten A, 217
 Crack, nonpropagating, 101
 Crack formation, 33
 Crack initiation site, 115
 high strength steel, 217
 Crack propagation, 8

D—E

Debris beds, shear, 33
 Delamination, carbon fiber-reinforced
 epoxy laminates, 243
 Elastic displacements, 33
 Electrical conductor, aluminum conductor
 steel reinforced, 231

Environmental effects, 1
 fretting fatigue, 210
 Epoxy laminates, carbon fiber-reinforced,
 fretting fatigue, 243

F

Fatigue life prediction, 178
 Fatigue limit, 101
 Fatigue properties, 8
 steam turbine steel, 210
 Fracture mechanics, 60, 101, 129, 153
 Frequency, 13
 Fretting, machine components under,
 190
 Fretting bridges, contact pressure
 distribution, 85
 Fretting corrosion, 23
 fatigue strength of nodular cast iron and
 steel, 178
 high strength low alloy steel, 217
 Fretting device, 13
 Fretting fatigue, 33
 aluminum conductor steel reinforced
 electrical conductor, 231
 carbon fiber-reinforced epoxy laminates,
 243
 contact pressure distribution, 85
 corrosion role, 217
 experiment with well-defined
 characteristics, 69
 fretting maps and, 49
 history, 8
 mechanisms, 23
 power generation industry, 153
 strength improvement model analysis,
 101
 variables, 60
 Fretting fatigue damage
 characterization techniques, 170
 nucleation, 23
 Fretting fatigue testing
 appraisal of methods, 33
 conceptual framework, 1
 current practice, 263

Fretting fatigue testing—*continued*
 at elevated temperature, 199
 equipment, 1
 Hertzian contact, 69
 methods, 1
 review, 263
 Royal Aerospace Establishment, 129
 nonconventional materials and methods,
 1
 power generation industry, 153
 problems, 13
 Royal Aerospace Establishment, 129
 strength evaluation method, 101
 variables, 263
 Fretting maps, 33, 49
 Fretting rigs, experimental, power
 generation industry, 153
 Fretting wear, 23, 33, 49
 bearing steel, 190
 carbon fiber-reinforced epoxy laminates,
 243
 Frictional force, 129
 high strength steel and titanium alloy,
 115
 power generation industry, 153
 Friction log, 33

G—H

Grooving, on contact surface, 101
 Gross slip regime, 49
 Hertzian contact, 69
 High strength steel, 115
 contact pressure and fatigue, 115
 fretting corrosion, 217

I—L

Interface slip, 170
 Knurling, on contact surface, 101
 Load spectrum tests, fatigue strength of
 nodular cast iron and steel, 178

M

Machine components, life testing, 190
 Mechanics of contact, 1
 Method of caustics, 85
 Microstructural studies, 49
 Mixed stick-slip regime, 49
 Mossbauer spectrometry, 210

N—O

Nonpropagating crack, 101
 Overhead electrical conductors, 231
 Oxide debris, 210

P—R

Partial-slip regime, 69
 Particle detachment, 33
 Polymer composites, 243
 Power generation industry, fretting fatigue,
 153
 Residual stress, 190, 199
 Royal Aerospace Establishment, fretting
 fatigue testing, 129

S

Seawater corrosion, 217
 Servohydraulic testing machine, adaptation,
 190
 Shear stress, 170
 Shot peening, 178, 199
 steam turbine steel, 210
 Slip amplitude, 13
 Small crack growth, 153
S-N plots, 85
 power generation industry, 153
 Spacer clamps, 231
 Standardization, 129, 263
 Steam turbine steel
 fretting fatigue properties, 210
 shot peening, 199
 Steel, *see also* Steam turbine steel
 high strength low alloy, fretting
 corrosion, 217
 structural, fatigue strength, 178
 Stick region, 49, 115
 Strength improvement models, analysis,
 101
 Stress concentration, high strength steel and
 titanium alloy, 115
 Stress intensity factors, 69, 101, 129
 Stress redistribution, carbon fiber-reinforced
 epoxy laminates, 243
 Surface residual stresses, 1

T—V

Tangential stress, 170
 Temperature, elevated, fretting fatigue
 testing, 199

- Tensile stress, 170
- Tension-tension fatigue loading, carbon-fiber reinforced epoxy laminates, 243
- Thermal constriction resistance, 263
- Thermal mechanics, modeling, 263
- Three-point bending test, 170
- Titanium alloy, contact pressure and fatigue, 115
- Uniaxial tension-compression test, 170
- Velocity accommodation mechanism, 33