

## Subject Index

### A

Abrasion, 57  
     test, 3, 43, 57  
 Abrasive grit test, 57  
 Absorbency, 142  
 Absorption, 142, 200  
 Acetone, 347  
 Acrylic test, 103  
 Aerosol  
     efficacy, 347  
     transmission, 103  
 AIDS, 123  
 Aircrew underwear, 625  
 Air supply systems, 471, 486  
     self-contained breathing  
         systems, 534  
 Aramid fabric, 575  
 Arm, sweating and moving,  
     laboratory, 257  
 ASTM Subcommittee F23.70 on  
     Use, 498  
 ASTM standards  
     F 903, 347  
     F 1001, 110  
     F 1154, 311  
     F 1414, 70  
     F 1461, 498  
 Atrazine, 188, 200, 210

### B

Belt abrader, 57  
 Belt impact abrasion test, 3, 43  
 Bio-heat equation, 592  
 Blade degradation, 23, 32  
 Blood contamination protection,  
     103  
     cutaneous, 123  
 Blood perfusion rate, 592  
 Boots, 534  
*B. subtilis*, 103  
 Burst test, 3, 43  
 Butyl coatings, 281  
 Butyl rubber, 157

### C

Calorimeter, 607  
 Carbonaceous materials, 131  
 Carbon tetrachloride, 131  
 Certification program, leg  
     protection devices, 70  
 Chain saw leg protection  
     devices, 70  
 Chaps, 70  
 Charcoal, 131  
 Charge dissipation, 85  
 Chimney effect, 257  
 Chlorine bleach, 223  
 Chlorpyrifos, 223  
 Coefficient of variation, 23, 32  
 Cold protection, 360, 384, 625  
 Collapses, building, 558  
 Comfort-Gard II coveralls, 235  
 Comfort performance, 257, 327,  
     347, 360, 408  
     ASTM F 1154, 311  
     conditioning equipment,  
         microclimatic, 471  
     design, 486  
     gloves, 296, 367  
     mobility, 311, 360, 471  
 Common market, European,  
     effect on standards, 550  
 Composites, 281  
     barrier system, 157  
 Concurrent engineering, 471  
 Conditioning equipment,  
     microclimatic, 471  
 Cotton, 210, 223  
     friction transfer of pesticides  
         with, 200  
     glove liner material, 296  
 Coveralls, 235, 311, 327  
     turnout suit, fire fighting, 396,  
         408, 447, 504  
 Crash damage, 43  
     performance levels, 3  
 Crockmeter, 200  
 Cross-contamination, 177  
 Cut resistance, 23, 32, 43, 70

## D

Debonding, 157  
 Decontamination  
   chlorpyrifos, 223  
   field, 428  
   laundering, 177, 247, 447  
 Degradation, 486  
   resistance, 110, 142  
 Diffusion, 157, 347  
 Diving, contaminated water, 558  
 Dramm sprayer, 235  
 Drying time, glove liner, 296  
 Dummy, test, 43, 360, 607, 625  
   laboratory arm, 257  
 Duncan's multiple range post  
   hoc procedure, 177  
 Dye tracer, 235

## E

Elastomer barrier, 157  
 Electrogoniometer, 311  
 Electrostatic delay, 85  
 Electrostatic spraying system, 235  
 Emergency Responder User  
   Requirements Committee, 558  
 Encapsulating suit, 534  
 Equipment and protective  
   clothing design, 471  
 Ergonomic characteristics,  
   personal protective  
   devices, 384  
 European Standardization  
   Committee (CEN), 519, 550  
 European Standards, 550  
   cold protection, 360  
   heat and fire, 519  
 Evaporative resistance, 360  
 Extraction efficiency, 188

## F

Fabrication feasibility, 408, 471  
 Fabric impact abrasion, 57  
 Fabric pads, high strength fiber,  
   70  
 Fabrics (See also specific types)  
   coated, 486  
   encapsulating suits, 534  
   microporous, 486

Fabric tests, 131, 408, 519, 534,  
   575  
   abrasion, 3, 43, 57  
   aerosol, 347  
   barrier, 188  
   biopenetration, 281  
   burst test, 3, 43  
   chlorpyrifos decontamination,  
     223  
   coated, 281  
   decontamination, 428  
   glove liners, 142, 296  
   gloves, 23, 32, 367  
   gloves, cold climate, 384  
   heat transmission, 269, 360  
   laundering, 177, 223, 247, 447  
   microbiological, 103  
   microscopy, 281  
   mobility, 311  
   nonwoven, barrier efficiency,  
     210  
   nuclear protective apparel,  
     327  
   penetration, 142, 347  
   polyester, 142  
   skin and, transition, 200  
   sleeves, thermal insulation,  
     257  
   spray penetration, 188, 235  
   surgical gown, 123  
   thermal protection, 607, 625  
   treadmill, 396  
   triboelectric charge, 85  
   trousers, 70  
   wear, 396  
 Fiberglass, 281  
 Filtration cups, 103  
 Finite element method, 592  
 Fire fighting clothing, 269, 396,  
   408, 447, 504  
 Fire, flash, 607  
 Fire Service, 558  
 Fit, garment  
   ASTM F 1154, 311  
   gloves, 367  
   mobility, 311, 360, 471  
 Flame resistance, 504, 519  
   turnout gear, 269, 396, 408,  
     447, 504  
 Flammability protection, 625  
 Flexometer, 311  
 Fluorescence, 281

Fluoropolymer barriers, 428  
Frictional transition, 200

## G

Gas chromatography, 177, 210,  
235, 447  
Gloves, 534  
  design considerations, 367  
  ease requirements, 367  
  gloves, for cold climates, 384  
  liners, 142, 296  
  materials, cut resistance, 23,  
  32  
Goniometer, 311  
Greenhouse sprayers, 236

## H

Heat fluxes, 360, 396, 592, 607  
Heat resistance, 408, 504, 519  
Heat shrinkage, 575  
Heat stress, 327, 396, 486  
Heat transfer, 257, 269, 360  
Helmets, safety, for cold  
  climates, 384  
Hepatitis B, 123  
Humidity  
  effect on heat transmission,  
  269  
  effect on protection, 131  
Hydrocarbon, 157

## I

Impact cut test, 43  
Injury analysis, 504  
Insecticide, 223  
Insulation value, 625  
International Classification of  
  Diseases Codes, 504  
International Organization for  
  Standardization, 519, 550

## K

Kevlar, 23, 575

## L

Laundering, 177, 247, 447  
  chlorpyrifos decontamination,  
  223  
Leather, 57, 70, 200  
Leg protective devices, 70  
Life cycle cost analysis, 534  
Liquid barriers, 123  
Liquid penetration, 142  
  ASTM F 903, 347  
Liquid-sample contact, 142  
Lycra, glove liner material,  
  296

## M

Maintenance, protective  
  clothing, 498, 534  
Management programs, 498  
Mannequin, 43, 360, 607, 625  
  laboratory arm, 257  
Matrix contamination, 428  
Methanol, 347  
Metolachlor, 200  
Microbial penetration, 103  
Microporous membrane, 396  
Mobility measurement, 311,  
  360, 471  
Models and modeling  
  management program, 498  
  Pennes', 592  
  prediction, 360  
  program, 428  
  skin burn, 592  
Moisture absorption, 296, 327  
Moisture transfer, 257, 269, 327,  
  360, 396, 486  
Motorcycling clothing, 3, 43, 57

## N

National Aeronautics and Space  
  Administration, 85, 534  
National Fire Protection  
  Association, 110, 408, 534  
Neoprene, 23, 32  
Nomex, 281, 534, 575, 625  
Nondestructive evaluation,  
  281  
Nylon, 327

**O**

Offgassing, 428  
 Organic solvents, 131  
 Orthene, 235

**P**

Penetration  
   fluorescent, 281  
   liquid, 142  
     ASTM F 903, 347  
   microbial, 103  
   moisture, 257, 269, 360, 396,  
     486  
   particle, 347  
   resistance, 110, 142, 210, 408  
   spray, 188, 200, 235  
 Pennes' models, 592  
 Permeability, 157  
   index, 347  
 Permeation, 281, 428  
 Permeation resistance, 142  
   butyl rubber composite, 157  
   chemical protective clothing,  
     110  
   resistance, 534  
   surgical gowns, 123  
 Perspiration, 257, 327, 360, 396,  
   486  
   effect on pesticide transfer,  
     200  
   skin maceration, 296  
 Pesticide, 210  
   contaminated clothing, home  
     laundry, 177, 223, 247  
   greenhouse spraying  
     contamination, 235  
   level determination, 177  
   rubbing transfer, 200  
   spray penetration, 188, 200,  
     235  
 Pig skin, 200  
 Polyester, 327  
   cotton blend, 200, 210, 223  
   glove liner material, 296  
   underwear, 142  
 Polypropylene, 210  
 Polystyrene, 347  
 Polytetrafluoroethylene, 85  
 Pressing/leaning simulator, 123

**R**

Range of motion measurement,  
   311  
 Ranking, 360  
 Rating scale  
   chemical protective suit, 311  
   replacement materials,  
     handlers' ensemble, 534  
 Rescue, technical, clothing for,  
   558  
 Residue, 188, 200, 210  
   home laundering, 247  
   transfer, 177  
 Road impact, 57  
 Rubber  
   butyl, 157  
   chlorobutyl, 534  
 Rubbing transfer, 200

**S**

Search and rescue, urban, 558  
 Selection  
   chemical protective clothing,  
     498  
   replacement material, 534  
 Serum contamination protection,  
   103  
 Shelter materials, 281  
 Shoes, 384  
 Sizing, protective clothing, 471  
 Skin, 607  
   burn model, 592  
   heat flux to, 269  
   pesticide transfer to, 200  
 Sodium hydroxide, 347  
 Solid state transition, 200  
 Solubility, 157  
 Solvent extraction, 428, 447  
 Solvents, organic, 131  
 Splash suit, 408  
 Spray penetration, 188, 200, 235  
 Spray pressure, 188  
 Standards (See also ASTM  
   standards)  
   Canadian, 70  
   European, cold protection,  
     360  
   European Standardization  
     Committee (CEN), 519, 550

International Organization  
 for Standardization,  
 519, 550  
 National Aeronautics and  
 Space Administration,  
 85, 534  
 National Fire Protection  
 Association, 110,  
 408, 534  
 World Health Organization,  
 disease classification,  
 504  
 Static charge generation, 85  
 Steel  
 plate, 57  
 reinforced materials, 23  
 Strength retention, 575  
 Suits, chemical protective, 210,  
 281, 311, 534  
 Surface heat flux, 607  
 Surface resistivity, 85  
 Surgical gown fabrics, 123  
 Swelling, 157  
 Swift water rescue, 558

T

Tame, 235  
 Teflon, 281  
 Tensile strain, 157  
 Thermal insulation measurement,  
 257, 269, 396  
 Thermal performance, 360, 396,  
 408  
 Thermal protection testing, 607,  
 625  
 Thermal resistance, 257, 269, 504,  
 519  
 Thermal stability, 575, 592  
 Thermal stress, 327, 360, 396, 486  
 Time scale, sub-second, 142  
 Transducer, 607  
 Treadmill test, turnout suit, 396  
 Triboelectric charge, 85  
 Turnout suit, fire fighting, 269,  
 396, 408, 447, 504

U

UNCG-Clemson spray box,  
 188  
 U.S. Marine Corps, 625  
 U.S. Navy, 408, 625  
 Underwear, 625  
 polyester, 142  
 Use, chemical protective  
 clothing, 498

V

Vapor pressure, 428  
 Vapor protection, 534  
 Ventilation, 257  
 damage, 3  
 Viscose, glove liner material,  
 296  
 Visors, 534  
 Voltage, 85

W

Washer cost, pesticide  
 contaminated clothing,  
 247  
 Water content, skin, 592  
 Water diving, contaminated, 558  
 Water penetration resistance, 447  
 Water solubility, 428  
 Water vapor resistance, 257, 269,  
 396  
 Water transfer, 257, 269, 360,  
 396, 486  
 Wearability, 384  
 Wear, simulated, 281, 396  
 Wettability, glove liner fabric,  
 296  
 Wicking, 281, 296  
 World Health Organization, 504