

## Subject Index

### A

AATCC Committee RA-106, 14  
 Abrasion effects, nonwoven liquid barrier properties, 282  
 Acetone, 377  
 Adhesion, 464  
   surface, 251  
 Adhesive coverage, microporous films, 87  
 Aerosolized asbestos fibers, 141  
 Aerosolized polystyrene latex spheres, 155  
 Aerosolized silica particles, 130  
 Agricultural workers, chemical protective clothing performance, 102  
 American National Standards Institute, 62  
   ANSI/ISEA Draft 103, 62  
 Asbestos fibers, chrysotile, 130, 141  
 Aspergillosis, 251  
*Aspergillus niger*, 251  
 ASTM Committee D-13 on Textiles, 14  
 ASTM Committee F-23 on Protective Clothing, 365  
 ASTM standards  
   F 739, 365, 377, 409  
   F 1060, 312  
   F 1291, 233  
   F 1342, 74  
   F 1383, 409  
   F 1407, 377  
   F 1939, 312  
   F 1670, 181, 423  
   F 1671, 423  
   F 1819, 181, 423  
 Atrazine, 45

### B

Barrier fabrics, 423  
 Barrier laminate, 354

Barrier properties, 181  
   abrasion effects on, 282  
   effectiveness, 130, 141, 155  
     microporous films, 87  
     shell fabrics, 297  
   efficiency, 269  
   polyurethane membranes, 190  
   resistance, 45, 130, 141  
 Battle dress overgarment, 329  
 Bench scale testers, 393  
 Biaxial tension, 437  
 Blood, synthetic, penetration test use, 87  
   F 1670, 181, 423  
   F 1819, 181, 423  
 Boots, fire fighter safety, 74  
 Burn injury potential, 33  
   decrease, 546  
   design change impact on, 224  
 Butyl rubber, 437

### C

California Department of Forestry and Fire Protection, 546  
 Capillary penetration tests, 45  
 Capillary transport, 464  
 Carbon, activated, containing fabric, 329  
 Carbon black, 437  
 Cellulosic, 251  
 CEN, 62  
 Center for Research on Textile Protection and Comfort, 519  
 Challenge chamber, 365  
 Chemical barrier materials, 297  
 Chemical permeation test cells, 365  
 Chemical protective clothing, 62, 102, 464  
   ASTM F 1383, 409  
   gloves, 162, 354  
   pesticide residue distribution, 269

resistance to liquid permeation  
     ASTM F 739, 365, 377, 409  
     ASTM F 1407, 377  
 spray resistance of fabrics, 45  
 treatment, fluorochemical finish, 342  
 treatment, ultraviolet protective, 14  
 U.S. Army battle dress overgarment, 329  
 Chemical warfare, 329  
 Chlorinated polyethylene, 409  
 Chlorpyrifos, 342  
 Chromatography  
     gas, 102  
     high performance liquid, 102, 409  
 Chrysotile asbestos fibers, 141  
 Cloropel, 409  
 Cold protective clothing, 233  
 Comfort indices, microporous films, 87  
 Composite barrier, 437  
 Composites, 437  
     spunbonded polypropylene fabrics, 141  
 Conductive heat resistance, 312, 557  
 Constant flow valve, 342  
 Continuous contact, liquid permeation resistance under  
     F 739, 365, 377, 409  
 Core temperature, 481  
 Cotton, 342  
     fungal spore retention, 251  
     pesticide residue distribution, 269  
 Coveralls, 437  
 Cut resistance, 74  
 Cyclohexane, 377  
 Cylindrical geometry, 393

## D

Decontamination, 102, 354  
 Degradation test cell, 365  
 Discriminator test, two-point, 162

Distribution pattern, 269  
 Durability, fire fighter protective clothing fabric, 117, 504

## E

Elastomer barriers, 437  
 Electronic sensor, 423  
 Endosulfan, 102  
 European Committee on Normalization, 62

## F

Field test, fire fighter protective clothing, 481  
 Filter preparation, 130  
 Fire Department of New York, 224  
 Fire fighter protective clothing, 3, 33, 312, 519  
     field evaluation, 481  
     glove dexterity, 162  
     heat stress, 535  
     jackets, radiation heat protection, 212  
     knee areas, thermal insulative performance, 312  
     safety boots, 74  
     thermal insulation, 557  
     thermal performance, 393  
     uniforms, 224  
     useful lifetime methods, 117  
     wildland, 504, 546  
 Flame bonded fabric, 329  
 Flash fire exposure, wear and fit conditions, 224  
 Flashspun polyethylene fabrics, 130, 141  
 Fluorochemical finish, 342  
     cotton-containing fabric, 282  
 Friction, coefficient of, 74  
 Functional properties, protective clothing, 203  
 Function test, hand, for glove dexterity, 162  
 Fungal spore retention on textiles, 251

## G

Gas chromatography, 342, 354

Gas industry workers, thermal protective clothing performance, 393  
 Gloves, 437  
   chemical resistant, 354, 377  
   dexterity, 162  
 Granular pesticide, 354  
 Gravimetric aerosol monitor, 251  
 Gravimetric test cell, 102  
 Guarded sweating hot plate, 519, 535

## H

Hand dexterity, 3, 162  
 Hazardous material glove dexterity tests, 162  
 Heart rate, 481  
 Heat flux, 312, 546  
 Heat loss, 519, 535  
 Heat loss, effect on comfort, 535  
 Heat loss test, total, 481  
 Heat resistance, 212, 437  
   conductive, 312, 557  
   radiant, 557  
     ASTM F 1939, 312  
 Heat stress, 3, 481, 519, 535  
 Heat transfer, 312, 393, 557  
   convective, 233  
   moisture effects on, 33  
 Hot plate, guarded sweating, 519, 535  
 Human solar heat load, 14  
 Hunting gear, insulation values, 233  
 Hydrazine, 409  
 Hydrostatic test, 423  
   modified, 181  
 Hypalon rubber coated material, 312

## I

Image analysis, 269, 297  
 India, pesticide protective clothing, 342  
 Industrial Safety Equipment Association, 62  
   ANSI/ISEA Draft 103, 62  
 Infrared thermometry, 15  
 Insulation, dynamic, 233

Insulative performance, fire fighter clothing knee areas, 312  
 Intermittent contact, clothing permeation resistance  
   F 1383, 409  
 International Standards Organization, 62  
   ISO Standard 6530, liquid penetration resistance, 102  
   ISO Standard 13997, cut resistance, 74  
 Isobutylene-isoprene copolymer-based composite barrier, 437

## K

Knapsack sprayer, 342  
 Knee reinforcements, fire fighter protective clothing, 312

## L

Laminates, 87, 155, 423  
 Laser particle counter, 155  
 Laundering, 354  
 Leather jackets, fire fighter, 212  
 Lifetime, useful, fire fighter clothing, 117

## M

Management system, protective clothing, 117  
 Manikin testing, 203  
   cold weather, 233  
   fire fighter clothing, 212, 224  
   thermal, 546  
 M-cresol, 377  
 Mechanical pressure technique, synthetic blood penetration test, 181  
 Mechanical test, 423  
 Melt blow, 329  
 Methanol, 102  
 Microporous films, 87, 282  
 Moisture barriers, 519, 535  
 Moisture content, effects on fabric, 251  
 Moisture effects, 437, 557  
   on heat transfer, 33, 212

Moisture evaporation, 504  
 Multilayer fabric systems,  
 transport properties, 504

## N

National Research Council of  
 Canada, 117  
 Neoprene, 74, 354, 377  
 Nitrile, 354  
 Nitrobenzene, 377  
 N-methyl-2pyrrolidinone, 377  
 Nonwoven fabrics, 329  
 abrasion effects on, 282  
 barrier resistance, 45  
 particulate penetration  
 screening, 155  
 Nylon, 102  
 tricot knit, 329

## O

Oil industry workers, thermal  
 protective clothing  
 performance, 393  
 Optical porosity, 297

## P

Particulate penetration  
 screening, 155  
 Particulate soil, 251  
 Pegboard test, 162  
 Penetration, abrasion effect on  
 liquids on nonwovens, 282  
 Penetration, liquid, surfactants  
 effect on, 464  
 Penetration pressure, fabrics  
 tested in compression, 423  
 Penetration resistance,  
 protective clothing  
 agricultural workers, 102, 342  
 liquid, 282  
 sprayed Atrazine, 45  
 sun, 14  
 synthetic blood, 87, 181  
 Permeability, air, 504  
 Permeability, microporous films,  
 87  
 Permeation cup method  
 ASTM F 1407, 377  
 Permeation rate, 102

Permeation resistance  
 chlorinated polyethylene, 409  
 fiber content effects, 464  
 Permeation tests  
 ASTM F 739, 365, 377, 409  
 test apparatus, 297  
 cells, chemical, 365  
 Pesticide residue  
 distribution patterns, 269  
 gloves, 354  
 Pesticide applicator protective  
 clothing, 342  
 glove materials, 354  
 Petrochemical industry workers,  
 thermal protective  
 clothing performance, 393  
 Phase Change Material, 3  
 Pin pickup test, 162  
 Planar geometry, 393  
 Plasticization, 437  
 Polyester/cotton fabric, chemical  
 protection, 102  
 Polyester fabric, fungal spore  
 retention, 251  
 Polyethylene, chlorinated, 409  
 Polyethylene fabrics, 130, 141, 269  
 Polyethylene glycol, 190  
 Polymeric membranes, 377  
 Polypropylene, 329  
 Polystyrene, 155  
 Polyurethane, 190, 329  
 Polyvinyl chloride fabric, 102  
 Porosity, 297  
 Pressure penetration tests, 45  
 Pressure ramp rates, 423  
 Propellant concentrations, 409  
 Puncture resistance, 74  
 Pyranometers, 14  
 PyroMan Thermal Protective  
 Clothing Analysis System,  
 224

## R

Radiant heat protection, 212  
 Radiant heat resistance, 312, 557  
 Radiant protective  
 performance, 504  
 Regression analyses, 481  
 Residue distribution, 269  
 Run-off test method, 102

## S

Scanning electron microscopy, 130, 141, 190, 269  
 Shell fabrics, barrier effectiveness, 297  
 Silica particles, aerosolized crystalline, 130  
 Single layer fabric testing for thermal protection, 393  
 Skin temperature, 481  
 Ski wear, 233  
 Solar radiation, total  
 Solvents, protective glove resistance to, 377  
 Spray absorption resistance, 45  
 Spray pattern nozzle, 45  
 Sprayer, knapsack, 342  
 Spunbond-meltblown-spunbond nonwoven fabric, 45  
 Spunbonded polypropylene composite fabric, 130  
 Standards (See AATCC; ASTM standards; International Standards Organization), 62  
 Steel mill worker protective clothing, 3  
 Stored energy test, 33  
 Sun protective clothing, 14  
 Surface adhesion, 251  
 Surface tension, 464  
 Surface wetting, 282  
 Surfactant concentration, 464  
 Surgical gowns, 87, 181, 190, 423  
 Swelling technique, 377

## T

Tefluthrin, 354  
 Telemetry system, 481  
 Terbufos, 354  
 Thermal comfort, 437  
 Thermal energy, stored, fire fighter protective clothing, 33  
 Thermal manikin testing, 546  
 Thermal protective clothing, cold weather, 233  
 Thermal transfer, 212  
 Thermodynamic character, sun protective clothing, 14

Thicknesses, garment layer, 233  
 Threshold time, 312  
 Tolerance time, 557  
 Total solar radiation transmission, 14  
 Trichloroethylene vapor adsorption, 329  
 Turnout gear (See Fire fighter protective clothing)  
 Two-way analysis of variance, 546

## U

Ultraviolet detection, 102  
 Ultraviolet protective chemically treated clothing, 14  
 U.S. Army battle dress overgarment, 329  
 U.S. Army Research Institute for Environmental Medicine, 14  
 U.S. Forest Service, 546

## V

Valve, constant flow, 342  
 Vapor adsorption capacity, 329  
 Vapor diffusion, fabric resistance to, 297  
 Vapor transmission rate, 409  
 Viral assay, 423  
 Viscosity, 464  
 Volumetric technique, 377

## W

Water vapor transmission, 190  
 Wear trails, controlled, 203  
 Wettability, 464  
   surface, 87  
 Whelan's equation, 297  
 Wicking, 464  
 Wildland fire fighters, 504, 546  
 Work clothing, insulation values, 233  
 Woven fabrics, particular penetration screening, 155

## X

X-ray photoelectron spectroscopy, 190