

Subject Index

A

- Alloys (See under type of alloy)
- Aluminum
 - cavities near grain boundaries, 220, 233
 - cold working, 508
 - copper-aluminum alloys, 14
 - defects introduced by proton irradiation, 233, 478, 490, 508
 - grain size, 508
 - hardening, 490
 - helium transport to grain boundaries, 345
 - microstructural changes, 508
- Amorphous transformation, 661
- Analytical electron microscopy (See Electron microscopy)
- Anisotropic diffusion, 70
- Annealing mechanisms, 14, 847
- Atomic spin orientation, 880
- Austenitic steels (See Steels)

B

- Bias factors, 70, 414, 822
- Binary alloys, 14, 38, 60, 700
- Blistering, 866, 893
- Bonds, intermolecular and intramolecular, 880
- Brittle failure, 676
- BUBBEX program, 437
- Bubbles (See Vacancies and voids)
- Bulk magnetization, 880

C

- Carbide evolution, 713
- Cascade defects
 - collision cascades, 834, 847

- in copper, 48
 - in Cu-Au alloys, 38, 60
 - interstitial dislocation loops, 393
- Cavities (See Vacancies and voids)
- Cementite precipitation, 647
- Channeling (See Vacancies and voids)
- Charged-particle irradiation, 805
 - (See also under type of particle)
- Chemical inhomogeneity, 822
- Chemical-rate theory, 822
- Chromium-manganese steel alloys, 195
- Chromium-molybdenum steel alloys
 - carbide evolution in Fe-2.25Cr-Mo alloy, 713
 - ion damage in Fe-10Cr-6Mo-0.5Nb steel, 498
- Chromium-nickel steel alloys (See Steels; Swelling)
- Chromium-nickel-titanium steel alloys, 805
- Chromium-steel alloys
 - dislocation evolution in Fe-10%Cr, 466
 - heavy-ion irradiation of HT-9 steel, 530
 - neutron irradiation of HT-9 steel, 545
 - nickel ion irradiation, 588
- Cladding, 127, 146, 154, 676 (See also Metals; Steels)
- Cold working, 114, 127, 154, 345, 508
- Collision cascades (See Cascade defects)

Composition

- creep strength, influence on, 127
- fluctuations and stability, 775, 788, 809
- redistribution, 721, 748
- solute segregation, influence on, 730
- void swelling, influence on, 289, 315

Computer simulation, 834

Concentrated alloys, 809

Conversion electron Mössbauer spectroscopy, 743, 805, 880

Copper, 48

Copper-aluminum alloys, 14

Copper-gold alloys, 38, 60, 700

Creep, irradiation

- anisotropic diffusion effects, 70
- comparison of various sink strengths, 414
- effects of stress on nickel alloys, 447
- in ferritic alloys, 560
- in Type 316 steel, 101, 127
- in uranium, 432

Critical cavity size, 498

Critical-radius concept, 315

Cross-section technique, 748

Crowdions, 70

Crystal structure

D

D9 cladding, 146, 154

D66 alloy, 661

Damage (See Defects, radiation induced)

Decomposition, 743, 775, 788, 809

Defects, radiation induced (See also under type of defect)

- in aluminum introduced by proton irradiation, 233, 478, 490, 508
- bubbles (See Vacancies and voids)
- cavities (See Vacancies and voids)

damage rate, 748

deformation, 805

growth, 70, 414

interstitial, 27, 393

nickel ion irradiation effects, 588

point, 14, 330, 822

production efficiency, 700

Deformation, plastic, 805

Denuded zones, 233, 345

Depleted zones, 90

Depth profile, 748, 857

Deuterium, 857

Diffusion

in aluminum, 220

anisotropic, 70

coefficients, 5

controlled growth, 432

in copper-15at.% aluminum, 14

in Cu_3Au , 38

in Fe-2.25Cr-Mo ferritic alloy, 713

in Fe-20Cr-20Ni, 5

helium transport to grain boundaries, 345

mechanisms, 14

in uranium, 432

Dimensional stability (See Swelling)

Dislocation

in aluminum, 220, 490

collapse of defect cascades, 48, 60

comparison of sink strengths, 414

evolution in austenitic steel, 371

evolution in Fe-10%Cr, 466

in fast-neutron-irradiated nickel and iron, 27

in Fe-Ni-C and Ni-C alloys, 647

in Fe-Ni-Cr alloys, 748, 758

helium transport, 345

in HVEM-irradiated stainless steel, 242

nucleation in uranium, 432

produced by high-energy cascades, 393

stress effects on nickel alloys, 447

Disordering, 38

Dual-beam irradiation, 268

E

Elastic interaction difference, 71
 Electrical resistivity, 38, 478
 Electron irradiation effects (See also Ion irradiation effects)
 in chromium-manganese steel alloys, 268
 in chromium-nickel steel alloys, 250, 268, 758
 dislocation in stainless steel, 242, 371
 in manganese-steel alloys, 743
 Electron microscopy
 of collapse of defect cascades, 48, 60
 of dislocation behavior in stainless steel, 242
 of dislocation evolution in Fe-10%Cr, 466
 of dislocation motion in aluminum, 490
 of helium ion irradiated Monel-400, 893
 of HT-9 ferritic steel, 530, 545
 of microstructural changes in aluminum, 508
 of Mo-Re alloys, 721
 of nickel ion irradiation effects, 588, 647
 of niobium alloys, 520
 stability studies of defects in aluminum, 478
 stress-effects studies on nickel alloys, 447
 stress-effects studies on Type 316 steel, 101
 void swelling, 250, 289
 Electronic band structure, 27
 Element composition (See Composition)
 Embrittlement, 617
 Energy density, 880, 893
 Enhanced vacancy accumulation, 220
 Exfoliation, 866, 893

Experimental Breeder Reactor, 146, 154, 161, 289

F

Fast reactors (See Reactors)
 Ferritic material, 466, 560, 588 (See also Steels)
 Ferromagnetic metals, 27
 Field ion microscopy, 90
 Fission gas, 432
 Flaking, 866
 Focussing, 220
 Frank loops (See Dislocation)
 Free energy, 661
 Fuel cladding tubes, 127

G

Gases (See also Helium effects)
 bubble growth mechanisms in swelling, 432
 hydrogen isotopes implanted into TiC, 857
 Gold (See Copper-gold alloys)
 Grain
 boundaries, 220, 268, 345, 432, 617
 size, 127
 Graphite precipitation, 647
 Growth, irradiation (See Swelling)

H

Hardening, 490
 Helium effects
 in aluminum, 233, 478, 490
 generation rate, 345
 in HT-9 steel, 545
 importance in void nucleation, 358
 ion damage in Fe-10Cr-6Mo-0.5Nb steel, 498
 ion implantation in metallic glasses, 866
 ion irradiation of Cu-Au alloys, 700

Helium effects (*continued*)

- ion irradiation of Mo-Re alloys, 721
- ion irradiation of Monel-400, 893
- of nickel ion irradiation, 588
- preinjection in irradiated Fe-Cr-Ni alloys, 250, 758
- segregation in light-ion bombarded NiD8%Si, 617
- transport to grain boundaries, 345
- trapping in metals, 330
- void-precipitate association in austenitic steel, 161
- void radius, 315
- High-voltage electron microscopy (See Electron microscopy)
- Hydrogen isotope implantation in TiC, 857

I

- Inconel 600, 207
- Incubation, 345
- Interaction fields, 414
- Intermetallic phase, 545
- Intermolecular bonds, 880
- Interstitial considerations
 - comparison of sink strengths, 414
 - configurations, 27
 - dislocation loops produced by high-energy cascades, 393
 - loss, 220
- Intramolecular bonds, 880
- Invar, 775
- Inverse Kirkendall effect, 268, 775, 822
- Ion irradiation effects (See also electron irradiation effects; proton irradiation effects)
 - in Cu-Au alloys, 60, 700
 - in Fe-10%Cr alloy, 466
 - in Fe-2.25Cr-Mo alloy, 713
 - in Fe-10Cr-6Mo-0.5Nb alloy, 498
 - in Fe-Cr-Ni alloys, 127, 260, 289, 315, 758, 788
 - in Fe-Ni alloys, 788

- in Fe-Ni-C alloys, 647
- in ferritic steels, 498, 530, 588, 713
- hydrogen isotope implantation in TiC
- in metallic glasses, 866, 880
- in Mo-Re alloys, 721
- in Monel-400, 893
- in Ni-C alloys, 647
- in Ni-8%Si alloy, 617
- precipitate recoil, 834
- self, 5, 48
- in vanadium-base alloys, 730
- Iron, 27, 48, 834
- Iron-nickel-chromium alloys (See Steels; Swelling)

K-L

- Kirkendall effect, inverse, 268, 775, 822
- Laves phase, 661
- Liquid metal reactors, 146

M

- Magnetic isotropy, 27
- Magnetization, bulk, 880
- Manganese steel alloys, 195, 743
- Martensite, 530, 545
- Martensitic transformation, 758
- Mechanical properties, 508
- Metallic glasses, 866, 880
- Metals (See also Aluminum; Microstructure; Nickel; Steels)
 - annealing mechanisms, 14, 847
 - cold working, 114, 127, 154, 345, 508
 - composition, 127, 250, 289, 315
 - copper, 48
 - copper-aluminum alloys, 14
 - copper-gold alloys, 38, 60
 - creep (See Creep)
 - D66 alloy, 661
 - ferritic alloys, 530, 545, 560, 588, 595
 - fuel, 432

fuel cladding tubes, 127
 gas-bubble growth mechanisms, 432
 growth (See Swelling)
 hardening, 490
 helium trapping, influence of, 330
 high-purity alloys, 250
 Inconel 600, 207
 iron, 27, 48
 mechanical properties, 508
 metallic glasses, 866, 880
 molybdenum-rhenium alloys, 721
 Monel-400, 893
 niobium alloys, 520
 nucleation, 647
 PE 16, 345
 precipitate dissolution, 508
 softening, 508
 3d-transition, 27
 titanium carbide, 857
 titanium-modified alloys, 146, 154
 tungsten, 90
 uranium, 432
 vanadium-base alloys, 730
 Zircalloys, 661, 676
 Meteorites, 775
 Microhardness, 520
 Microscopy
 electron (See Electron microscopy)
 field ion, 90
 Microstructure (See also Phase stability)
 carbide evolution in irradiated FeD2.25Cr-Mo alloy, 713
 dislocation evolution in irradiated Fe-10%Cr, 466
 of Fe-Mn alloys under electron irradiation, 743
 interstitial dislocation loops produced by high-energy cascades, 393
 ion damage in Fe-10Cr-6Mo-0.5Nb steel, 498
 ion-irradiated vanadium-base alloys, evolution in, 730

irradiated austenitic steel, evolution in, 371
 of irradiated cast and aged duplex stainless steels, 595
 of irradiated ferritic alloys, 530, 545, 560, 588
 irradiated nonhomogeneous alloys, evolution in, 822
 irradiated Type 316 steel, changes in, 114
 of irradiated Zircalloys, 676
 neutron-irradiated niobium alloys, changes in, 520
 proton-irradiated aluminum alloys, changes in, 508
 stress effects on irradiated nickel alloys, 447
 void-precipitate association, 161
 Molybdenum alloys, 721
 Monel-400, 893
 Mössbauer absorption, 880
 Mössbauer spectroscopy, 743, 805, 880

N

Nernsts theorem, 810
 Neutron irradiation
 of aluminum, 220, 233
 of austenitic steel, 371, 661
 of chromium-nickel steel, 260, 289, 315, 661, 775
 of Cu₃Au, 38
 of Fe-Mn and Fe-Cr-Mn austenitic alloys, 195
 of ferritic alloys, 560, 588
 of iron and nickel, 27
 of nickel-steel alloys, 775
 of niobium alloys, 520
 of tungsten, 90
 of Type 316 steel, 114, 127, 154, 161, 207, 628
 of Zircalloys, 661, 676
 Nickel
 defect cascade collapse, 48
 defect structures in, 27

Nickel (*continued*)

- diffusion coefficients in Fe-20Cr-20Ni, 5
- dose and energy dependence of ion-irradiated Monel-400, 893
- graphite and cementite precipitation in Ni-C alloys, 647
- ion irradiation, 588, 713, 758, 788
- segregation in light-ion bombarded Ni-8%Si, 617
- steel alloys, 647, 775, 788
- stress effects on irradiation-induced microstructures of nickel alloys, 447
- swelling in alloys with varying percentages of nickel, 250, 289, 315
- swelling in Inconel 600, 207
- Nickel-chromium steel alloys (See Steels; Swelling)
- Nonequilibrium statistical theory, 393
- Nonhomogeneous alloys, 822
- Nucleation (metals), 647

O

- Ordering, 38, 743, 847
- Oxygen effects on void stabilization in stainless steel, 279

P

- Peak-damage region, 748
- Peak zone, 220
- Phase stability
 - compositional fluctuations of alloys, 809
 - in Fe-Cr-Ni alloys, 758
 - in Fe-Mn and Fe-Cr-Mn alloys, 195
 - in Fe-Ni-C and Ni-C alloys, 647
 - in Type 316 steel, 114
 - void-precipitate association, 161
- Phase transformations, 676, 805 (See also Microstructure)
- Phenomenological rate equations, 817

- Phosphide, 114
- Phosphorus, 289
- Point defects (See also Defects, radiation induced)
 - annealing mechanisms of, 14
 - fluxes, 822
 - helium trapping, influence on metals, 330
 - in nonhomogeneous alloys, 822
 - properties of, 14
 - void swelling in Fe-Cr-Ni alloys, 250
- Precipitates and precipitation
 - dissolution, 508
 - evolution, 628
 - extraction, 588
 - in Fe-Cr-Ni alloys, 758
 - graphite and cementite, 647
 - in HT-9 ferritic steel, 530, 545
 - in Mo-Re alloys, 721
 - near a collision cascade, 847
 - in neutron-irradiated Zircalloys, 676
 - recoil resolution, 834
 - in vanadium-base alloys, 730
 - void-precipitate association in Type 316 steel, 161
- Preferential recovery, 847
- Proton irradiation effects (See also Ion irradiation effects)
 - in aluminum, 233, 345, 478, 490, 508
 - compositional redistribution in Fe-Ni-Cr alloys, 748
 - phase transformations in chromium-nickel-titanium steel alloys, 805
 - stress effects on irradiated nickel alloys, 447
 - in tungsten, 90

R

- Radiation-induced segregation (See Segregation and compositional redistribution)
- Rate theory, 330, 371

Reaction kinetics, 70
 Reactors
 Experimental Breeder Reactor,
 146, 154, 161, 289, 545, 628
 fast, 114, 127
 Fast Flux Test Facility, 146, 154,
 195, 207, 545
 HFIR, 161
 liquid metal, 146
 reflector assemblies, 207
 WWR-K, 847
 Recoil mechanisms, 5, 220, 834
 Reduced activation, 195, 268
 Reflector assemblies, 207
 Refractory metals, 520
 Relative susceptibility, 880
 Resistivity, electrical, 38, 478
 Rhenium alloys, 721
 Rutherford backscattering spectro-
 metry, 700, 721

S

Scanning electron microscope, 893
 Secondary ion mass spectrometry
 (SIMS) measurements, 7
 Segregation and compositional re-
 distribution
 in Cu-Au alloys, 700
 in Fe-Cr-Mn alloys, 268
 in Fe-Cr-Ni alloys, 252, 264, 268
 in Mo-Re alloys, 721
 in Ni-8%Si, 617
 in Type 316 steel, 161
 in vanadium-based alloys, 730
 Self-interstitial atoms, 70
 Self-ion irradiation, 5, 48
 Separation of alloy components, 847
 Silicon, 5, 289, 617
 Simulation, 748
 Sink strength, 345, 414
 Small-angle neutron scattering, 595
 Softening, 508
 Solute segregation (See Segregation
 and compositional redistri-
 bution)
 Spallation neutrons, 90

Spectroscopy, Mössbauer, 743, 805,
 880
 Spinodal decomposition, 775, 788,
 809
 Stability
 of composition, 809
 of radiation defects in aluminum,
 478
 Stabilization, 279
 Steels (See also Metals; Microstruc-
 ture; Swelling)
 austenitic (See also herein under
 alloy composition)
 amorphous transformation of
 laves phase, 661
 compositional redistribution
 under proton irradiation, 748
 microstructural evolution un-
 der radiation, 371
 relative importance of helium
 and vacancy accumulation in
 void nucleation, 358
 chromium-manganese steel al-
 loys, 195
 chromium-molybdenum steel al-
 loys, 498, 713
 chromium-nickel steel alloys
 amorphous transformation of
 laves phase, 661
 compositional redistribution
 under proton irradiation, 748
 diffusion coefficients of nickel
 and silicon in Fe-20Cr-20Ni,
 5
 element composition influence
 on void swelling, 250, 289,
 315
 microstructure change in cast
 and aged steels, 595
 phase stability, 758
 point defect dynamics, 822
 spinodal-like decomposition,
 775, 788
 Type 316 steel
 D9 cladding, 146, 154
 helium transport to grain
 boundaries, 345

- Type 316 steel, helium transport to grain boundaries (*continued*)
 microstructural change, 114
 modified for fuel cladding tubes, 127, 146, 154
 oxygen effects on void stabilization, 279
 precipitate evolution, 628
 relative importance of helium and vacancy accumulation in void nucleation, 358
 swelling, 101, 114, 127, 146, 154, 207, 358
 titanium modified, 146, 154
 void-precipitate association, 161
- chromium-nickel-titanium steel alloys, 805
- chromium-steel alloys, 466, 530, 545, 588
- D66 alloy, 661
- diffusion coefficients of nickel and silicon, 5
- dislocation during swelling of HVEM-irradiated stainless steel, 242
- duplex stainless steels, 595
- element composition
- creep strength, influence on, 127
 - oscillations, 775, 788
 - void swelling, influence on, 289, 315
- ferritic (See also herein under alloy composition)
- carbide evolution in Fe-2.25Cr-Mo alloy, 713
 - fine-scale microstructure in cast and aged duplex stainless steels, 595
 - heavy-ion irradiation of HT-9 steel, 530
 - ion damage in Fe-10Cr-6Mo-0.5Nb steel, 498
 - neutron irradiation of HT-9 steel, 545
 - ferromagnetic, 27
 - helium trapping, influence of, 330
 - manganese steel alloys, 195, 743
 - martensite, 530, 545
 - martensitic transformation, 758
 - nickel-chromium steel alloys (See chromium-nickel steel alloys)
 - nickel-steel alloys, 647, 775, 788
 - noncubic, 70
 - oxygen effects on void stabilization in stainless steel, 279
- Type 304 steel, 242
- void-precipitate association, 161
- Stereomicroscopy, 676
- Stress effects, 70, 101, 447
- Surface damage, 866, 880, 893
- Swelling
- in aluminum, 220
 - anisotropic diffusion, caused by, 70
 - in austenitic steel, 371
 - charged particle induced, 127
 - in chromium-manganese steel, 195, 268
 - in chromium-nickel steel, 250, 268, 289, 315, 775, 788
 - comparison of various sink strengths, 414
 - compositional dependence, 127, 146, 154, 289, 315
 - compressive stress effects on, 101
 - dislocation in HVEM-irradiated stainless steel, 242
 - in Fe-10Cr-6Mo-0.5Nb ferritic steel, 498
 - of ferritic alloys, 560, 588
 - gas-bubble growth mechanisms in metal fuel, 432
 - helium preinjection, influence of, 255
 - in Inconel 600, 207
 - interstitial dislocation loops produced by high-energy cascades, 393
 - in manganese steel, 195
 - neutron induced, 114, 127, 146, 154

nickel concentration, influence of, 255
 in nickel-steel alloys, 775, 788
 oxygen effects on void stabilization in stainless steel, 279
 precipitate recoil, 834
 relative importance of helium and vacancy accumulation, 358
 temperature dependence, 255
 tensile stress effects on, 101
 transient period in Type 304 steel, 242
 in Type 316 steel, 101, 114, 127, 146, 154, 207, 358
 in vanadium-base alloys, 730
 void-precipitate association, 161

T

Theoretical models of microstructural evolution in austenitic steel, 371
 3d-transition metals, 27
 Titanium carbide, 857
 Titanium-modified Type 316 steel, 146, 154
 Transmission electron microscopy (See Electron microscopy)
 Transmutation atoms, 478, 490
 Transport efficiency, 5
 Tungsten, 90

U

Uranium alloys, 432

V

Vacancies and voids (See also Dislocation)

in aluminum near grain boundaries, 220, 233
 cavity evolution in austenitic steel, 371
 in chromium-manganese steel alloys, 268
 in chromium-nickel steel alloys, 268
 concentration, 90
 critical cavity size, 498
 density, 242
 element composition influence on void swelling, 289, 315
 enhanced vacancy accumulation, 220
 in Fe-Ni alloys, 775, 788
 in Fe-Ni-C and Ni-C alloys, 647
 in Fe-Ni-Cr alloys, 748, 758, 775, 788
 gas-bubble growth mechanisms, 432
 growth modeling, 250
 helium trapping, 330, 345, 358, 478, 490, 866
 in HT-9 ferritic steel, 530, 545
 migration enthalpy, 5
 in niobium alloys, 520
 nucleation, 242, 345, 358
 oxygen effects on void stabilization in stainless steel, 279
 properties, 14
 sink strengths, comparison of, 414
 stability, 279
 swelling (See Swelling)
 void-precipitate association, 161
 Vanadium-base alloys, 730

W-Z

WWR-K reactor, 847
 Zircalloys, 661, 676