

Subject Index

A

- Accelerated weathering, 9
- Adhesion
 - cold-laid, two-ply bitumen roofing, 116, 126
 - rubberized asphalt, 75–91
- Adhesive bond, seams, single-ply rubber membranes, 53–62
 - lap-shear test, 54–62, 57(table)
 - T-peel test, 54–62
- Asphalt
 - ductility of, ASTM Standards
 - D 312-84: 89
 - D 449-79: 89
 - nuclear magnetic resonance (NMR) tests, 63–74
 - roofing production, 63–74
 - rubberized, 75–91
 - adhesion/cohesion, 84, 85(table), 88–89
 - ductility of, 84, 86(table), 87(table), 89
 - toughness-tenacity test, 76–83, 78(table), 83(table), 84–88
 - specific gravity of, ASTM Standard D 71-84: 64
- ASTM Standards
 - C 165-83: 24
 - D 70-82: 84
 - D 71-84: 64
 - D 113-85: 84, 89
 - D 153-84: 64
 - D 312-84: 89
 - D 412-83: 84, 101
 - D 449-79: 89
 - D 2523-78: 101
 - D 3701-83: 64
 - D 3746-78: 33, 41, 50
 - D 3980-83: 76
 - development of, 7–9

B

- Bituminous materials
 - ductility of, 84, 86(table), 87(table), 89
 - ASTM Standard D 113–85: 84, 89
 - impact tests, 25–38

- ASTM Standard D 3746-78: 30–31(table), 33
- Canadian General Standards Board (CGSB), 30–31(table), 33, 37
- European Union of Agreement (EUAtc), 30–31(table), 38
- nuclear magnetic resonance (NMR) tests, 63–74
- polymer-modified, 7, 92–99, 100–109, 110–126
- specific gravity of, ASTM Standard D 70–82: 64
- static load tests
 - Canadian General Standards Board (CGSB), 38, 41, 46–47(tables)
 - European Union of Agreement (EUAtc), 38, 41, 46–47(tables)
- Bituminous membranes (*see* Bituminous roofing systems)
- Bituminous roofing systems
 - coefficient of expansion values, 92–99, 96–98(tables)
 - cold-laid system, 110–126
 - critical loading, 100–101
 - durability tests, 9
 - joint-bridge tests, 101–109
 - self-adhesive, 110–126
 - tension tests, 101–109, 122, 124(table)
 - two-ply system, 110–126
 - ultraviolet test, 9
- Built-up roofs, 92–99

C

- Calcination, stabilizer measurement, 66
- Canadian General Standards Board (CGSB)
 - impact tests, 26–31(tables), 33–37
 - static tests, 38, 41, 42–47
- Cap sheet, self-adhesive, 110–126
- CGSB (*see* Canadian General Standards Board)
- Coatings, stabilizer content, 68–70, 69(table), 73(table)
- Coefficient of expansion, bituminous roofing systems, 92–99, 96–98(tables)

Cohesion, rubberized asphalts, 75–91
 Cold-applied glue (*see* Glue, cold-applied)
 Cold-laid bituminous roofing system, 110–126
 blisters in, 124
 properties of, 124(table)
 tensile strength, 124(table)
 testing of, 119
 Compressive strength, insulating materials,
 ASTM Standard C 165-83: 24(table)
 Condensation, on metal fasteners, 21

D

Decking, and metal fasteners, 10–21
 DOE (*see* U.S. Department of Energy)
 Ductility, asphalts, 84, 86(table), 87(table), 89
 ASTM standards
 D 113-85: 84, 89
 D 312-84: 89
 D 449-79: 89
 Durability of roofing, 9

E

Elastomeric membranes
 impact tests, 25–38, 26(table)
 ASTM Standard D 3746–78: 33
 Canadian General Standards Board, 3, 37
 European Union of Agreement, 38
 static load tests, 38, 41, 42–43(table)
 Canadian General Standards Board, 38, 41
 European Union of Agreement, 38, 41
 Federal Test 2031: 41
 European Union of Agreement (EUAtc), 5–7, 9
 General Directive for Assessment of Roof
 Waterproofing Systems, 6
 impact tests, 38
 static load tests, 38, 41

F

Fasteners, metal roof, 10–21
 condensation on, 21
 heat transfer, 11–21
 Felt, saturated, nuclear magnetic resonance
 measurement, 67–68, 70–71, 71(table)
 Filled coatings, stabilizer content, 68–70,
 69(table), 73(table)
 Finite-difference theory, heat transfer, metal
 roof fasteners, 12–15
 Fire risk, glue, cold-applied, 117–118

G

Glass, in bituminous membranes, 92–99, 95(table)
 Glue, cold-applied
 adhesion of, 111–113, 112(table), 116
 applicator equipment, 114–115
 peeling resistance, 112–113, 113(table)
 testing of, 111–116
 use in bituminous roof system, 110–126

H

Hail damage tests, single-ply roof membranes,
 25
 Heat aging test, roof durability, 9
 Heat transfer analysis, metal roof fasteners, 10–
 21
 Humidity, effect on metal fasteners, 21

I

Insulation
 compressive strength of ASTM Standard C
 165-83: 24(table)
 and heat transfer, 16–20
 under single-ply membranes 16–20, 23–52

J

Johannesson test, heat transfer, 10, 15–20
 Joint-bridge test, 101–109

L

Lap-shear test, adhesive bonds, 54–62
 Loading, roof systems, 23, 100–101
 Low-slope roofs, use of metal fasteners, 10–20

M

Membranes, single-ply
 adhesive bonds, 53–62
 fracture, 33
 impact tests, 25–38, 41, 50–51
 puncture resistance, 25–38, 41, 50–51
 static load tests, 38, 41, 50–51
 Membranes, two-ply, cold-laid bituminous roof-
 ing, 110–126
 Metal decking, 11–16, 11(illustration)
 Metal fasteners (*see* Fasteners, metal roof)

N

Neoprene, in contact adhesives, 55, 56(table)
 Nuclear magnetic resonance
 asphalt roofing production, 63–74,
 72(illustration)
 ASTM Standard D 3701-83: 64

P

- Paint and related materials, ASTM Standard D 3980-83: 76
- Peeling resistance, cold-applied glue, 111–113
- Perfotest Baronne, 38, 51
- Pigments, specific gravity of, ASTM Standard D 153-84: 54
- Plastic cap, metal fasteners, 18–20
- Polyester, in modified bitumen membranes, 53–62, 92–99, 95(table), 102–109
- Polypropylene, atactic, in modified bituminous membranes, 93–95, 102–109
- Polystyrene foam, glue damage, 113–114

R

- Regression analysis, coefficient of expansion values, 93, 96
- Reinforcement, roof (*see also* Propylene, atactic; Styrene-butadiene-styrene) membranes, 56(table), 102–109
- Research, roofing
 - European, 3–9
 - organizations, 5
 - and standards development, 3–9
 - United States, 4, 7–9
- Roofing materials (*see also* Asphalt; Asphalt roofing; Bituminous materials; Elastomeric membranes; Felt, saturated; Glass; Polyester; Rubber; Thermoplastic membranes)
 - guide to, 3
- Roofing systems (*see also* Bituminous roofing systems)
 - critical loading of, 100–101
 - ASTM Standard D 2523-78: 101
 - standards for, 6–7
- Rubber
 - in asphalt, 75–91
 - in bituminous membrane, 92–99, 110
 - in roof cap sheet, 110–126
 - in single-ply membranes, 53–62, 56(table)
 - styrene-butadiene-styrene, 92–99, 102–109, 110–126
 - tensile testing of, ASTM Standard D 412-83: 84, 101

S

- Seams, adhesive-bonded
 - environmental effects on, 53–54
 - single-ply rubber membranes, 53–62

- Self-adhesive cap sheet, 110–126
- Single-ply membranes (*see* Membranes, single-ply)
- Single-ply roofing systems, 23–52
- Specific gravity
 - asphalt, 64–66
 - ASTM Standard D 71-84: 64
 - bituminous materials, ASTM Standard D 70-82: 64
 - filled coatings, 64, 68
 - pigments, ASTM Standard D 153-84: 64
 - pitch, ASTM Standard D 71-84: 64
- Stabilizer, measurement methods, 64–70, 69(table), 71(table), 73(table)
 - calcination, 66, 69
 - extraction, 66, 68
 - nuclear magnetic resonance, 63, 66–67, 69–70
 - specific gravity, 64–66
- Standards
 - consensus, 3–9
 - development of, 3–9
 - performance, 3, 6–9
 - prescriptive, 7
- Styrene-butadiene-styrene rubber, in bituminous membranes, 93, 95(table), 102–109, 110–126
- Substrates, compressive strength of, 24(table)

T

- Temperature
 - asphalt, rubberized, and ductility, 86(table), 87(table), 89
 - bituminous membranes, coefficient of expansion, 93, 96–99
 - cold-laid bitumen roofing, and blister formation, 124
 - and peeling resistance, 113
 - single-ply rubber membranes, and adhesive binding, 58–59
- Tests (*see also* ASTM Standards)
 - accelerated weathering, 9
 - adhesion, 84, 85(table), 88–89
 - Chang-Busching heat transfer, 16
 - ductility, 84, 86, 89
 - durability, 9
 - hail, 25
 - heat transfer, 10–21
 - impact, 24, 25–38
 - Johannessen heat transfer, 15–16
 - joint-bridge, 101–109

- lap-shear, 53, 55–62
 - nuclear magnetic resonance spectrometry, 63–74
 - Perfotest Baronnie, 38
 - pull-off adhesion, 84
 - puncture resistance, 25–38, 41, 50–51
 - specific gravity, 64–66
 - and standards development, 6, 9
 - static, 24, 38, 41
 - tension, 101–109, 122, 124(table)
 - toughness-tenacity, 76–83, 78(table), 83(table), 84–89
 - T-peel, 53, 55–62
 - ultraviolet aging, 9
 - Xenotest, 9
 - Thermal bridge, metal fasteners, 10–21
 - Thermoplastic membranes
 - impact testing, 25–38, 28(table)
 - ASTM Standard 3746-78: 33
 - Canadian General Standards Board (CGSB) test, 33, 37
 - European Union of Agreement (EUAtc), 38
 - static load testing, 38, 41, 44–45(table)
 - Canadian General Standards Board (CGSB) test, 38, 41
 - European Union of Agreement (EUAtc), 38, 41
 - Federal Test 2031: 41
- U**
- UEAtc (*see* European Union of Agreement)
 - Ultraviolet test method, roof durability, 9
 - U.S. Department of Energy (DOE), roofing research, 4
- W**
- Waterproofing systems, 6, 53
 - Water vapor, and blister formation, 124
 - Weathering, 9
 - Wood decking, use of metal fasteners, 11–15, 11(illustration), 16–21
- X**
- Xenotest, roof durability, 9