

# Subject Index

## A

- Accident mechanisms. *See also* Causes of accidents  
 skier's ability and equipment, 321-322  
 traumatic accidents, 64-66
- Active stress, anterior cruciate ligament mechanics, 113-114, 117
- Acute arterial occlusion, ski boot-related, 132-134
- Age levels  
 alpine-cross-country skiing comparisons, 90-91  
 collision injuries, 70-73  
 injury rates, 35-36  
 recreational skiers, 43-44  
 skier behavior, 86  
 snowboarding injuries, 77-78
- Alpine Skiing Safety Council (Norway), 344-346
- Altitude, biomedical testing, 357-363
- "Anatomical handle" ski poles, 317-318
- Ankle  
 binding release tests, 210-220  
 dorsiflexion and boot design, 146-151  
 rotation versus longitudinal moment, 259-260, 262  
 snowboarding injuries, 78-79  
 three-dimensional loading, 252-265
- Ankle constraints  
 BB type, 254, 257  
 BU types, 254, 257  
 SAF type, 254, 257  
 SAT type, 254, 257
- Anterior cruciate ligament  
 boot-induced anterior drawer, 273-274  
 boot stiffness, 271-272  
 force model, 271-272  
 four-bar model, 270  
 impact model, 269-270  
 injuries in female racers, 105-110  
 injury incidence, 4, 30-31  
 male:female ratio, 106-108  
 modeling forces, 267-275  
 moment model, 271  
 prevention, 112-118
- Anterior drawer  
 boot-induced, 268  
 prevention, 115-118
- Anthropometric dummy, ankle motion and binding release tests, 210-220
- Antifriction device (AFD), boot insufficiency, 147
- ASTM Practice F 939, 196
- ASTM Specifications, Eye Protective Devices (F 659), 126
- Avalanche victims, fatal skiing accidents, 64, 66
- Axial loading at knee joint, 248-249
- Axial rotation of lower limb  
 dynamic system model parameter identification, 291-306  
 torsional loading, 277-289  
 in vivo static and dynamic measurements, 277-289

## B

- Backward falls  
 anterior cruciate ligament injury, 115-116  
 injury mechanism, 56, 58  
 modeling forces on anterior cruciate knee ligament, 267-275
- Barrier impact test  
 ankle motion, 219-220  
 binding release tests, 211-212
- Beginning skiers, thumb injuries, 322
- Bending release, mechanical programmed release bindings, 199
- Bindings. *See also* Inadvertent release, Release bindings  
 adjustment data, 59  
 aging, 58  
 ankle motion and release tests, 210-220  
 cause of accidents, 34  
 classification in Swiss study design, 55  
 computer-controlled system for boot load measurement, 181-197  
 data acquisition and control system, 184-186  
 double pivot, 203-205  
 dynamometer/release mechanism, 183-184  
 fault survey, 20-21  
 frequency of testing, 88-90  
 injuries with correct mountings and settings, 59

**Bindings (cont.)**

- load sensing, 203, 205–206
- lower limb models, 306
- mechanics, 5
- mounting and setting errors, 19–20, 58
- programmable mechanical release, 199–209
- recreational skier injuries, 44–45
- release mechanism, 182, 203, 206, 344
- retention mechanisms, 182, 202–204
- safety guidelines, 346
- self-testing, 37–38
- settings and inadvertent releases in racers, 222–227
- setting values, 20–21
- snowboarding, 79–80
- Swiss ski injury study design, 54
- test stations, 346–347

Biomechanical analysis, skier's thumb, 311–315

Biomedical testing, 6

Blinding, ski injury studies, 12–13

Bone failure locus, programmable release bindings, 201–202

Bone quasi-static injury region, racer binding settings, 222–223

Bone reference clamps, 280–281

Boot-binding unit (BBU) efficiency, 58–60

Boot-induced anterior drawer (BIAD), 268–269

anterior cruciate ligament injuries, 273–274

impact loads, 273–274

Boot load measurements

computer-controlled binding system, 181–197

physical parameters of test subjects, 186–187

**Boots**

acute arterial occlusion, 132–134

ankle dorsiflexion, 146–151

cause of accidents, 34

fit adaptation, 141–143

flex measurements, 167–177

foot pressure patterns, 137–144

lower leg prosthesis, 164

mechanics, 4–5

modeling forces on anterior cruciate knee ligament, 267–275

prevention of anterior cruciate ligament injury, 117–118

rear-entry versus traditional, 141–142

recreational skier injuries, 45–46

removal forces—classic versus rear entry boots, 153–159

safety guidelines, 346

skier preferences, 90

snowboarding, 80

Boot-ski frictional effects, 200–201

Boot stiffness. *See* Stiffness (boot)

Braces, knee, 118

Branch-changed amino acids, 363

“Brown's bow,” binding release settings, 226

Buckle adjustments, foot pressure pattern, 140

**C**

Capacitive measuring system, foot pressure patterns in ski boots, 137–138

Case-control studies

ski injuries, 9–17

techniques, 14–15

Case studies, Swiss ski injury study design, 54

Causes of accidents, *See also* Accident mechanisms

Hemsedal, Norway study, 35

Children

collision injuries, 70–73

injury rates, 35–36, 38–39

racer binding settings and inadvertent release, 223–224

Clothing design, 6

major problem areas, 379

middle shell, 378–381

outer shell prototype, 378

thermal comfort, 374–383

Cohort study, ski injuries, 13–14

Cold weather clothing, 374–383

Collateral ligaments, torsional laxity of knee, 253

Collision injuries

age levels, 70, 72–73

epidemiology, 69–74

Hemsedal, Norway study, 34

injury rate, 38, 70

sex, 70, 73

skiing abilities, 72

snowboarding, 81

type and site of injury, 70

Comparability measurements, 9–17

of risk factors, case-controlled studies, 16

ski glove thermal resistance, 370–372

Competition skiing, *See also* Racers

prior injury rate, 90–91

thumb injuries, 323

Computers, *See also* Data acquisition and control

boot load measurements, 184–186

Conditioning. *See* Physical conditioning

- Confidence intervals, odds ratios, 97
- Confounded measures, injury risk studies, 95-96
- Coordinate moments, three-dimensional knee loading, 253-254
- Creatine kinase, biomedical testing, 361
- Critical edge angles, shear-strength-to-hardness ratio, 333-334
- Cross-country skiing
  - history, 342-343
  - injury studies, 344

## D

- Data acquisition and control
  - bindings, 184-186
  - clothing design, 375-376
  - hip and knee measurements, 234
  - Swiss ski injury study design, 53-54
- Data reduction, knee strength and loading variables, 236-237
- Deliberate selection
  - case-controlled studies, 16
  - nonexperimental study, 14
- Dorsiflexion
  - ankle, boot design and, 146-151
  - traction force and variation, 155-158
  - value table, 148
- Double pivot, programmable release bindings, 203-205
- Duration moment input pulse
  - joint rotations, 287-288
  - long duration—joint rotations, 298, 301
  - medium duration—joint rotations, 298, 300
  - short duration—joint rotations, 298, 302
- Dynamic measurements
  - axial rotation of lower limb, 285-289
  - parameter identification, 291-306
- Dynamometer loading
  - boot load measurements—parallel runs, 194-195
  - internal-external rotation measurements, 255-257
  - knee strength and loading variables, 237-238
  - traction force and variation, 155-158
- Dynamometer/release mechanism
  - bindings, 183-184
  - knee strength and loading variables, 232-233

## E

- Electromyography, hip and knee measurements, 233-235

- Electronic binding, sensitivity to knee strength, 247-248
- EMED-F pedography platform, 138-149
- Empirical studies of ski injuries, 11
- Energy absorption capability
  - ankle motion binding release tests, 213
  - programmable release binding, 208
- Epidemiology
  - collision injuries, 69-74
  - comparability and control studies, 9-17
  - fatal skiing accidents, 63-68
  - ski injury trends, 25-31
  - Swiss study design, 51-61
- Equipment design
  - accident mechanisms, 321-322
  - injury incidence, 24
- Ergonomic study
  - metacarpophalangeal joint, 316-325
  - thumb injuries, 324-325
- Estimated models, joint rotation, 303-304
- Exercise, torsional laxity of knee, 253
- Experimental prospective injury study, 18-24
- Experimental study design, 11-13
- Expert skiers, thumb injuries, 322-323
- External rotation, weight bearing, 289
- Eyewear-related ski injuries, 126-130
  - National Electronic Injury Surveillance System Review, 128
  - National Ski Areas Association (NSAA)/ASTM study, 129
  - Sugarbush North 15-year study, 129

## F

- Falls, *See also* Backward fall, Forward fall
  - injury mechanism, 56, 58
  - skiing experience, 22-23
- Fatal skiing accidents, 63-68
- Feasibility, ski injury studies, 13
- Field testing, hip and knee measurements, 235-236
- Finite element analysis, torsional loading—lower limb rotation, 292-293
- Fitness training, ski injury incidence, 14-15
- Flexible bladder, ski gloves thermal resistance, 367-373
- Flexion
  - foot pressure pattern in ski boots, 140-141
  - hip and knee measurements, 233-234
  - joint rotation, 289
  - stiffness, 284
- Flex measurements, ski boots, 167-177

- Foam insulation, protective clothing, 379, 381
- Foot pressure pattern  
 biomechanical model, 139  
 boot type variations, 141-142  
 buckle adjustments, 140  
 flexion increases, 140-141  
 influence of fit, 141-143  
 ski boots, 137-144
- Force model, anterior cruciate ligament, 271-272
- Forward fall, injury mechanism, 56, 58
- Four-bar model, anterior cruciate ligament, 270
- Four-degree-of-freedom model, torsional loading—lower limb rotation, 292-293
- Free body diagram, foot pressure pattern, 139
- F<sub>x</sub>* force  
 boot load measurements  
 parallel runs, 190-195  
 snow plow runs, 187-188  
 double pivot binding construction, 205  
 three-dimensional knee loading, 257-259
- F<sub>x</sub>*, knee strength and loading variables, 236-237, 240-241, 244-247
- F<sub>y</sub>*, knee strength and loading variables, 236-237, 240-241, 244-247
- F<sub>y</sub>* force  
 boot load measurements—parallel runs, 191-195  
 double pivot construction, 205  
 field test runs, 197  
 three-dimensional knee loading, 257-259
- F<sub>z</sub>* force  
 boot load measurements  
 parallel runs, 190-195  
 snow plow runs, 187-188  
 double pivot construction, 205  
 three-dimensional knee loading, 257-259

## G

- Gamekeeper's thumb, 311-315
- Geometry, tool-snow interaction, 332-333
- Grooming conditions  
 recreational skier injuries, 46-47  
 skier preferences, 90-91

## H

- Hamstrings, muscle activity—snowplow and parallel maneuvers, 245, 247
- Head injuries  
 age-related incidence, 35, 38-39

- Hemsedal, Norway study, 33-34  
 rates in children, 35-36  
 recreational skier injuries, 48  
 snowboarding, 81
- Heel element, boot stiffness, 2
- Heel fixation device, 161-162, 165
- Heel release  
 Achilles tendon stimulation device, 160-166  
 adverse effects, 200-201
- Heel-toe mechanism  
 programmed release bindings, 199  
 strength and loading variables in knee, 232
- Helmets  
 safety studies, 347  
 snowboarding, 81
- Hematocrit, biomedical testing, 357-363
- Historical background of skiing, 342-343
- Hydration, biomedical testing, 357-363
- Hysteresis, joint rotation, 284-285

## I

- Impact loads, anterior cruciate ligament model, 269-270, 272-273
- Inadvertent release, injury rates, 21-22
- Incidence of injury  
 defined, 10  
 skier's thumb biomechanics, 312
- Information bias, injury risk studies, 100-101
- Infrared thermography, ski gloves, 367-373
- Injury mechanism  
 classification in Swiss study design, 55-59  
 recreational skiers, 43  
 skier's thumb biomechanics, 311-315  
 Swiss ski injury study design, 53  
 unilateral fracture, lumbar spine, 120-123
- Injury rate  
 decline, 30-31  
 Hemsedal, Norway study, 33  
 inadvertent release, 21-22  
 release bindings, 344  
 snowboarding, 77-78
- Internal binding friction, 200-201
- Internal-external rotation  
 ankle complex, 258, 262-264  
 three-dimensional knee loading, 252-265
- Internationaler Arbeitskreis Sicherheit beim Skilauf (IAS)  
 experimental prospective injury study, 19  
 Specification 80, 19, 22  
 Standard 150, 147
- Intervention, risk factors, 11-13

- Interview techniques, case-controlled studies, 15
- In vivo measurements  
 lower limb axial rotation, 277-289  
 static and dynamic measurements, axial joint rotation, torsional loading, 277-289
- J**
- Jackets, design prototypes, 376-377
- Joint compression, torsional laxity of knee, 253
- Joints  
 angles in snowplow, 242  
 axial loading at knee, 248-249  
 male versus female, 148  
 range of motion and boot stiffness, 147-149  
 rotation, torsional loading, 277-289  
 stiffness, weight bearing, 282-283  
 strength and loading variables, 232  
 torque, axial rotation curves, 282-283
- K**
- Knee anatomy, 109  
 three-dimensional loading, 252-265
- Knee injuries, *See also* Anterior cruciate ligament  
 axial joint rotation, torsional loading, 277-289  
 binding design, 247-249  
 Hemsedal, Norway study, 33-34  
 injury rate trends, 6, 30-31, 38  
 male:female ratio, 106-108  
 modeling forces on anterior cruciate knee ligament, 267-275  
 programmable release bindings, 202  
 recreational skier injuries, 47-48  
 snowboarding, 78, 80  
 strength and loading variables, 231-249
- Knee stiffness  
 straight conditions, 289  
 three-dimensional loading, 257-260  
 weight bearing or muscle resistance, 289
- L**
- Lacerations  
 eyewear-related, 130  
 injury rate decline, 30  
 snowboarding injuries, 79
- Lactic acid, biomedical testing, 357-363
- Lactic dehydrogenase, biomedical testing, 361
- Lactic dehydrogenase I isoenzyme, 362
- Lateral collateral ligament (LCL), 268
- Lateral release, 61
- Lenses, eyewear-related skiing injuries, 126-130
- Lift capacities  
 collision injuries, 73  
 Hemsedal, Norway study, 34  
 skiing injuries, 85
- Ligament biomechanics. *See also* specific ligaments  
 thumb injuries, 313-314
- Load sensing  
 programmable release bindings, 203, 205-206
- Lower extremity equipment-related (LEER) injuries  
 acute arterial occlusion, 132-134  
 bindings, 45  
 inadvertent release, 21-22  
 injury rate  
 in children, 35-36  
 decline, 30-31  
 trends in, 26-28, 38  
 programmable release bindings, 202  
 recreational skiers, 43, 47-48  
 snowboarding, 78-79
- Lower extremity mechanics, 5
- Lower leg prosthesis  
 Achilles tendon stimulation device, 160-166  
 dimensions and force components, 162, 165  
 flex measurements on ski boots, 167-177
- Lower limb axial rotation, torsional loading  
 dynamic system model, 301-306  
 in vivo static and dynamic measurements, 277-289
- Lumbar spine, unilateral fracture, 119-125
- M**
- Machining theory  
 shear-strength-to-hardness ratio, 334  
 snow conditions, 330-331
- Mean days between injuries (MDBI)  
 equation, 27, 30
- Mean rectified electromyogram (MREMG), 234
- Mechanical binding with program release, 199-209
- Mechanism of injury. *See* Injury mechanism
- Medial cruciate ligament, 268
- Meniscus injuries, prevention, 112, 117
- Metacarpophalangeal joint  
 ergonomic study, 316-325  
 skier's thumb biomechanics, 311-315

Modeling forces, anterior cruciate ligament, 267-275

Moment model, anterior cruciate ligament, 271

Moment pulses, in vivo joint rotation, 289

Moments

- ankle motion binding release tests, 213-217
- averages for Salomon and Nava bindings, 213, 218

Moment-versus-rotation relationship, 253

Mountain ski touring, biomedical testing, 357-363

*Mr* (resultant binding moment), ankle motion binding release tests, 213-217

Multivariate analysis, 14

Muscle activity

- knee stiffness, 283-284
- maximum voluntary contraction (MVC), 236
- normalized, in snowplow, 24-243
- strength and loading variables in knee, 231-249
- torsional laxity of knee, 253

Muscular enzymes, biomedical testing, 357-363

Musculature, programmable release bindings, 200-202

*M'x*, knee strength and loading variables, 236-237, 240-241, 244-247

*Mx* force, boot load measurements

- parallel runs, 193-195
- snow plow runs, 189-190

*M'y*, knee strength and loading variables, 236-237, 240-241, 244-247

*My* force

- boot load measurements
- parallel runs, 191-195
- snow plow runs, 187-189
- double pivot construction, 204-205
- field test runs, 196-197
- mechanical programmed release bindings, 199
- three-dimensional knee loading, 257-259

*M'z* force, knee strength and loading variables, 236-237, 240-241, 244-247

*Mz* force

- ankle motion binding release tests, 213-217
- boot load measurements—parallel runs, 193-195
- double pivot construction, 204-205
- field test runs, 196-197
- mechanical programmed release bindings, 199-200

## N

Nava system boot and binding

- ankle motion release tests, 211
- moment measurements
- ankle motion 27.5°, 213, 215
- ankle motion 44°, 213, 217

Nonexperimental study design, 13-17

Nontraumatic accident characteristics, 64, 67-68

## O

Occurrence rate of ski injuries, 10-11

Odds ratio

- ability, physical condition and injury risk studies, 96-99
- reliability, 100-101

Off-piste (deep snow) skiing areas. *See also* Powder skiing

- fatal accidents, 64, 66
- ski pole design, 317-318

On-piste skiing, fatal accidents, 64-66

Otto Bock "Greissinger" foot prosthesis, 211

Overheating, protective clothing, 378-379

## P

Pants, design prototypes, 376-377

Parallelogram linkage goniometer

- internal-external rotation measurements, 255-257

Parallel runs

- boot load measurements, 190-195
- knee strength and loading variables, 243-247

Parameter identification

- axial rotation of lower limb, 291-306
- least error models, 298-299
- single-degree-of-freedom model, 297-298

Passive stress, anterior cruciate ligament mechanics, 113-115, 117

Patellar Tendon Force, 115-116

Physical conditioning. *See also* Exercise, Skiing gymnastics

- injury risk, 4, 94-101

Placebo intervention, ski injury studies, 13

Pneumatic exciter, axial joint rotation, torsional loading, 279-281

Poles

- eyewear-related ski injuries, 127
- straps and thumb injuries, 313-314
- thumb injuries, 317-318
- thumb impact against handle, 320-321

- Pole tests
  - ankle motion binding release, 211-212
  - impact tests, ankle motion, 219-220
- Polycarbonate lenses, 126
- Powder skiing. *See also* Off-piste skiing
  - recreational skier injuries, 48
  - skiing ability, 91-92
- Precipitation, protective clothing, 378
- Prior skiing injuries
  - skier behavior, 86
  - statistics, 90-91
- Programmable release binding
  - design elements, 202-206
  - prototype testing and evaluation, 207-209
- Prospective ski injury study, 18-24
  - skier's thumb ergonomics, 317
- Protective clothing, 374-383

## Q

- Quadriceps force
  - anterior cruciate ligament mechanics, 115-116
  - muscle activity—snowplow and parallel maneuvers, 247
- Quasi-static measurements, axial joint
  - rotation, torsional loading, 277-285
- Questionnaires
  - ability, physical condition and injury risk studies, 95-96
  - anterior cruciate ligament injuries, 106-107
  - case-controlled studies, 15-16
  - clothing design, 375-376
  - experimental prospective injury study, 19
  - racer binding settings and inadvertent release, 223
  - skier behavior, 86
  - Swiss ski injury study design, 53-54

## R

- Racing skiers
  - anterior cruciate ligament injury, 105-110
  - binding settings and inadvertent releases, 222-227
- Radial ligament, thumb injury, 321-322
- Raid Blanc ski competition, 357-363
- Rear-entry boots, foot pressure pattern, 138-139, 141-142, 144
- Rear-entry boots, removal force
  - measurement, 153-159
- Recentering, programmable release binding, 208
- Recreational skiers

- equipment-related factors, 44-47
- injury rates, 41-49
- injury type and location, 42-43
- skier-related injury factors, 43-44
- skiing behavior, 85-92
- “Reduced opposition” thumb-index grip, 325
- Regression analysis
  - ankle dorsiflexion, 149-151
  - ski injury trends, 27-28
- Release bindings
  - coefficient of friction standard, 350
  - safety studies, 344
- Release locus, programmed release bindings, 202-209
  - binding prototype and testing, 207-209
- Release mechanism
  - energy absorbed, 205-206
  - inadvertent in racer binding settings, 222-227
  - injury types and risk factors, 58, 60
  - lateral release, 61
  - programmable release bindings, 203, 206
  - sensitivity to knee strength, 247-248
  - tests with ankle motion, 210-220
- Repeatability tests, joint loading, 284-285
- Retention envelope, boot load measurement, 195-196
- Retention mechanism, programmable release bindings, 202-204
- Retrospective case-controlled studies, 16
- Risk factors
  - ability and physical condition, 94-101
  - case-controlled studies, 14-15
  - intervention, 12-13
  - ski injuries, 9-17
- Rotational potentiometer, flex measurements
  - on ski boots, 168-169
- Rotation of thumb, thumb injuries, 314-315

## S

- Safety programs
  - Norwegian programs, 342-351
  - overview, 5-6
  - Swedish programs, 350
  - television shows, 339-341
- Salomon binding
  - moment measurements
    - ankle motion 27.5°, 213-214
    - ankle motion 44°, 213, 216
  - 747 binding, ankle motion release tests, 211
- “Security clips”, thumb injuries, 324

- Self-test of binding release
  - frequency statistics, 91-92
  - injury rates, 37-38
  - safety studies, 347-349
  - skier behavior studies, 88-90
- Serum glutamic oxalacetic transaminase levels, 360
- Serum glutamic pyruvic transaminase, 360
- Setting values for bindings, 20-21
- Sex and injury rates
  - collision injuries, 70, 72-73
  - recreational skiers, 43-44
  - skier behavior, 86
  - snowboarding injuries, 77-78
  - trends, 36
- Shear-strength-to-hardness ratio, 33
- Shoulder injuries, Hemsedal, Norway study, 33-34
- Single-degree-of-freedom
  - joint rotation—duration moment input pulses, 301-302
  - limits of, 306
  - parameter identifications, 304-305
  - torsional loading—lower limb rotation, 293-299
- Six-degree-of-freedom strain gauge dynamometer, 255-257
- Skier behavior
  - injury rates, 4
  - recreational skiers, 85-92
  - safety studies, 347
- Skier's thumb
  - biomechanical analysis, 311-315
  - ergonomic study, 316-325
  - experimental prospective study, 22-23
  - grip designs, 23-24
- Ski gloves, thermal resistance measurements, 367-373
- Ski gymnastics, injury rates, 99-100
- Skiing ability and experience
  - accident mechanisms, 321-322
  - boot stiffness and, 147-151
  - collision injuries, 72
  - frequency of falls, 22-23
  - injury rates, 37
  - injury risk, 94-101
  - recreational skier injuries, 44-46
  - skier behavior, 87
- Skiing instruction
  - attendance figures, 91
  - injury rates, 98-99
  - recreational skier injuries, 44-46, 48
  - safety training, 350-351
  - skier behavior, 87-89
- Ski injuries
  - ability and physical condition, 94-101
  - biomechanical analysis—lower leg prosthesis, 160-166
  - boot removal traction force and variation, 153-159
  - classification in Swiss study design, 55, 57
  - defined, 9-10, 41-42
  - epidemiological methods, 3-4, 9-17
  - experimental study design, 11-13
  - eyewear-related eye injuries, 126-130
  - Hemsedal Norway study, 32-39
  - nonexperimental study design, 13-17
  - Norwegian registration, 346
  - occurrence, 10-11
  - risk factors, 11
  - snow conditions, 329-336
  - television safety programs, 339-341
  - trends, 25-31
  - unilateral fracture, lumbar spine, 119-125
- Ski instructors' clothing prototypes, 374-383
- Skill levels, snowboarding injuries, 78-79
- Ski mountaineering fatalities, 67-68
- Ski poles. *See* Poles
- Skis
  - orientation in skidding turn, 335-336
  - recreational skier injuries, 45-46
  - release modes and axes, 200
  - skier preferences, 90
- Ski-snow interface, 330-336
- Ski stance, parameter identifications—joint rotation, 304-305
- Slalom racing
  - binding settings and inadvertent release, 223-224
  - release mechanisms, 226
- S level binding indicator settings, 224-225
- Slope conditions. *See also* Snow conditions
  - collision injuries, 73
  - recreational skier injuries, 46-47
  - skier preferences, 90-91
- Snowboarding
  - attachment technologies, 76-77
  - injuries, 75-81
  - skill levels, 78-79
- Snow conditions
  - epidemiological studies, 5
  - ski injuries, 329-336
- Snowplow runs
  - boot load measurements, 186-189
  - knee strength and loading variables, 238, 240-243
- Spinal injury in skiing, 119-125
- Spiral fractures, mechanical programmed release bindings, 199-200
- Sprain mechanism, ergonomic study, 316-325
- Stiffness (boot)



- ankle dorsiflexion, 147-151
- ankle motion binding release tests, 213-217
- anterior cruciate ligament model, 271-272
- flex measurements, 167-177
- maximum force on ACL, 273-275
- modeling forces on anterior cruciate knee ligament, 267-275
- size variation and flex measurements, 168-177
- weight bearing, 302-303
- Strain/sprain injuries in snowboarding, 79
- Straps on ski poles
  - ergonomic studies, 324-325
  - thumb injuries, 317-319
- Streptokinase, acute arterial occlusion, 132-134
- Stress. *See* Active stress, Passive stress
- Subtalar joint, 252-265
- Sunglasses, eyewear-related ski injuries, 126

## T

- Teleradiology measurements, 112-113
- Television safety programs, skiing injuries, 339-341
- Terminal stiffness, defined, 281-282
- Test stations for bindings, 346-347
- Textile materials, thermal comfort, 374-383
- Thermal resistance
  - clothing design prototype, 374-383
  - defined, 371-372
  - measurements, ski gloves, 367-373
- Thigh-hip dynamics, joint rotation, 285, 288-289
- Thinsulate fabric, 378-381
- Three-degree-of-freedom model
  - parameter identifications, 299, 302-304
  - torsional loading—lower limb rotation, 293-299
- Three-dimensional loading of knee, 252-265
  - average and standard deviation, 258, 261
  - median primary laxity, 258, 262
- Thumb injuries. *See also* Skier's thumb
  - beginning skiers, 322
  - biomechanics, 5
  - closed fist impact in snow, 320
  - competitors, 323
  - expert skiers, 322-323
  - forced by strap, 318-319
  - Hemsedal, Norway study, 33-34
  - impact in snow, 319
  - joint impact against ski pole, 320
  - professional skiers, 323
  - skiers' equipment, 324
- Thumb position, ergonomic studies, 325

- Tibia, heel fixation, traction angle and Achilles tendon force, 162, 166
- Tibia fractures
  - binding function, 22-23
  - boot insufficiency, 147
  - mechanical programmed release bindings, 199-202
  - snowboarding, 80-81
- Toe release torques, inadvertent in racer binding settings, 222-223
- Torque limits
  - joint rotations, 285-286
  - weight bearing or muscle resistance, 289
- Torsion
  - ankle motion, 219-220
  - force and moment components, 263-264
  - laxity, 252-265
  - loading, 291-306
  - lower limb, 277-289
  - release, mechanical programmed bindings, 199
- Traction
  - lower leg prosthesis, 164
  - force and angle variation, ski boot removal, 155-158
- Traumatic accident characteristics, 64-66
- Tree collision injuries, 69-74
- Triceps surae muscle, Achilles tendon stimulation device, 160-166
- Turns (left and right), knee strength and loading variables, 238, 240-243
- Two-parameter power law, knee moment-rotation, 265

## U

- Ulnar collateral ligament rupture, 311-315
- Ultraviolet protection, eyewear-related ski injuries, 127
- Uncontrolled confounding techniques
  - information bias, 100-101
  - injury risk studies, 95
- Unilateral fracture, lumbar spine, 119-125
- Upper body injuries
  - collision injuries, 73
  - ergonomic study, 317-325
  - injury rate trends, 30
  - snowboarding, 81

## W

- Warming-up exercises, injury rates, 99-100
- Weight bearing
  - parameter identifications—joint rotation, 304-305
  - stiffness values, 302-303

Women. *See also* Sex and injury rates  
anterior cruciate ligament injuries,  
105-110  
LEER injuries, 36

recreational skiers, 43-44  
skiing instruction attendance figures, 91  
ski injury rates for, 4  
World Cup racers, prior injury rate, 90-91