

Subject Index

A

- Agricultural pesticides, oil-based, 56-64
- Airblast injector, 116 (illus)
- Alfalfa spraying, 32
- Anopheles*, 6
- Anopheline* larvae, 6
- Ants, Argentine, 7, 10 (table)
- Aphid, apple (*Aphis pomi* DeGeer), 25, 27 (table)
- Applicators, 29 (*see also* Droplet applicators; Sprayers)
 - aircraft, 85, 88 (illus)
- Arboviruses, 6
- Arrhenius equation, 51 (table), 52-54
- ASTM Subcommittee E29.04 on Liquid Particle Measurement, 115
- Atrazine flowables, 71 (table), 75-76 (tables), 76

B

- Bacillus thuringiensis israelensis* (BTI), 6
 - efficacy of, 10 (table)
 - exposure of mosquito larvae to, 9 (illus)
- Beads, glass, 130, 131
- Benefin, 4-5
- Biological testing, 14, 21
- Bleeding, 74, 75
- Bloom tests, 74, 76

C

- Calibration graticle, 130-131
- Calibration media, 96-97
- California viral encephalitis, 6
- Carbaryl flowables, 71-73 (tables)
- Carbohydrate oils, 56
- Carboxymethyl cellulose (CMC), 66
 - types, 67, 71, 73-76
- Cascade impactor, 95
- Caterpillar, 134-135, 140
- Chlorpyrifos, 7
 - efficacy of, 10 (table)
- Cockroaches, efficacy of pesticides against, 7, 10 (table)
- Computer
 - to control droplet size, 22
 - in droplet sizing, 109
 - to generate droplet-size parameters, 98
 - in light scattering technique, 106
 - to measure fringe pattern, 122
- Corn cob fraction carrier, 8-9 (illus)
- Co-suspending agents
 - cost comparison, 73 (table), 76-77
 - water soluble polymers, 65-77
- Culicidae, 6
- Calcine*, 6
- Cyhexatin, 24, 26
 - effects of direct sprays, 27 (table)
 - effects of residues, 26 (table)

D

- DDT, 24
- Deltamethrin, 24

- Dicotyledons, phenoxy-resistant, 4
- Diluent oils, 38, 40 (table)
 composition, 41 (table)
 residual weight percent, 48-50 (tables)
 viscosities, 44-45 (tables)
 viscosity-temperature relationships, 53 (table)
 viscosity-volatility relationships, 51 (table)
- Dipping-needle technique, 14
- Disk
 piezoelectric, 20
 spinning, 14
- Dose response effects, evaluating, 21
- Drift potential, 24 (*see also* Wind deposition)
- Droplet application (*see also* Droplet sizing instrument; Impulse droplet generator)
 equipment, controlled, 14
 characteristics of, 19-20
 limitations of, 20, 21-22
 practical applications, 20-21
 single-droplet, 14
- Droplet applicator, control (CDA)
 effect on droplet patterns, 24 (table)
 spraying techniques, 23-24
- Droplet atomization
 atomizers (*see* Spray, agricultural atomizers)
 electrostatic, 57, 58, 64
 monosize technique, 24, 136
 process, 62
 research on, 84
 rotary, 144-146
- Droplet sizing
 analyzers (*see* Droplet sizing instrument)
 data evaluation and interpretation, 98-100
 impact on pesticide application, 81
 laser droplet interferometry approach, 114-127 (*see also* Lasers)
 light scattering techniques in, 102-107 (*see also* Light scattering techniques)
 PMS system, 134, 141
 equipment characterization, 135-139
 field assessment, 139-140
 imaging spectrometer, 128-133
 size-frequency analysis, 83-93
 techniques, 81
 evolution of, 95
 technology, 95-97
- Droplet sizing instrument, 18, 61-62 (*see also* Laser)
 data, 58
 development of, 108-113
 imaging spectrometer (PMS), 128-133
 optical, 108-109, 109 (illus)
 versus nonoptical, 95-96, 96 (table)
 progress in, 94-101
 selection and procurement, 97
 spray analyzer (PMS), 134-141
 system, 111-112 (illus)
 use of, 81, 97-98
- Droplets
 controlled production and placement, 13-22
 diameter size (*see* Number median diameter; Sauter mean diameter; Volume median diameter)
 distribution, 137-141
 effect on pest control efficiency, 23-28
 evaporation, 38, 50, 52 (illus)
 "firing," 18
 formation of single droplet, 16, 17 (illus), 132
 success, factors determining, 19-20

typical hydrostatic pressure cycle for, 19 (illus)
 fringe pattern, 120-123
 satellite, 22
 size, 38, 50 (*see also* Droplet sizing)
 control of, 14, 18-19
 distribution, 62-64, 91, 95, 96, 102-107, 142
 effects of, 14
 predicting, 22
 range, 18 (illus) 85, 87 (illus), 89-92 (illus), 92, 94, 146
 sampling size and, 145 (table)
 shape, 108
 significance of, 94
 velocity profiles, 105, 115, 125, 126 (illus), 129, 132, 133 (illus)
 size-frequency analysis, 83-93
 spectrum, typical, 18 (illus)
 uniformity, 13, 14, 18-19
 velocities, 62
 size and, 105, 115, 125, 126 (illus), 129, 132, 133 (illus)
 Duncan's New Multiple Range Test (DNMRT), 25
 Dursban, 7

E

Electrodyn sprayer, 15, 133
 Endotoxin, protein, 6

F

Fenvalerate, 24
 effects of direct sprays, 26 (table)
 effects of residues, 25 (table)
 Formulation (pesticide)
 containing carbaryl, 71, 71-73 (tables)
 development and quality control, 133

granular, 5-6, 7, 10 (table)
 parameters, effects on pest control efficiency, 23-28
 for prescription performance, 3-12
 speciality, 3, 4, 11
 used in viscosity/volatility study, 40 (table)
 composition of, 41 (table)
 Freeze-thaw stability, 74, 76
 Freeze-thaw tests, 76

G

Granular mosquito larvicide, 5-6

H

Hemileuca olivae (Cockerell), 134
 Herbicides, 65 (*see also* Pesticides; *specific herbicides*)
 atrazine flowable, 75-76 (tables)
 Hormoligosis, 26
 Hydrocarbons, 56
 Hyperexatation response, 28

I

Imaging techniques, 62, 64
 droplet sizing and, 95 (*see also* Droplet sizing; Droplet sizing instrument)
 optical methods, 116
 nonintrusive, 108-109
 PMS probe, 86 (illus)
 two-dimensional spectrometer, 128-133
 Imax method, 118-120
 Impulse droplet generator, 15 (illus)
 limitations and prospects, 21-22
 liquid properties, 20
 practical applications, 20-21
 pulse characteristics, 19-20, 22

- Impulse jets, 15
 - principle of operation, 15-16
- Ink jet technology, 14, 20, 22 (*see also* Impulse jets)
 - principles of, 14-15
- Insecticides, 65 (*see also* Pesticides)
 - in nonvolatile diluent oils, 37
 - undiluted liquid, 37

J

- Japanese beetle (*Popillia japonica* Newman), 25, 27 (table)

Jets

- electrostatically driven, 15
- impulse (*see* Impulse jets)

K

- Kaolin clay, 9
- Knox Out, 7

L

- Larvicide, granular mosquito, 5-6, 10 (table)
- Laser (*see also* Droplet sizing instrument; Light scatter technique)
 - beam behavior, 105
 - Doppler velocimeter (LDV), 117
 - droplet interferometry, 114-127
 - limitations, 116
 - gas, 109-110
 - imaging system, 142-146
 - PMS, 18, 20, 22, 84
 - replacement, 106
 - ruby, 81, 84, 87
- Light scatter technique, 84, 116, 117 (*see also* Laser)
 - alignment difficulties, 106
 - calibration, 106
 - computer process, 106
 - constraints and precautions, 102-107

- limitations, 105
 - mathematical analysis, 103-104
 - sampling problem, 104-105
- Lima bean disks, Henderson, 24, 25
- Liquids (*see* Diluent oils; Nonvolatile oils; Viscosities; Volatilities)

M

- Malvern Model ST1800 analyzer, 102, 103 (illus), 104
- Microchip electronics, 84
- Microsyringe, 14
- Mistblower, 135-136, 138-139
- Mist sprayer, 135, 138
- Miticide, 26-27, 28
- MKIII, 61, 62
- Mosquito larvae
 - efficacy of granular formulations against, 10 (table)
 - feeding behavior, 6
 - view of midgut, 8-9 (illus)

N

- Nonintrusive single-particle counter (NSPC), 118, 119 (*see also* Imax method)
- Nonvolatile oils, 54
 - phytotoxicity, 37
 - viscosity-temperature relationships, 53 (table)
- Nozzles (*see also* Sprayers)
 - air-atomizing, 110
 - analysis of assemblies, 100
 - aperture width effects, 144, 146
 - flow rates, 90-92
 - hollow cone, 90-92 (illus), 99 (illus)
 - jet, 30-32
 - tests, 90
 - types, 90-92
- Number median diameter (NMD), 85, 90

O

- Organophosphate, 7
- Oxadiazole herbicide, 4
- Oxadiazon, 4, 5
 - comparative performance of, 5 (table)

P

- Packing, 74
- Permethrin, 25, 140
 - effects of, 27 (tables)
 - encapsulated, 27, 28
- Pest control (*see also* Insecticides; Pesticides)
 - efficiency, 23-28
 - equipment, 29, 30 (*see also* Applicators; Droplet applicators; Sprayers)
 - integrated pest management (IPM), 134
 - strategies, 23
 - structural, 7-11
- Pest control operator (PCO), 7
- Pest/droplet interaction, 24
- Pesticides (*see also* Formulations; Pest control; *specific pesticides*)
 - active ingredient (A.I.), 30
 - agricultural, 56-64
 - application research, 32-36, 83-84, 134-141
 - delivery mechanisms, 23 (*see also* Applicators; Droplet applicators; Sprayers)
 - direct injection, 35
 - direct metering of concentrations, 29-36
 - evaporation, half-life, 45, 46, 47 (table), 50 (table), 52 (illus)
 - flowable
 - aqueous, 65
 - co-suspending agents for, 65-77

- need for uniformity of total dosage, 13
 - residual weight percent, 48-50 (tables), 50, 52 (illus), 54
 - variation with time, 43 (illus)
- Phagostimulants, 6
- Phase/Doppler spray analyzer technique, 120-125
- Photodiodes, 105
- Photography, high-speed, 22, 95
- Plant/droplet interaction, 24
- Polymers
 - high-viscosity, 74
 - water soluble, 65-77
- Pyrethroids, synthetic, 24, 27, 28

R

- Redistribution phenomena, 24
- Resistivity, 24
- Resurgence phenomena, 27
- Roping, 74, 76

S

- Sandyland Experiment Field, 32
- Sauter mean diameters, 98, 99 (illus), 117
- Scanners, automated, 83-84
- Spectrometer, two-dimensional imaging, 128
 - application to system spray studies, 132-133
 - calibration, 130-131
 - general operation of, 129
 - limitations of, 129-130
- Spray
 - agricultural atomizers, 85, 87, 90-92, 144-146
 - analysis
 - laser imaging system, 142-146
 - PMS system in pesticide application research, 134-141
 - concentrated versus dilute, 24, 26
 - deflector cone system, 112 (illus)

Spray (*cont.*)

- deposits, estimating, 21
- diluents and adjuvants, 40 (table), 44-45 (tables) (*see also* Diluent oils)
- distribution studies, 21
- drop size analyzers (*see* Droplet size analyzers)
- drop size-frequency analysis, 83-93
- imaging spectrometer studies, 132
- mixtures, forestry
 - compositions, 41 (table)
 - viscosities, 37, 42-54
 - viscosity-temperature relationships, 39, 42-54
 - volatilities, 37-42, 44-54
- patterns, 88 (illus)
- Sprayers (*see also* Droplet applicators)
 - boom, 29
 - Electrodyn, 15, 133
 - exhaust, 135, 139
 - ground, 140
 - Herbi, 24, 25, 26
 - Hesston 500 swather, 32-36
 - injection nozzle, 30
 - jet nozzle design, 30-31
 - mixing characteristics, 32
 - Micron, 24, 25, 26
 - mist, 135, 138
 - nozzle distribution patterns, 32, 34
 - nozzles (*see* Nozzles)
 - Spray Triode Agricultural (STAg), 57
 - design, 57 (illus), 58-61
 - droplet sizing, 61-64
 - nozzle performance, 113
 - zirconia/tungsten setaceous emitter material, 59-61
- Spraying
 - electrostatic, 56-64

ultra-low-volume (ULV), 37-38, 54

Suspension tests, 74, 76

T

Tetranychus urticae Koch (TSSM), 24-27

Thixotropes, inorganic, 77

Toxicants

patterns, 26

use near residential and commercial properties, 7

Turf herbicides, preemergent, 4-5 (*see also* Herbicides)

Turfgrass, 4

performance of oxadiazon formulations on, 5 (table)

U

Unimorph, 15

V

Van Gel B, 71 (table)

Van Gel B/CMC, 66-67, 68-70 (illus), 72-73 (tables), 73-74, 76

Van Gel B/Hercules WSP blends, 66

Van Gel B/Xanthan gum blend, 66, 68-70 (illus), 73, 75-76

Viscometer, Ostwald, 42

Viscosities

Brookfield, 71-73

versus yield, 66, 67-70 (illus)

defined, 38

measurements, 42, 44-45 (tables)
forestry spray mixtures, 37-39, 42-54

stability, 72 (table), 75 (table)

Viscosity-temperature relationships,
39, 42-51
volatilities and, 52-54
Volatile carrier vehicles, 38
Volatilities
categories of, 46
measurement of, 38
droplet method, 40-42, 44-46,
47 (table)
gravimetric method, 39-40, 44-
46, 47 (table)
forestry spray mixtures, 37-42,
44-54
viscosity-temperature gradients
and, 52-54

Volume median diameter (VMD),
85-86, 90-91, 98, 136, 138

W

Wind deposition, 135, 138-139
Wind tunnel test procedures, 89-90

Y

Yield value, 66-67
Brookfield, 67 (illus), 69-70 (il-
lus), 71
Haake, 68 (illus)