

Journal of Testing and Evaluation

Subject Index

Volume 22, 1994

A

Abrasive wear

On the role and analysis of wear in failures (Wood, FW), Sept., 470

Accuracy

Introduction to workshop on accuracy of load and strain measurement of testing machines (Perlov, A), Jan., 52

Relevant errors associated with tension testing of metals (Tomesani, L), May, 212

Adhesive bonding

Preparation of stainless steel adherends for adhesive bonding (Gaskin, GB, Pilla, GJ, and Brown, SR), May, 222

Adhesive wear

On the role and analysis of wear in failures (Wood, FW), Sept., 470

Adhesives

Preparation of stainless steel adherends for adhesive bonding (Gaskin, GB, Pilla, GJ, and Brown, SR), May, 222

Aging systems

Deducing crack history in an aged boiler tube from fracture surface topography (Kobayashi, T, Shockey, DA, Ogundele, G, McNabb, DD, and Sidey, D), July, 309

Air cargo

Need to harmonize cargo security rules (Forbes, D), May, 265

Role/responsibility of the freight forwarder (Koch, A), May, 259

Air passengers

Reconciling passenger facilitation and security (Joy, TJC), May, 245

Air security

Development of trace explosive detection standards (Elias, L), May, 280

Enforcement of international regulations (Osmus, LA), May, 238

IATA and its cooperative role in aviation security (Wall, B), May, 257

Need to harmonize cargo security rules (Forbes, D), May, 265

Reaching consensus on technical standards through ICAO: the work of ad hoc group of specialists on the detection of explosives (Cartwright, N), May, 277

Reconciling passenger facilitation and security (Joy, TJC), May, 245

Regulation: perception and reality (Laird, DR), May, 240

Role/responsibility of the freight forwarder (Koch, A), May, 259

Security technologies and techniques: airport security systems (Bouisset, J-F), May, 247

Selection and use of explosives detection devices to check hand-held luggage (Hnatnicky, S), May, 282

Air voids

Evaluation of several techniques for measuring air-void content in asphalt concrete specimens (Harvey, J, Mills, T, Scheffy, C, Sousa, J, and Monismith, CL), Sept., 424

Airports

Australian system for aviation security identification cards and associated personnel background checking (Turner, R), May, 243

International aviation security research and development (Polski, PA), May, 267

Introduction to the Sixth International Civil Aviation Security Conference (AVSEC'93) (Malotky, LO), May, 235

Reconciling passenger facilitation and security (Joy, TJC), May, 245

Security technologies and techniques: airport security systems (Bouisset, J-F), May, 247

Selection and use of explosives detection devices to check hand-held luggage (Hnatnicky, S), May, 282

Aluminum

Constant temperature-compensated strain rate testing of aluminum (Sample, VM and Field, DP), March, 127

Determination of softening kinetics in a material by measuring the evolution of hot flow stress (Field, DP, Sample, VM, and Rader, RS), Nov., 530

Approximation

Stress correction for removal of material in X-ray stress determination (Kang, ZQ, Li, JB, and Wang, ZG), May, 217

Asphalt concrete

Behavior of asphalt concrete mixtures in triaxial compression (Tan, S-A, Low, B-H, and Fwa, T-F), May, 195

Determining asphalt concrete properties via the impact resonant method (Whitmoyer, SL and Kim, YR), March, 139

Evaluation of several techniques for measuring air-void content in asphalt concrete specimens (Harvey, J, Mills, T, Scheffy, C, Sousa, J, and Monismith, CL), Sept., 424

Solvent-free, nuclear-free determination of asphalt content and gradation of hot-mix asphalt concrete (Todres, HA and Bhattacharja, S), Nov., 564

Asphalt content

Comparison of asphalt contents measured with the nuclear gage and extraction methods (Parker, F, Jr. and Wu, Y), Nov., 556

Solvent-free, nuclear-free determination of asphalt content and gradation of hot-mix asphalt concrete (Todres, HA and Bhattacharja, S), Nov., 564

ASTM Committee F12

Aviation security standards development within ASTM Committee F-12 on Secu-

rity Systems and Equipment (Draghetti, PM), May, 275

Australia

Australian system for aviation security identification cards and associated personnel background checking (Turner, R), May, 243

Aviation security

Aviation security standards development within ASTM Committee F-12 on Security Systems and Equipment (Draghetti, PM), May, 275

Standardized training through the use of the ICAO standardized training packages (STPs) (Sutherland, RG), May, 251

Aviation security identification cards Australian system for aviation security identification cards and associated personnel background checking (Turner, R), May, 243

B

Back face strain

Back face strain calibration for crack length measurements (Shaw, WJD and Zhao, W), Nov., 512

Back-face strain compliance and electrical-potential crack length calibrations for the disk-shaped compact-tension DC(T) specimen (Gilbert, CJ, McNaney, JM, Dauskardt, RH, and Ritchie, RO), March, 117

Barrier materials

Comparison of selected properties of barrier textile materials used in durable, moisture repellent protective clothing (Slaten, BL, Shanley, LA, and Bellinger, T), Nov., 577

Biomechanics

Physiologic challenges induced by participation in ice hockey--implications for training (Green, HJ), Jan., 48

Bitumen

Solvent-free, nuclear-free determination of asphalt content and gradation of hot-mix asphalt concrete (Todres, HA and Bhattacharja, S), Nov., 564

Bituminous materials

Comparison of asphalt contents measured with the nuclear gage and extraction methods (Parker, F, Jr. and Wu, Y), Nov., 556

Solvent-free, nuclear-free determination of asphalt content and gradation of hot-mix asphalt concrete (Todres, HA and Bhattacharja, S), Nov., 564

Boiler tubes

Deducing crack history in an aged boiler tube from fracture surface topography (Kobayashi, T, Shockey, DA, Ogundele, G, McNabb, DD, and Sidey, D), July, 309

Bulk modulus

Testing techniques for measurement of bulk modulus (Fishman, KL and Machmer, D), March, 161

C

Calibration

Measurement uncertainty analysis of a transfer standard force calibration system (Tovey, FM), Jan., 70

Practical aspects of dynamic verification of extensometers: Part I—The concepts (Albright, FJ and Annala, J), Jan., 53

Practical aspects of dynamic verification of extensometers: Part II—Actual examples (Albright, FJ and Annala, J), Jan., 58

Calorific values

Effect of composition of El-lajjun oil shale on its calorific value (Anabtawi, MZ and Natzal, JM), March, 175

Capstan

Comparative studies of yarn and fabric friction (Ajayi, JO and Elder, HM), Sept., 463

Cellular

Thermal and mechanical properties of cellular polystyrene and polyurethane insulation materials aged on a flat roof in hot-dry climate (Ostun, E), March, 149

Cellulose-acetate-propionate

Influence of testing methodology on the fatigue crack propagation behavior of cellulose esters (Pecorini, TJ and Moskala, EJ), Sept., 420

Cement

Uniaxial tensile strength of cementitious composites (Toutanji, HA and El-Korchi, T), May, 226

Cementitious composites

Uniaxial tensile strength of cementitious composites (Toutanji, HA and El-Korchi, T), May, 226

Ceramics

Radial basis function network learns ceramic processing and predicts related strength and density (Cios, KJ, Baaklini, GY, Vary, A, and Tjia, RE), July, 343

Temperature dependence of dynamic Young's modulus and mechanical damping in a Nextel fiber-reinforced glass composite (Wolfenden, A, Gill, JE, Chawla, KK, Vaidya, RU, and Venkatesh, R), Nov., 571

Charpy

Charpy transition studies of an embrittled AISI 8640 lower bainitic steel (Rinnovatore, JV, Lukens, KF, Reinhold, J, and Mahon, W), Nov., 517

Coating performance

Electrochemical impedance spectroscopy for monitoring coating performance in condensing environments (Rosenberg, HS and Syrett, BC), Nov., 537

Compact-tension specimens

Back-face strain compliance and electrical-potential crack length calibrations for the disk-shaped compact-tension DC(T) specimen (Gilbert, CJ, McNaney, JM, Dauskardt, RH, and Ritchie, RO), March, 117

Compliance

Back face strain calibration for crack length measurements (Shaw, WJD and Zhao, W), Nov., 512

Crack length and J-integral expressions for specimens loaded in tension (Faucher, B), Jan., 30

Composites

Bond tests of fiberglass-reinforced plastic bars in concrete (Larralde, J, Silva-Rodriguez, R, Burdette, J, and Harris, B), July, 351

Data acquisition and analysis of tensile properties for metal matrix composites (Roebuck, B, Lord, JD, Cooper, PM, and McCartney, LN), Jan., 63

Data analysis techniques for impact tests of composite materials (Svenson, AL, Hargrave, MW, Bank, LC, and Ye, BS), Sept., 431

Temperature dependence of dynamic Young's modulus and mechanical damping in a Nextel fiber-reinforced glass composite (Wolfenden, A, Gill, JE, Chawla, KK, Vaidya, RU, and Venkatesh, R), Nov., 571

Compression

Development of an improved compression specimen geometry for unreinforced polymers (Odom, EM and Adams, DF), March, 104

Influence of test piece preparation on the compressive strength of unidirectional fiber-reinforced plastic (Häberle, JG and Matthews, FL), July, 360

Compression precracking

Use of fatigue specimens precracked in compression for measuring threshold values and crack growth (Pippan, R, Plöchl, L, Klanner, F, and Stüwe, HP), March, 98

Compressive strength

Analysis of creep and shrinkage in mortars (Sickels Taves, LB), Nov., 548

Computer control

Controlling, data acquisition, and data processing for axial and shear creep tests using a computer (Schmitt, FC and Matthews, JM), Jan., 36

Computers

Controlling, data acquisition, and data processing for axial and shear creep tests using a computer (Schmitt, FC and Matthews, JM), Jan., 36

Concrete

Behavior of asphalt concrete mixtures in triaxial compression (Tan, S-A, Low, B-H, and Fwa, T-F), May, 195

Determining asphalt concrete properties via the impact resonant method (Whitmoyer, SL and Kim, YR), March, 139

Evaluation of several techniques for measuring air-void content in asphalt concrete specimens (Harvey, J, Mills, T, Scheffy, C, Sousa, J, and Monismith, CL), Sept., 424

Prediction of fatigue life of plain concrete beams from fracture tests (Ramsamooj, DV), May, 183

Concrete reinforcement

Bond tests of fiberglass-reinforced plastic bars in concrete (Larralde, J, Silva-Rodriguez, R, Burdette, J, and Harris, B), July, 351

Condensing environments

Electrochemical impedance spectroscopy for monitoring coating performance in condensing environments (Rosenberg, HS and Syrett, BC), Nov., 537

Conditioning

Physiologic challenges induced by participation in ice hockey—implications for training (Green, HJ), Jan., 48

Contact stress

Wear-related fatigue in a wire rope failure (Schrems, KK), Sept., 490

Crack closures

Fatigue crack propagation in a specimen with a complicated cross-section; characterization of the stress intensity factor (Makabe, C, Kaneshiro, H, and Yara, H), March, 91

Crack growth

Determining the potential drop calibration of a fatigue crack growth specimen subject to limited experimental observations (McKeighan, PC and Smith, DJ), July, 291

Fatigue testing of high-density polyethylene and polycarbonate with crack length measurement using image processing techniques (Riemsag, AC), Sept., 410

Use of fatigue specimens precracked in compression for measuring threshold values and crack growth (Pippan, R, Plöchl, L, Klanner, F, and Stüwe, HP), March, 98

Crack growth size

R-curve generation and CTOD evaluation considering maximum crack growth size and parabolic crack front (Bhattacharya, S and Kumar, AN), Jan., 20

Crack length

Back face strain calibration for crack length measurements (Shaw, WJD and Zhao, W), Nov., 512

Determining the potential drop calibration of a fatigue crack growth specimen subject to limited experimental observations (McKeighan, PC and Smith, DJ), July, 291

Fatigue testing of high-density polyethylene and polycarbonate with crack length measurement using image processing techniques (Riemsag, AC), Sept., 410

Crack propagation

Fatigue crack propagation in a specimen with a complicated cross-section; characterization of the stress intensity factor (Makabe, C, Kaneshiro, H, and Yara, H), March, 91

Crack tip opening displacement (CTOD)

Inconsistencies between CTOD and J calculations (Wilson, CD and Landes, JD), Nov., 505

R-curve generation and CTOD evaluation considering maximum crack growth size and parabolic crack front (Bhattacharya, S and Kumar, AN), Jan., 20

Cracks

Effects of load-distributed width on split tension of unnotched and notched cylindrical specimens (Tang, T), Sept., 401

Crazing

Influence of testing methodology on the fatigue crack propagation behavior of cel-

lulose esters (Pecorini, TJ and Moskala, EJ), Sept., 420

Creep

Analysis of creep and shrinkage in mortars (Sickels Taves, LB), Nov., 548

Creep deformation

Numerical model of primary creep deformation in a novel double shear specimen (Johnson, NL and Earthman, JC), March, 111

Creep rupture

Numerical model of primary creep deformation in a novel double shear specimen (Johnson, NL and Earthman, JC), March, 111

Creep tests

Controlling, data acquisition, and data processing for axial and shear creep tests using a computer (Schmitt, FC and Matthews, JM), Jan., 36

Cyclic properties

Proposed test method for dynamic properties of connections assembled with mechanical fasteners (Dolan, JD), Nov., 542

D

Data acquisition

Controlling, data acquisition, and data processing for axial and shear creep tests using a computer (Schmitt, FC and Matthews, JM), Jan., 36

Data processing

Controlling, data acquisition, and data processing for axial and shear creep tests using a computer (Schmitt, FC and Matthews, JM), Jan., 36

Defects

Study of steel weldments using electronic speckle pattern interferometry (Sivaganthan, J, Ganesan, AR, Tan, BC, Low, KS, and Sirohi, RS), Jan., 42

Deflection

Determination of single edge-notched bend specimen load line displacement from remotely located sensors in elastic-plastic fracture testing (KarisAllen, KJ and Matthews, JR), Nov., 581

Debris

Wear analysis of Björk Shiley Debris tilting disc heart valves (Milligan, HL, Johnson, BM, and Engel, PA), Sept., 474

Displacement

Effects of load-distributed width on split

tension of unnotched and notched cylindrical specimens (Tang, T), Sept., 401

Ductile materials

Fractographic technique for the estimation of initiation fracture toughness J_k for ductile materials (Srinivas, M, Kamat, SV, and Rao, PR), July, 302

Dynamic fracture

Dynamic fracture toughness measurements on small charpy specimens—a preliminary study (Sharpe, WN, Jr. and Böhme, W), Jan., 14

Dynamic properties

Proposed test method for dynamic properties of connections assembled with mechanical fasteners (Dolan, JD), Nov., 542

Dynamic tests

Effect of high strain rate on the properties of PVC pipe (Al-Bastaki, NMS), Nov., 574

Excitation system for dynamic testing of large structures (Salawu, OS and Williams, C), July, 370

Numerical assessment of the dynamic tension test using the split Hopkinson bar (Rodríguez, J, Navarro, C, and Sánchez-Gálvez, V), July, 335

E

Elastic characteristics

Temperature dependencies of elasticity characteristics for tellurium-alloyed gallium arsenide (Troyanskii, AI and Borisenko, VA), May, 233

Elastic-plastic properties

Estimation of Young's modulus and of hardness by ultra-low load hardness tests with a Vickers indenter (Trindade, AC, Cavaleiro, A, and Fernandes, JV), July, 365

Elastomeric bearings

Testing techniques for measurement of bulk modulus (Fishman, KL and Machmer, D), March, 161

Elastomers

Testing techniques for measurement of bulk modulus (Fishman, KL and Machmer, D), March, 161

Electrical insulating materials

Effects of sample and test variables on electrical wire insulation flammability (Rodak, EM, Taylor, RJ, Hirsch, DB, and Linley, LJ), Sept., 447

Electrical-potential calibration

Back-face strain compliance and electrical-potential crack length calibrations for the disk-shaped compact-tension DC(T) specimen (Gilbert, CJ, McNaney, JM, Dauskardt, RH, and Ritchie, RO), March, 117

Electrochemical impedance spectroscopy (EIS)

Electrochemical impedance spectroscopy for monitoring coating performance in condensing environments (Rosenberg, HS and Syrett, BC), Nov., 537

Electrochemical measurements

Electrochemical impedance spectroscopy for monitoring coating performance in condensing environments (Rosenberg, HS and Syrett, BC), Nov., 537

Electronic speckle pattern interferometry

Study of steel weldments using electronic speckle pattern interferometry (Sivaganthan, J, Ganesan, AR, Tan, BC, Low, KS, and Sirohi, RS), Jan., 42

Embrittlement

Charpy transition studies of an embrittled AISI 8640 lower bainitic steel (Rinnovatore, JV, Lukens, KF, Reinhold, J, and Mahon, W), Nov., 517

Energy absorption

Data analysis techniques for impact tests of composite materials (Svenson, AL, Hargrave, MW, Bank, LC, and Ye, BS), Sept., 431

Enforcement

Enforcement of international regulations (Osmus, LA), May, 238

Environment

Physiologic challenges induced by participation in ice hockey—implications for training (Green, HJ), Jan., 48

Exciters

Excitation system for dynamic testing of large structures (Salawu, OS and Williams, C), July, 370

Expanded polystyrene

Thermal and mechanical properties of cellular polystyrene and polyurethane insulation materials aged on a flat roof in hot-dry climate (Ozkan, E), March, 149

Experimental verification

Modeling wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 376

Explosives detection

Reaching consensus on technical standards through ICAO: the work of ad hoc

group of specialists on the detection of explosives (Cartwright, N), May, 277

Selection and use of explosives detection devices to check hand-held luggage (Hnatnick, S), May, 282

Extensometers

Practical aspects of dynamic verification of extensometers: Part I—The concepts (Albright, FJ and Annala, J), Jan., 53

Practical aspects of dynamic verification of extensometers: Part II—Actual examples (Albright, FJ and Annala, J), Jan., 58

Extraction procedures

Development and validation of a standard test method for sequential batch extraction of waste with acidic extraction fluid (Sorini, SS), March, 168

Extruded polystyrene

Thermal and mechanical properties of cellular polystyrene and polyurethane insulation materials aged on a flat roof in hot-dry climate (Ozkan, E), March, 149

F

Fabrics

Comparative studies of yarn and fabric friction (Ajayi, JO and Elder, HM), Sept., 463

Failure

Introduction to the symposium on case studies of wear-related failure analyses (Wood, FW), Sept., 468

On the role and analysis of wear in failures (Wood, FW), Sept., 470

Fasteners

New restraint for high-load-transfer fastener fatigue test (Zhu, YG, Wu, XR, and Yang, YA), Jan., 81

Proposed test method for dynamic properties of connections assembled with mechanical fasteners (Dolan, JD), Nov., 542

Fatigue

Application of surface fabrication to strain measurement in nanometer scale with the scanning tunneling microscope (Miyahara, K, Matsuoka, S, Nagashima, N, and Masuda, H), March, 121

Back face strain calibration for crack length measurements (Shaw, WJD and Zhao, W), Nov., 512

Determining the potential drop calibration of a fatigue crack growth specimen subject to limited experimental observa-

tions (McKeighan, PC and Smith, DJ), July, 291

Fatigue crack propagation in a specimen with a complicated cross-section; characterization of the stress intensity factor (Makabe, C, Kaneshiro, H, and Yara, H), March, 91

Fatigue testing of high-density polyethylene and polycarbonate with crack length measurement using image processing techniques (Riemslog, AC), Sept., 410

Influence of testing methodology on the fatigue crack propagation behavior of cellulose esters (Pecorini, TJ and Moskala, EJ), Sept., 420

Instructions for a new method of inclusion rating and correlations with the fatigue limit (Murakami, Y, Toriyama, T, and Coudert, EM), July, 318

New restraint for high-load-transfer fastener fatigue test (Zhu, YG, Wu, XR, and Yang, YA), Jan., 81

Prediction of fatigue life of plain concrete beams from fracture tests (Ramsamooj, DV), May, 183

Stress correction for removal of material in X-ray stress determination (Kang, ZQ, Li, JB, and Wang, ZG), May, 217

Use of fatigue specimens precracked in compression for measuring threshold values and crack growth (Pippan, R, Plöchl, L, Klanner, F, and Stüwe, HP), March, 98

Wear-related fatigue in a wire rope failure (Schrems, KK), Sept., 490

Fatigue strengths

Instructions for a new method of inclusion rating and correlations with the fatigue limit (Murakami, Y, Toriyama, T, and Coudert, EM), July, 318

Federal Aviation Administration (FAA)

International aviation security research and development (Polski, PA), May, 267

Fiber-reinforced plastics

Influence of test piece preparation on the compressive strength of unidirectional fiber-reinforced plastic (Häberle, JG and Matthews, FL), July, 360

Fiberglass reinforced plastics

Bond tests of fiberglass-reinforced plastic bars in concrete (Larralde, J, Silva-Rodriguez, R, Burdette, J, and Harris, B), July, 351

Fibers

Temperature dependence of dynamic Young's modulus and mechanical damping in a Nextel fiber-reinforced glass

composite (Wolfenden, A, Gill, JE, Chawla, KK, Vaidya, RU, and Venkatesh, R), Nov., 571

Finite element analysis

Local strain in corrugated pipe: experimental measurements to test a numerical model (Moore, ID), March, 132

Finite element model

Behavior of wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 383

Modeling wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 376

Flammability

Effects of sample and test variables on electrical wire insulation flammability (Rodak, EM, Taylor, RJ, Hirsch, DB, and Linley, LJ), Sept., 447

Force transducers

Measurement uncertainty analysis of a transfer standard force calibration system (Tovey, FM), Jan., 70

Fourier analysis

Computer method of analysis for tire wear characterization, identification, and classification (Changizi, K), Jan., 45

Fractography

Deducing crack history in an aged boiler tube from fracture surface topography (Kobayashi, T, Shockey, DA, Ogundele, G, McNabb, DD, and Sidey, D), July, 309

Fracture behavior

On the uncertainties involved in quantifying the fracture toughness of Al-Li-X alloys (McKeighan, PC and Hillberry, BM), Jan., 3

Fracture mechanics

Deducing crack history in an aged boiler tube from fracture surface topography (Kobayashi, T, Shockey, DA, Ogundele, G, McNabb, DD, and Sidey, D), July, 309

Effects of load-distributed width on split tension of unnotched and notched cylindrical specimens (Tang, T), Sept., 401

On the uncertainties involved in quantifying the fracture toughness of Al-Li-X alloys (McKeighan, PC and Hillberry, BM), Jan., 3

Prediction of fatigue life of plain concrete beams from fracture tests (Ramsamooj, DV), May, 183

R-curve generation and CTOD evaluation considering maximum crack growth

size and parabolic crack front (Bhattacharya, S and Kumar, AN), Jan., 20

Fracture surface topography analysis

Deducing crack history in an aged boiler tube from fracture surface topography (Kobayashi, T, Shockey, DA, Ogundele, G, McNabb, DD, and Sidey, D), July, 309

Fracture testing

Back-face strain compliance and electrical-potential crack length calibrations for the disk-shaped compact-tension DCC(T) specimen (Gilbert, CJ, McNaney, JM, Dauskardt, RH, and Ritchie, RO), March, 117

Crack length and J -integral expressions for specimens loaded in tension (Fancher, B), Jan., 30

Determination of single edge-notched bend specimen load line displacement from remotely located sensors in elastic-plastic fracture testing (KarisAllen, KJ and Matthews, JR), Nov., 581

Dynamic fracture toughness measurements on small charpy specimens—a preliminary study (Sharpe, WN, Jr. and Böhme, W), Jan., 14

Fractographic technique for the estimation of initiation fracture toughness J_k for ductile materials (Srinivas, M, Kamat, SV, and Rao, PR), July, 302

Inconsistencies between CTOD and J calculations (Wilson, CD and Landes, JD), Nov., 505

Suggested test procedure to measure Mixed Mode I-III fracture toughness of brittle materials (Kumar, AM, Hirth, JP, Hoogland, R, and Feng, X), July, 327

Fracture toughness

Fractographic technique for the estimation of initiation fracture toughness J_k for ductile materials (Srinivas, M, Kamat, SV, and Rao, PR), July, 302

Inconsistencies between CTOD and J calculations (Wilson, CD and Landes, JD), Nov., 505

On the uncertainties involved in quantifying the fracture toughness of Al-Li-X alloys (McKeighan, PC and Hillberry, BM), Jan., 3

Friction

Comparative studies of yarn and fabric friction (Ajayi, JO and Elder, HM), Sept., 463

Objective evaluation of surface characteristics to determine smoothness of pile fabrics (Ajayi, JO and Elder, HM), July, 388

G

Gallium arsenide

Temperature dependencies of elasticity characteristics for tellurium-alloyed gallium arsenide (Troyanskii, AI and Borisenko, VA), May, 233

Gears

Scoring of precision spur gears (Budinski, KG), Sept., 485

Glass

Temperature dependence of dynamic Young's modulus and mechanical damping in a Nextel fiber-reinforced glass composite (Wolfenden, A, Gill, JE, Chawla, KK, Vaidya, RU, and Venkatesh, R), Nov., 571

Glass fiber-reinforced plastic

Data analysis techniques for impact tests of composite materials (Svenson, AL, Hargrave, MW, Bank, LC, and Ye, BS), Sept., 431

Gloves

Differential air deflation quality assurance test for surgical gloves (Carey, RF), Sept., 440

Grooves

Fatigue crack propagation in a specimen with a complicated cross-section; characterization of the stress intensity factor (Makabe, C, Kaneshiro, H, and Yara, H), March, 91

H

Hazardous environments

Comparison of selected properties of barrier textile materials used in durable, moisture repellent protective clothing (Slaten, BL, Shanley, LA, and Bellingar, T), Nov., 577

Heart valves

Wear analysis of Björk Shiley Delrin tilting disc heart valves (Milligan, HL, Johnson, BM, and Engel, PA), Sept., 474

High-density polyethylene

Local strain in corrugated pipe: experimental measurements to test a numerical model (Moore, ID), March, 132

Hole-drilling method

Numerical analysis of plasticity effects in the hole-drilling residual stress measurement (Beghini, M, Bertini, L, and Raffaelli, P), Nov., 522

Hopkinson bar

Numerical assessment of the dynamic

tension test using the split Hopkinson bar (Rodríguez, J, Navarro, C, and Sánchez-Gálvez, V), July, 335

Hot mix asphalt

Comparison of asphalt contents measured with the nuclear gage and extraction methods (Parker, F, Jr. and Wu, Y), Nov., 556

Hydraulic tension tests

Uniaxial tensile strength of cementitious composites (Toussaint, HA and El-Korchi, T), May, 226

I

Image processing

Fatigue testing of high-density polyethylene and polycarbonate with crack length measurement using image processing techniques (Riemling, AC), Sept., 410

Impact

Data analysis techniques for impact tests of composite materials (Svenson, AL, Hargrave, MW, Bank, LC, and Ye, BS), Sept., 431

Impact resonant method

Determining asphalt concrete properties via the impact resonant method (Whit-moyer, SL and Kim, YR), March, 139

Impact wear

Wear analysis of Björk Shiley Delrin tilting disc heart valves (Milligan, HL, Johnson, BM, and Engel, PA), Sept., 474

Inclusion rating

Instructions for a new method of inclusion rating and correlations with the fatigue limit (Morakami, Y, Toriyama, T, and Coudert, EM), July, 318

Indirect carriers

Need to harmonize cargo security rules (Forbes, D), May, 265

International Air Transport Association

IATA and its cooperative role in aviation security (Wall, B), May, 257

Role/responsibility of the freight forwarder (Koch, A), May, 259

International Civil Aviation Organization

Australian system for aviation security identification cards and associated personnel background checking (Turner, R), May, 243

Aviation security standards development within ASTM Committee F-12 on Security Systems and Equipment (Draghetti, PM), May, 275

Development of trace explosive detection standards (Elias, L), May, 280

Enforcement of international regulations (Osmus, LA), May, 238

IATA and its cooperative role in aviation security (Wall, B), May, 257

International aviation security research and development (Polski, PA), May, 267

Need to harmonize cargo security rules (Forbes, D), May, 265

Reaching consensus on technical standards through ICAO: the work of ad hoc group of specialists on the detection of explosives (Cartwright, N), May, 277

Reconciling passenger facilitation and security (Joy, TJC), May, 245

Regulation: perception and reality (Laird, DR), May, 240

Role/responsibility of the freight forwarder (Koch, A), May, 259

Security technologies and techniques: airport security systems (Bouisset, J-F), May, 247

Selection and use of explosives detection devices to check hand-held luggage (Hnatnick, S), May, 282

Standardized training through the use of the ICAO standardized training packages (STPs) (Sutherland, RG), May, 251

Interometry

Dynamic fracture toughness measurements on small Charpy specimens—a preliminary study (Sharpe, WN, Jr. and Böhme, W), Jan., 14

J-L

J integral

Crack length and J-integral expressions for specimens loaded in tension (Faucher, B), Jan., 30

Inconsistencies between CTOD and J calculations (Wilson, CD and Landes, JD), Nov., 505

Joints

New restraint for high-load-transfer fastener fatigue test (Zhu, YG, Wu, XR, and Yang, YA), Jan., 81

Leaching

Development and validation of a standard test method for sequential batch extraction of waste with acidic extraction fluid (Sorini, SS), March, 168

Leakage test

Differential air deflation quality assurance test for surgical gloves (Carey, RF), Sept., 440

LVDT

Determination of single edge-notched bend specimen load line displacement from remotely located sensors in elastic-plastic fracture testing (KarisAllen, KJ and Matthews, JR), Nov., 581

LVDT deflection

Determination of single edge-notched bend specimen load line displacement from remotely located sensors in elastic-plastic fracture testing (KarisAllen, KJ and Matthews, JR), Nov., 581

M

Machinability

Evaluation of machinability data (Jin, L-Z and Sandström, R), May, 204

Machines

Introduction to the symposium on case studies of wear-related failure analyses (Wood, FW), Sept., 468

Materials selection

Evaluation of machinability data (Jin, L-Z and Sandström, R), May, 204

Measurement uncertainty

Measurement uncertainty analysis of a transfer standard force calibration system (Tovey, FM), Jan., 70

Mechanical connections

Proposed test method for dynamic properties of connections assembled with mechanical fasteners (Dolan, JD), Nov., 542

Mechanical properties

Effect of high strain rate on the properties of PVC pipe (Al-Bastaki, NMS), Nov., 574

Mechanical study of a hypoeutectoid steel weld (Martínez, JA, Kugler, HP, Merino, S, Drude, H, and Criado, AJ), Sept., 458

Mechanical testing

Estimation of Young's modulus and of hardness by ultra-low load hardness tests with a Vickers indenter (Trindade, AC, Cavaleiro, A, and Fernandes, JV), July, 365

Excitation system for dynamic testing of large structures (Salawu, OS and Williams, C), July, 370

Introduction to workshop on accuracy of load and strain measurement of testing machines (Perlov, A), Jan., 52

Measurement uncertainty analysis of a transfer standard force calibration system (Tovey, FM), Jan., 70

Mechanical study of a hypoeutectoid steel weld (Martínez, JA, Kugler, HP, Merino, S, Drude, H, and Criado, AJ), Sept., 458

Numerical analysis of plasticity effects in the hole-drilling residual stress measurement (Beghini, M, Bertini, L, and Raffaelli, P), Nov., 522

Numerical assessment of the dynamic tension test using the split Hopkinson bar (Rodríguez, J, Navarro, C, and Sánchez-Gálvez, V), July, 335

Numerical model of primary creep deformation in a novel double shear specimen (Johnson, NL and Earthman, JC), March, 111

Practical aspects of dynamic verification of extensometers: Part I—The concepts (Albright, FJ and Annala, J), Jan., 53

Practical aspects of dynamic verification of extensometers: Part II—Actual examples (Albright, FJ and Annala, J), Jan., 58

Metal matrix

Data acquisition and analysis of tensile properties for metal matrix composites (Roebuck, B, Lord, JD, Cooper, PM, and McCartney, LN), Jan., 63

Metal removal rate

Evaluation of machinability data (Jin, L-Z and Sandström, R), May, 204

Metals

Constant temperature-compensated strain rate testing of aluminum (Sample, VM and Field, DP), March, 127

Determination of softening kinetics in a material by measuring the evolution of hot flow stress (Field, DP, Sample, VM, and Rader, RS), Nov., 530

Evaluation of machinability data (Jin, L-Z and Sandström, R), May, 204

Relevant errors associated with tension testing of metals (Tomesani, L), May, 212

Mixed mode fracture

On the uncertainties involved in quantifying the fracture toughness of Al-Li-X alloys (McKeighan, PC and Hillberry, BM), Jan., 3

Mixed mode toughness

Suggested test procedure to measure Mixed Mode I-III fracture toughness of brittle materials (Kumar, AM, Hirth, JP, Hoagland, R, and Feng, X), July, 327

Mortars

Analysis of creep and shrinkage in mortars (Sickels Taves, LB), Nov., 548

N-O

Nanofabrication

Application of surface fabrication to strain measurement in nanometer scale with the scanning tunneling microscope (Miyahara, K, Matsuoka, S, Nagashima, N, and Masuda, H), March, 121

Neural networks

Radial basis function network learns ceramic processing and predicts related strength and density (Cios, KJ, Banklini, GY, Vary, A, and Tjia, RE), July, 343

Numerical modeling

Numerical assessment of the dynamic tension test using the split Hopkinson bar (Rodríguez, J, Navarro, C, and Sánchez-Gálvez, V), July, 335

Oil shale

Effect of composition of El-lajjun oil shale on its calorific value (Anabtawi, MZ and Nazzal, JM), March, 175

Overload cycles

Effect of overload cycles on thin steel roof claddings during cyclonic winds (Mahendran, M), Sept., 451

Oxygen-enriched atmospheres

Effects of sample and test variables on electrical wire insulation flammability (Rodek, EM, Taylor, RJ, Hirsch, DB, and Linley, LJ), Sept., 447

P

Performance specifications

Comparison of selected properties of barrier textile materials used in durable, moisture repellent protective clothing (Slaten, BL, Shanley, LA, and Bellinger, T), Nov., 577

Perpendicular-to-grain compression

Modeling wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 376

Petroleum products

Effect of composition of El-lajjun oil shale on its calorific value (Anabtawi, MZ and Nazzal, JM), March, 175

Physical properties

Effect of composition of El-lajjun oil shale on its calorific value (Anabtawi, MZ and Nazzal, JM), March, 175

Pile fabrics

Objective evaluation of surface characteristics to determine smoothness of pile fabrics (Ajoyi, JO and Elder, HM), July, 388

Plastic pipes

Local strain in corrugated pipe: experimental measurements to test a numerical model (Moore, ID), March, 132

Plasticity

Numerical analysis of plasticity effects in the hole-drilling residual stress measurement (Beghini, M, Bertini, L, and Raffaelli, P), Nov., 522

Plastics

Development of an improved compression specimen geometry for unreinforced polymers (Odom, EM and Adams, DF), March, 104

Influence of test piece preparation on the compressive strength of unidirectional fiber-reinforced plastic (Häberle, JG and Matthews, FL), July, 360

Thermal and mechanical properties of cellular polystyrene and polyurethane insulation materials aged on a flat roof in hot-dry climate (Ozkan, E), March, 149

Poisson's ratio

Relevant errors associated with tension testing of metals (Tomesani, L), May, 212

Potential drop

Determining the potential drop calibration of a fatigue crack growth specimen subject to limited experimental observations (McKeighan, PC and Smith, DJ), July, 291

Preboard screening

Regulation: perception and reality (Laird, DR), May, 240

Prebonding processes

Preparation of stainless steel adherends for adhesive bonding (Gaskin, GB, Pilla, GJ, and Brown, SR), May, 222

Protective clothing

Comparison of selected properties of barrier textile materials used in durable, moisture repellent protective clothing (Slaten, BL, Shanley, LA, and Bellingar, T), Nov., 577

Q-R**Quality assurance**

Differential air deflation quality assurance test for surgical gloves (Carey, RF), Sept., 440

R-curves

R-curve generation and CTOD evaluation considering maximum crack growth size and parabolic crack front (Bhattacharya, S and Kumar, AN), Jan., 20

Recovery

Determination of softening kinetics in a material by measuring the evolution of hot flow stress (Field, DP, Sample, VM, and Rader, RS), Nov., 530

Recrystallization

Determination of softening kinetics in a material by measuring the evolution of hot flow stress (Field, DP, Sample, VM, and Rader, RS), Nov., 530

Reinforced composites

Bond tests of fiberglass-reinforced plastic bars in concrete (Larralde, J, Silva-Rodriguez, R, Bardette, J, and Harris, B), July, 351

Residual stress

Numerical analysis of plasticity effects in the hole-drilling residual stress measurement (Beghini, M, Bertini, L, and Raffaelli, P), Nov., 522

Resilient modulus

Determining asphalt concrete properties via the impact resonant method (Whit-moyer, SL and Kim, YR), March, 139

Roller

Objective evaluation of surface characteristics to determine smoothness of pile fabrics (Ajoyi, JO and Elder, HM), July, 388

Rubber

Testing techniques for measurement of bulk modulus (Fishman, KL and Machmer, D), March, 161

Runout measurements

Computer method of analysis for tire wear characterization, identification, and classification (Changizi, K), Jan., 45

S**Scanning tunnelling microscope**

Application of surface fabrication to strain measurement in nanometer scale with the scanning tunneling microscope (Miyahara, K, Matsuoka, S, Nagashima, N, and Masuda, H), March, 121

Scoring

Scoring of precision spur gears (Budinski, KG), Sept., 485

Scuffing

Scoring of precision spur gears (Budinski, KG), Sept., 485

Security systems

Australian system for aviation security identification cards and associated per-

sonnel background checking (Turner, R), May, 243

Aviation security standards development within ASTM Committee F-12 on Security Systems and Equipment (Draghetti, PM), May, 275

Development of trace explosive detection standards (Elias, L), May, 280

Enforcement of international regulations (Osmus, LA), May, 238

IATA and its cooperative role in aviation security (Wall, B), May, 257

International aviation security research and development (Polski, PA), May, 267

Introduction to the Sixth International Civil Aviation Security Conference (AVSEC'93) (Malotky, LO), May, 235

Need to harmonize cargo security rules (Forbes, D), May, 265

Reaching consensus on technical standards through ICAO: the work of ad hoc group of specialists on the detection of explosives (Cartwright, N), May, 277

Reconciling passenger facilitation and security (Joy, TJC), May, 245

Regulation: perception and reality (Laird, DR), May, 240

Role/responsibility of the freight forwarder (Koch, A), May, 259

Security technologies and techniques: airport security systems (Bouisset, J-F), May, 247

Selection and use of explosives detection devices to check hand-held luggage (Hnatnick, S), May, 282

Standardized training through the use of the ICAO standardized training packages (STPs) (Sutherland, RG), May, 251

Sensitivity analysis

Behavior of wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 383

Sequential batch extraction

Development and validation of a standard test method for sequential batch extraction of waste with acidic extraction fluid (Sorini, SS), March, 168

Shear stress state

Numerical model of primary creep deformation in a novel double shear specimen (Johnson, NL and Earthman, JC), March, 111

Shrinkage

Analysis of creep and shrinkage in mortars (Sickels Taves, LB), Nov., 548

Silicon nitride

Radial basis function network learns ceramic processing and predicts related strength and density (Cios, KJ, Baaklini, GY, Vary, A, and Tjia, RE), July, 343

Small scale models

Effect of overload cycles on thin steel roof claddings during cyclonic winds (Mahendran, M), Sept., 451

Small specimens

Dynamic fracture toughness measurements on small charpy specimens—a preliminary study (Sharpe, WN, Jr. and Böhme, W), Jan., 14

Solvent extraction method

Comparison of asphalt contents measured with the nuclear gage and extraction methods (Parker, F, Jr. and Wu, Y), Nov., 556

Specimen preparation

Evaluation of several techniques for measuring air-void content in asphalt concrete specimens (Harvey, J, Mills, T, Scheffy, C, Sousa, J, and Monismith, CL), Sept., 424

Influence of test piece preparation on the compressive strength of unidirectional fiber-reinforced plastic (Hilberle, JG and Matthews, FL), July, 360

Sports equipment

Physiologic challenges induced by participation in ice hockey—implications for training (Green, HJ), Jan., 48

Square root of projection area

Instructions for a new method of inclusion rating and correlations with the fatigue limit (Murakami, Y, Toriyama, T, and Coudert, EM), July, 318

Stainless steel

Preparation of stainless steel adherends for adhesive bonding (Gaskin, GB, Pilla, GJ, and Brown, SR), May, 222

Static testing

Effect of high strain rate on the properties of PVC pipe (Al-Bastaki, NMS), Nov., 574

Steel roof claddings

Effect of overload cycles on thin steel roof claddings during cyclonic winds (Mahendran, M), Sept., 451

Steel weldments

Study of steel weldments using electronic speckle pattern interferometry (Sivaganthan, J, Ganesan, AR, Tan, BC, Low, KS, and Sirohi, RS), Jan., 42

Steels

Charpy transition studies of an embrittled AISI 8640 lower bainitic steel (Rinnovatore, JV, Lukens, KF, Reinhold, J, and Mahon, W), Nov., 517

Effect of overload cycles on thin steel roof claddings during cyclonic winds (Mahendran, M), Sept., 451

Study of steel weldments using electronic speckle pattern interferometry (Sivaganthan, J, Ganesan, AR, Tan, BC, Low, KS, and Sirohi, RS), Jan., 42

Stiffness

Local strain in corrugated pipe: experimental measurements to test a numerical model (Moore, ID), March, 132

Strain measurement

Application of surface fabrication to strain measurement in nanometer scale with the scanning tunneling microscope (Miyahara, K, Matsuoka, S, Nagashima, N, and Masuda, H), March, 121

Local strain in corrugated pipe: experimental measurements to test a numerical model (Moore, ID), March, 132

Strain rate

Behavior of asphalt concrete mixtures in triaxial compression (Tan, S-A, Low, B-H, and Fwa, T-F), May, 195

Constant temperature-compensated strain rate testing of aluminum (Sample, VM and Field, DP), March, 127

Strength

Radial basis function network learns ceramic processing and predicts related strength and density (Cios, KJ, Baaklini, GY, Vary, A, and Tjia, RE), July, 343

Stress correction

Stress correction for removal of material in X-ray stress determination (Kang, ZQ, Li, JB, and Wang, ZG), May, 217

Stress intensity

Influence of testing methodology on the fatigue crack propagation behavior of cellulose esters (Pecorini, TJ and Moskala, EJ), Sept., 420

Stress intensity factor

Suggested test procedure to measure Mixed Mode I-III fracture toughness of brittle materials (Kumar, AM, Hirth, JP, Hoagland, R, and Feng, X), July, 327

Stretch zone width

Fractographic technique for the estimation of initiation fracture toughness J_{Ic} for ductile materials (Srinivas, M, Kamat, SV, and Rao, PR), July, 302

Styles

Objective evaluation of surface characteristics to determine smoothness of pile fabrics (Ajayi, JO and Elder, HM), July, 388

Surgical materials

Differential air deflation quality assurance test for surgical gloves (Carey, RF), Sept., 440

T**Temperature**

Behavior of asphalt concrete mixtures in triaxial compression (Tan, S-A, Low, B-H, and Fwa, T-F), May, 195

Constant temperature-compensated strain rate testing of aluminum (Sample, VM and Field, DP), March, 127

Temperature measurement

Temperature dependencies of elasticity characteristics for tellurium-alloyed gallium arsenide (Troyanskii, AI and Borisenko, VA), May, 233

Tension specimens

Crack length and J -integral expressions for specimens loaded in tension (Faucher, B), Jan., 30

Tension tests

Data acquisition and analysis of tensile properties for metal matrix composites (Reebuck, B, Lord, JD, Cooper, PM, and McCartney, LN), Jan., 63

Mechanical study of a hypoeutectoid steel weld (Martínez, JA, Kugler, HP, Merino, S, Drude, H, and Criado, AJ), Sept., 458

Relevant errors associated with tension testing of metals (Tomesani, L), May, 212

Testing

New restraint for high-load-transfer fastener fatigue test (Zhu, YG, Wu, XR, and Yang, YA), Jan., 81

Testing machines

Introduction to workshop on accuracy of load and strain measurement of testing machines (Perlov, A), Jan., 52

Textiles

Comparative studies of yarn and fabric friction (Ajayi, JO and Elder, HM), Sept., 463

Objective evaluation of surface characteristics to determine smoothness of pile fabrics (Ajayi, JO and Elder, HM), July, 388

Theoretical solutions

Prediction of fatigue life of plain concrete beams from fracture tests (Ramsamooj, DV), May, 183

Thermal load

Temperature dependencies of elasticity characteristics for tellurium-alloyed gal-

lium arsenide (Troyanskii, AI and Borisenko, VA), May, 233

Thermosetting

Development of an improved compression specimen geometry for unreinforced polymers (Odom, EM and Adams, DF), March, 104

Threshold of stress intensity range

Use of fatigue specimens precracked in compression for measuring threshold values and crack growth (Pippan, R, Plöchl, L, Klanner, F, and Stüwe, HP), March, 98

Tires

Computer method of analysis for tire wear characterization, identification, and classification (Changizi, K), Jan., 45

Toughness

Suggested test procedure to measure Mixed Mode I-III fracture toughness of brittle materials (Kumar, AM, Hirth, JP, Hoagland, R, and Feng, X), July, 327

Trace explosives

Development of trace explosive detection standards (Elias, L), May, 280

Training

Security technologies and techniques: airport security systems (Bonisact, J-F), May, 247

Standardized training through the use of the ICAO standardized training packages (STPs) (Sutherland, RG), May, 251

Transition temperature

Charpy transition studies of an embrittled AISI 8640 lower bainitic steel (Rinnovatore, JV, Lukens, KF, Reinhold, J, and Mahon, W), Nov., 517

Transverse compression

Behavior of wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 383

Triaxial tests

Behavior of asphalt concrete mixtures in triaxial compression (Tan, S-A, Low, B-H, and Fwa, T-F), May, 195

U-V

Ultra-low load hardness

Estimation of Young's modulus and of

hardness by ultra-low load hardness tests with a Vickers indenter (Trindade, AC, Cavaleiro, A, and Fernandes, JV), July, 365

Uniaxial tension tests

Uniaxial tensile strength of cementitious composites (Tostanji, HA and El-Korchi, T), May, 226

Unplasticized polyvinyl chloride

Effect of high strain rate on the properties of PVC pipe (Al-Bustaki, NMS), Nov., 574

Unreinforced polymers

Development of an improved compression specimen geometry for unreinforced polymers (Odom, EM and Adams, DF), March, 104

Verification

Practical aspects of dynamic verification of extensometers: Part I—The concepts (Albright, FJ and Annala, J), Jan., 53

Practical aspects of dynamic verification of extensometers: Part II—Actual examples (Albright, FJ and Annala, J), Jan., 58

Vibration

Excitation system for dynamic testing of large structures (Sahwu, OS and Williams, C), July, 370

Vickers hardness

Estimation of Young's modulus and of hardness by ultra-low load hardness tests with a Vickers indenter (Trindade, AC, Cavaleiro, A, and Fernandes, JV), July, 365

W

Waste disposal

Development and validation of a standard test method for sequential batch extraction of waste with acidic extraction fluid (Sorini, SS), March, 168

Wear

Computer method of analysis for tire wear characterization, identification, and classification (Changizi, K), Jan., 45

Introduction to the symposium on case studies of wear-related failure analyses (Wood, FW), Sept., 468

On the role and analysis of wear in failures (Wood, FW), Sept., 470

Scoring of precision spur gears (Budinski, KG), Sept., 485

Wear analysis of Björk Shiley Delrin tilting disc heart valves (Milligan, HL, Johnson, BM, and Engel, PA), Sept., 474

Wear-related fatigue in a wire rope failure (Schrems, KK), Sept., 490

Welding

Mechanical study of a hypoeutectoid steel weld (Martínez, JA, Kugler, HP, Merino, S, Drude, H, and Criado, AJ), Sept., 458

Wire insulation

Effects of sample and test variables on electrical wire insulation flammability (Rodak, EM, Taylor, RJ, Hirsch, DB, and Linley, LJ), Sept., 447

Wire rope

Wear-related fatigue in a wire rope failure (Schrems, KK), Sept., 490

Wood

Behavior of wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 383

Modeling wood in transverse compression (Pellicane, PJ, Bodig, J, and Mrema, AL), July, 376

X-Y

X-ray stress determination

Stress correction for removal of material in X-ray stress determination (Kang, ZQ, Li, JB, and Wang, ZG), May, 217

Yarns

Comparative studies of yarn and fabric friction (Ajayi, JO and Elder, HM), Sept., 463

Young's modulus

Data acquisition and analysis of tensile properties for metal matrix composites (Roebuck, B, Lord, JD, Cooper, PM, and McCartney, LN), Jan., 63

Temperature dependence of dynamic Young's modulus and mechanical damping in a Nextel fiber-reinforced glass composite (Wolfenden, A, Gill, JE, Chawla, KK, Vaidya, RU, and Venkatesh, R), Nov., 571