

Journal of Testing and Evaluation

Author Index to Volume 19

1991

Number	Month of Issue	Pages
1	January	1-92
2	March	93-180
3	May	181-262
4	July	263-348
5	September	349-420
6	November	421-514

A

- Al-Qadi, I. L. and Rivera-Ortiz, L. A.:** Laboratory testing of river gravel used in arrester beds, July, 280
- Albrecht, P. and Lee, H.:** Evaluating of rating numbers for atmospheric corrosion resistance of weathering steel, Nov., 429
see Hu, J. M. and Albrecht, P.
- Anderson, T. L. and Dodds, R. H., Jr.:** Specimen size requirements for fracture toughness testing in the transition region, March, 123
- Atkinson, M.:** Analysis of the size effect in low-load hardness testing of metals, Sept., 368

B

- Bailey, J. L.:** *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.
- Ballinger, R. G.:** *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.
- Bamford, R.:** *see* Hsieh, C., Hendrickson, J., and Bamford, R.
- Begley, E. F.:** *see* Munro, R. G. and Begley, E. F.
- Blau, P. J.:** Review of *Detection, Diagnosis, and Prognosis of Rotating Machinery to Improve Reliability, Maintainability, and Readiness Through the Application of New and Innovative Techniques* (Cambridge University Press), July, 345
- Blotny, R.:** *see* Kaleta, J., Blotny, R., and Harig, H.
- Bogart, L.:** *see* Latta, B. M., Bogart, L., and Wagner, G. S.
- Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.:** *In situ* ultrasonic examination of the intense pulsed neutron source (IPNS) enriched uranium target assembly, Nov., 467
- Bottone, N. L.:** Introduction to symposium on the use of reference materials in the metals analysis laboratory, Jan., 55
- Brown, E. R. and Foo, K. Y.:** Evaluation of variability in resilient modulus test results (ASTM D 4123), Jan., 1
see Parker, F. P., Jr. and Brown, E. R.

Burgess, G.: *see* Singh, S. P., Crofts, B., and Burgess, G.

Burnell, G.: Review of *Inherently Conducting Polymers* (Aldissi), Nov., 499

C

- Chiang, Y. J.:** *see* Lee, Y.-L. and Chiang, Y. J.
- Chouthai, S. S.:** *see* Kain, V., Chouthai, S. S., and Gadiyar, H. S.
- Chuang, S. Y.:** *see* Powers, B. L. and Chuang, S. Y.
- Chusid, M.:** Review of *Time-Saver Standards for Building Types: 3rd Edition* (De Chiara and Callender), July, 347
- Constantine, A. G.:** *see* Sare, I. R. and Constantine, A. G.
- Conway, J. C., Jr.:**
see Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.
see Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.
- Crofts, B.:** *see* Singh, S. P., Crofts, B., and Burgess, G.
- Crosley, P. B. and Rippling, E. J.:** Thick adherent, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints, Jan., 24

D

- Deppa, S. W.:** Procedure to evaluate openings in children's products for head entrapment hazards, July, 263
- Dodds, R. H., Jr.:** *see* Anderson, T. L. and Dodds, R. H., Jr.
- Doebelin, E. O.:** Review of *Theory and Practice of Force Measurement* (Bray, Barbato, and Levi), Sept., 417
- Donaldson, B.:** Review of *Concise Encyclopedia of Building and Construction Materials* (Moavenzadeh), March, 178

E

- Earthman, J. C.:** *see* Kim, H.-K., Mohamed, F. A., and Earthman, J. C.
- Eddleman, V. L.:** *see* Moore, M. A. and Eddleman, V. L.

F

- Fett, T. and Munz, D.:** Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks, Nov., 461
- Keller, K., Martin, G., and Rosenfelder, O.:** Direct measurements of displacements in the inner roller span of four-point-bending creep tests, July, 334

Foo, K. Y.: *see* Brown, E. R. and Foo, K. Y.

Fwa, T.-F.:
see Low, B.-H., Tan, S.-A., and Fwa, T.-F.
see Tan, S.-A. and Fwa, T.-F.

G

- Gabb, T. P.:** Review of *High Temperature Fatigue: Properties and Prediction* (Skelton), July, 345
- Gadiyar, H. S.:** *see* Kain, V., Chouthai, S. S., and Gadiyar, H. S.
- Gerofsky, J. P. and Shelley, G. A.:** Condom inflation testing: strain distribution during test, May, 244
- Gong, Z. L. and Hsu, T. R.:** Deformation of aluminum alloy under cyclic creep loadings, Jan., 14
- Goodwin, F. E. and Nguyen-Duy, P.:** New method for burst testing of low strength materials, Jan., 41
- Gradin, P. A., Gustafson, C. G., and Hojo, M.:** Influence of friction on the compliance and crack work rate of an end notched flexure specimen, March, 149
- Gustafson, C. G.:** *see* Gradin, P. A., Gustafson, C. G., and Hojo, M.

H

- Hall, M.:** *see* Wolfe, R. W., Hall, M. and Lyles, D.
- Harig, H.:** *see* Kaleta, J., Blotny, R., and Harig, H.
- Hartwig, K. T.:** *see* McDonald, L. C. and Hartwig, K. T.
- Hellmann, J. R.:** *see* Segall, A. E., Hellmann, J. R., and Modest, M. F.
- Hendrickson, J.:** *see* Hsieh, C., Hendrickson, J., and Bamford, R.
- Herrera, R.:** *see* Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.
- Hojo, M.:** *see* Gradin, P. A., Gustafson, C. G., and Hojo, M.
- Holt, S. D.:** *see* Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.
- Hossain, M. K. and Lytton, R. L.:** Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills, Nov., 475
- Hsieh, C., Hendrickson, J., and Bamford, R.:** Development of methodology for qualifying safety critical A286 threaded fasteners, March, 135
- Hsu, T. R.:** *see* Gong, Z. L. and Hsu, T. R.
- Hu, J. M. and Albrecht, P.:** Plastic η and γ factors for compact tension specimen in J -integral estimation, March, 169
- Hurwitz, J. K.:** Computer-aided homogeneity testing of proposed metal and metal alloy reference materials, Jan., 63

Hwang, R. P.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

I

Itokazu, M.: *see* Makabe, C., Kaneshiro, H., and Itakazu, M.

J

Jacobs, T. L.: Review of *Experimentation and Uncertainty Analysis for Engineers* (Coleman and Steele), Nov., 498

Jadaan, O. M.

Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.: Prediction of the strength of ceramic tubular components: Part I—analysis, May, 181

see Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.

Jendoubi, K., Ranganathan, N., and Merah, N.: Effect of thickness on elasto-plastic deformation and hysteretic energy dissipated at crack tip, May, 201

K

Kain, V., Chouthai, S. S., and Gadiyar, H. S.: Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization, July, 321

Kaleta, J., Blotny, R., and Harig, H.: Energy stored in a specimen under fatigue limit loading conditions, July, 326

Kaneshiro, H.: *see* Makabe, C., Kaneshiro, H., and Itokazu, M.

Kapp, J. A.: Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens, Jan., 45

Keller, K.: *see* Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

Kennedy, W. R.: Certification: what it means for inhomogeneity and reference materials, Jan., 60

Kim, H.-K., Mohamed, F. A., and Earthman, J. C.: Novel specimen geometry for double shear creep experiments, March, 93

Knox, A. E.: *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.

Kowalewski, M. J., Jr.: Review of *Defect Prevention: Use of Simple Statistical Tools* (Kane), Jan., 89

Kupperman, D. S.: *see* Bohringer, D. E., Kupperman, D. S., Bailey, J. L., and Knox, A. E.

L

Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.: Normalization method for developing *J-R* curves with the *LMN* function, July, 305

Latta, B. M., Bogan, L., and Wagner, G. S.: Nonintrusive test for argon gas content in windows: feasibility study, May, 214

Lee, H.: *see* Albrecht, P. and Lee, H.
Lee, K.: *see* Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.

Lee, Y.-L. and Chiang, Y. J.: Fatigue predictions for components under biaxial reversed loading, Sept., 359

Link, R. E.: Review of *An Introduction to the Design and Behavior of Bolted Joints* (Bickford), Sept., 417

Loferski, J. R.
and McLain, T. E.: Static and impact flexural properties of common wire nails, July, 297
and Stern, E. G.: Understanding impact testing of pallet nails and staples, Sept., 379

Low, B.-H., Tan, S.-A., and Fwa, T.-F.: Determination of thermal diffusivity of construction materials, Nov., 440

Lyles, D.: *see* Wolfe, R. W., Hall, M. and Lyles, D.

Lyon, R. E.: Shear strength of a ductile material from torsion of solid cylinders, May, 240

Lyttom, R. L.: *see* Hossain, M. K. and Lytton, R. L.

M

Madan, R. K.: *see* Nagourney, S. J. and Madan, R. K.

Makabe, C., Kaneshiro, H., and Itokazu, M.: Effects of microcracks and artificial surface cracks on fracture ductility of a torsional restrained specimen, May, 221

Mandel, J.: Models and interactions, Sept., 398

Marder, A. R.: *see* Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.
Martin, G.: *see* Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

Martins, C. S., Steen, M., and Rosa, L. G.: Theoretical comparison of error in K_{Ic} values determined by different testing methods of ceramics, May, 256

McDonald, L. C. and Hartwig, K. T.: Cryogenic creep testing, March, 107

McKee, C. W.: Review of *International Advances in Nondestructive Testing, Volume 15* (McGonnagle), Sept., 418

McLain, T. E.: *see* Loferski, J. R. and McLain, T. E.

Mecholsky, J. J., Jr.:
see Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.

see Shelleman, D. L., Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.

Meeres, R. P.: *see* Ridsdale, P. D. and Meeres, R. P.

Merah, N.: *see* Jendoubi, K., Ranganathan, N., and Merah, N.

Meraw, L. J.: Glossary (German/English, English/German) of specialized plastics testing terminology, July, 338

Merks, J. W.: Review of *Powder Testing Guide: Methods of Measuring the Physical Properties of Bulk Powders* (Svarovsky), Sept., 418

Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.: Creep-fatigue interaction in T11 boiler tube steel, Nov., 485

Modest, M. F.: *see* Segall, A. E., Hellmann, J. R., and Modest, M. F.
Mohamed, F. A.: *see* Kim, H.-K., Mohamed, F. A., and Earthman, J. C.

Moore, M. A. and Eddleman, V. L.: Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics, Sept., 394

Morra, I. S.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

Munro, R. G. and Begley, E. F.: Structural ceramics database: data acquisition format for monolithic ceramics, May, 250

Munz, D.: *see* Fett, T. and Munz, D.

N

Nagourney, S. J. and Madan, R. K.: Metals analysis in the plastics additives industry: quality assurance considerations, Jan., 77
Nakajima, H.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.
Nguyen-Duy, P.: *see* Goodwin, F. E. and Nguyen-Duy, P.

O

O'Hern, M. E.: Discussion of "Dynamic loading: a new microhardness test method," Sept., 413

Oyedokun, Z. O.: Pulse current automatic electro-optical characterization of the laser diode, March, 172

P

Parida, N.: Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit, Nov., 450

Parker, F. P., Jr. and Brown, E. R.: Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures, March, 161

Pellicane, P. J.: Application of the European yield model to nailed joints in southern hardwoods, Sept., 385

Mechanical behavior of nailed joints with various side member materials, March, 97

Powers, B. L. and Chuang, S. Y.: Vibration monitoring of small lightweight components using fiber optic sensors, Nov., 493

Q

Quinn, G. D.: Review of *Ceramic Hardness* (McCollm), Nov., 497

R

Ramsamooj, D. V.: Prediction of fatigue life of asphalt concrete beams from fracture tests, May, 231

Ranganathan, N.: *see* Jendoubi, K., Ranganathan, N., and Merah, N.

Rasberry, S. D.: Standard reference materials: NBS-ASTM cooperation, Jan., 56

Rawlings, R. D.: *see* Selcuk, A. and Rawlings, R. D.

Reed, R. P.: *see* Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

Reemsnyder, H. S.: Review of *Materials for Marine Systems and Structures* (Hasson and Crowe), May, 260

Ridsdale, P. D. and Meeres, R. P.: What constitutes a reference material and how is it certified?, Jan., 71

Ripling, E. J.: see Crosley, P. B. and Ripling, E. J.

Rivera-Ortiz, L. A.: see Al-Qadi, I. L. and Rivera-Ortiz, L. A.

Rosa, L. G.: see Martins, C. S., Steen, M., and Rosa, L. G.

Rosenfelder, O.: see Fett, T., Keller, K., Martin, G., and Rosenfelder, O.

S

Sachse, W.: Review of *Physical Acoustics: Vol. 18* (Mason and Thurston), July, 346

Santoliquido, P. M.: Preparation and certification of uranium oxide (U_3O_8) spectrometric reference materials, Jan., 83

Sare, I. R. and Constantine, A. G.: Authors' closure to discussion of "Design and analysis of jaw crusher gouging abrasion tests," Sept., 410

and Constantine, A. G.: Design and analysis of jaw crusher gouging abrasion tests, March, 115

Segall, A. E., Hellmann, J. R., and Modest, M. F.: Analysis of gas-fired ceramic radiant tubes during transient heating: part I—thermal transient modeling, Nov., 454

Selcuk, A. and Rawlings, R. D.: Cantilever-type bend test technique for formability analysis of strip/plate metals, Sept., 349

Shelleman, D. L.

Jadaan, O. M., Conway, J. C., Jr., and Mecholsky, J. J., Jr.: Prediction of the strength of ceramic tubular components: Part II—experimental verification, May, 192

see Jadaan, O. M., Shelleman, D. L., Con-

way, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.

Shelley, G. A.: see Geroft, J. P. and Shelley, G. A.

Shi, D. and Winslow, D.: Accuracy of a volume fraction measurement using areal image analysis, May, 210

Shimada, M.: see Tobler, R. L. and Shimada, M.

Shimamoto, S.: see Tobler, R. L., Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shimamoto, S.

Shuman, E. C.: Review of *Engineering Project Management* (Blanchard), Nov., 497

Singh, S. P., Crofts, B., and Burgess, G.: Effect of handling on the compression strength of corrugated fiberboard containers, Sept., 374

Sproles, E. S., Jr.: Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts, July, 292

Steen, M.: see Martins, C. S., Steen, M., and Rosa, L. G.

Stern, E. G.: see Loferski, J. R. and Stern, E. G.

Strauss, B. M.: Review of *Science and Engineering Indicators—1989* (National Science Board), March, 178

T

Tan, S.-A.

and Fwa, T.-F.: Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation, March, 155
see Low, B.-H., Tan, S.-A., and Fwa, T.-F.

Tobler, R. L.

and Shimada, M.: Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels, July, 312
Reed, R. P., Hwang, I. S., Morra, M. M., Ballinger, R. G., Nakajima, H., and Shi-

mamoto, S.: Charpy impact tests near absolute zero, Jan., 34

Tressler, R. E.: see Jadaan, O. M., Shelleman, D. L., Conway, J. C., Jr., Mecholsky, J. J., Jr., and Tressler, R. E.

V

Voorhees, H. R.: see Miller, G. A., Marder, A. R., Holt, S. D., and Voorhees, H. R.

W

Wagner, G. S.: see Latta, B. M., Bogan, L., and Wagner, G. S.

Walter, R. J.: see Yuen, J. L. and Water, R. J.

Weller, W.: Authors' closure to discussion of "Dynamic loading: a new microhardness test method," Sept., 415

Westbrook, J. H.: Review of *Mechanical Testing* (Curbishley), May, 261

Winslow, D.: Predicting the durability of paving bricks, Jan., 29

see Shi, D. and Winslow, D.

Wolfe, R. W., Hall, M. and Lyles, D.: Test apparatus for simulating interactive loads on metal plate wood connections, Nov., 421

Wood, F. W.: Discussion of "Design and analysis of jaw crusher gouging abrasion tests," Sept., 408

Y

Yuen, J. L. and Walter, R. J.: Thermal shock and thermal fatigue testing, Sept., 403

Z

Zhou, Z.: see Landes, J. D., Zhou, Z., Lee, K., and Herrera, R.