

Journal of Testing and Evaluation

Contents:

**SPECIAL ISSUE ON INNOVATIVE AND SUSTAINABLE TECHNOLOGIES AND MATERIALS
IN CIVIL ENGINEERING INFRASTRUCTURES**

Guest Editors: Mansour Solaimanian, Jia-Ruey Chang, Louis Ge, Dar Hao Chen

-
- i Note From The Editor**
-
- iii Overview**
-
- 229 Effect of Film Thickness and Voids in Mineral Aggregate in Basic Oxygen Furnace Slag Dense-Graded Asphalt Concrete**
Shih-Huang Chen, Jyh-Dong Lin, Daud Huang, and Ching-Tsung Hung
-
- 237 Evaluation of the Use of Recycled Concrete Aggregate in French Drain Systems**
Boo Hyun Nam, Zachary R. Behring, Jinyoung Kim, Manoj Chopra, John Shoucair, and Chul-Soo Park
-
- 248 Study of Steam and Microwave Curing of Concretes Containing Slag, Fly Ash, or Silica Fume**
Ming-Ju Lee, Ming-Gin Lee, Yung-Chih Wang, Yishuo Huang, and Wei-Chien Wang
-
- 255 Compressibility and Durability Characteristics of Lime Treated Expansive Semiarid Soils**
Arif Ali Baig Moghal, Ali Abdul Kareem Obaid, Talal O. Al-Refeai, and Mosleh Ali Al-Shamrani
-
- 264 Experimental Assessment of Fly-Ash Stabilized and Recycled Mixes**
Václav Mráz, Jan Valentin, Jan Suda, and Lubomír Kopecký
-
- 279 The Effect of Cement-Sodium Silicate Grout Compounds on Void Ratio and the Coefficient of Secondary Compression of Treated Fibrous Peat**
Sina Kazemian, Hossein Moayedi, and Mansour Mosallanezhad
-
- 286 Experimental Study of Geobagged Reservoir Siltations for Backfill Applications**
Jason Y. Wu and Yijian Lin
-
- 295 Three-Dimensional Discrete Element Modeling of Crack Development in Epoxy Asphalt Concrete**
Zhen-Dong Qian, Jiang-Yang Wang, Lei-Lei Chen, and Lin-Bing Wang
-
- 308 Application of Intelligent Compaction Technology for Estimation of Effective Modulus for a Multilayered Asphalt Pavement**
Dharamveer Singh, Fares Beainy, Sesh Commuri, and Musharraf Zaman
-
- 319 Poisson's Ratio of Hot Asphalt Mixtures Determined by Relaxation and Small Amplitude Oscillation Test**
Josef Zak, Jiri Stastna, Jiri Vavricka, Kristyna Milackova, Lukas Kasek, and Ludo Zanzotto



Volume 43, Number 2
March 2015
Coden: JTEVAB

(Contents continued on back cover)

EXECUTIVE COMMITTEE

Ronald J. Ebelhar, Chairman
Ralph M. Paroli, Vice Chairman
D. Thomas Marsh, Vice Chairman
Dale F. Bohn, Chairman of the Finance
and Audit Committee
Mary C. McKiel, Past Chairman
Thomas A. Schwartz, Past Chairman
James A. Thomas, President

DIRECTORS

Dale F. Bohn
Lawrence Carbery
Scott A. Colburn
Ronald J. Ebelhar
Jeffrey S. Goldfinger
Franceen Gonzales
Robin E. Graves
Claudia Kropas-Hughes
Daniel S. Janikowski
Andrew G. Kireta, Jr.
John Logar
Christina Lomasney
D. Thomas Marsh
Mary C. McKiel
Nabil bin Ameen Molla
Bertrand B. Morel
Ralph M. Paroli
Richard A. Peri
Steve D. Sandstrum
Jun Sasaki
Thomas A. Schwartz
James Simnick
Brent Stucker
James A. Thomas
Taco van der Maten

INFORMATION FOR AUTHORS

For details regarding paper submission go to <http://mc04.manuscript-central.com/astm-jote>.

The subject matter must not be of a speculative nature and the contents must not include materials of an advertising nature. The paper must not be seriously defective as to literary form and structure, continuity of thought, and clarity of expression. The substance of the paper should not have been published previously in the open literature.

Authors preparing papers for submittal should observe the conventions of style explained in the ASTM Style Manual. Since the journal does not request page charges, the author is expected to conform to these standard conventions for style and the inclusion of complete references and high-quality figures. SI units are to be used throughout; if data were not measured in SI units, a note should appear to that effect and the original units should be included in parentheses after the SI units.

IN APPRECIATION OF THE REVIEWERS

The high quality of the papers that appear in this publication is a tribute not only to the obvious efforts of the authors represented but to the unheralded, though essential, efforts of their reviewers. It is to the reviewers dedication to upholding the high standards of their profession that this note pays tribute. On behalf of ASTM International and the authors as well, we acknowledge with appreciation their important contribution to the success of this journal.

COMMITTEE ON PUBLICATIONS

Zdenek Hejzlar, Chairman
Dee Magnoni, Vice Chairman
Thomas A. Schwartz, ex officio
Ronald B. Adamson
B. Thomas Carr
Susan Jones
William J. Likos, Ph.D.
Michael R. Mitchell
R. A. Kishore Nadkarni
Richard W. Neu
Leslie J. Struble
George E. Totten

Journal of Testing and Evaluation (ISSN 0090-3973) is published in six issues per year by ASTM International. Some issues, in whole or in part, may be Special Issues focused on a topic of interest to our readers. The views expressed in this journal are not those of ASTM International. The data and opinions appearing in the published material were prepared by and are the responsibility of the contributors, not of ASTM International.

Copyright © 2015 by ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media without the written consent of the publisher.

Subscriptions include two formats—online access only or online access plus printed volumes. Individual subscriptions: \$273.00 for 1 year online access and \$338.00 for 1 year online access plus printed volumes. Institutional subscriptions (one geographic site via IP access): \$422.00 for 1 year online access and \$543.00 for 1 year online access plus printed volumes. Single copies are \$55.00. For Multi-site subscription and pricing, please contact Sales or call 1-877-909-ASTM. To subscribe, please send prepaid order to ASTM International, Customer Service, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959 or visit www.astm.org.

PhotocopyRights: Authorization to photocopy items for internal, personal, or educational classroom use, or the internal, personal, or educational classroom use of specific clients, is granted by ASTM International provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; <http://www.copyright.com/>

Periodicals postage paid at W. Conshohocken, Pa., and at additional mailing offices.

Note From The Editor

This Special Issue of the ASTM International's *Journal of Testing and Evaluation* (JTE) is a first in that it is dedicated entirely to the specific subject matter: Innovative and Sustainable Technologies and Materials in Civil Engineering Infrastructures.

This is a very timely topic since we hear on an almost daily basis of how the civil infrastructure in the United States and much of the world needs constant attention and upgrading. Certainly the economic impact will be huge, but employment opportunities would follow. Such improvements would obviously benefit from sustainable and innovative engineering materials and designs. These are the jobs of the engineers and scientists dedicated to this profession and on whom the burden is placed. The future holds many opportunities, not only in the near term for those presently in this challenging field, but for the engineering students in our universities about to embark on their careers in their chosen profession. This Special Issue of JTE is intended to pique the reader's interest on this particular subject matter.

The Editorial Staff of JTE would appreciate comments on such special publications on specific topical interests for future editions. We welcome your responses.

Dr. M.R. Mitchell
Editor-in-Chief
ASTM International
Journal of Testing and Evaluation
e-mail: mrmitchell@illinoisalumni.org

Overview

More than any other time, engineers are facing the challenge of designing, constructing, and preserving the infrastructure system in a sustainable way. Economic prosperity and improved lifestyle are among the benefits of a resilient and sustainable infrastructure system. A resilient system is one that could withstand the extreme effects of a damaging factor and one that could be brought back to functionality in a timely manner. A sustainable system is one that is developed to last long with minimal adverse impact on social, economic, and environmental needs. In civil infrastructures, sustainable materials play a major role in this regard. These could be from renewable resources or materials that are abundantly available, durable, and recyclable.

This special publication of the ASTM's *Journal of Testing and Evaluation* (JTE) contains 26 papers that deal with materials used in sustainable civil infrastructure. The papers have been through rigorous peer review to be published in this special issue of JTE. The materials covered in this publication include asphalt, concrete, soils, and steel. The publication includes both numerical and experimental research and investigation of infrastructure materials. For asphalt, the papers tackle three dimensional discrete element modeling of crack development, intelligent compaction, oscillation testing, and characteristics of asphalt with recycled materials. The topics addressing sustainability in concrete deal with cracking and sustainability of fiber reinforced concrete, seismic behavior of reinforced concrete, cement fracturing, recycled concrete aggregate in drainage systems, polymer concrete, concrete pavements, and roller compacted concrete. In the areas of soils, foundations, and stabilization, there are innovative topics such as caisson behavior during sinking, use of reservoir siltation for backfill applications, bearing capacity application by seismic methods, lime stabilization of expansive soils, fly ash stabilization, properties of unsaturated soils, field versus laboratory stiffness of soils using surface waves, and ground vibration of clay soils. For steel, evaluation of long multi-span girders during incremental launching is presented in the publication. Other topics in the publication include tire-road interaction regarding skid resistance, and the role of infrastructure on emergency medical services.

There are seven papers dealing with material recycling and stabilization. Use of recycled materials in pavements has always been a hot topic. The work by Chen *et al.* was focused on how the volumetric properties and performance of asphalt concrete are influenced by complete replacement of coarse natural aggregates with basic oxygen furnace (BOF) slag, and reported this process as a feasible option. On another front, use of recycled concrete aggregate (RCA) in exfiltration drainage systems such as French drains was investigated by Nam *et al.* The authors concluded RCA No. 4 gradation does not restrict the flow of water, but the RCA fines being generated during aggregate handling process may cause clogging buildup over time. Using fly ash, blast-furnace slag, and silica fume in concrete has been around for many years. Lee *et al.* investigated the effects of steam and microwave curing on concrete containing these recycling materials. The microwave-cured concrete did not show an increase in permeability relative to the concrete that was steam-cured, but showed an increase in strength. The effect of lime and the curing period on the compressibility and durability characteristics of expansive semiarid soils was evaluated by Moghal *et al.* using a range of loading periods of time, concluding that lime significantly reduces the compressibility, and that increase in duration of loading time produces a moderate increase in the final void ratio values, and finally a considerable decrease in the concentration of calcium is observed with increasing the curing period. Factors limiting the application of some fly ash in stabilization of soils and roadbed materials are addressed by Mráz *et al.* Specifically, the researchers indicated that the limitations in usage in some cases are related to the relatively low resistance in repetitive contact with water, volumetric changes and the risk of partly unsatisfactory hygienic and environmental impact. Techniques to reduce these negative impacts are suggested by the authors. Treatment of fibrous peat, which is extremely soft with high moisture content, is studied by Kazemian *et al.* Experimental work with special type of binder indicated proper cementing and stabilization of peat. Finally, massive reservoir siltations (RS) have seriously disrupted the service of many reservoirs worldwide, with adverse effects on infrastructure sustainability. Wu and Lin propose a novel approach using RS to produce controlled low strength materials, reinforced with geobags, for storage and backfill applications.

Asphalt related topics are discussed in three papers. Cracking in epoxy asphalt concrete (EAC) used for steel bridge wearing course has always been a major cause of structural and functional deterioration of this material, particularly in cold climate. Qian *et al.* developed a three-dimensional (3-D) fracture model using a randomly generating algorithm to investigate the fracture behavior of EAC. Intelligent compaction of asphalt concrete has been gaining considerable momentum within the last decade. In the paper by Singh *et al.*, a procedure for estimation of effective modulus of a multilayered HMA pavement using Intelligent Compaction (IC) was investigated. Finally, in characterization of asphalt concrete behavior, assumptions are often made regarding the magnitude of material's Poisson's ratio disregarding the impact of loading time on this important property. Zak *et al.* used small amplitude sine load tests as well as relaxation tests to demonstrate how the Poisson's ratio changes as a function of time.

Concrete and cement are discussed in four papers. Highly flowable, strain-hardening fiber-reinforced concrete has good workability in the fresh state and high-performance in the hardened state. Through mechanical testing, Liao and Chao demonstrated

that this type of concrete also presents a lower crack potential and excellent crack width control. Investigating fracture in roller compacted concrete (RCC) is the subject of investigation by Cui *et al.* The authors researched two groups of RCC specimens and determined double-K fracture parameters. It was indicated that the unstable fracture toughness increases and initial fracture toughness decreases when the crack depth ratio is increased. Yao *et al.* studied the mix proportion and mechanical properties of polyethylene terephthalate (PET) concrete using an orthogonal test. Influence of various factors was considered, and it was found that the ratio of PET/mineral aggregate had the largest impact on compressive strength. Finally, Ge *et al.* studied the behavior of concrete columns reinforced with high strength hot rolled bars of fine grains, and concluded satisfactory performance of such columns.

There are three papers regarding bearing capacity and soil characterization. Caisson is often used as the foundation of important structures, and its sinking process affects its performance. Zhao *et al.* carried numerical simulation as well as laboratory experiments to study the macro- and meso-scale mechanical behaviors of the caisson during sinking, providing tools for better understanding of the earth pressure on caissons. The challenge of determining the soil bearing capacity under a constructed building is tackled by Xu *et al.* using the Rayleigh wave method. Rayleigh wave velocity measurements and static load capacity were measured for several different kinds of soil, resulting in a fitting formula between shear wave velocity and soil bearing capacity under specific soil conditions. Finally, Wang *et al.* take advantage of several technologies including scanning electron microscope, energy dispersive spectrometer, digital image processing, and triaxial testing to characterize microstructure and unsaturated properties of special types of clay.

Construction challenges are topics of discussion in three papers. The challenge with construction of two bored tunnels passing underneath an existing high speed rail is presented by Ni and Cheng. The authors discuss the challenges associated with long distance horizontal wash boring through diaphragm walls, scattered with steel H-beams and accompanying grouting strategy. The experimental work undertaken by Busch *et al.* indicates the ground response of clay soils in confined conditions subjected to explosive airblast loading. Results of the study included surface crater geometry measurements, ground vibration data and air overpressure data. The experiment results provided a data set that could be used to predict the effects of airblast loads on clay soils. Finally, the structural performance of steel U-shaped girder during launching construction is the subject of investigation by Wang *et al.* The geometric configuration of the steel U-shaped girder was analyzed and a method was proposed to determine the girder behavior based on a comprehensive finite element analysis of local stress characteristics as well as experimental investigation.

Seismic response of materials is discussed in three papers. Vibration response of multilayered pavement system is studied by Yao *et al.* through a laboratory experimental exercise. The authors indicate how the use of geotextile interlayers reduced vibration displacement in the system. The interlayer has the effects of damping vibration and resisting water erosion of the pavement base. Dai *et al.* demonstrate the steps that one can take in conducting surface wave surveys for both small and large medium applications, and provide two specific examples at both ends of the size spectrum. The last paper of this group regards correlating the laboratory produced engineering properties of materials to the in-situ values, as it has always been a difficult task. Martins and Gomes present their approach in establishing a relationship between field and laboratory moduli based on spectral analysis of surface waves for clayey sand.

Three papers present some of the issues and concerns regarding pavements and transportation. A major factor in highway safety is the friction between the road surface and the trafficking tires. Chen exhibits a systematic framework to predict skid resistance of wet pavement with non-contact method in real time. Yang *et al.* discuss an emerging method, radio frequency identification (RFID) technology, for locating manholes beneath the pavements. Through the program developed by the authors, the time and costs of manhole identification can be significantly decreased. Finally, the effectiveness of emergency medical services (EMS) depends on the existing infrastructure and allocation of medical resources. Chen *et al.* assessed the effect of service area of EMS after a disaster on the transportation infrastructure, and proposed an approach for conducting such an assessment.

Dr. Mansour Solaimanian
Penn State University

Dr. Jia-Ruey Chang
National Ilan University

Dr. Louis Ge
National Taiwan University

Dr. Dar Hao Chen
TX Department of Transportation

Guest Editors



ASTM INTERNATIONAL

EDITOR-IN-CHIEF

Dr. M. R. Mitchell
Mechanics & Materials, LLC
4447 Acrete Lane
Flagstaff, AZ 86004, USA

EDITORIAL OBJECTIVES

The *Journal of Testing and Evaluation* is published in six issues per year by ASTM International, a nonprofit technical organization that develops and publishes voluntary consensus standards and related information for materials, products, systems, and services.

Some issues, in whole or in part, may be Special Issues focused on a topic of interest to our readers.

Contributions are peer reviewed prior to publication.

EDITORIAL SERVICES—SUBMISSIONS

Heather Blasco

Supervisor, Peer Review Services
Journal of Testing and Evaluation Editorial Offices
J&J Editorial Services 320 North Salem Street Apex, NC 27502, USA
Tel: (919) 267-6831
E-mail: astm@jjeditorial.com

PURPOSE AND SCOPE

The editorial objectives of the *Journal of Testing and Evaluation* is to serve a broad-based audience by:

- Publishing new technical information derived from the field and laboratory testing, performance, quantitative characterization, and evaluation of these materials, products, systems, and services.
- Presenting new methods and data and critical evaluations of these methods and data.
- Reporting the users' experience with test methods and the results of interlaboratory testing and analysis.
- Providing the scientific basis for both new and improved ASTM International standards.
- Stimulating new ideas in the fields of testing and evaluation.
- Including papers, technical notes, letters to the editor, discussions of previously published papers, and book reviews as contributions.

POSTMASTER: Send address change to ASTM International—JTE, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.

Printed in the U.S.A.

EDITORIAL BOARD

Dr. Aziz Amoozegar
North Carolina State University
Raleigh, NC, USA

Dr. Patricia Annis
University of Georgia
Athens, GA, USA

Dr. Nemkumar Banthia
University of British Columbia
Vancouver, BC, Canada

Dr. Neal S. Berke
Tourney Consulting Group, Ltd.
Kalamazoo, MI, USA

Dr. Krishna Prapoorna Biligiri
Indian Institute of Technology
Kharagpur, West Bengal, India

Dr. Nick Birbilis
Monash University
Clayton, Australia

Dr. Laura Bix
Michigan State University
East Lansing, MI, USA

Dr. Andrew F. Braham
University of Arkansas
Fayetteville, AR, USA

Dr. Andreas Brunner
Empa, Swiss Federal Labs
Switzerland

Prof. Andrea Carpinteri
University of Parma
Parma, Italy

Dr. Wen-Ruey Chang
Liberty Mutual Research Institute for Safety
Hopkinton, MA, USA

Dr. Dar-Hao Chen
Texas Dept. Of Transportation
Austin, TX, USA

Dr. Haiqiang Chen
Xiamen University
Fujian, China

Ms. Geraldine S. Cheok
NIST
Gaithersburg, MD, USA

Dr. Richard A. Coffman
University of Arkansas
Fayetteville, AR, USA

Dr. Tong Cui
Qualcomm Packaging
San Diego, CA, USA

John S. Dick
Alpha Technologies
Akron, OH, USA

Prof. Ying Fang
Xiamen University
Xiamen, China

Dr. Yu-Ning Louis Ge
National Taiwan University
Taipei, Taiwan

Dr. T. Russell Gentry
Georgia Institute of Technology
Atlanta, GA, USA

Dr. Markus Heinimann
Alcoa Technical Center
Alcoa Center, PA, USA

Mr. Hui-Min Huang
NIST
Gaithersburg, MD, USA

Dr. Shin-Che Huang
Western Research Institute
Laramie, WY, USA

Dr. Jiancheng Jiang
University of North Carolina, Charlotte
Charlotte, NC, USA

Dr. Tao Jiang
University of Connecticut Health Center
Farmington, CT, USA

Dr. Thomas Jones
Alcoa Howmet Corp.
Whitehall, MI, USA

Dr. Sreeramesh Kalluri
Ohio Aerospace Institute
Brook Park, OH, USA

Dr. Sivakumar Kandasami
L&T Construction
Chennai, India

Dr. Vistasp M. Karbhari
University of Texas at Arlington
Arlington, TX, USA

Dr. Edward J. Kikta, Jr.
FMC Corporation
Ewing, NJ, USA

Dr. Yong-Rak Kim
University of Nebraska-Lincoln
Lincoln, NE, USA

Dr. Govindaraju Kondaswamy
Massey University
Palmerston, North New Zealand

Dr. Chaker Larabi
University of Poitiers
Poitiers, France

Dr. Robert J. Leichti
Simpson Strong-Tie Company Inc.
Pleasanton, CA, USA

Dr. Gang Li
Xi'an Jiaotong University
Shaanxi Province, China

Dr. William Luecke
National Institute of Standards and Technology
Gaithersburg, MD, USA

Mr. Thomas F. O'Connor
Milan, MI, USA

Dr. Khim Chye Gary Ong
National University of Singapore
Singapore

Dr. William T. Riddell
Rowan University
Haddonfield, NJ, USA

Mr. John Riegel, III
R3 Technology, Inc.
Springfield, VA, USA

Dr. Roberto Sabatini
RMIT University
Melbourne, VIC, Australia

Dr. Rajarshi Saha
Georgia Institute of Technology
Atlanta, GA, USA

Dr. Christopher G. Scott
Lubrizol Corporation
Wickliffe, OH, USA

Dr. Steven J. Shaffer
Bruker Nano Surfaces Division
Campbell, CA, USA

Dr. Ranganath K. Shastri
Plastics Solutions
Midland, MI, USA

Dr. Sabrina Vantadori
University of Parma
Parma, Italy

Dr. Punith Veeralinga Shivaprasad
Clemson University
Clemson, SC, USA

Dr. Cy (Chor-yiu) Sin
National Tsing Hua University
Hsinchu, Taiwan, R.O.C.

Dr. Stein Sture
University of Colorado
Boulder, CO, USA

Dr. Hao Wang
Rutgers, The State University of New Jersey
Piscataway, NJ, USA

Dr. Xuexin Wang
Xiamen University
Xiamen, China

Dr. Shaopeng Wu
Wuhan University of Technology
Wuhan, China

Dr. Feipeng Xiao
Clemson University
Clemson, SC, USA

Dr. Ming Xiao
The Pennsylvania State University
University Park, PA, USA

Dr. Xiong (Bill) Yu
Case Western Reserve University
Cleveland, OH, USA

Prof. Menglan Zeng
Hunan University
Changsha, Hunan, China

Dr. Xibin (Bill) Zhang
Monash University, Caulfield East
Victoria, Australia

-
- 326 Crack Opening Evaluation and Sustainability Potential of Highly Flowable Strain-Hardening, Fiber-Reinforced Concrete (HF-SHFR)**
Wen-Cheng Liao and Shih-Ho Chao
-
- 336 Experimental Study of the Effect of RCC Specimen Size and Crack Depth Ratio on Double-K Fracture Parameters**
Xinzhuan Cui, Jiong Zhang, Fei Hou, Zhijun Gao, Zengtang Wang, and Wei Sui
-
- 344 Mix Proportion Design and Mechanical Properties of Recycled PET Concrete**
Zhangyong Yao, Xiaomeng Zhang, Zhi Ge, Zhuang Jin, Jie Han, and Xianghong Pan
-
- 353 Experimental Study on the Seismic Behaviors of HRBF400 RC Columns**
Wenjie Ge, Jiwen Zhang, Dafu Cao, Biyuan Wang, and Linglong Pan
-
- 363 Macro- and Meso-scale Mechanical Behavior of Caissons During Sinking**
Xueliang Zhao, Jian Xu, Baogang Mu, and Bing Li
-
- 376 Bearing Capacity Estimation of Soil Under a Constructed Building by Rayleigh Wave Method**
Changjie Xu, Qizhi Chen, and Qingsong Feng
-
- 385 Microstructure and Unsaturated Geotechnical Properties of Net-like Red Soils in Xuancheng, China**
Mingwu Wang, Peng Xu, Jian Li, and Shuai Qin
-
- 398 Field Response of High Speed Rail Box Tunnel During Horizontal Grouting**
James C. Ni and Wen-Chieh Cheng
-
- 414 Experimental Evaluation of Cratering and Ground Vibration in Clay Soils Subjected to Explosive Airblast Loading**
Courtney L. Busch, Catherine T. Aimone-Martin, and Rafiqul A. Tarefder
-
- 425 Evaluation of Long Multi-Span Steel U-Shaped Girder During Incremental Launching Construction**
J. F. Wang, J. P. Lin, and X. L. Fan
-
- 434 Effect of Different Interlayers of Cement Concrete Pavements on Vibration and Anti-Erosion of Bases**
Jialiang Yao, Congshi Wu, Xianglong Liu, and Keke Feng
-
- 443 Application of the Surface Wave Survey Method on Multi-Scale Engineering Problems: Laboratory and Field Testing Case Studies**
Kaoshan Dai, Xuehang Song, Xiaofeng Li, Zhenhua Huang, and Yongdong Pan
-
- 452 Comparison Between Laboratory and Field Stiffness by Wave Measurements**
João Martins and A. Gomes Correia
-
- 465 From Texture to Skid Resistance: A Multi-Scale Modeling Approach**
Xianhua Chen
-
- 472 Identification of Manholes Beneath Pavements Using RFID and AR Technologies**
Shu-Rong Yang, Jia-Ruey Chang, Heng-Min Lin, and Kun-Hu Lin
-
- 479 Ambulance Service Area Considering Disaster-Induced Disturbance on the Transportation Infrastructure**
Albert Y. Chen, Ting-Yi Yu, Tsung-Yu Lu, Wen-Ling Chuang, Jihn-Sung Lai, Chin-Hsun Yeh, Yen-Jen Oyang, Mathew Heui-Ming Ma, and Wei-Zen Sun
-

Journal of Testing and Evaluation is online.

TAKE ADVANTAGE OF THESE BENEFITS:

Search Papers and Authors
View Abstracts
View Table of Contents
Download Individual Papers
IP access is available

For information, visit: www.astm.org