# Journal of Testing and Evaluation Table of Contents Volume 23, 1995

#### No. 1, January

Fracture Toughness by Small Punch Testing—JUDE R. FOULDS, PETER J. WOYTOWITZ, T. KIM PARNELL, AND	
CHARLES W. JEWETT	3
Dynamic Fracture Toughness (DFT) of Banded HSLA Steels—P. SHANMUGAM, BISWANATH JANA, AND	
S. D. PATHAK	11
A Method for Generating Fatigue Marker Bands Using a Constant $K_{max}$ Test Procedure—CHRISTOPHER RAGAZZO,	
RICHARD W. HERTZBERG, AND ROBERT JACCARD	19
Indentation Characterization of Silicon Nitride-wolfgang Bolse and Stathis D. PETEVES	27
Metal Surface Preparation by Plasma-Polymerized Films-W. J. VAN OOIJ, A. SABATA, D. B. ZEIK, C. E. TAYLOR,	
F. J. BOERIO, AND S. J. CLARSON	33
A Universal Panel Tester—THOMAS T. C. HSU, ABDELDJELIL BELARBI, AND XIAOBO PANG	41
Assessment of the Corrosion Behavior of SS 304L in Nitric Acid Environments-An Alternative	
Approach—vivekanand kain, R. C. PRASAD, P. K, DE, AND H. S. GADIYAR	50
Effects of Finishing Treatments on Fabric Friction-JOSEPH O. AJAYI AND H. M. ELDER	55
Technical Note: Two Parameters Characterizing Superficial Mechanical Features—JIABAO LI, XIUYING GAI,	
ZENGQIAO KANG, AND ZHONGGUANG WANG	59
Technical Note: On the Nonuniform Distributions of Temperature and Thermal Stress in DTA Testing-	
Y. T. ZHU, J. H. DEVLETIAN, S. J. CHEN, AND A. MANTHIRAM	63

### No. 2, March

Development of a Novel Specimen Geometry for Fatigue Testing of Fine WirePAUL A. SCHMIDT, ROSS R. BLAIR, AND	
JAMES C. EARTHMAN	73
Deformation and Fatigue Behavior of Vanadium-Based Microalloyed Forging Steel in the As-Forged and	
Q&T Conditions—L. YANG AND A. FATEMI	80
Dynamic Strain Aging in a New Single Crystal Nickel-Based Superalloy (CMSX-4)—ABHIJIT SENGUPTA AND	
SUSIL K. PUTATUNDA	87
Elastic Compliance of Four-Point Bend Specimens Comprising Two Linear-Elastic Materials Bonded with a Thin	
Layer-J. M. MCNANEY, R. M. CANNON, AND R. O. RITCHIE	95
A Full Field DC Potential Drop Calibration for an Asymmetrically Cracked M(T) Specimen	
PETER C. MCKEIGHAN, WU-XUE ZHU, AND DAVID J. SMITH	102
A Quantitative X-Ray Diffraction Technique for Analyzing Sedimentary Rocks and Soils—A. D. BURNETT	111
TOFSIMS Studies of Cleaning Procedures and Silane Surface Treatments of Steels—A. SABATA, B. A. KNUEPPEL, AND	
W. J. VAN OOIJ	119
A Study of the Fatigue Softening and Hardening of Steel by the Magnetoelastic Effect Method-MU XIANGRONG,	
MA XINGQIAO, AND ZHUANG YOUQING	126
Monitoring of Cement Stabilized Surrogate Waste Using Resonant Frequency Techniques—SCOTT A. MIRIZZI,	
T. MICHAEL BASEHEART, LINDA A. RIESER, AND THOMAS E. KRAMER	130
Comparison of Optically and Mechanically Measured Deformations in a Finger-Jointed Wood Tension	
Specimen—PATRICK J. PELLICANE, RICHARD M. GUTKOWSKI, AND CONRAD JAUSLIN	136
A Vibration-Based Method for Determining St. Venant Torsional and Warping Stiffnesses of Members with Open	
Cross-Sections-DB. LI, Y. H. CHUI, AND I. SMITH	141

Coyright © 1995 by ASTM International

## 472 JOURNAL OF TESTING AND EVALUATION

## No. 3, May

A Consideration of Evaluation of Fatigue Crack Propagation Rate from Effective Stress Intensity Factor Range-	
CHOBIN MAKABE, HIDEO KANESHIRO, SHIN-ICHI NISHIDA, AND HISASHI SAKIHAMA	153
Calibration of DC Potential Technique Using an Optical Image Processing System in LCF Testing-N. MERAH, T. BUI-	
QUOC, AND M. BERNARD	1 <b>60</b>
Relationships between Specimen Size, Stress Rate, and Load-Controlled Tensile Properties of AISI 300 Series Stainless	
Steels at 4 K—HAE MOO LEE, HAHNGUE MOON, AND SU-LL PYUN	168
An Evaluation of Three Methods to Measure the Dynamic Elastic Modulus of Steel—A. WOLFENDEN AND	
W. R. SCHWANZ	176
Characterization of Base/Subbase Materials Under Repetitive Loading-DAR-HAO CHEN, M. M. ZAMAN, AND	
J. G. LAGUROS	180
Evaluation of the Hall Effect Sensor for Pavement Instrumentation—PETER E. SEBAALY, NADER TABATABAEE, AND	
BOHDAN KULAKOWSKI	189
Influence of Embedded Markers on the Response of the Host Material—SIMEON C. U. OCHI, MICHAEL L. ACCORSI, AND	
ERIC H. JORDAN	196
Relationships between Tensile Stress Relaxation Behavior and Short-Term Elastic Recovery for Linear Low-Density	
Polyethylenes—K. PORZUCEK AND J. M. LEFEBVRE	203
A New Technique for Fracture Characterization of Ceramics at Room and at High Temperature—JOSE YGNACIO PASTOR,	
JAIME PLANAS, AND MANUAL ELICES	209
Evaluation of the Corrosion of MoSi <sub>2</sub> by Molten Glass-S. K. SUNDARAM AND R. F. SPEYER	217
Optimization of Lime Content for Fly AshPUVVADI V. SIVAPULLAIAH, J. P. PRASHANTH, AND ASURI SRIDHARAN	222
Torsional Fatigue Test for Adhesive Bonded Butt Joints-V. PRAKASH, C. M. CHEN, A. ENGELHARD, AND G. POWELL	228
Technical Note: Crack Initiation Fracture Toughness of Transmission Line Hardware Steels-GHOURI S. BHUYAN	231
Technical Note: Effect of Cold-Bending and Strain-Age-Embrittlement on the Fracture Behavior of CSA G40.21 M	
350 WT Steel—GOURI S. BHUYAN	235

### No. 4, July

Analysis of the Peel Test: Prediction of Adherend Plastic Dissipation and Extraction of Fracture Energy in Metal-to-	
Metal Adhesive Joints-ABDULJALEEL K. MOIDU, ANTHONY N. SINCLAIR, AND JAN K. SPELT	241
A Reversing Direct Current Potential Drop System for Detecting and Sizing Fatigue Cracks along Weld Toes-	
R. YEE AND S. B. LAMBERT	254
Strength Testing of Brittle Materials in Tubular Form Using Elastomeric Inserts-F. R. VANDEPUT	261
A Compact Testing System for Dynamic Fracture Studies—PRABHAKAR R. MARUR, K. R. Y. SIMHA, AND P. S. NAIR	267
Ultra-High-Vacuum Chamber for Environment-Fatigue Testing—J. RUIZ AND M. ELICES	275
Effect of Cooling Rate Variables on the Solidification Time and Microstructure of Permanent Mold Magnesium-Treated	
Iron Castings—C. S. NARENDRANATH AND MALUR N. SRINIVASAN	281
Analysis of the Coherence of Published Data on Aluminum Matrix Composites—JOHAN ELIASSON AND	
ROLF SANDSTRÖM	288
A Pneumatic Pressure Bag Testing Machine for Applying a Uniform Load to Panels and Pallets-	
KURT H. MACKES, JOSEPH R. LOFERSKI, AND MARSHALL S. WHITE	295
A Modified Miniature Disk Test for Determining Material Mechanical Properties—YUANCHAO XU AND ZIQIANG ZHAO	300
Characterizing Shock Absorbers for Ground Vehicle Simulation—ANDREW E. WHELAN	307
Effect of Carbide and Oxide Coating Thickness on Cutting Tool Wear in the Turning Process—JEONG-DU KIM	311
Technical Note: Microcracks: The Hazard Function and Reliability Inspection-LARRY LAWSON AND E. Y. CHEN	315
Technical Note: Stiffening Effects of Photoelastic Coatings on Orthotropic Plates-BLAINE W. TEW,	
DONALD M. BLACKKETTER, AND RYAN K. LEMMON	319

## No. 5, September

325
333
341
347
354
364
370
377
384
388

### No. 6, November

An Analysis of Hot Mix Asphalt Mat Density Measurements—FRAZIER PARKER AND SHABBIR HOSSAIN A Servo-Control System for the Universal Panel Tester—THOMAS T. C. HSU, LI-XIN ZHANG, AND TITO GOMEZ	415 424
A Servo-Control System for the Universal Panel Tester—THOMAS T. C. HSU, LI-XIN ZHANG, AND TITO GOMEZ	424
	101
Differential Thermal Analysis of Solid ZirconiumY. T. ZHU, Y. P. GAO, J. H. DEVLETIAN, AND A. MANTHIRAM	431
Specimen Size Effects on the Diametrical Mechanical Testing of Cylindrical Asphalt Mixes-CHONG-TEIK LIM,	
SIEW-ANN TAN, AND TIEN-FANG FWA	436
Water Leak Testing of Polyurethane Female Condoms—LESLEY M. NEUNABER, WILLIAM S. BOIVIN,	
ZAHID H. KHATRI, AND BRUCE A. HERMAN	442
Creep, Shrinkage, and Mortars in Historic Preservation—LAUREN B. SICKELS TAVES	447
Fatigue Strength of Adhesive Bonded Aluminum Joints-A. LINIECKI, T. R. HSU, AND W. LI	453

#### UNITED STATES POSTAL SERVICE

# Statement of Ownership, Management, and Circulation

PUS I/AL SERVICE TM	(	(Required by 39 U.S.C. 3685)
1. Publication Title	2. Publication No.	3. Filing Date
Journal of Testing and Evaluation	0 0 9 0 - 3 9 7 3	9-26-95
4. Issue Frequency	5. No. of Issues Published	6. Annual Subscription Price
Bi-monthly	6	\$109.00
7. Complete Mailing Address of Known Office of Publication (Street, City, Coun	ty, State, and ZIP+4) (Not Printer)	<u> </u>
100 Barr Harbor Drive, West Conshohock	cen, PA 19428-2959	
8. Complete Mailing Address of Headquarters or General Business Office of Pu	blisher (Not Printer)	
100 Barr Harbor Drive, West Conshohock	cen, PA 19428-2959	
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Manag	ing Editor (Do Not Leave Blank)	
Publisher (Name and Complete Mailing Address) American Society for Testing and Mat West Conshohocken, PA 19428-2959	cerials, 100 Barr Harb	or Drive
Editor (Name and Complete Mailing Address)		
Donald R. Petersen, Greenleaf Assoc	iates, P.O. Box 1785,	
Midland, MI 48641-1785		
Managing Editor (Name and Complete Mailing Address)		
Susan Gebremedhin, ASTM, 100 Barr Ha	arbor Drive,	
West Conshohocken, PA 19428-2959		
10. Owner (If owned by a corporation, its name and address must be stated and or holding 1 percent or more of the total amount of stock. If not owned by a owned by a partnership or other unincorporated firm, its name and address by a nonprofit organization, its name and address must be stated.) (Do Not	d also immediately thereafter the names and corporation, the names and addresses of the as well as that of each individual must be giv Leave Blank.)	addresses of stockholders owning individual owners must be given. If ven. If the publication is published
Full Name	Complete Mailing	g Address
American Society for	100 Barr Harbor Driv	e
Testing and Materials	West Conshohocken, P.	A 19428-2959
		an also and a second
11. Known Bondholders, Mortgagees, and Other Security Holders Owning or He Securities, If none, check here.	olding 1 Percent or More of Total Amount of	Bonds, Mortgages, or Other
Full Name	Complete Mailing	g Address
<u> </u>		
12. For completion by nonprofit organizations authorized to mail at special rates	The purpose, function, and nonprofit status	of this organization and the exempt
status for federal income tax purposes: (Check one)	nged During Preceding 12 Months	
L Has Changed		
(If changed, p	During Preceding 12 Months publisher must submit explanation of change	with this statement)

13. Publication Name	14. Issue Date for Circulation Data Below		
Iournal of Posting and Evaluation	Contombor 1005		
15. Extent and Nature of Circulation	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date	
a. Total No. Copies (Net Press Run)	1,233	1,200	
<ul> <li>b. Paid and/or Requested Circulation         <ol> <li>(1) Sales Through Dealers and Carriers, Street Vendors, and Counter Sales (Not Mailed)</li> </ol> </li> </ul>	0	0	
(2) Paid or Requested Mail Subscriptions (Include Advertisers' Proof Copies/Exchange Copies)	864	976	
c. Total Paid and/or Requested Circulation (Sum of 15b(1) and 15b(2))	864	976	
d. Free Distribution by Mail (Samples, Complimentary, and Other Free)	16	16	
e. Free Distribution Outside the Mail (Carriers or Other Means)	0	0	
f. Total Free Distribution (Sum of 15d and 15e)	16	16	
g. Total Distribution (Sum of 15c and 15f)	880	992	
h. Copies Not Distributed (1) Office Use, Leftovers, Spoiled	353	208	
(2) Return from News Agents	0	0	
i. Total (Sum of 15g, 15h(1), and 15h(2))	1,233	1,200	
Percent Paid and/or Requested Circulation (15c / 15g x 100)	98.11%	98.39%	
16. This Statement of Ownership will be printed in the <u>11/95</u> is	sue of this publication.	if not required to publish.	
17. Signature and Title of Editor, Publisher, Business Manager, or Owner Autor X. Murryn Vice President, Publications & Market	ing	Date 9-26-95	

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who amits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including multiple damages and civil penalties).

#### **Instructions to Publishers**

- 1. Complete and file one copy of this form with your postmaster on or before October 1, annually. Keep a copy of the completed form for your records.
- Include in items 10 and 11, in cases where the stockholder or security holder is a trustee, the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check box. Use blank sheets if more space is required.
- 3. Be sure to furnish all information called for in item 15, regarding circulation. Free circulation must be shown in items 15d, e, and f.
- 4. If the publication had second-class authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or the first printed issue after October, if the publication is not published during October.
- 5. In item 16, indicate date of the issue in which this Statement of Ownership will be printed.
- 6. Item 17 must be signed.

Failure to file or publish a statement of ownership may lead to suspension of second-class authorization.

# Information for Contributors

The Journal of Testing and Evaluation (JOTE) is issued bimonthly by ASTM. Each published paper and technical note is peer-reviewed. The guidelines below offer suggestions to authors and describe our manuscript selection, peer review, revision, and publication processes. Authors who adhere to these suggestions will ensure expeditious handling of submitted material.

#### **Preparation of the Manuscript\***

The submitted manuscript should be typewritten or printed, in English, on one side of a sheet only, double-spaced, with wide margins (at least 1 in. (2.5 cm)) on all sides. Pages must be consecutively numbered in single sequence—text, tables, and figures.

Five copies of the original manuscript are needed, each including clear copies of any figures.

The text should include an informative abstract of 100-150 words and a list of 5-10 keywords that can be used to index the contents of the manuscript.

ASTM policy requires the use of SI units in all publications (and in their included tables and figures). If English units must be used to present test results or to describe materials, equivalent SI units should follow in parentheses. Refer to ASTM E 380, Standard Practice for Use of the International System of Units (SI) (The Modernized Metric System) for further information and examples.

Commercialism may be avoided by the use of generic terms where possible. Trademarks and trade names should be properly identified as such, if they are used.

References should be cited in the text is numeric order. Type the numerical citation on the line, not as a superscript, and enclose in square brackets. The references should be listed together at the end of the text, in consecutive order, with enough information to allow a reader to find the cited item. See a recently published article in the *Journal* for the conventions used for papers, reports, books, and computer programs.

All tables should be placed together following the text and references. Tables should be identified with Arabic (not Roman) numbers, and cited in numerical order in the text. It is better to use several simple tables than one large, complex table.

All figures (graphs, illustrations, photographs) should be placed together following text and tables. A separate sheet of figure captions should precede the figures. Figures should be identified with consecutive Arabic (not Roman) numbers. Type size must be large enough to be legible after reduction. All lettering, lines, and symbols must be drawn with opaque black ink on white paper. The axes of each graph must be properly labeled, with specific units. Computer-produced graphs or illustrations must be made using a laser printer (not an impact printer). Photographs must be high-contrast black-and-white. All micrographs, and all figures that are representations of equipment or specimens, must include scale marks.

The name, mailing address, position, affiliation, and telephone (fax, e-mail) of each author must be supplied in a cover letter. The submitting author is asked to provide names, mailing addresses, affiliations, and telephone numbers of five potential reviewers who are not employed at the same institution as any of the authors. The submitting author

\*For complete instructions for the preparation of manuscripts and a sample manuscript contact Barbara Stafford, Administrative Assistant, ASTM Journals, 610-832-9621 or FAX 610-832-9623.

must state that the contents of the manuscript have not been published previously and that the manuscript is not under consideration for publication elsewhere. The submitting author should affirm that all those given as co-authors have agreed to be so listed.

#### **Technical Review**

Each submitted manuscript that, in the opinion of the Technical Editor, fits the scope of the *Journal*, is technically sound, and will be of interest to the readership is processed for peer review. Three reviewers evaluate each paper, two each technical note. The reviewers consider technical merit, originality, soundness of data, reproducibility of results, logical conclusions, and clarity of presentation.

The reviewers' comments are considered by the Technical Editor. Manuscripts that receive two or more unfavorable recommendations are rejected for publication in the *Journal*, and the authors are so advised. Manuscripts which the reviewers find acceptable pending amendment are returned to the authors for change, along with the (anonymous) comments of the reviewers. The authors subsequently may submit a revised manuscript.

Five copies of the revised manuscript are needed-one master with original figures; two copies highlighted to show where revisions have been made, and indicating which reviewer's comment has been addressed; and two plain copies. An "Authors' Response Form," provided by the editorial office, should be completed, showing where revisions were made, including any explanation concerning a suggested change not being made.

A "Paper submittal Form," also provided by the editorial office, should be completed by the authors as well, assigning copyright to ASTM. The exception to this is for authors who are employees of the U.S. government.

Should a copy of the revised manuscript be available in computerproduced form, such as from a word-processing program like WordPerfect<sup>®</sup> 5.1, it may be included at this time with the paper copies mentioned above. Either 3.5 in. (89 mm) or 5.25 in. (133 mm) disks are acceptable. This expedites the handling of the article in the editorial office.

The Technical Editor may either accept the revised manuscript for publication, accept it pending further revision, or reject it. A revised manuscript may be sent for re-evaluation to a reviewer who had found major flaws in the first submission.

Each manuscript accepted by the Technical Editor for publication is further scanned by the editorial staff for proper ASTM conventions and for appropriate English style and usage. The final version, including any editorial changes, is sent to the author before it is typeset.

Following author approval, the article is set into print and the page proof is delivered to the author for approval. Should the editorial office not hear from the author in the designated response time, approval is assumed and publication proceeds.

#### **Other Published Items**

Some items appear in the *Journal* without peer review. Thus, brief comments on a previously published article, the authors' response to these comments, and critical reviews of books or computer programs require the approval only of the Editor-in-Chief.

Dr. Donald R. Petersen Editor-in-Chief