

Journal of Testing and Evaluation

Author Index

Volume 23, 1995

Number	Month of Issue	Pages
1	January	1-72
2	March	73-152
3	May	153-240
4	July	241-324
5	September	325-404
6	November	405-000

A-B

Acorsi, ML: *see* Ochi, SCU, Accorsi, ML, and Jordan, EH

Ajayi, JO and Elder, HM: Effects of finishing treatments on fabric friction, Jan., 55

Baseheart, TM: *see* Mirizzi, SA, Baseheart, TM, Reiser, LA, and Kramer, TE

Belarbi, A: *see* Hsu, TTC, Belarbi, A, and Pang, X

Bernard, M: *see* Merah, N, Bui-Quoc, T, and Bernard, M

Bhuyan, GS:

Crack initiation fracture toughness of transmission line hardware steels, May, 231

Effect of cold-bending and strain-age-embrittlement on the fracture behavior of CSA G40.21 M 350 WT steel, May, 235

Blacketter, DM: *see* Tew, BW, Blacketter, DM, and Lemmon, RK

Blair, RR: *see* Schmidt, PA, Blair, RR, and Earthman, JC

Boivin, WS: *see* Neunaber, LM, Boivin, WS, Khatri, ZH, and Herman, BA

Bolese, W and Peteves, SD: Indentation characterization of silicon nitride, Jan., 27

Bui-Quoc, T: *see* Merah, N, Bui-Quoc, T, and Bernard, M

Burnett, AD: Quantitative X-ray diffraction technique for analyzing sedimentary rocks and soils, March, 111

C

Cerra, AP: Development of a new accelerated adhesion test for silicone sealants, Sept., 370

Chen, CM: *see* Prakash, V, Chen, CM, Engelhard, CA, and Powell, G

Chen, D-H, Zaman, MM, and Laguros, JG: Characterization of base/subbase materials under repetitive loading, May, 180

Chen, EY: *see* Lawson, L and Chen, EY

Chen, SJ: *see* Zhu, YT, Devletian, JH, Chen, SJ, and Manthiram, A

Chui, YH: *see* Li, D-B, Chui, YH, and Smith, I

D

De, PK: *see* Kain, V, Prasad, RC, De, PK, and Gadiyar, HS

Devletian, JH:

see Zhu, YT, Devletian, JH, Chen, SJ, and Manthiram, A

see Zhu, YT, Gao, YP, Devletian, JH, and Manthiram, A

E

Earthman, JC: *see* Schmidt, PA, Blair, RR, and Earthman, JC

Elder, HM: *see* Ajayi, JO and Elder, HM

Eliasson, J and Sandström, R: Analysis of the coherence of published data on aluminum matrix composites, July, 288

Elices, M:

see Pastor, JY, Planas, J, and Elices, M
see Ruiz, J and Elices, M

Engelhard, A: *see* Prakash, V, Chen, CM, Engelhard, CA, and Powell, G

F

Fatemi, A: *see* Yang, L and Fatemi, A

Foulds, JR, Woytowicz, JP, Parnell, TK, and Jewett, CW: Fracture toughness by small punch testing, Jan., 3

Fowell, AJ: Review of *Design Against Fire: An Introduction to Fire Safety Engineering Design* by Stollard and Johnston, July, 322

Fwa, T-F: *see* Lim, C-T, Tan, S-A, and Fwa, T-F

G

Gadiyar, HS: *see* Kain, V, Prasad, RC, De, PK, and Gadiyar, HS

Gai, X: *see* Li, J, Gai, X, Kang, Z, and Wang, Z

Gao, YP: *see* Zhu, YT, Gao, YP, Devletian, JH, and Manthiram, A

Goldthorpe, MR: *see* Yates, JR, Ho, KF, and Goldthorpe, MR

Gomez, T: *see* Hsu, TTC, Zang, L-X, and Gomez, T

Gutkowski, MR: *see* Pellicane, PJ, Gutkowski, MR, and Jauslin, C

H

Heberling, TG: *see* Wehrstedt, A and Heberling, TG

Herman, BA: *see* Neunaber, LM, Boivin, WS, Khatri, ZH, and Herman, BA

Hertzberg, RW: *see* Ragazzo, C, Hertzberg, RW, and Jaccard, R

Ho, KF: *see* Yates, JR, Ho, KF, and Goldthorpe, MR

Hossain, MS: *see* Parker, F and Hossain, MS

Hsu, TR: *see* Liniecki, A, Hsu, TR, and Li, W

Hsu, TTC,
Belarbi, A, and Pang, X: Universal panel tester, Jan., 41
Zang, L-X, and Gomez, T: Servo-control system for the universal panel tester, Nov., 424

J

Jaccard, R: *see* Ragazzo, C, Hertzberg, RW, and Jaccard, R

Jana, B: *see* Shanmugam, P, Jana, B, and Pathak, SD

Jauslin, C: *see* Pellicane, PJ, Gutkowski, MR, and Jauslin, C

Jewett, CW: *see* Foulds, JR, Woytowicz, JP, Parnell, TK, and Jewett, CW

Jordan, EH: *see* Ochi, SCU, Accorsi, ML, and Jordan, EH

K

Kain, V, Prasad, RC, De, PK, and Gad-iyar, HS: Assessment of the corrosion behavior of SS 304L in nitric acid environments—an alternative approach, Jan., 50

Kaneshiro, H: *see* Makabe, C, Kaneshiro, H, Nishida, S, and Sakihama, H

Kang, Z: *see* Li, J, Gai, X, Kang, Z, and Wang, Z

Kayyal, MK: Review of *Design, Construction and Monitoring of Landfills, Second Edition*, Nov., 469

Khatri, ZH: *see* Neunaber, LM, Boivin, WS, Khatri, ZH, and Herman, BA

Kim, J-D: Effect of carbide and oxide coating thickness on cutting tool wear in the turning process, July, 311

Kliger, IR and Pellicane, PJ: Prediction of creep properties of chipboard used in stressed-skin panels, Nov., 408

Knueppel, BA: *see* Sabata, A, Knueppel, BA, and van Ooij, WJ

Kramer, TE: *see* Mirizzi, SA, Baseheart, TM, Reiser, LA, and Kramer, TE

Kulakowski, B: *see* Sebaaly, PE, Tabata-N, and Kulakowski, B

L

Laguros, JG: *see* Chen, D-H, Zaman, MM, and Laguros, JG

Laird, G, II:
Repetitive- and single-blow impact testing of wear-resistant alloys, Sept., 333
Review of *Engineering Materials Technology: Structure, Processing, Properties & Selection, Second Edition* by Jacobs and Kilduff, Sept., 397

Lawson, L and Chen, EY: Microcracks: the hazard function and reliability inspection, July, 315

Lee HM, Moon, H, and Pyun, S-L: Relationships between specimen size, stress rate, and load-controlled tensile properties of AISI 300 series stainless steels at 4 K, May, 168

Lee, Y-L, Raymond, MN, and Villaire, MA: Durability design process of a vehicle suspension component, Sept., 354

Lefebvre, M: *see* Porzucek, K and Lefebvre, M

Lemmon, RK: *see* Tew, BW, Blackketter, DM, and Lemmon, RK

Li, D-B, Chui, YH, and Smith, I: Vibration-based method for determining St. Venant torsional and warping stiffness of members with open cross-sections, March, 141

Li, J, Gai, X, Kang, Z, and Wang, Z: Two parameters characterizing superficial mechanical features, Jan., 59

Li, W: *see* Liniecki, A, Hsu, TR, and Li, W

Lim, C-T, Tan, S-A, and Fwa, T-F: Specimen size effects on the diametrical mechanics testing of cylindrical asphalt mixes, Nov., 436

Liniecki, A, Hsu, TR, and Li, W: Fatigue strength of adhesive bonded aluminum joints, Nov., 453

Loferski, JR: *see* Mackes, KH, Loferski, JR, and White, MS

M

Ma, X: *see* Mu, X, Ma, X, and Zhuang, Y

Mackes, KH, Loferski, JR, and White, MS: Pneumatic pressure bag testing machine for applying a uniform load to panels and pallets, July, 295

Makabe, C, Kaneshiro, H, Nishida, S, and Sakihama, H: Consideration of evaluation of fatigue crack propagation rate from effective stress intensity factor range, May, 153

Mandel, J: Structure and outliers in inter-laboratory studies, Sept., 364

Manthiram, A:
see Zhu, YT, Devletian, JH, Chen, SJ, and Manthiram, A
see Zhu, YT, Gao, YP, Devletian, JH, and Manthiram, A

Marpet, MI: Review of *Pavement Management for Airports, Roads, and Parking Lots* by Shahin, Sept., 393

Marur, PR, Simha, KRY, and Nair, PS: Compact testing system for dynamic fracture studies, July, 267

McKeighan, PC, Zhu, W-X, and Smith, DJ: Full field DC potential drop calibration for an asymmetrically cracked M(T) specimen, March, 102

McNaney, JM, Cannon, RM, and Ritchie, RO: Elastic compliance of four-point bend specimens comprising two linear-elastic materials bonded with a thin layer, March, 95

Merah, N, Bui-Quoc, T, and Bernard, M: Calibration of DC potential technique using an optical image processing system in LCF testing, May, 160

Mirizzi, SA, Baseheart, TM, Reiser, LA, and Kramer, TE: Monitoring of cement stabilized surrogate waste using resonant frequency techniques, March, 130

Moon, H: *see* Lee, HM, Moon, H, and Pyun, S-L

Mu, X, Ma, X, and Zhuang, Y: Study of the fatigue softening and hardening of steel by the magnetoelastic effect method, March, 126

Munro, RG:
Material specifications of advanced ceramics in corrosion studies, Sept., 384
Review of *Mullite and Mullite Ceramics* by Schneider et al., July, 322

N-O

Nair, PS: *see* Marur, PR, Simha, KRY, and Nair, PS

Narendranath, CS and Srinivasan, MN: Effect of cooling rate variables on

the solidification time and microstructure of permanent mold magnesium-treated iron castings, July, 281

Neunaber, LM, Boivin, WS, Khatri, ZH, and Herman, BA: Water leak testing of polyurethane female condoms, Nov., 442

Nishida, S: *see* Makabe, C, Kaneshiro, H, Nishida, S, and Sakihama, H

Ochi, SCU, Accorsi, ML, and Jordan, EH: Influence of embedded markers on the response of the host material, May, 196

P

Pang, X: *see* Hsu, TTC, Belarbi, A, and Pang, X

Parker, F and Hossain, MS: Analysis of hot mix asphalt mat density measurements, Nov., 415

Parnell, TK: *see* Foulds, JR, Woytowitz, JP, Parnell, TK, and Jewett, CW

Pastor, JY, Planas, J, and Elices, M: New technique for fracture characterization of ceramics at room and high temperature, May, 209

Pathak, SD: *see* Shanmugam, P, Jana, B, and Pathak, SD

Pellicane, PJ

Gutkowski, MR, and Jauslin, C: Comparison of optically and mechanically measured deformations in a finger-jointed wood tension specimen, March, 136

see Kliger, IR and Pellicane, PJ

Peteves, SD: *see* Bolse, W and Peteves, SD

Phelps, AW: Review of *Synthetic Diamond: Emerging CVD Science and Technology* by Spear and Dismukes, March, 145

Planas, J: *see* Pastor, JY, Planas, J, and Elices, M

Porzucek, K and Lefebvre, M: Relationship between tensile stress relaxation behavior and short-term elastic recovery for linear low-density polyethylenes, May, 203

Powell, G: *see* Prakash, V, Chen, CM, Engelhard, CA, and Powell, G

Prabhakara, Rao, G and Sarkar, PK: Study of the variation of neutron skyshine

dose with respect to roof thickness, source spectrum distribution, Sept., 388

Prakash, V, Chen, CM, Engelhard, CA, and Powell, G: Torsional fatigue test for adhesive bonded butt joints, May, 228

Prasad, RC: *see* Kain, V, Prasad, RC, De, PK, and Gadiyar, HS

Prashanth, JP: *see* Sivapullaiah, PC, Prashanth, JP, and Sridharan, A

Putatunda, SK

and Singh, I: Fracture toughness of unalloyed austempered ductile cast iron (ADI), Sept., 325

see Sengupta, A and Putatunda, SK

Pyun, S-L: *see* Lee, HM, Moon, H, and Pyun, S-L

R

Ragazzo, C, Hertzberg, RW, and Jacard, R: Method for generating fatigue marker bands using a constant K_{max} test procedure, Jan., 19

Raymond, MN: *see* Lee, Y-L, Raymond, NM, and Villaire, MA

Reiser, LA: *see* Mirizzi, SA, Baseheart, TM, Reiser, LA, and Kramer, TE

Ritchie, RO: *see* McNaney, JM, Cannon, RM, and Ritchie, RO

Ruiz, J and Elices, M: Ultra-high-vacuum chamber for environmental-fatigue testing, July, 275

S

Sabata, A, Knueppel, BA, and van Ooij, WJ: TOFSIMS studies of cleaning procedures and silane surface treatments of steels, March, 119

Sakihama, H: *see* Makabe, C, Kaneshiro, H, Nishida, S, and Sakihama, H

Sandström, R: *see* Eliasson, J and Sandström, R

Schmidt, PA, Blair, RR, and Earthman, JC: Development of a novel specimen geometry for fatigue testing of fine wire, March, 73

Schwanz, WR: *see* Wolfenden, A, and Schwanz, WR

Sebaaly, PE, Tabatabaee, N, and Kulakowski, B: Evaluation of the Hall effect sensor for pavement instrumentation, May, 189

Sengupta, A and Putatunda, SK: Dynamic strain aging in a new single crystal nickel-based superalloy (CMSX-4), March, 87

Shanmugam, P, Jana, B, and Pathak, SD: Dynamic fracture toughness (DFT) of banded HSLA steels, Jan., 11

Shehata, IH: Review of *Handbook of Composite Reinforcements* by Lee, May, 238

Shukla, A: *see* Vallee, GE and Shukla, A

Sickels Taves, LB:

Creep, shrinkage, and mortars in historic preservation, Nov., 447

Elastic strain, creep, and recovery in mortars: additional analysis, Sept., 377

Simha, KRY: *see* Marur, PR, Simha, KRY, and Nair, PS

Singh, I: *see* Putatunda, SK and Singh, I

Sivapullaiah, PC, Prashanth, JP, and Sridharan, A: Optimization of lime content for fly ash, May, 222

Smith, DJ: *see* McKeighan, PC, Zhu, W-X, and Smith, DJ

Smith, I: *see* Li, D-B, Chui, YH, and Smith, I

Spelt, JK: *see* Moidu, AK, Sinclair, AN, and Spelt, JK

Speyer, RF: *see* Sundaram, SK and Speyer, RF

Sridharan, A: *see* Sivapullaiah, PC, Prashanth, JP, and Sridharan, A

Srinivasan, MN: *see* Narendranath, CS and Srinivasan, MN

Sundaram, SK and Speyer, RF: Evaluation of the corrosion of MoSi_2 by molten glass, May, 217

T

Tabatabaee, N: *see* Sebaaly, PE, Tabatabaee, N, and Kulakowski, B

Tan, S-A: *see* Lim, C-T, Tan, S-A, and Fwa, T-F

Tew, BW, Blacketter, DM, and Lemon, RK: Stiffening effects of photo

tic coatings on orthotropic plates, July, 319

V

Vahradian, HM: Review of *Composite Materials: Engineering and Science* by Matthews and Rawlings, July, 323

Vallee, GE and Shukla, A: Development of a dynamic load-deflection apparatus for elastomeric materials, Sept., 347

van Ooij, WJ

Sabata, A, Zeik, DB, Taylor, CE, Boerio, FJ and Clarson, SJ: Metal surface preparation by plasma-polymerized films, Jan., 33

see Sabata, A, Knueppel, BA, and van Ooij, WJ

Vandeput, FR: Strength testing of brittle materials in tubular form using elastomeric inserts, July, 261

Villaire, MA: *see* Lee, Y-L, Raymond, NM, and Villaire, MA

Volkman, DE: Review of *Concrete: Structure, Properties, and Materials* by Mehta and Monteiro, Jan., 67

W

Wang, Z: *see* Li, J, Gai, X, Kang, Z, and Wang, Z

Wehrstedt, A and Heberling, TG: Letter to the editor, Nov., 405

Whelan, AE: Characterizing shock absorbers for ground vehicle simulation, July, 307

White, MS: *see* Mackes, KH, Loferski, JR, and White, MS

Wolfenden, A and Schwanz, WR: Evaluation of three methods to measure the dynamic elastic modulus of steel, May, 176

Woytowitz, JP: *see* Foulds, JR, Woytowitz, JP, Parnell, TK, and Jewett, CW

X-Y

Xu, Y and Zhao, Z: Modified miniature disk test for determining material mechanical properties, July, 300

Yang, L and Fatemi, A: Deformation and fatigue behavior of vanadium-based microalloyed forging steel in the as-forged and Q&T conditions, March, 80

Yates, JR, Ho, KF, and Goldthorpe, MR: Mixed mode stress intensity calibrations for an angled crack bend specimen, Sept., 341

Yee, R and Lambert, SB: Reversing direct current potential drop system for detecting and sizing fatigue cracks along weld toes, July, 254

Z

Zaman, MM: *see* Chen, D-H, Zaman, MM, and Laguros, JG

Zang, L-X: *see* Hsu, TTC, Zang, L-X, and Gomez, T

Zhao, Z: *see* Xu, Y and Zhao, Z

Zhu, W-X: *see* McKeighan, PC, Zhu, W-X, and Smith, DJ

Zhu, YT,

Devletian, JH, Chen, SJ, and Manthiram, A: On the nonuniform distributions of temperature and thermal stress in DTA testing, Jan., 63

Gao, YP, Devletian, JH, and Manthiram, A: Differential thermal analysis of solid zirconium, Nov., 431

Zhuang, Y: *see* Mu, X, Ma, X, and Zhuang, Y