

# Journal of Testing and Evaluation

## Subject Index to Volume 7

### 1979

#### A

##### Acoustic measurement

Acoustic emission monitoring of high-temperature cyclic oxidation damage in a titanium-aluminum-vanadium alloy (Baram, Itzhak, and Rosen), May, 172

Acoustic emission monitoring of weldments (Hopwood and Havens), July, 216

Cohesive bond strength prediction for adhesive joints (Flynn), May, 168

Fracture modes and acoustic emission of composite materials (Rotem and Altus), Jan., 33

Phenomenological description of the acoustic emission response in several polycrystalline materials (St. Lawrence), July, 223

##### Adhesive bonding

Cohesive bond strength prediction for adhesive joints (Flynn), May, 168

##### Adhesives

Use of the double torsion method to study crack propagation in an adhesive layer (French and Raj), May, 160

##### Aggregates

Modified procedure for measuring the maximum specific gravity of bituminous paving mixtures (Ishai, Tons, and Chritz), Jan., 41

Review of aggregate selection criteria for improved wear resistance and skid resistance of bituminous surfaces (Dahir), Sept., 245

##### Air pollution

Sampling and analysis of atmospheric sulfur dioxide with the lead dioxide plate (Huey plate) (Levadie), March, 61

##### Area

Reproducibility of the surface area of some powders as measured by the Monosorb® surface-area analyzer using the Brunauer-Emmett-Teller equation (Ace and Parsons), Nov., 334

##### Austenitic stainless steels

Isochronous relaxation curves for type 304 stainless steel after monotonic and cyclic strain (Swindeman), July, 192

#### B

##### Beams (supports)

Three-point bending at large deflections of beams with different moduli of elasticity in tension and compression (Paolinelis, Paipetis, and Theocaris), May, 177

##### Bending

Three-point bending at large deflec-

tions of beams with different moduli of elasticity in tension and compression (Paolinelis, Paipetis, and Theocaris), May, 177

##### Bend tests

Stress relaxation in bending of copper-nickel-tin alloy strip strengthened by spinodal decomposition (Fox), Sept., 286

##### Bias

High-speed sampling cutters and their effect on bias (Bluck, Hanson, and Huntington), Nov., 338

Procedures for the reduction and testing of bias (Visman), Jan., 3

##### Bitumens

Modified procedure for measuring the maximum specific gravity of bituminous paving mixtures (Ishai, Tons, and Chritz), Jan., 41

##### Bonding strength

Cohesive bond strength prediction for adhesive joints (Flynn), May, 160

##### Brittleness

Biaxial analogs of triaxial stresses (Ehrenburg), Jan., 18

New load-transmitting medium to measure strength of brittle materials (Erdei), Nov., 317

#### C

##### Cavitation

Evaluation of erosion resistance of metallic materials and the role of material properties in correlations (Syamala Rao, Veerabhadra Rao, and Lakshmana Rao), May, 133

Comments on erosion tests conducted in an ASTM interlaboratory test program (Steller, Reymann, Targan, and Hammitt), March, 103

##### Coal

High-speed sampling cutters and their effect on bias (Bluck, Hanson, and Huntington), Nov., 338

##### Components

Application of fatigue life prediction techniques to materials substitution (Sherman), March, 111

##### Composite materials

Correlative study between analysis and experiment on the fracture behavior of graphite/epoxy composites (Yeow, Morris, and Brinson), March, 117

Fracture modes and acoustic emission of composite materials (Rotem and Altus), Jan., 33

Nondestructive evaluation of hygrothermal effects on fiber-reinforced plastic laminates (Bar Cohen, Meron, and Ishai), Sept., 291

##### Compressive strength

New load-transmitting medium to measure strength of brittle materials (Erdei), Nov., 317

##### Computerized simulation

Computer simulation of the tension test: effect of testing conditions (Baptista and Fortes), Sept., 254

##### Copper alloys

Stress relaxation in bending of copper-nickel-tin alloy strip strengthened by spinodal decomposition (Fox), Sept., 286

##### Correlation

Evaluation of erosion resistance of metallic materials and the role of material properties in correlations (Syamala Rao, Veerabhadra Rao, and Lakshmana Rao), May, 133

##### Corrosion

Influence of bulk-solution-chemistry conditions on marine corrosion fatigue crack growth rate (Bogar and Crooker), May, 155

##### Cracking (fracturing)

Evaluation of the *J* integral for the compact specimen (Clarke and Landes), Sept., 264

##### Crack initiation

Constant and variable amplitude fatigue behavior of eight steels (Stephens, Benner, Mauritzson, and Tindall), March, 68

##### Crack propagation

Constant and variable amplitude behavior of eight steels (Stephens, Benner, Mauritzson, and Tindall), March, 68

Effect of measurement precision and data processing procedures on variability in fatigue crack growth rate data (Wei, Wei, and Miller), March, 90

Influence of bulk-solution-chemistry conditions on marine corrosion fatigue crack growth rate (Bogar and Crooker), May, 155

New fixture for fatigue testing (Min and Raj), Jan., 24

Optimization of the electrical potential technique for crack growth monitoring in compact test pieces using finite element analysis (Aronson and Ritchie), July, 208

Relationships between low-cycle fatigue and fatigue crack growth rate properties (Kaisand and Mowbray), Sept., 270

Simple and sensitive method of monitoring crack and load in compact fracture mechanics specimens using strain gages (Deans and Richards), May, 147

Use of the double torsion method to study crack propagation in an adhesive layer (French and Raj), May, 160

##### Curve fitting

Fitting curves to toughness data (Oldfield), Nov., 326

## D

- Data reduction  
Environmental testing under random loading (Dodds), July, 232
- Deflection  
Three-point bending at large deflections of beams with different moduli of elasticity in tension and compression (Paolinelis, Paipetis, and Theocaris), May, 177
- Detergents  
Acute fish toxicity and absorption tests of an experimental detergent builder, trisodium carboxymethyloxysuccinate (Newsome and How), Jan., 16
- Ductility  
Compliance correction for determining load-line energies for compact fracture toughness specimens (Server), Jan., 29  
Procedure for the determination of ductile fracture toughness values using  $J$  integral techniques (Clarke, Andrews, Begley, Donald, Embley, Landes, McCabe, and Underwood), Jan., 49

## E

- Elastic properties  
Procedure for the determination of ductile fracture toughness values using  $J$  integral techniques (Clarke, Andrews, Begley, Donald, Embley, Landes, McCabe, and Underwood), Jan., 49
- Elongation  
Rapid test for the assessment of steel sheet and tinplate properties (Ludwigson), Nov., 301
- Environments  
Sampling and analysis of atmospheric sulfur dioxide with the lead dioxide plate (Huey plate) (Levadie), March, 61
- Erosion  
Evaluation of erosion resistance of metallic materials and the role of material properties in correlations (Syamala Rao, Veerabhadra Rao, and Lakshmana Rao), May, 133
- Exchange program  
United States and Union of Soviet Socialist Republics cooperative exchange program on fatigue (Jerina and Coffin), Nov., 328-1
- Extensometers  
Tower extensometer (Findley and Lepper), May, 129

## F

- Failure  
Evaluation of the  $J$  integral for the compact specimen (Clarke and Landes), Sept., 264
- Fatigue (materials)  
Application of fatigue life prediction techniques to materials substitution (Sherman), March, 111  
Constant and variable amplitude fatigue behavior of eight steels (Stephens, Benner, Mauritzson, and Tindall), March, 68  
Effect of measurement precision and data processing procedures on variability in

- fatigue crack growth rate data (Wei, Wei, and Miller), March, 90  
Influence of bulk-solution-chemistry conditions on marine corrosion fatigue crack growth rate (Bogar and Crooker), May, 155  
Optimization of the electrical potential technique for crack growth monitoring in compact test pieces using finite element analysis (Aronson and Ritchie), July, 208  
Relationships between low-cycle fatigue and fatigue crack growth rate properties (Kaisand and Mowbray), Sept., 270  
Strain criteria for fatigue fracture of metals at high-cycle loading (Troshchenko), March, 82  
United States and Union of Soviet Socialist Republics cooperative exchange program on fatigue (Jerina and Coffin), Nov., 328-1
- Fatigue tests  
Low-cycle fatigue test for pipe-type power transmission cables (Spillers, Greenwood, and Spiliotis), Sept., 297  
New fixture for fatigue testing (Min and Raj), Jan., 24
- Fiber composites  
Correlation of fiber composite tensile strength with the ultrasonic stress wave factor (Vary and Lark), July, 185
- Fibers  
Truncated sequential sampling plan for use in determining the grade of wool (Reals and Muse), July, 229
- Fines  
Reproducibility of the surface area of some powders as measured by the Monosorb® surface-area analyzer using the Brunauer-Emmett-Teller equation (Ace and Parsons), Nov., 334
- Fishes  
Acute fish toxicity and absorption tests of an experimental detergent builder, trisodium carboxymethyloxysuccinate (Newsome and How), Jan., 16
- Flexural strength  
Low-cycle fatigue test for pipe-type power transmission cables (Spillers, Greenwood, and Spiliotis), Sept., 297
- Formability  
Rapid test for the assessment of steel sheet and tinplate properties (Ludwigson), Nov., 301
- Fracture properties  
Determination of the fracture-energy criterion  $J_{Ic}$  of two steels by static and dynamic testing (Nguyen-Duy and Phelippeau), Nov., 310
- Fractures (materials)  
Acoustic emission monitoring of weldments (Hopwood and Havens), July, 216  
Biaxial analogs of triaxial stresses (Ehrenburg), Jan., 18  
Compliance correction for determining load-line energies for compact fracture toughness specimens (Server), Jan., 29  
Correlative study between analysis and experiment on the fracture behavior of graphite/epoxy composites (Yeow, Morris, and Brinson), March, 240

- Determination of the fracture-energy criterion  $J_{Ic}$  of two steels by static and dynamic testing (Nguyen-Duy and Phelippeau), Nov., 310  
Effect of measurement precision and data processing procedures on variability in fatigue crack growth rate data (Wei, Wei, and Miller), March, 90  
Evaluation of the  $J$  integral for the compact specimen (Clarke and Landes), Sept., 264  
Fracture modes and acoustic emission of composite materials (Rotem and Altus), Jan., 33  
Optimization of the electrical potential technique for crack growth monitoring in compact test pieces using finite element analysis (Aronson and Ritchie), July, 208  
Procedure for the determination of ductile fracture toughness values using  $J$  integral techniques (Clarke, Andrews, Begley, Donald, Embley, Landes, McCabe, and Underwood), Jan., 49  
Simple and sensitive method of monitoring crack and load in compact fracture mechanics specimens using strain gages (Deans and Richards), May, 147  
Strain criteria for fatigue fracture of metals at high-cycle loading (Troshchenko), March, 82  
Use of the double torsion method to study crack propagation in an adhesive layer (French and Raj), May, 160

## H

- High temperature tests  
New fixture for fatigue testing (Min and Raj), Jan., 24
- Hysteresis  
Stress-strain characteristics of reinforcing steel bars under cyclic loading (Desayi, Iyengar, and Reddy), July, 199

## I

- Impact tests  
Comments on erosion tests conducted in an ASTM interlaboratory test program (Steller, Reymann, Targan, and Hammitt), March, 103  
Statistical analysis of notch toughness data (Koons), March, 96
- Impingement corrosion  
Comments on erosion tests conducted in an ASTM interlaboratory test program (Steller, Reymann, Targan, and Hammitt), March, 103

## L

- Liquids  
Rolling bottle device for measuring the flow of liquids and powders (Winslow), Sept., 281
- Loads (forces)  
Compliance correction for determining load-line energies for compact fracture toughness specimens (Server), Jan., 29

New load-transmitting medium to measure strength of brittle materials (Erdei), Nov., 317  
Simple and sensitive method of monitoring crack and load in compact fracture mechanics specimens using strain gages (Deans and Richards), May, 147

## M

Materials replacement  
Application of fatigue life prediction techniques to materials substitution (Sherman), March, 111  
Measuring instruments  
Optical comparator for evaluation of fine sieves (Bareket, Poluianov, and Mancini), Nov., 344  
Multivariate analysis  
Environmental testing under random loading (Dodds), July, 232

## N

Nomographs  
Reliability of results of analysis after multiple testing of petroleum products (Zanker), July, 238  
Nondestructive tests  
Correlation of fiber composite tensile strength with the ultrasonic stress wave factor (Vary and Lark), July, 185  
Nondestructive evaluation of hygrothermal effects on fiber-reinforced plastic laminates (Bar Cohen, Meron, and Ishai), Sept., 291  
Notch sensitivity  
Statistical analysis of notch toughness data (Koons), March, 96

## O

Optical comparators  
Optical comparator for evaluation of fine sieves (Bareket, Poluianov, and Mancini), Nov., 344

## P

Paving  
Modified procedure for measuring the maximum specific gravity of bituminous paving mixtures (Ishai, Tons, and Chritz), Jan., 41  
Petrography  
Review of aggregate selection criteria for improved wear resistance and skid resistance of bituminous surfaces (Dahir), Sept., 245  
Petroleum products  
Reliability of results of analyses after multiple testing of petroleum products (Zanker), July, 238  
Polycrystalline  
Phenomenological description of the acoustic emission response in several polycrystalline materials (St. Lawrence), July, 223  
Powder (particles)  
Reproducibility of the surface area of some powders as measured by the Monosorb® surface-area analyzer using the Brunauer-Emmett-Teller equation (Ace and Parsons), Nov., 334

Power lines  
Low-cycle fatigue test for pipe-type power transmission cables (Spillers, Greenwood, and Spiliotis), Sept., 297

## Q

Quality assurance  
Reliability of results of analyses after multiple testing of petroleum products (Zanker), July, 238

## R

Regression analysis  
Fitting curves to toughness data (Oldfield), Nov., 326  
Reinforced plastics  
Nondestructive evaluation of hygrothermal effects on fiber-reinforced plastic laminates (Bar Cohen, Meron, and Ishai), Sept., 291  
Reinforcing steels  
Stress-strain characteristics of reinforcing steel bars under cyclic loading (Desayi, Iyengar, and Reddy), July, 199

## S

Sampling  
High-speed sampling cutters and their effect on bias (Bluck, Hanson, and Huntington), Nov., 338  
Procedures for the reduction and testing of bias (Visman), Jan., 3  
Sequential sampling  
Truncated sequential sampling plan for use in determining the grade of wool (Reals and Muse), July, 229  
Sieves  
Optical comparator for evaluation of fine sieves (Bareket, Poluianov, and Mancini), Nov., 344  
Snow  
Phenomenological description of the acoustic emission response in several polycrystalline materials (St. Lawrence), July, 223  
Solutions  
Rolling bottle device for measuring the flow of liquids and powders (Winslow), Sept., 281  
Statistical analysis  
Procedures for the reduction and testing of bias (Visman), Jan., 3  
Steels  
Determination of the fracture-energy criterion  $J_{Ic}$  of two steels by static and dynamic testing (Nguyen-Duy and Philippeau), Nov., 310  
Rapid test for the assessment of steel sheet and tinplate properties (Ludwigson), Nov., 301  
Strains  
Computer simulation of the tension test: effect of testing conditions (Baptista and Fortes), Sept., 254  
Strain criteria for fatigue fracture of metals at high-cycle loading (Troshchenko), March, 82  
Stresses  
Acoustic emission monitoring of high-temperature cyclic oxidation damage in

a titanium-aluminum-vanadium alloy (Baram, Itzhak, and Rosen), May, 172  
Biaxial analogs of triaxial stresses (Ehrenburg), Jan., 18  
Environmental testing under random loading (Dodds), July, 232  
Relationships between low-cycle fatigue and fatigue crack growth rate properties (Kaisand and Mowbray), Sept., 270  
Tower extensometer (Findley and Lepper), May, 129  
Stress relaxation  
Isochronous relaxation curves for type 304 stainless steel after monotonic and cyclic strain (Swindeman), July, 192  
Stress relaxation in bending of copper-nickel-tin alloy strip strengthened by spinodal decomposition (Fox), Sept., 286  
Stress strain diagrams  
Isochronous relaxation curves for type 304 stainless steel after monotonic and cyclic strain (Swindeman), July, 192  
Stress-strain characteristics of reinforcing steel bars under cyclic loading (Desayi, Iyengar, and Reddy), July, 199  
Sulfur dioxide  
Sampling and analysis of atmospheric sulfur dioxide with the lead dioxide plate (Huey plate) (Levadie), March, 61

## T

Tension tests  
Computer simulation of the tension test: effect of testing conditions (Baptista and Fortes), Sept., 254  
Tower extensometer (Findley and Lepper), May, 129  
Thermal cycling tests  
Acoustic emission monitoring of high-temperature cyclic oxidation damage in titanium-aluminum-vanadium alloy (Baram, Itzhak, and Rosen), May, 172  
Toughness  
Correlative study between analysis and experiment on the fracture behavior of graphite/epoxy composites (Yeow, Morris, and Brinson), March, 117  
Fitting curves to toughness data (Oldfield), Nov., 326  
Toxicity  
Acute fish toxicity and absorption tests of an experimental detergent builder, trisodium carboxymethyloxysuccinate (Newsome and How), Jan., 16  
Transition temperature  
Statistical analysis of notch toughness data (Koons), March, 96

## U

Ultrasonic tests  
Correlation of fiber composite tensile strength with the ultrasonic stress wave factor (Vary and Lark), July, 185

## V

Viscosity  
Rolling bottle device for measuring the flow of liquids and powders, Sept., 281

## W

## Wear resistance

Review of aggregate selection criteria  
for improved wear resistance and skid

resistance of bituminous surfaces  
(Dahir), Sept., 245

## Weldments

Acoustic emission monitoring of weld-  
ments (Hopwood and Havens), July, 216

## Wool

Truncated sequential sampling plan for  
use in determining the grade of wool  
(Reals and Muse), July, 229

# MOVING?

To insure uninterrupted service on your *JTE* subscription, please notify us at least six weeks before you move.

1. Attach your address label from a recent issue in the space provided opposite. (If label is not available, be sure to give your old address, including Zip Code)



2. Print your name, membership no., and address below. (Be sure to include Zip Code)

3. Mail entire notice to: **ASTM**  
***Journal of Testing and Evaluation***  
**P.O. Box 64106**  
**Baltimore, Md. 21264**

Name \_\_\_\_\_ Membership No. \_\_\_\_\_

New Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

(please print or type the above information)