

Journal of Composites Technology & Research

Subject Index

Volume 15, 1993

A-B

ARALL®

Influence of stress ratio and temperature on the fatigue crack growth rate behavior of ARALL® (Salivar, GC and Gardini, CA), Spring, 46

Backscattering

Ultrasonic backscattering using digitized full-waveform scanning technique (Schuster, J and Steiner, KV), Summer, 143

Buckling

Buckling analyses of fiber-composite laminate shells with material nonlinearity (Hu, H-T), Fall, 202

C

Cantilevered plates

Effect of thermal stresses on the vibration of composite cantilevered plates (Klosner, JM and Cheng, T-H), Summer, 123

Carbon epoxy

Use of impact force as a scale parameter for the impact response of composite laminates (Jackson, WC and Poe, CC, Jr.), Winter, 282

Carbon fiber/epoxy

Small specimen technique for composites testing (Filatovs, GJ and Sadler, RL), Spring, 59

Carbon fiber-reinforced plastics

Instrumented impact testing at high velocities (Delfosse, D, Pageau, G, Bennett, R, and Pour-sartip, A), Spring, 38

Constitutive model

Buckling analyses of fiber-composite laminate shells with material nonlinearity (Hu, H-T), Fall, 202

Continuous filaments

Fatigue crack spacing in the matrix of a continuous fiber SCS-6/Ti composite (Hillberry, BM and Johnson, WS), Fall, 210

Crack propagation

Methodology for prediction of fiber bridging effects in composites (Telesman, J, Ghosn, LJ, and Kantzos, P), Fall, 234

Cross-ply composites

Thermal residual stresses in a silicon-carbide/titanium [0/90] laminate (Bigelow, CA), Winter, 304

D

Delamination

Analysis of delamination in cross-ply laminates initiating from impact induced matrix cracking (Salpekar, SA), Summer, 88

Analysis of matrix cracking and local delamination in (0/θ/-θ), graphite epoxy laminates un-

der tensile load (Salpekar, SA and O'Brien, TK), Summer, 95

Edge crack torsion method for Mode III delamination fracture testing (Lee, SM), Fall, 193

Round robin testing for Mode I interlaminar fracture toughness of composite materials (O'Brien, TK and Martin, RH), Winter, 269

Use of impact force as a scale parameter for the impact response of composite laminates (Jackson, WC and Poe, CC, Jr.), Winter, 282

Double cantilever beam

Round robin testing for Mode I interlaminar fracture toughness of composite materials (O'Brien, TK and Martin, RH), Winter, 269

E

Elastic properties

Elastic analysis of woven fabric laminates: Part II. Mixed composites (Naik, NK and Shembekar, PS), Spring, 34

Epoxy

Compressive resistance of unidirectional GFRP under high rate of loading (El-Habak, AMA), Winter, 311

F

Fabric-reinforced composites

Modeling damage in a plain weave fabric-reinforced composite material (Blackketter, DM, Walrath, DE, and Hansen, AC), Summer, 136

Failure criterion

Buckling analyses of fiber-composite laminate shells with material nonlinearity (Hu, H-T), Fall, 202

Fatigue

Differences in fatigue and fracture behavior of woven-mat and acrylic binder SCS-6/Ti-15-3 composites (Harmon, DM, Finefield, MA, Harter, JA, and Buchanan, DL), Fall, 225

Fatigue crack spacing in the matrix of a continuous fiber SCS-6/Ti composite (Hillberry, BM and Johnson, WS), Fall, 210

Fatigue crack growth

Fatigue cracking of fiber-reinforced titanium matrix composites (Jeng, SM, Nguyen, T-HB, Dana, O, and Yang, J-M), Fall, 217

Influence of stress ratio and temperature on the fatigue crack growth rate behavior of ARALL® (Salivar, GC and Gardini, CA), Spring, 46

Fiber bridging

Methodology for prediction of fiber bridging effects in composites (Telesman, J, Ghosn, LJ, and Kantzos, P), Fall, 234

Fiber-matrix adhesion

Elastic and thermal effects in the interphase: Part

I. Comments on characterization methods (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 3

Elastic and thermal effects in the interphase: Part II. Comments on modeling studies (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 14

Fiber-matrix debonding

Application of fiber bridging models to fatigue crack growth in unidirectional titanium matrix composites (Bakuckas, JG, Jr. and Johnson, WS), Fall, 242

Fiber-matrix interface

Elastic and thermal effects in the interphase: Part I. Comments on characterization methods (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 3

Elastic and thermal effects in the interphase: Part II. Comments on modeling studies (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 14

Fiber-matrix interphase

Elastic and thermal effects in the interphase: Part I. Comments on characterization methods (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 3

Elastic and thermal effects in the interphase: Part II. Comments on modeling studies (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 14

Fiber pressure model

Methodology for prediction of fiber bridging effects in composites (Telesman, J, Ghosn, LJ, and Kantzos, P), Fall, 234

Fiber-reinforced composites

Cure shrinkage induced warpage in flat uni-axial composites (Radford, DW), Winter, 290

Fiber treatment

Small specimen technique for composites testing (Filatovs, GJ and Sadler, RL), Spring, 59

Finite-element analysis

Analysis of delamination in cross-ply laminates initiating from impact induced matrix cracking (Salpekar, SA), Summer, 88

Fatigue cracking of fiber-reinforced titanium matrix composites (Jeng, SM, Nguyen, T-HB, Dana, O, and Yang, J-M), Fall, 217

Thermal residual stresses in a silicon-carbide/titanium [0/90] laminate (Bigelow, CA), Winter, 304

Finite element method

Three-dimensional finite element progressive failure analysis of composite laminates under axial extension (Reddy, YS and Reddy, JN), Summer, 73

Fracture

Edge crack torsion method for Mode III delamination fracture testing (Lee, SM), Fall, 193

G

Glass fiber

Compressive resistance of unidirectional GFRP under high rate of loading (El-Habak, AMA), Winter, 311

Graphite/epoxy laminates

Analysis of matrix cracking and local delamination in $(0/0/-0)$, graphite epoxy laminates under tensile load (Salpekar, SA and O'Brien, TK), Summer, 95

Indentation-flexure and low-velocity impact damage in graphite epoxy laminates (Kwon, YS and Sankar, BV), Summer, 101

Guest commentary

Future challenges for composites (Hunson, D), Summer, 178

I

Impact

Analysis of delamination in cross-ply laminates initiating from impact induced matrix cracking (Salpekar, SA), Summer, 88

Use of impact force as a scale parameter for the impact response of composite laminates (Jackson, WC and Poe, CC, Jr.), Winter, 282

Impact damage

Indentation-flexure and low-velocity impact damage in graphite epoxy laminates (Kwon, YS and Sankar, BV), Summer, 101

In-plane shear

Buckling analyses of fiber-composite laminate shells with material nonlinearity (Hu, H-T), Fall, 202

Indentation damage

Indentation-flexure and low-velocity impact damage in graphite epoxy laminates (Kwon, YS and Sankar, BV), Summer, 101

Instrumented impact testing

Instrumented impact testing at high velocities (Delfosse, D, Pageau, G, Bennett, R, and Pour-sartip, A), Spring, 38

Interface

Stress-strain analysis of a $[0/90]_2$ titanium matrix laminate subjected to a generic hypersonic flight profile (Johnson, WS, Mirdamadi, M, and Bahei-El-Din, YA), Winter, 297

Interfacial effects

Micromechanical relations for fiber-reinforced composites using the free transverse shear approach (Robertson, DD and Mall, S), Fall, 181

Interlaminar fracture toughness

Round robin testing for Mode I interlaminar fracture toughness of composite materials (O'Brien, TK and Martin, RH), Winter, 269

Iosipescu composite specimens

Experimental procedure for the Iosipescu composite specimen tested in the modified Wyoming fixture (Ho, H, Tsai, M-Y, Morton, J, and Farley, GL), Spring, 52

Iosipescu shear test

Experimental procedure for the Iosipescu composite specimen tested in the modified Wyoming fixture (Ho, H, Tsai, M-Y, Morton, J, and Farley, GL), Spring, 52

L

Laminates

Edge crack torsion method for Mode III delamination fracture testing (Lee, SM), Fall, 193

Effect of thermal stresses on the vibration of composite cantilevered plates (Klosner, JM and Cheng, T-H), Summer, 123

Three-dimensional finite element progressive failure analysis of composite laminates under axial

extension (Reddy, YS and Reddy, JN), Summer, 73

Layerwise theory

Three-dimensional finite element progressive failure analysis of composite laminates under axial extension (Reddy, YS and Reddy, JN), Summer, 73

Low-mass impact

Instrumented impact testing at high velocities (Delfosse, D, Pageau, G, Bennett, R, and Pour-sartip, A), Spring, 38

M

Manufacturing warpage

Cure shrinkage induced warpage in flat uni-axial composites (Radford, DW), Winter, 290

Matrix cracks

Analysis of delamination in cross-ply laminates initiating from impact induced matrix cracking (Salpekar, SA), Summer, 88

Analysis of matrix cracking and local delamination in $(0/0/-0)$, graphite epoxy laminates under tensile load (Salpekar, SA and O'Brien, TK), Summer, 95

Application of fiber bridging models to fatigue crack growth in unidirectional titanium matrix composites (Bakuckas, JG, Jr. and Johnson, WS), Fall, 242

Matrix stress intensity factor

Application of fiber bridging models to fatigue crack growth in unidirectional titanium matrix composites (Bakuckas, JG, Jr. and Johnson, WS), Fall, 242

Metal matrix

Fatigue crack spacing in the matrix of a continuous fiber SCS-6/Ti composite (Hillberry, BM and Johnson, WS), Fall, 210

Micromechanics

Micromechanical relations for fiber-reinforced composites using the free transverse shear approach (Robertson, DD and Mall, S), Fall, 181

Modeling damage in a plain weave fabric-reinforced composite material (Blackketter, DM, Walrath, DE, and Hansen, AC), Summer, 136

Thermal residual stresses in a silicon-carbide/titanium $[0/90]$ laminate (Bigelow, CA), Winter, 304

Microstresses

Micromechanical relations for fiber-reinforced composites using the free transverse shear approach (Robertson, DD and Mall, S), Fall, 181

Mixed composites

Elastic analysis of woven fabric laminates: Part II. Mixed composites (Naik, NK and Shembekar, PS), Spring, 34

Modified Wyoming fixture

Experimental procedure for the Iosipescu composite specimen tested in the modified Wyoming fixture (Ho, H, Tsai, M-Y, Morton, J, and Farley, GL), Spring, 52

N-R

Nondestructive testing (NDT)

Ultrasonic backscattering using digitized full-waveform scanning technique (Schuster, J and Steiner, KV), Summer, 143

Off-axis loading

Elastic analysis of woven fabric laminates: Part I. Off-axis loading (Shembekar, PS and Naik, NK), Spring, 23

Polyester

Compressive resistance of unidirectional GFRP under high rate of loading (El-Habak, AMA), Winter, 311

Residual stresses

Stress-strain analysis of a $[0/90]_2$ titanium matrix

laminate subjected to a generic hypersonic flight profile (Johnson, WS, Mirdamadi, M, and Bahei-El-Din, YA), Winter, 297

S

SCS-6 fiber

Differences in fatigue and fracture behavior of woven-mat and acrylic binder SCS-6/Ti-15-3 composites (Harmon, DM, Finefield, MA, Harter, JA, and Buchanan, DL), Fall, 225

Shear properties

Experimental procedure for the Iosipescu composite specimen tested in the modified Wyoming fixture (Ho, H, Tsai, M-Y, Morton, J, and Farley, GL), Spring, 52

Silicon carbide

Stress-strain analysis of a $[0/90]_2$ titanium matrix laminate subjected to a generic hypersonic flight profile (Johnson, WS, Mirdamadi, M, and Bahei-El-Din, YA), Winter, 297

Small-scale tests

Small specimen technique for composites testing (Filatovs, GJ and Sadler, RL), Spring, 59

Strength

Differences in fatigue and fracture behavior of woven-mat and acrylic binder SCS-6/Ti-15-3 composites (Harmon, DM, Finefield, MA, Harter, JA, and Buchanan, DL), Fall, 225

Modeling damage in a plain weave fabric-reinforced composite material (Blackketter, DM, Walrath, DE, and Hansen, AC), Summer, 136

Stress intensity range

Influence of stress ratio and temperature on the fatigue crack growth rate behavior of ARALL® (Salivar, GC and Gardini, CA), Spring, 46

Stress ratio

Influence of stress ratio and temperature on the fatigue crack growth rate behavior of ARALL® (Salivar, GC and Gardini, CA), Spring, 46

T

Textile-reinforced composites

Mechanical properties of triaxially braided composites: experimental and analytical results (Masters, JE, Foye, RL, Pastore, CM, and Go-wayed, YA), Summer, 112

Thermal strains

Stress-strain analysis of a $[0/90]_2$ titanium matrix laminate subjected to a generic hypersonic flight profile (Johnson, WS, Mirdamadi, M, and Bahei-El-Din, YA), Winter, 297

Thermal stress

Effect of thermal stresses on the vibration of composite cantilevered plates (Klosner, JM and Cheng, T-H), Summer, 123

Titanium matrix composites

Differences in fatigue and fracture behavior of woven-mat and acrylic binder SCS-6/Ti-15-3 composites (Harmon, DM, Finefield, MA, Harter, JA, and Buchanan, DL), Fall, 225

Fatigue cracking of fiber-reinforced titanium matrix composites (Jeng, SM, Nguyen, T-HB, Dana, O, and Yang, J-M), Fall, 217

Introduction to workshop on crack growth behavior of continuous fiber reinforced titanium matrix composites (TMCs) (Johnson, WS), Fall, 209

Transverse testing

Small specimen technique for composites testing (Filatovs, GJ and Sadler, RL), Spring, 59

Triaxially braided

Mechanical properties of triaxially braided composites: experimental and analytical results (Masters, JE, Foye, RL, Pastore, CM, and Go-wayed, YA), Summer, 112

Two-dimensional woven fabric composite models

Elastic analysis of woven fabric laminates: Part I. Off-axis loading (Shembekar, PS and Naik, NK), Spring, 23

Elastic analysis of woven fabric laminates: Part II. Mixed composites (Naik, NK and Shembekar, PS), Spring, 34

U

Ultrasonics

Ultrasonic backscattering using digitized full-waveform scanning technique (Schuster, J and Steiner, KV), Summer, 143

Unidirectional composites

Compressive resistance of unidirectional GFRP

under high rate of loading (El-Habak, AMA), Winter, 311

Thermal residual stresses in a silicon-carbide/titanium [0/90] laminate (Bigelow, CA), Winter, 304

Unidirectional fiber composites

Elastic and thermal effects in the interphase: Part I. Comments on characterization methods (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 3

Elastic and thermal effects in the interphase: Part II. Comments on modeling studies (Jayaraman, K, Reifsnider, KL, and Swain, RE), Spring, 14

Unit cell

Mechanical properties of triaxially braided composites: experimental and analytical results

(Masters, JE, Foye, RL, Pastore, CM, and Goward, YA), Summer, 112

V-W

Volume fraction gradient

Cure shrinkage induced warpage in flat uni-axial composites (Radford, DW), Winter, 290

Woven fabric composites

Elastic analysis of woven fabric laminates: Part I. Off-axis loading (Shembekar, PS and Naik, NK), Spring, 23

Elastic analysis of woven fabric laminates: Part II. Mixed composites (Naik, NK and Shembekar, PS), Spring, 34