

Journal of Testing and Evaluation

Subject Index to Volume 12

1983

A

Accuracy

- Mechanical sampling with stopped-belt accuracy (Ellis), March, 106
Reference materials—what they are and how they should be used (Taylor), Nov., 385

Aging (metallurgy)

- Life expectancy for fossil steam turbine casings after 100 000 hours (Coulon, Saisse, and Thauvin), Jan., 16

Aging tests (materials)

- Basis for predicting longtime behavior from short-time tests of geothermal sealants (Kearsley), July, 299

Airports

- Cost-effectiveness of the passenger security screening system (Childs), Nov., 376
Effectiveness of passenger security screening—an overview (Tsacoumis), Nov., 366
Introduction to symposium on controlled access screening for airport security areas (Battema), Nov., 365
Passenger screening requirements—the view from Europe (Keane), Nov., 381
Safety considerations for photographic film in the X-ray screening of air travelers' luggage (McIninch), Nov., 368
Training the security screening station operator (Hunter), Nov., 379

Amplitude

- Vibratory cavitation tests at 200-kPa (2-bar) suppression pressure (Zhou and Hammitt), March, 134

Aviation safety

- Effectiveness of passenger security screening—an overview (Tsacoumis), Nov., 366

Axial stress

- Cyclic stress-strain and fatigue properties of sheet steel as affected by load spectra (Martin), Jan., 66

B

Bituminous concretes

- Analysis of nonlinear behavior of asphalt concrete during Marshall test (Mamlouk, Yuan, Tseng, and Lee), Sept., 327
Experimental analysis and numerical simulation of Marshall method of asphalt concrete mix design (Mamlouk and Manolis), March, 99

Boiling points

- Most probable pore-size distribution in fluid filter media I. Evidence of such a distribution from results of extended bubble-point measurements (Johnston), March, 117

Bonding

- Shear transfer in concrete and polymer modified concrete members subjected to shearing loads (Nawy and Ukadike), March, 89

Book reviews

- Biological Performance of Materials: Fundamentals of Biocompatibility* by Black (Rylee), Jan., 85
Building Design and Construction Handbook by Merritt (Lieff), May, 231

- Cobalt and Its Alloys* by Betteridge (Carlson), Nov., 392

- Design of Prestressed Concrete Structures* by Lin and Burns (Coons), May, 227

- Detection and Measurement of Hazardous Gases* by Cullis and Firth (Oates), May, 231
Dynamics of Structures and Machinery by Szuladzinski (Huang), May, 229

- Electronic Structure and Properties* by Fradin (Kimerling), May, 229

- Elements of Materials Science and Engineering, Fourth Edition* by Van Vlack (Pope), March, 163

- The Encyclopedia of Mineralogy* by Frye (Kallmann), March, 160

- Energy Conservation and Thermal Insulation* by Derricott and Chissick (Woychik), Sept., 353

- Experimental Evaluation of Stress Concentration and Intensity Factors* by Sih (Srawley), March, 163

- The Flammability Handbook of Plastics* by Hilado (Brown), July, 304

- The Govmark Book on Flammability Standards and Flammability Test Methods of Textiles, Plastics and Other Materials Used in Home and Contract Furnishings* (Roux), Sept., 352

- Handbook of Materials Testing Reactors and Associated Hot Laboratories in the European Community* by von der Hardt and Rottger (Morgan), Jan., 82

- International Developments in Experimental Mechanics* by Rossi (Roderick), Sept., 352

- International Progress in Urethanes* by Ashio and Frisch (Kolditz), July, 304

- Introduction to Metallurgical Thermodynamics* by Gaskell (Widge), Jan., 85

- Introduction to the Theory of Thin Shells* by Mollmann (Luchini), March, 161

- Joints in Structural Steelwork* by Howlett et al (Oudheusden), Jan., 83

- Matrix Methods of Structural Analysis* by Kanchi (Fenves), Jan., 82

- The Mechanics of Fracture and Fatigue: An Introduction* by Parker (Dowling and Ernst), May, 228

- Mechanics of Wood and Wood Composites* by Bodig and Jayne (Pinson), Sept., 352

- Plastics Materials and Processes* by Schwartz and Goodman (Miller), July, 305

- Polymer Degradation—Principles and Practical Applications* by Schnabel (Kinmonth), May, 230

- Polymer Latexes and Their Applications* by Calvert (Hecker), Jan., 82

- Progress in Boundary Element Methods* by Brebbia (Padovan), Jan., 84

- Research Techniques in Nondestructive Testing, Vol. 5* by Sharpe (Moyer), July, 306

- Review of Polymers and Their Properties, Vol. 1* by Hearle (Larsen), July, 305

- Simplified Design of Building Trusses for Architects and Builders* by Parker and Ambrose (Ratcliff), May, 232

- Soares' Grounding Electrical Distribution*

- Systems for Safety* by Summers (Overn), March, 162

- Steel Diaphragm Roof Decks. A Design Guide with Tables for Engineers and Architects* by Bryan and Davies (Errera), March, 160

- Structural Masonry Designers' Manual* by Curtin et al (Yorkdale), May, 233

- Structural Use of Wood in Adverse Environments* by Meyer and Kellogg (Diekmann), May, 227

- Synfuels: the Problems and the Promises* by Hoffman (Walker), March, 164

- Treatise on Materials Science and Technology, Vol. 20: Ultrarapid Quenching of Liquid Alloys* by Herman (Gower), Nov., 392

- Ultrasonic Testing-Non-Conventional Testing Techniques* by Szilard (McClung), March, 162

C-E

Carburizing

- Effects of temperature on the fracture toughness of carburizing steels for high-temperature applications (Cutler and Leslie), Jan., 3

Chemical analysis

- Reference materials—what they are and how they should be used (Taylor), Nov., 385

Clustering

- Short-range ordering in nickel-chromium thermocouple alloys (Pollock), May, 225

Cohesion

- Shear transfer in concrete and polymer modified concrete members subjected to shearing loads (Nawy and Ukadike), March, 89

Concrete

- Shear transfer in concrete and polymer modified concrete members subjected to shearing loads (Nawy and Ukadike), March, 89

Copolymers

- Cross-linking of polyfluoroolefin copolymers (Hudlicky), July, 279

Cracking (fracturing)

- Summary of fracture mechanics concepts (Irwin and de Wit), Jan., 56

Crack initiation

- Fatigue crack front shape and its effect on fracture toughness measurements (Towers), Jan., 34

- New method for the determination of the critical value of crack tip opening displacement at the initiation of crack growth using a single three-point bend specimen (Lai and Zhang), Sept., 340

- Review of the effects of fatigue cracking loads on plane strain fracture toughness (Towers), Jan., 27

Crack propagation

- Accuracy and precision of crack length measurements using a compliance technique (Hewitt), March, 150

- Fracture mechanics analysis of the effects of residual stress on fatigue life (Throop), Jan., 75

- Improved method for threshold fatigue crack propagation testing on an electromagnetic

resonance type machine (Nishijima, Matsuoaka, and Ohtsubo), May, 193

New transducer to monitor fatigue crack propagation (Liaw, Hartmann, and Logsdon), May, 202

Cracks

Analysis of an internally radially cracked ring segment subject to three-point radial loadings (Gross and Srawley), Nov., 357

Cross-linking

Cross-linking of polyfluoroolefin copolymers (Hudlicky), July, 279

Cyclic axial straining

Cyclic stress-strain and fatigue properties of sheet steel as affected by load spectra (Martin), Jan., 66

Damping

Determination of stress relaxation by damping measurements (Weissmann), Jan., 79

Degradation

Basis for predicting longtime behavior from short-time tests of geothermal sealants (Kearsley), July, 299

Displacement

Analysis of nonlinear behavior of asphalt concrete during Marshall test (Mamlouk, Yuan, Tseng, and Lee), Sept., 327

Ductility

J_{Ic} measurement point determination of HY130, CMS-9, and inconel alloy 718 (Mathews and West), May, 217

Elastic properties

J_{Ic} measurement point determination of HY130, CMS-9, and inconel alloy 718 (Mathews and West), May, 217

Elastomers

Cross-linking of polyfluoroolefin copolymers (Hudlicky), July, 279

Ethylene-propylene-diene monomer (EPDM) and geothermal environment (Harwood), July, 289

Embrittlement

Life expectancy for fossil steam turbine casings after 100 000 hours (Coulon, Saisse, and Thauvin), Jan., 16

Energy

Pilot experiment to determine the feasibility of reconstituting tested irradiated Charpy V specimens (Burch), Sept., 312

Energy dissipation

Determination of stress relaxation by damping measurements (Weissmann), Jan., 79

F

Fatigue life

Constant amplitude fatigue study of an aluminum powder metallurgy alloy (Santner and Campbell), Sept., 333

Fatigue (materials)

Accuracy and precision of crack length measurements using a compliance technique (Hewitt), March, 150

Cyclic stress-strain and fatigue properties of sheet steel as affected by load spectra (Martin), Jan., 66

High pressure fatigue testing with results for tubing and fittings (Findley and Reed), March, 156

Improved method for threshold fatigue crack propagation testing on an electromagnetic resonance type machine (Nishijima, Matsuoaka, and Ohtsubo), May, 193

New transducer to monitor fatigue crack propagation (Liaw, Hartmann, and Logsdon), May, 202

Review of the effects of fatigue cracking loads on plane strain fracture toughness (Towers), Jan., 27

Fluid filters

Most probable pore-size distribution in fluid filter media I. Evidence of such a distribution from results of extended bubble-point measurements (Johnston), March, 117

Most probable pore-size distribution in fluid filter media II. Determining the size of the average pore from fluid permeability measurements (Johnston), March, 122

Ethylene-propylene-diene monomer (EPDM) and geothermal environment (Harwood), July, 289

Forming techniques

In-plane compression: a new laboratory forming technique to study the effect of large drawing deformations in sheets on their subsequent mechanical behavior (Charpentier and Piehler), Jan., 46

Fractography

Fractographic examination in the scanning electron microscope as a tool in evaluating through-thickness tension test results (McDonald and Ludwigson), May, 165

Fracture properties

J_{Ic} measurement point determination of HY130, CMS-9, and inconel alloy 718 (Mathews and West), May, 217

Fracture tests

Effects of temperature on the fracture toughness of carburizing steels for high-temperature applications (Cutler and Leslie), Jan., 3

Fatigue crack front shape and its effect on fracture toughness measurements (Towers), Jan., 34

Summary report of round robin testing by the ASTM task group E24.01.06 on rapid loading plane-strain fracture toughness K_{Ic} testing (Shoemaker and Seeley), July, 261

Fractures (materials)

Summary of fracture mechanics concepts (Irwin and de Wit), Jan., 56

Numerical analysis of ductile fracture experiments using single-edge notched tension specimens (Hollstein, Schmitt, and Blauel), May, 174

Summary report of round robin testing by the ASTM task group E24.01.06 on rapid loading plane-strain fracture toughness K_{Ic} testing (Shoemaker and Seeley), July, 261

Frequencies

Vibratory cavitation tests at 200-kPa (2-bar) suppression pressure (Zhou and Hammitt), March, 134

H-R

Hardness

Predicting heat-affected zone hardness by the weld test method (Bibby, Chong, and Goldak), March, 126

Heat-affected zone

Predicting heat-affected zone hardness by the weld test method (Bibby, Chong, and Goldak), March, 126

High pressure tests

High pressure fatigue testing with results for tubing and fittings (Findley and Reed), March, 156

Hydrocarbons

Ethylene-propylene-diene monomer (EPDM) and geothermal environment (Harwood), July, 289

Hydrogen

Positron evaluation of hydrogen in a 17 nickel maraging steel (Moore, Cocks, and Jones), Sept., 309

Impact tests

Pilot experiment to determine the feasibility of reconstituting tested irradiated Charpy V specimens (Burch), Sept., 312

Inclusions

Fractographic examination in the scanning electron microscope as a tool in evaluating through-thickness tension test results (McDonald and Ludwigson), May, 165

Laminar flow

Most probable pore-size distribution in fluid filter media II. Determining the size of the average pore from fluid permeability measurements (Johnston), March, 122

Low alloy steels

Pilot experiment to determine the feasibility of reconstituting tested irradiated Charpy V specimens (Burch), Sept., 312

Measurement

Accuracy and precision of crack length measurements using a compliance technique (Hewitt), March, 150

Reference materials—what is available? (Bingham), Nov., 388

Mechanical properties

In-plane compression: a new laboratory forming technique to study the effect of large drawing deformations in sheets on their subsequent mechanical behavior (Charpentier and Piehler), Jan., 46

Mechanical tests

Mechanical sampling with stopped-belt accuracy (Ellis), March, 106

Metal sheets

In-plane compression: a new laboratory forming technique to study the effect of large drawing deformations in sheets on their subsequent mechanical behavior (Charpentier and Piehler), Jan., 46

Modulus of elasticity

Experimental analysis and numerical simulation of Marshall method of asphalt concrete mix design (Mamlouk and Manolis), March, 99

Summary of fracture mechanics concepts (Irwin and de Wit), Jan., 56

Nickel-chromium alloys

Short-range ordering in nickel-chromium thermocouple alloys (Pollock), May, 225

Nondestructive tests

Positron evaluation of hydrogen in a 17 nickel maraging steel (Moore, Cocks, and Jones), Sept., 309

Nuclear fuel cycles

Reference materials—what is available? (Bingham), Nov., 388

Nuclear reactor materials

Prediction of the shift in the brittle-ductile transition temperature of light-water reactor (LWR) pressure vessel materials (Metal Properties Council Subcommittee 6 on Nuclear Materials), July, 237

Numerical analysis

Experimental analysis and numerical simulation of Marshall method of asphalt con-

crete mix design (Mamlouk and Manolis), March, 99

Numerical analysis of ductile fracture experiments using single-edge notched tension specimens (Hollstein, Schmitt, and Blauel), May, 174

Observations

Contextual effects in category ratings (Lawless), Sept., 346

Perception

Contextual effects in category ratings (Lawless), Sept., 346

Photographic film

Safety considerations for photographic film in the X-ray screening of air travelers' luggage (McIninch), Nov., 368

Plastics

New test method for determining environmental stress-crack resistance of ethylene based plastics (Crissman), July, 273

Police

Passenger screening requirements—the view from Europe (Keane), Nov., 381

Polyethylene

New test method for determining environmental stress-crack resistance of ethylene based plastics (Crissman), July, 273

Porosity

Most probable pore-size distribution in fluid filter media I. Evidence of such a distribution from results of extended bubble-point measurements (Johnston), March, 117

Most probable pore-size distribution in fluid filter media II. Determining the size of the average pore from fluid permeability measurements (Johnston), March, 122

Positron

Positron evaluation of hydrogen in a 17 nickel maraging steel (Moore, Cocks, and Jones), Sept., 309

Powder alloys

Constant amplitude fatigue study of an aluminum powder metallurgy alloy (Santner and Campbell), Sept., 333

Precision

Reference materials—what they are and how they should be used (Taylor), Nov., 385

Pressurizing

Stressing for test purposes of materials in tubular form using elastomeric inserts—practical testing procedures (Mosley), May, 182

Probability theory

Certificate values—what do they mean and how they should be used (Ku), Sept., 350

Random sampling

Variances in sampling streams of coals (Rose), Sept., 320

Ratings

Contextual effects in category ratings (Lawless), Sept., 346

Residual stress

Confidence limits of stress values measured by X-ray diffraction (Kurita), March, 143

Fracture mechanics analysis of the effects of residual stress on fatigue life (Throop), Jan., 75

Rheological properties

Temperature effect on rheological properties of cattle manure slurry (Chen and Shetler), Nov., 360

Rings

Analysis of an internally radially cracked ring segment subject to three-point radial loadings (Gross and Srawley), Nov., 357

S

Sampling

Mechanical sampling with stopped-belt accuracy (Ellis), March, 106

Screening

Passenger screening requirements—the view from Europe (Keane), Nov., 381

Sealers

Basis for predicting longtime behavior from short-time tests of geothermal sealants (Kearsley), July, 299

Security

Cost-effectiveness of the passenger security screening system (Childs), Nov., 376

Introduction to symposium on controlled access screening for airport security areas (Battema), Nov., 365

Training the security screening station operator (Hunter), Nov., 379

Slurries

Temperature effect on rheological properties of cattle manure slurry (Chen and Shetler), Nov., 360

S-N diagram

Fracture mechanics analysis of the effects of residual stress on fatigue life (Throop), Jan., 75

Solids

Temperature effect on rheological properties of cattle manure slurry (Chen and Shetler), Nov., 360

Specialized training

Training the security screening station operator (Hunter), Nov., 379

Sputtering

New transducer to monitor fatigue crack propagation (Liaw, Hartmann, and Logsdon), May, 202

Standards

Certificate values—what do they mean and how they should be used (Ku), Sept., 350

Reference materials—what is available? (Bingham), Nov., 388

Review of the effects of fatigue cracking loads on plane strain fracture toughness (Towers), Jan., 27

Steel castings

Life expectancy for fossil steam turbine casings after 100 000 hours (Coulon, Saisse, and Thauvin), Jan., 16

Steels

Effects of temperature on the fracture toughness of carburizing steels for high-temperature applications (Cutler and Leslie), Jan., 3

Numerical analysis of ductile fracture experiments using single-edge notched tension specimens (Hollstein, Schmitt, and Blauel), May, 174

Strains

On the yield loads of plates with array of holes (Jindal and Mandal), May, 208

Stratified random sampling

Variances in sampling streams of coals (Rose), Sept., 320

Stress concentration

On the yield loads of plates with array of holes (Jindal and Mandal), May, 208

Stress corrosion tests

New test method for determining environmental stress-crack resistance of ethylene based plastics (Crissman), July, 273

Stresses

Analysis of an internally radially cracked ring

segment subject to three-point radial loadings (Gross and Srawley), Nov., 357

Analysis of nonlinear behavior of asphalt concrete during Marshall test (Mamlouk, Yuan, Tseng, and Lee), Sept., 327

On the yield loads of plates with array of holes (Jindal and Mandal), May, 208

Stressing

Stressing for test purposes of materials in tubular form using elastomeric inserts—practical testing procedures (Mosley), May, 182

Stress relaxation

Determination of stress relaxation by damping measurements (Weissmann), Jan., 79

Structural steels

Confidence limits of stress values measured by X-ray diffraction (Kurita), March, 143

Subcritical crack growth

New method for the determination of the critical value of crack tip opening displacement at the initiation of crack growth using a single three-point bend specimen (Lai and Zhang), Sept., 340

Systematic sampling

Variances in sampling streams of coals (Rose), Sept., 320

T-X

Tension tests

Fractographic examination in the scanning electron microscope as a tool in evaluating through-thickness tension test results (McDonald and Ludwigson), May, 165

Test specimens

Fatigue crack front shape and its effect on fracture toughness measurements (Towers), Jan., 34

Thermocouples

Short-range ordering in nickel-chromium thermocouple alloys (Pollock), May, 225

Three-point bend specimen

New method for the determination of the critical value of crack tip opening displacement at the initiation of crack growth using a single three-point bend specimen (Lai and Zhang), Sept., 340

Threshold stress intensity factor

Improved method for threshold fatigue crack propagation testing on an electromagnetic resonance type machine (Nishijima, Matsuo, and Ohtsubo), May, 193

Toughness

Prediction of the shift in the brittle-ductile transition temperature of light-water reactor (LWR) pressure vessel materials (Metal Properties Council Subcommittee 6 on Nuclear Materials), July, 237

Summary report of round robin testing by the ASTM task group E24.01.06 on rapid loading plane-strain fracture toughness K_{Ic} testing (Shoemaker and Seeley), July, 261

Transition temperature

Prediction of the shift in the brittle-ductile transition temperature of light-water reactor (LWR) pressure vessel materials (Metal Properties Council Subcommittee 6 on Nuclear Materials), July, 237

Tubes

High pressure fatigue testing with results for tubing and fittings (Findley and Reed), March, 156

Stressing for test purposes of materials in tubu-

lar form using elastomeric inserts—practical testing procedures (Mosley), May, 182

Value engineering

Certificate values—what do they mean and how they should be used (Ku), Sept., 350

Vibration tests

Vibratory cavitation tests at 200-kPa (2-bar) suppression pressure (Zhou and Hammitt), March, 134

Weibull density functions

Constant amplitude fatigue study of an alumi-

num powder metallurgy alloy (Santner and Campbell), Sept., 333

Welding

Predicting heat-affected zone hardness by the weld test method (Bibby, Chong, and Goldak), March, 126

X-ray inspection

Cost-effectiveness of the passenger security screening system (Childs), Nov., 376

Effectiveness of passenger security screening—an overview (Tsacoumis), Nov., 366

Safety considerations for photographic film in the X-ray screening of air travelers' luggage (McIninch), Nov., 368

X-ray stress analysis

Confidence limits of stress values measured by X-ray diffraction (Kurita), March, 143