

# Journal of Testing and Evaluation

## Subject Index to Volume 9

### 1981

#### A-B

##### Aggregates

- Laboratory testing of asphalt concrete for porous pavements (Woelfl, Wei, Faulstich, and Litwach), July, 175
- Void content prediction in two-size aggregate mixes (Al-Jarallah and Tons), Jan., 3

##### Alloy steels

- Simple test method for the evaluation of tearing modulus (Takahashi, Khan, and Suzuki), Jan., 14

##### Aluminum alloys

- Fracture toughness data bank (Kaufman and Collis), March, 121

##### Anisotropy

- Optimal method for determining anisotropic parameters under combined stress tests (Ikegami), March, 127

##### Axial strain

- Procedure for strain-controlled high-cycle fatigue testing at elevated temperatures (Majumdar, Raske, and Burke), Jan., 35

##### Bend tests

- Simultaneous determination of shear and Young's moduli in composites (Fischer, Roman, Harel, Marom, and Wagner), Sept., 303

##### Bituminous concretes

- Laboratory testing of asphalt concrete for porous pavements (Woelfl, Wei, Faulstich, and Litwach), July, 175
- Quality control of tests conducted on bituminous mixtures in Quebec (Zaikoff, Bouchard, and Langlois), May, 204

#### C

##### Cavitation

- Estimation of cavitation erosion with incubation periods and material properties (Veerabhadra Rao, Martin, Syamala Rao, and Lakshmana Rao), May, 189

##### Cavitation corrosion

- Similarities in different experiments of erosion caused by cavitation and liquid impingement (Veerabhadra Rao and Syamala Rao), May, 179

##### Ceramics

- Chevron v-notched bend specimen for  $K_{Ic}$  measurement of brittle materials (Shih), Jan., 50

##### Chemical etching

- Residual stress profile in machined parts (Israeli and Papiar), Nov., 348

##### Closures

- Some aspects of fatigue crack closure in two contrasting titanium alloys (Halliday and Beevers), July, 195

##### Coal

- Critical evaluation of pulse collectors for utilities (Jensen), July, 165

##### Coercive force

- Magnetic properties of iron and low carbon steel for soft magnet applications (Stokes), Nov., 354

##### Consumers

- Sampling plans with low consumers' risk (Tye), May, 198

##### Correlation

- Similarities in different experiments of erosion caused by cavitation and liquid impingement (Veerabhadra Rao and Syamala Rao), May, 179

##### Corrosion fatigue

- Discussion of "effects of stress ratio on fatigue crack growth rates in X70 pipeline steel in air and saltwater" by Oldrich Vosikovsky (Ewalds), March, 158

##### Corrosion resistance

- Scale and corrosion parameters at a geothermal loop experimental facility (Jacobson, Rogers, Schoepfliin, and Henry), March, 82

##### Crack propagation

- Application of the electrical potential method to crack length measurements using Johnson's formula (Hellmann and Schwalbe), May, 218

- Crack initiation, slow crack growth, and unstable propagation of ductile fracture in mild steels in a laboratory experiment (Ogasawara, Kuriyama, Tamano, Mimura, and Yanagimoto), Sept., 296

- Determination of crack tip energy dissipation and elastic-plastic fracture toughness parameter with ductile crack extension, (Shoji), Nov., 324

- Discussion of "effects of stress ratio on fatigue crack growth rates in X70 pipeline steel in air and saltwater" by Oldrich Vosikovsky (Ewalds), March, 158

- Effects of stress dwells and varying mean strain on crack growth during thermomechanical fatigue (Gemma, Ashland, and Masci), July, 209

- Evaluation of load-line extensometer for elastic-plastic fracture toughness testing (Williams and Carlson), Nov., 335

- Fatigue crack growth rate data acquisition system for linear and nonlinear fracture mechanics applications (Ruschau), Nov., 317

- R curve and fracture toughness of thin sheet materials (Schwalbe and Setz), July, 182

- Review of new developments in crack propagation studies (El Haddad, Topper, and Mukherjee), March, 65

- Simple test method for the evaluation of tearing modulus (Takahashi, Khan, and Suzuki), Jan., 14

- Some aspects of fatigue crack closure in two contrasting titanium alloys (Halliday and Beevers), July, 195

##### Cracking (fracturing)

- On the relationship between stretch zone formation and the  $J$  integral for high strain-hardening materials (Mills), Jan., 56

- Stress intensity factors for single-edge-crack solid and hollow round bars loaded in tension (Bush), July, 216

##### Creep tests

- Some aspects of biaxial creep testing of thin-walled cylindrical and spherical pressure vessels (Arbel and Eliezer), March, 141

##### Cyclic loads

- Biaxial fatigue machine for elevated temperature testing (Brown and Miller), July, 202

- Effect of specimen shape and cyclic loading on tension tests of two epoxy resins (Findley and Reed), Jan., 24

- Multiaxial fatigue: a survey of the state of the art (Garud), May, 165

#### D-E

##### Data storage

- Fracture toughness data bank (Kaufman and Collis), March, 121

##### Determination of stress

- Simplified equations for peak position and for its standard deviation in X-ray stress measurement (Kurita), March, 133

##### Ductility

- Crack initiation, slow crack growth, and unstable propagation of ductile fracture in mild steels in a laboratory experiment (Ogasawara, Kuriyama, Tamano, Mimura, and Yanagimoto), Sept., 296

##### Dynamic tests

- Task group report: results of interlaboratory test programs to evaluate the dynamic tear test method (Lazaridis, Heberling, Harris, and Lange), March, 144

- Verification of compliance corrections used in determining load-line energies from dynamic load-time data (McConnell), March, 118

##### Dynamometers

- Design of a dynamic gear test rig (Crawford and Brown), Sept., 311

##### Eddy current

- Design of a dynamic gear test rig (Crawford and Brown), Sept., 311

##### Electric power plants

- Critical evaluation of pulse collectors for utilities (Jensen), July, 165

##### Energy

- Measurement of absorbed Charpy impact energy using a vertical drop tower (Server and Henderson), May, 210

##### Environmental tests

- Constant force system for delayed fracture experiments (Wycherley and Henshall), Sept., 292

##### Epoxy resins

- Effect of specimen shape and cyclic loading on tension tests of two epoxy resins (Findley and Reed), Jan., 24

##### Erosion

- Erosion behavior of polystyrene (Thai, Tsuda, and Hojo), Nov., 359
- Estimation of cavitation erosion with incubation periods and material properties

(Veerabhadra Rao, Martin, Syamala Rao, and Lakshmana Rao), May, 189

#### Erosion corrosion

Similarities in different experiments of erosion caused by cavitation and liquid impingement (Veerabhadra Rao and Syamala Rao), May, 179

#### Expressions (mathematics)

Some aspects of biaxial creep testing of thin-walled cylindrical and spherical pressure vessels (Arbel and Eliezer), March, 141

#### Extensometers

Biaxial fatigue machine for elevated temperature testing (Brown and Miller), July, 202

Evaluation of load-line extensometer for elastic-plastic fracture toughness testing (Williams and Carlson), Nov., 335

#### Extraction

Influence of some variables on extraction results of wool top (Larsen and Kumar), Jan., 11

## F

#### Fatigue (materials)

Effect of understressing and coxing on the fatigue limit of a transverse butt-welded joint (Lawnicki and Cutler), Jan., 39

Fatigue crack growth rate data acquisition system for linear and nonlinear fracture mechanics applications (Ruschau), Nov., 317

Multiaxial fatigue: a survey of the state of the art (Garud), May, 165

Review of new developments in crack propagation studies (El Haddad, Topper, and Mukherjee), March, 65

Some aspects of fatigue crack closure in two contrasting titanium alloys (Halliday and Beever), July, 195

Statistical fatigue failure analysis (Trantina), Jan., 44

#### Fatigue limit

Effect of understressing and coxing on the fatigue limit of a transverse butt-welded joint (Lawnicki and Cutler), Jan., 39

#### Fatigue tests

Effects of stress dwells and varying mean strain on crack growth during thermomechanical fatigue (Gemma, Ashland, and Masci), July, 209

Procedure for strain-controlled high-cycle fatigue testing at elevated temperatures (Majumdar, Raske, and Burke), Jan., 35

#### Fires

Fundamentals of combustion toxicology in fire hazard assessment (Packham and Hartzell), Nov., 341

#### Fly ash

Critical evaluation of pulse collectors for utilities (Jensen), July, 165

#### Fractures (materials)

Application of the electrical potential method to crack length measurements using Johnson's formula (Hellmann and Schwalbe), May, 218

Comparison of methods for fracture toughness determination in steels (Cobanoglu and Kardos), March, 104

Determination of crack tip energy dissipation and elastic-plastic fracture toughness parameter with ductile crack extension (Shoji), Nov., 324

On the relationship between stretch zone formation and the  $J$  integral for high strain-hardening materials (Mills), Jan., 56

Task group report: results of interlaboratory test programs to evaluate the dynamic tear test method (Lazaridis, Heberling, Harris, and Lange), March, 144

#### Fracture properties

Review of new developments in crack propagation studies (El Haddad, Topper, and Mukherjee), March, 65

#### Fracture tests

Chevron v-notched bend specimen for  $K_{Ic}$  measurement of brittle materials (Shih), Jan., 50

Constant force system for delayed fracture experiments (Wycherley and Henshall), Sept., 292

Crack initiation, slow crack growth, and unstable propagation of ductile fracture in mild steels in a laboratory experiment (Ogaswara, Kuriyama, Tamano, Mimura, and Yanagimoto), Sept., 296

Evaluation of load-line extensometer for elastic-plastic fracture toughness testing (Williams and Carlson), Nov., 335

#### Frequency distribution

Procedure for strain-controlled high-cycle fatigue testing at elevated temperatures (Majumdar, Raske, and Burke), Jan., 35

## H-L

#### High strength steels

Comparative study of the effect of low temperature on the fracture toughness and cyclic properties of two candidate high-strength low-alloy steels for arctic pipeline applications (Krishnadev, Cutler, and Galibois), Jan., 28

#### High temperature

Scale and corrosion parameters at a geothermal loop experimental facility (Jacobson, Rogers, Schoepflin, and Henry), March, 82

#### High temperature tests

Precision strain measurement at elevated temperatures using a capacitance probe (Keuseyan and Li), May, 214

#### Hot dip coating

Hydrogen embrittlement of zinc coatings (Horvick), Sept., 315

#### Hydrogen embrittlement

Hydrogen embrittlement of zinc coatings (Horvick), Sept., 315

#### Impact

Erosion behavior of polystyrene (Thai, Tsuda, and Hojo), Nov., 359

#### Impact tests

Measurement of absorbed Charpy impact energy using a vertical drop tower (Server and Henderson), May, 210

Verification of compliance corrections used in determining load-line energies from dynamic load-time data (McConnell), March, 118

#### Iron

Magnetic properties of iron and low carbon steel for soft magnet applications (Stokes), Nov., 354

#### Leaf springs

Evaluation of assembly stresses of automotive leaf springs by acoustic emission (Baram, Eckhaus, and Rosen), Sept., 308

#### Loads (forces)

Constant force system for delayed fracture experiments (Wycherley and Henshall), Sept., 292

Verification of compliance corrections used in determining load-line energies from dynamic load-time data (McConnell), March, 118

#### Low alloy steels

Comparative study of the effect of low temperature on the fracture toughness and cyclic properties of two candidate high-strength low-alloy steels for arctic pipeline applications (Krishnadev, Cutler, and Galibois), Jan., 28

## M-Q

#### Magnetic properties

Magnetic properties of iron and low carbon steel for soft magnet applications (Stokes), Nov., 354

#### Mechanical properties

Comparative study of the effect of low temperature on the fracture toughness and cyclic properties of two candidate high-strength low-alloy steels for arctic pipeline applications (Krishnadev, Cutler, and Galibois), Jan., 28

Comparison of methods for fracture toughness determination in steels (Cobanoglu and Kardos), March, 104

On the relationship of toughness, fracture initiation energy, and specimen deflection in charpy tests of 4340 steel (Datta and Wood), March, 111

Simultaneous determination of shear and Young's moduli in composites (Fischer, Roman, Harel, Marom, and Wagner), Sept., 303

#### Modulus of elasticity

Fatigue crack growth rate data acquisition system for linear and nonlinear fracture mechanics applications (Ruschau), Nov., 317

Simultaneous determination of shear and Young's moduli in composites (Fischer, Roman, Harel, Marom, and Wagner), Sept., 303

#### Nondestructive tests

Evaluation of assembly stresses of automotive leaf springs by acoustic emission (Baram, Eckhaus, and Rosen), Sept., 308

#### Pavements

Laboratory testing of asphalt concrete for porous pavements (Woelfl, Wei, Faulstich, and Litwach), July, 175

#### Plastic deformation

Determination of crack tip energy dissipation and elastic-plastic fracture toughness parameter with ductile crack extension (Shoji), Nov., 324

#### Polystyrene

Erosion behavior of polystyrene (Thai, Tsuda, and Hojo), Nov., 359

#### Potential theory

Application of the electrical potential method to crack length measurements using Johnson's formula (Hellmann and Schwalbe), May, 218

**Predictions**

Estimation of cavitation erosion with incubation periods and material properties (Veerabhadra Rao, Martin, Syamala Rao, and Lakshmana Rao), May, 189

**Pressure vessels**

Some aspects of biaxial creep testing of thin-walled cylindrical and spherical pressure vessels (Arbel and Eliezer), March, 141

**Quality assurance**

Sampling plans with low consumers' risk (Tye), May, 198

**Quality control**

Influence of some variables on extraction results of wool top (Larsen and Kumar), Jan., 11

Quality control of tests conducted on bituminous mixtures in Quebec (Zaikoff, Bouchard, and Langlois), May, 204

**Quench hardening**

Statistical analysis of X-ray stress measurement by the Gaussian curve-fitting method (Kurita), Sept., 285

**Quenching (cooling)**

Quenching, tempering, and aging chromium-molybdenum-vanadium cast steels (Coulon, Leymonie, Saisse, and Thauvin), March, 93

**R-S****Residual stress**

Residual stress profile in machined parts (Israeli and Papiar), Nov., 348

Simplified equations for peak position and for its standard deviation in X-ray stress measurement (Kurita), March, 133

Statistical analysis of X-ray stress measurement by the Gaussian curve-fitting method (Kurita), Sept., 285

**Sampling**

Quality control of tests conducted on bituminous mixtures in Quebec (Zaikoff, Bouchard, and Langlois), May, 204

Sampling plans with low consumers' risk (Tye), May, 198

**Scale corrosion**

Scale and corrosion parameters at a geothermal loop experimental facility (Jacobson, Rogers, Schoepflin, and Henry), March, 82

**Smoke**

Fundamentals of combustion toxicology in fire hazard assessment (Packham and Hartzell), Nov., 341

**Spur gears**

Design of a dynamic gear test rig (Crawford and Brown), Sept., 311

**Stability**

R curve and fracture toughness of thin sheet materials (Schwalbe and Setz), July, 182

**Statistical analysis**

Statistical fatigue failure analysis (Trantina), Jan., 44

**Steel Castings**

Quenching, tempering, and aging chromium-molybdenum-vanadium cast steels (Coulon, Leymonie, Saisse, and Thauvin), March, 93

**Steels**

On the relationship of toughness, fracture initiation energy, and specimen deflection in Charpy tests of 4340 steel (Datta and Wood), March, 111

**Strain measurement**

Precision strain measurement at elevated temperatures using a capacitance probe (Keusseyan and Li), May, 214

**Strains**

On the relationship between stretch zone formation and the  $J$  integral for high strain-hardening materials (Mills), Jan., 56

**Stress ratio**

Discussion of "effects of stress ratio on fatigue crack growth rates in X70 pipeline steel in air and saltwater" by Oldrich Vosikovsky (Ewalds), March, 158

**Stresses**

Evaluation of assembly stresses of automotive leaf springs by acoustic emission (Baram, Eckhaus, and Rosen), Sept., 308

Multiaxial fatigue: a survey of the state of the art (Garud), May, 165

Optimal method for determining anisotropic parameters under combined stress tests (Ikegami), March, 127

Stress intensity factors for single-edge-crack solid and hollow round bars loaded in tension (Bush), July, 216

**T-Z****Tear strength**

Simple test method for the evaluation of tearing modulus (Takahashi, Khan, and Suzuki), Jan., 14

**Tear tests**

Task group report: results of interlaboratory test programs to evaluate the dynamic tear test method (Lazaridis, Heberling, Harris, and Lange), March, 144

**Temperature control**

Biaxial fatigue machine for elevated temperature testing (Brown and Miller), July, 202

**Tempering**

Quenching, tempering, and aging chromium-molybdenum-vanadium cast steels (Coulon, Leymonie, Saisse, and Thauvin), March, 93

**Tension**

Stress intensity factors for single-edge-crack solid and hollow round bars loaded in tension (Bush), July, 216

**Tension tests**

Effect of specimen shape and cyclic loading

on tension tests of two epoxy resins (Findley and Reed), Jan., 24

Precision strain measurement at elevated temperatures using a capacitance probe (Keusseyan and Li), May, 214

**Thermal fatigue**

Effects of stress dwells and varying mean strain on crack growth during thermomechanical fatigue (Gemma, Ashland, and Masci), July, 209

**Toughness**

Chevron v-notched bend specimen for  $K_{Ic}$  measurement of brittle materials (Shih), Jan., 50

Comparison of methods for fracture toughness determination in steels (Cobanoglu and Kardos), March, 104

Fracture toughness data bank (Kaufman and Collis), March, 121

On the relationship of toughness, fracture initiation energy, and specimen deflection in Charpy tests of 4340 steel (Datta and Wood), March, 111

R curve and fracture toughness of thin sheet materials (Schwalbe and Setz), July, 182

**Toxicity**

Fundamentals of combustion toxicology in fire hazard assessment (Packham and Hartzell), Nov., 341

**Turning (machining)**

Residual stress profile in machined parts (Israeli and Papiar), Nov., 348

**Velocity measurement**

Measurement of absorbed Charpy impact energy using a vertical drop tower (Server and Henderson), May, 210

**Voids**

Void content prediction in two-size aggregate mixes (Al-Jarallah and Tons), Jan., 3

**Volume**

Void content prediction in two-size aggregate mixes (Al-Jarallah and Tons), Jan., 3

**Weibull density functions**

Statistical fatigue failure analysis (Trantina), Jan., 44

**Welded joints**

Effect of understressing and coxing on the fatigue limit of a transverse butt-welded joint (Lawnicki and Cutler), Jan., 39

**Wool**

Influence of some variables on extraction results (Larsen and Kumar), Jan., 11

**X-ray stress analysis**

Simplified equations for peak position and for its standard deviation in X-ray stress measurement (Kurita), March, 133

Statistical analysis of X-ray stress measurement by the Gaussian curve-fitting method (Kurita), Sept., 285

**Yield strength**

Optimal method for determining anisotropic parameters under combined stress tests (Ikegami), March, 127

**Zinc coatings**

Hydrogen embrittlement of zinc coatings (Horvick), Sept., 315