

Geotechnical Testing Journal

Index to Volume 7

1984

Number	Month of Issue	Pages
1	March	1-48
2	June	49-112
3	September	113-172
4	December	173-236

A

- Acar, Y. B.:** *see* Rad, N. S. and Acar, Y. B.
- Archiving:** Measurement of lateral stress around multihelix anchors in sand (Clemence and Pepe), Sept., 145
- Askegaard, V.:** Design basis for cells measuring shear stresses in an interface, June, 94
- Asphalt:** Design of polyvinyl chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19
- At rest pressures:** Measurement of lateral stress around multihelix anchors in sand (Clemence and Pepe), Sept., 145
- Auger borings:** A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158
- Aurora, R. P.:** *see* Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.

B

- Baldwin, K.:** *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.
- Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.:** Platform orientation and start-up time during centrifuge testing, Dec., 195
- Boreholes:** Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205
- Boynton, S. S.:** *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.
- Briaud, J.-L. and Gambin, M.:** Suggested practice for drilling boreholes for pressuremeter testing, March, 36
- Burland, J. B.:** *see* Symes, M. J. and Burland, J. B.

C

- Calibrations:** Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94
- Capillary pressures:** Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173
- Celikkol, B.:** *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.
- Centrifuges:**
The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182

- Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188
- Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200
- Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195
- Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.:** Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands, Dec., 211
- Chemical grouts:** Gelation of chemical grouts while in motion (Dapiele, Hutchinson, Karol, Ospitia, and Reim), June, 107
- Cheney, J. A. and Fragaszy, R. J.:** The centrifuge as a research tool, Dec., 182
- Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.:** Drum Centrifuge for geotechnical research, Dec., 188
- Chen, S. Y.:** *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.
- Chung, R. M., Yokel, F. Y., and Drnevich, V. P.:** Evaluation of dynamic properties of sands by resonant column testing, June, 60
- Clays**
Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173
Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195
The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123
- Clemence, S. P. and Pepe, F. D., Jr.:** Measurement of lateral stress around multihelix anchors in sand, Sept., 145
- Coal:** Design of polyvinyl chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19
- Computers:** Computer-aided pressuremeter tests (Law), June, 99
- Consolidation:** Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200
- Consolidation rate:** The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123
- Croce, P.:** *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.
- Damping:** Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60

- Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.:** Permeability testing with flexible-wall permeameters, Sept., 113
- Dapiele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.:** Gelation of chemical grouts while in motion, June, 107
- Data acquisition:** Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200
- Davidson, J. L.:** *see* Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.
- Davies, P. A.:** *see* Dennis, C. W. and Davies, P. A.
- De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.:** Elastic-wave velocities and liquefaction potential, June, 77
- Deen, R. C.:** *see* Hopkins, T. C. and Deen, R. C.
- Deformation:** A study of membrane-permeant compatibility (Rad and Acar), June, 104
- Dennis, C. W. and Davies, P. A.:** Filter openings measured by a suction method, Sept., 153
- Density:** Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26
- Dhliwayo, M. W.:** *see* Singh, G. and Dhliwayo, M. W.
- Dimensional analysis:** The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182
- Drill holes:** Computer-aided pressuremeter tests (Law), June, 99
- Drilling:** A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158
- Doehring, D. O.:** *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.
- Drnevich, V. P.:** *see* Chung, R. M., Yokel, F. Y., and Drnevich, V. P.
- Dusseault, M. B.:** Rapid index tests for transitional materials, Sept., 169
- Dusseault, M. B., Soderberg, H., and Sterne, K.:** Preparation techniques for oil-sand testing, March, 3
- Dust control:** Effects of dust suppressants on tailing sand permeability (Scott), March, 41

E

- Edil, T. B. and Motan, S. E.:** Laboratory evaluation of soil suction components, Dec., 173
- Elasticity modulus:** Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26
- Elastic waves:** Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77
- Errors:** Determination of local displacements on soil samples (Symes and Burland), June, 49

D

F

- Field tests:** Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36
- Foreman, D. E.:** *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.
- Foundation investigations:** A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158
- Fragaszy, R. J.:** *see* Cheney, J. A. and Fragaszy, R. J.
- Fragaszy, R. J.:** *see* Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.

G

- Gambin, M.:** *see* Briaud, J.-L. and Gambin, M.
- Gels:** Gelation of chemical grouts while in motion (Daniele, Hutchinson, Karol, Ospitia, and Reim), June, 107
- Gravity:** The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182
- Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.:** Evaluation of Schmidt hammer rebound hardness test holders, Sept., 164

H

Hammer

- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167
- Hardness tests:** Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164
- Heuze, F. E.:** Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack, Dec., 205
- Hopkins, T. C. and Deen, R. C.:** Identification of shales, March, 10
- Howard, A. K.:** The revised ASTM standard on the unified classification system, Dec., 216
- Hutchinson, J.:** *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.
- Hydraulic conductivity**
- Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113
- A study of membrane-permeant compatibility (Rad and Acar), June, 104

I-K

Impact tests

- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167

- Janoo, V.:** *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.
- Karol, R. H.:** *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.
- Kim, Y.-S.:** *see* Shen, C.-K., Li, X.-S., and Kim, Y.-S.
- Ko, H.-Y.:** *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.
- Kolias, S. and Williams, R. I. T.:** Estimation of the modulus of elasticity of cement stabilized materials, March, 26
- Kovacs, W. D.:** Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur, Dec., 223
- Kulhawy, F. H.:** *see* Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.

L

Laboratory tests

- Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211
- Filter openings measured by a suction method (Dennis and Davies), Sept., 153
- Law, K. T.:** Computer-aided pressuremeter tests, June, 99
- Letter to the editor**
- Rapid index tests for transitional materials (Dusseault), Sept., 168
- Rapid index tests for transitional materials (Oakland), March, 45
- Liquefaction**
- Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211
- Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77
- Li, R.:** *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.
- Li, X.-S.:** *see* Shen, C.-K., Li, X.-S., and Kim, Y.-S.

M-N

- Mathes, G. M.:** *see* Riggs, C. O., Mathes, G. M., and Rassieur, C. L.
- Mechanical properties:** Filter openings measured by a suction method (Dennis and Davies), Sept., 153
- Membranes**
- A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70
- A study of membrane-permeant compatibility (Rad and Acar), June, 104
- Models**
- Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188
- Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135
- Moisture content:** Identification of shales (Hopkins and Deen), March, 10
- Motan, S. E.:** *see* Edil, T. B. and Motan, S. E.

- Muzzy, M. W.:** *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.
- Negussey, D.:** *see* Vaid, Y. P. and Negussey, D.

O

- Oil sands:** Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3
- Olsen, H. W.:** *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.
- O'Neill, M. W.:** *see* Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.
- Optimum moisture content:** Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26
- O'Rourke, T. D.:** *see* Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.
- Ospitia, L.:** *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.

P

- Pane, V.:** *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.
- Penetration tests**
- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167
- Pepe, F. D., Jr.:** *see* Clemence, S. P. and Pepe, F. D., Jr.
- Permeability**
- Effects of dust suppressants on tailing sand permeability (Scott), March, 41
- Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113
- Piles:** Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135

R

- Rad, N. S. and Acar, Y. B.:** A study of membrane-permeant compatibility, June, 104
- Rassieur, C. L.:** *see* Riggs, C. O., Mathes, G. M., and Rassieur, C. L.
- Reim, B.:** *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.
- Riggs, C. O., Mathes, G. M., and Rassieur, C. L.:** A field study of an automatic SPT hammer system, Sept., 158
- Rock mechanics**
- Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164
- Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205
- Rocks:** Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205

Rock testing: Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164

Roe, G.: *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.

S

Sadana, M. L.: *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.

Sands

A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70

Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211

Design of polyvinyl chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19

Effects of dust suppressants on tailing sand permeability (Scott), March, 41

Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77

Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60

Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135

The revised ASTM standard on the unified classification system (Howard), Dec., 216

Sandstones: Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3

Schiffman, R. L.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.

Schmertmann, J. H.: Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Ras-sieur, Sept., 167

Schofield, A. N.: *see* Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.

Scott, J. C.: Effects of dust suppressants on tailing sand permeability, March, 41

Shales: Identification of shales (Hopkins and Deen), March, 10

Shear strain: Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60

Shear strength: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89

Shear stress: Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94

Shear tests: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89

Shen, C.-K., Li, X.-S., and Kim, Y.-S.: Microcomputer based data acquisition systems for centrifuge modeling, Dec., 200

Singh, G. and Dhliwayo, M. W.: Design of polyvinyl chloride tar mixes for resistance to permanent deformation, March, 19

Slurries: Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195

Soderberg, H.: *see* Dusseault, M. B., Soderberg, H., and Sterne, K.

Sodium compounds: Gelation of chemical grouts while in motion, (Daniele, Hutchinson, Karol, Ospitia, and Reim), June, 107

Soil classifications: The revised ASTM standard on the unified classification system (Howard), Dec., 216

Soils

Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173

Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113

The revised ASTM standard on the unified classification system (Howard), Dec., 216

Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36

The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123

Soil tests

Determination of local displacements on soil samples (Symes and Burland), June, 49

Measurement of lateral stress around multi-helix anchors in sand (Clemence and Pepe), Sept., 145

Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36

Stability: Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188

Sterne, K.: *see* Dusseault, M. B., Soderberg, H., and Sterne, K.

Strain: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89

Strain measurement: Determination of local displacements on soil samples (Symes and Burland), June, 49

Swelling pressures: Identification of shales (Hopkins and Deen), March, 10

Symes, M. J. and Burland, J. B.: Determination of local displacements on soil samples, June, 49

T

Test procedures: Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3

Tiedemann, D. A.: *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.

Townsend, F. C.: *see* Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.

Transducers: Computer-aided pressuremeter tests (Law), June, 99

Trautwein, S. J.: *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.

Triaxial tests: A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70

U-Z

Underdrains: Filter openings measured by a suction method (Dennis and Davies), Sept., 153

Vaid, Y. P. and Negussey, D.: A critical assessment of membrane penetration in the triaxial test, June, 70

Wall friction: Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94

Williams, R. I. T.: *see* Kolias, S. and Williams, R. I. T.

Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.: Phenomenological study of model piles in sand, Sept., 135

Yokel, F. Y.: *see* Chung, R. M., Yokel, F. Y., and Drnevich, V. P.

Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.: The use of electrical conductivity for evaluation of strain distribution in the simple shear device, June, 89

Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.: The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses, Sept., 123