

Geotechnical Testing Journal

Author Index

Volume 19, 1996

Number	Issue	Pages
1	March	1-106
2	June	107-240
3	September	241-340
4	December	341-488

A-B

Abdi, H and Garga, VK: Laboratory evaluation of horizontal stress in over-consolidated sands, March, 85

Abu-Hassanein, ZS, Benson, CH, Wang, X, and Blotz, LR: Determining bentonite content in soil-bentonite mixtures using electrical conductivity, March, 51

Adams, BA, Wulfsohn, D, and Fredlund, DG: Air volume change measurement in unsaturated soil testing using a digital pressure-volume controller, March, 12

Agaiby, SW, Kulhawy, FH, and Trautmann, CH: Large-scale model testing of laterally loaded drilled shafts in sand, March, 32

Allam, MM:

see Robinson, RG and Allam, MM

see Subba Rao, KS, Allam, MM, and Robinson, RG

Andersen, GR, Bennett, RH, Barber, ME, Todorovski, L, and Maynard, GL: Multi-sensor piezometer for shallow marine sediments in coastal environments, Dec., 373

Asha, SR: *see* Sridharan, A, Prakash, K, and Asha, SR

Bajracharya, K, Barry, DA, and Culligan, PJ: Discussion on "Geo-environmental assessment of a micaceous soil for its potential use as an engineered clay barrier" by A. M. O. Mohamed, R. N. Yong, B. K. Tan, A. Farkas, and L. W. Curtis, Dec., 452

Barber, ME: *see* Andersen, GR, Bennett, RH, Barber, ME, Todorovski, L, and Maynard, GL

Barbour, SL, Lim, PC, and Fredlund, DG: New technique for diffusion testing of unsaturated soil, Sept., 247

Barry, DA: *see* Bajracharya, K, Barry, DA, and Culligan, PJ

Bennett, RH: *see* Andersen, GR, Bennett, RH, Barber, ME, Todorovski, L, and Maynard, GL

Benson, CH: *see* Abu-Hassanein, ZS, Benson, CH, Wang, X, and Blotz, LR

Blotz, LR: *see* Abu-Hassanein, ZS, Benson, CH, Wang, X, and Blotz, LR

Bray, JD: *see* Lazarte, CA and Bray, JD

Brignoli, EGM, Gotti, M, and Stokoe, KH, II: Measurement of shear waves in laboratory specimens by means of piezoelectric transducers, Dec., 384

Bunatova, V: *see* Passas, N, Butenuth, C, de Freitas, MH, and Bunatova, V

Butenuth, C: *see* Passas, N, Butenuth, C, de Freitas, MH, and Bunatova, V

C-D

Casper, R: *see* McVay, MC, Shang, T-I, and Casper, R

Cheong, HK: *see* Leong, EC, Cheong, HK, and Pan, TC

Chin, JT and Poulos, HG: Tests on model jacked piles in calcareous sand, June, 164

Clift, SJ: *see* Pincus, HJ

Contreras, IA: *see* Stark, TD and Contreras, IA

Culligan, PJ: *see* Bajracharya, K, Barry, DA, and Culligan, PJ

de Freitas, MH: *see* Passas, N, Butenuth, C, de Freitas, MH, and Bunatova, V

Dowding, CH, Huang, F-C, and McComb, PS: Water pressure measurement with time domain reflectometry cables, March, 58

Drumm, EC, Li, Z, Reeves, JS, and Madgett, MR: Alternative test method for resilient modulus of fine-grained subgrades, June, 141

E-G

Eischens, G and Swanson, A: Proposed standard test method for measurement of pneumatic permeability of partially saturated porous materials by flowing air, June, 232

Esaki, T, Zhang, M, Takeshita, A, and Mitani, Y: Rigorous theoretical analysis of a flow pump permeability test, Sept., 241

Evgin, E: *see* Fakharian, K and Evgin, E

Fakharian, K and Evgin, E: Automated apparatus for three-dimensional monotonic and cyclic testing of interfaces, March, 22

Fox, PJ: Analysis of hydraulic gradient effects for laboratory hydraulic conductivity testing, June, 181

Fratta, D and Santamarina, JC: Wave propagation in soils: multi-mode, wide-band testing in a waveguide device, June, 130

Fredlund, DG:

see Adams, BA, Wulfsohn, D, and Fredlund, DG

see Rahardjo, H and Fredlund, DG

see Vanapalli, SK, Fredlund, DG, and Pufahl, DE

see Barbour, SL, Lim, PC, and Fredlund, DG

Frost, JD and Kuo, C-Y: Automated determination of the distribution of local void ratio from digital images, June, 107

Garga, VK: *see* Abdi, H and Garga, VK

Ghiassian, H, Hryciw, RD, and Gray, DH: Laboratory testing apparatus for slopes stabilized by anchored geosynthetics, March, 65

Gillette, DR: *see* Goodings, DJ and Gillette, DR

Goodings, DJ and Gillette, DR: Model size effects in centrifuge models of granular slope instability, Sept., 277

Gotti, M: *see* Brignoli, EGM, Gotti, M, and Stokoe, KH, II

Gray, DH: *see* Ghiassian, H, Hryciw, RD, and Gray, DH

Gray, R and Stephenson, R: Update of the history of ASTM committee D-18 on soil and rock (1987–1996), Dec., 463

Gunnink, BW: Advances in conductometric phase transition porosimetry, March, 74

H-K

Ho, C: *see* Masad, E, Taha, R, Ho, C, and Papagiannakis, T

Hoque, E, Tatsuoka F, and Sato, T: Measuring anisotropic elastic properties of sand using a large triaxial specimen, Dec., 411

Hossain, D: Direct and indirect permeability of fissured tills, June, 191

Hryciw, RD: *see* Ghiassian, H, Hryciw, RD, and Gray, DH

Huang, F-C: *see* Dowding, CH, Huang, F-C, and McComb, PS

Huntington, GS: *see* Ksaibati, K and Huntington, GS

Hurd, JO: *see* Sargand, S, Masada, T, and Hurd, JO

Johnson, B: *see* Karakouzian, M, Pitchford, A, Leonard, M, and Johnson, B

Juang, CH: *see* Lee, D-H, Juang, CH, and Lei, I-M

Juran, I: *see* Salman, AG, Juran, I, and Potnis, A

Karakouzian, M, Pitchford, A, Leonard, M, and Johnson, B: Measurements of soluble salt content of soils from arid and semi-arid regions, Dec., 364

Kjartanson, BH: *see* Mohamed, AMO, Yong, RN, Onofrei, CI, and Kjartanson, BH

Ksaibati, K and Huntington, GS: Evaluation of sulfate expansion in soil-cements, Sept., 269

Kulhawy, FH: *see* Agaiby, SW, Kulhawy, FH, and Trautmann, CH

Kuo, C-Y: *see* Frost, JD and Kuo, C-Y

L-M

Lade, PV, Yamamuro, JA, and Skyers, BD: Effects of shear band formation in triaxial extension tests, Dec., 398

Lazarte, CA and Bray, JD: Study of strike-slip faulting using small-scale models, June, 118

Lee, D-H, Juang, CH, and Lei, I-M: High-temperature Brazilian test for tensile strength of metamorphic limestone, June, 223

Lei, I-M: *see* Lee, D-H, Juang, CH, and Lei, I-M

Leonard, M: *see* Karakouzian, M, Pitchford, A, Leonard, M, and Johnson, B

Leong, EC, Cheong, HK, and Pan, TC: Device for the measurement of sub-surface ground vibrations, Sept., 286

Li, Z: *see* Drumm, EC, Li, Z, Reeves, JS, and Madgett, MR

Li, XS: Flexible strain gage for soil testing, Sept., 305

Lim, PC: *see* Barbour, SL, Lim, PC, and Fredlund, DG

Madgett, MR: *see* Drumm, EC, Li, Z, Reeves, JS, and Madgett, MR

Masad, E, Taha, R, Ho, C, and Papagiannakis, T: Engineering properties of tire/soil mixtures as a lightweight fill material, Sept., 297

Masada, T: *see* Sargand, S, Masada, T, and Hurd, JO

Maynard, GL: *see* Andersen, GR, Bennett, RH, Barber, ME, Todorovski, L, and Maynard, GL

McComb, PS: *see* Dowding, CH, Huang, F-C, and McComb, PS

McVay, MC, Shang, T-I, and Casper, R: Centrifuge testing of fixed-head laterally loaded battered and plumb pile groups in sand, March, 41

Melachrinou, B: Method of rapid determination of the plasticity index of calcareous materials used in road construction, Dec., 438

Mitani, Y: *see* Esaki, T, Zhang, M, Takeshita, A, and Mitani, Y

Mohamed, AMO, Yong, RN, Onofrei, CI, and Kjartanson, BH: Coupled heat and moisture flow in unsaturated swelling clay barriers, June, 155

Morris, PH and Williams, DJ: Comparison of gas and water pycnometry of coal mine wastes, March, 95

O-P

Onofrei, CI: *see* Mohamed, AMO, Yong, RN, Onofrei, CI, and Kjartanson, BH

Pan, TC: *see* Leong, EC, Cheong, HK, and Pan, TC

Papagiannakis, T: *see* Masad, E, Taha, R, Ho, C, and Papagiannakis, T

Passas, N, Butenuth, C, de Freitas, MH, and Bunatova, V: Rock porosity determinations using particle densities measured in different fluids, Sept., 310

Pincus, HJ: Interlaboratory Program for Rock Properties: Round two—Confined compression: Young's Modulus, Poisson's Ratio, and ultimate strength, Sept., 321

Pincus, HJ and Clift, SJ: Interlaboratory Program for Rock Properties: Round three—Repeatability and Reproducibility of RQD Values for Selected Sedimentary Rocks, Dec., 457

Pitchford, A: *see* Karakouzian, M, Pitchford, A, Leonard, M, and Johnson, B

Potnis, A: *see* Salman, AG, Juran, I, and Potnis, A

Poulos, HG: *see* Chin, JT and Poulos, HG

Prakash, K: *see* Sridharan, A, Prakash, K, and Asha, SR

Pufahl, DE: *see* Vanapalli, SK, Fredlund, DG, and Pufahl, DE

R-S

Rahardjo, H and Fredlund, DG: Consolidation apparatus for testing unsaturated soils, Dec., 341

Reeves, JS: *see* Drumm, EC, Li, Z, Reeves, JS, and Madgett, MR

Robinson, RG
see Subba Rao, KS, Allam, MM, and Robinson, RG

Determination of coefficient of consolidation from early stage of log *t* plot, Sept., 316

Salman, AG, Juran, I, and Potnis, A: Cylindrical expansion test for tensile properties of geotextiles, Dec., 432

Santamarina, JC: *see* Fratta, D and Santamarina, JC

Sargand, S, Masada, T, and Hurd, JO: Effect of rib spacing on deformation of profile-wall plastic pipes buried in coarse granular backfill, June, 217

Sato, T: *see* Hoque, E, Tatsuoka F, and Sato, T

Schofield, AN: *see* Stone, KJL, Smith, CC, and Schofield, AN

Shang, T-I: *see* McVay, MC, Shang, T-I, and Casper, R

Sheahan, TC and Watters, PJ: Using an automated rowe cell for constant rate of strain consolidation testing, Dec., 354

Skyers, BD: *see* Lade, PV, Yamamuro, JA, and Skyers, BD

Smith, CC: *see* Stone, KJL, Smith, CC, and Schofield, AN

Sridharan, A, Prakash, K, and Asha, SR: Consolidation behavior of clayey soils under radial drainage, Dec., , 421

Stark, TD and Contreras, IA: Constant volume ring shear apparatus, March, 3

Stephenson, R: *see* Gray, R and Stephenson, R

Stokoe, KH, II: *see* Brignoli, EGM, Gotti, M, and Stokoe, KH, II

Stone, KJL, Smith, CC, and Schofield, AN: Thermally controlled test chamber for centrifuge and laboratory experiments, Dec., 441

Subba Rao, KS, Allam, MM, and Robinson, RG: Discussion on "A dual inter-

face apparatus for testing unrestricted friction of soil along surfaces" by S. G. Paikowsky, C. M. Player, and P. J. Connors, Dec., 446

Swanson, A: *see* Eischens, G and Swanson, A

T-V

Taha, R: *see* Masad, E, Taha, R, Ho, C, and Papagiannakis, T

Takeshita, A: *see* Esaki, T, Zhang, M, Takeshita, A, and Mitani, Y

Tatsuoka F: *see* Hoque, E, Tatsuoka F, and Sato, T

Todorovski, L: *see* Andersen, GR, Bennett, RH, Barber, ME, Todorovski, L, and Maynard, GL

Trautmann, CH: *see* Agaiby, SW, Kulhawy, FH, and Trautmann, CH

Tumay, MT: *see* Zhang, Z and Tumay, MT

Vanapalli, SK, Fredlund, DG, and Pufahl, DE: Relationship between the soil-water characteristic curve and the

unsaturated shear strength of a compacted glacial till, Sept., 259

W-Z

Wang, X: *see* Abu-Hassanein, ZS, Benson, CH, Wang, X, and Blotz, LR

Watters, PJ: *see* Sheahan, TC and Watters, PJ

Williams, DJ: *see* Morris, PH and Williams, DJ

Windisch, EJ: Grain-size distribution of mixed aggregates, June, 227

Wulfsohn, D: *see* Adams, BA, Wulfsohn, D, and Fredlund, DG

Yamamuro, JA: *see* Lade, PV, Yamamuro, JA, and Skyers, BD

Yong, RN: *see* Mohamed, AMO, Yong, RN, Onofrei, CI, and Kjartanson, BH

Zhang, Z and Tumay, MT: Simplification of soil classification charts derived from the cone penetration test, June, 203

Zhang, M: *see* Esaki, T, Zhang, M, Takeshita, A, and Mitani, Y