

# Geotechnical Testing Journal

## Index to Volume 1

### 1978

| Number | Month of Issue | Pages   |
|--------|----------------|---------|
| 1      | March          | 1-64    |
| 2      | June           | 65-116  |
| 3      | September      | 117-172 |
| 4      | December       | 173-000 |

#### A - C

- Anglin, C. C.: *see* Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.
- Ansell, P. and Brown, S. F.: Cyclic simple shear apparatus for dry granular materials, June, 82
- Apparatus: Method of test for determining the splitting tensile strength of rocks (Peng), Mar., 55
- Ballast: Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223
- Bearing capacities: Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141
- Brown, S. F.: *see* Ansell, P. and Brown, S. F.
- Capillary pressures: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117
- Calibrations: Example of an energy calibration report on a standard penetration test (ASTM Standard D 1586-67) drill rig (Schmertmann, Smith, and Ho), Mar., 57
- Carroll, R. G., Jr.: Equivalence of air and water permeability tests in evaluating engineering fabrics, Sept., 162
- Centrifuges: Vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237
- Chaney, Ronald and Mulilis, J. P.: Suggested method for soil specimen remolding by wet-raining, June, 107
- Chemical analysis: Vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237
- Chen, H. M.: *see* Yoo, T. S., Chen, H. M., and Selig, E. T.
- Clays
- Cubical triaxial apparatus for soil testing (Lade), June, 93
  - Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148

#### Cohesionless soils

- Accuracy of the density scoop for unit weight determinations in cohesionless soils (Weiler and Kulhawy), Dec., 234
- Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107
- Compaction: Preparing test specimens using undercompaction (Ladd), Mar., 16
- Concrete: Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190
- Consolidated-undrained tests: Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148
- Consolidation: Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3
- Craft, Douglas: Vacuum filtration versus centrifugation for sodium adsorption ratio determination, Dec., 237
- Cunny, R. W.: Soil mechanics information analysis center (SMIAC)—a specialized information resource, Mar., 113

#### D-G

- Deen, R. C.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.
- Deformation: Normalized deformation parameters for kaolin (Poulos), June, 102
- Density: Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34
- Dielectrics: Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134
- Direct shear tests: Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82
- Donaghe, R. T. and Townsend, F. C.: Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils, Dec., 173
- Dorwart, B.: *see* Panuccio, C. M., Dorwart, B., and Selig, E. T.
- Drnevich, V. P.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.
- Dynamic response: Example of an energy calibration report on a standard penetration

test (ASTM Standard D 1586-67) drill rig, Mar., 57

- Elasticity modulus: Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190
- Energy: Example of an energy calibration report on a standard penetration test (ASTM Standard D 1586-67) drill rig (Schmertmann, Smith, and Ho), Mar., 57
- Evans, J. C.: *see* Kovacs, W. D., Griffith, A. H., and Evans, J. C.
- Expansion: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117
- Expansive clays: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117
- Field tests: Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72
- Foundation investigations: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203
- Foundation reinforcement: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203
- Frozen soils: Suggested practice for description of frozen soils (visual-manual procedure), Dec., 228
- Geotechnical fabrics: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203
- Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.: Constant-rate-of-strain and controlled-gradient consolidation testing, Mar., 3
- Granular materials
- Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34
  - Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141
- Greenstein, Jacob: *see* Livneh, Moshe and Greenstein, Jacob
- Griffith, A. H.: *see* Kovacs, W. D., Griffith, A. H., and Evans, J. C.
- #### H-O
- Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.: Testing of geotechnical fabric for use as reinforcement, Dec., 203

Hedberg, Jan: *see* Saxena, S. K., Hedberg, Jan, and Ladd, C. C.

**History:** History of ASTM Committee D-18, June, 65

Ho, R.: *see* Schmertmann, J. H., Smith, T. V., and Ho, R.

Hopkins, T. C.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.

**Information retrieval:** Soil mechanics information analysis center (SMIAC)—a specialized information resource (Cunny), Mar., 113

**Johnson, L. D. and Snethen, D. R.:** Prediction of potential heave of swelling soil, Sept., 117

**Koerner, R. M.:** *see* Okrasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.

**Kolias, S. and Williams, R. I. T.:** Uniaxial tension tests on cement-stabilized granular materials, Dec., 190

**Kovacs, W. D., Griffith, A. H., and Evans, J. C.:** Alternative to the cathead and rope for the standard penetration test, June, 72

Kulhawy, F. H.: *see* Weiler, W. A., Jr. and Kulhawy, F. H.

**Laboratory tests:** Cubical triaxial apparatus for soil testing (Lade), June, 93

Ladd, C. C.: *see* Saxena, S. K., Hedberg, Jan, and Ladd, C. C.

**Ladd, R. S.:** Preparing test specimens using undercompaction Mar., 16

**Lade, P. V.:** Cubical triaxial apparatus for soil testing, June, 93

Lawmaster, J. D.: *see* Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.

Leonards, G. A.: *see* Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.

**Livneh, Moshe and Greenstein, Jacob:** Modified California bearing ratio test for granular materials, Sept., 141

Lo, K. Y.: *see* Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.

Lord, A. E., Jr.: *see* Okrasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.

**Mehdiratta, G. R. and Triandafilidis, G. E.:** Minimum and maximum densities of granular materials, Mar., 34

**Microwaves:** Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134

Mulilis, J. P.: *see* Chaney, Ronald and Mulilis, J. P.

**Nondestructive tests:** Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134

**Oaksford, E. T.:** Water-manometer tensiometers installed and read from the land surface, Dec., 199

**Okasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.:** Dielectric constant determination of soils at L band microwave frequencies, Sept., 134

## P-R

Palmer, J. H. L.: *see* Yuen, C. M. K., Palmer, J. H. L., and Leonards, G. A.

**Panuccio, C. M., Dorwart, B., and Selig, E. T.:** Apparatus and procedures for a railroad ballast plate index test, Dec., 223

**Panuccio, C. M., Wayne, R. C., and Selig, E. T.:** Investigation of a plate index test for railroad ballast, Dec., 213

**Pavements:** Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141

**Penetration tests:** Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72

**Peng, S. S.:** Method of test for determining the splitting tensile strength of rocks, Mar., 55

**Plate load tests**  
Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223  
Investigation of a plate index test for railroad ballast (Panuccio, Wayne, and Selig), Dec., 213

**Pore pressures**  
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173  
Cubical triaxial apparatus for soil testing (Lade), June, 93

**Poulos, H. G.:** Normalized deformation parameters for kaolin, June, 102

**Pressure—measuring:** Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 199

**Pyke, Robert:** Some effects of test configuration on measured soil properties under cyclic loading, Sept., 125

**Railroads**  
Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223  
Investigation of a plate index test for railroad ballast (Panuccio, Wayne, and Selig), Dec., 213

**Remolded soil samples:** Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107

## S

**Sands:** Preparing test specimens using undercompaction (Ladd), Mar., 16

**Saxena, S. K., Hedberg, Jan, and Ladd, C. C.:** Geotechnical properties of Hackensack Valley varved clays of New Jersey, Sept., 148

**Schmertmann, J. H., Smith, T. V., and Ho, R.:** Example of an energy calibration report on standard penetration test (ASTM Standard D 1586-67) drill rig, Mar., 57

Selig, E. T.  
*see* Panuccio, C. M., Dorwart, B., and Selig, E. T.  
*see* Panuccio, C. M., Wayne, R. C., and Selig, E. T.  
*see* Yoo, T. S., Chen, H. M., and Selig, E. T.

**Settlement:** Normalized deformation parameters for kaolin (Poulos), June, 102

**Shear apparatus:** Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82

**Shear strength**  
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173

Normalized deformation parameters for kaolin (Poulos), June, 102

**Shear stress:** Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82

**Shear tests:** Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125

Smith, T. V.: *see* Schmertmann, J. H., Smith, T. V., and Ho, R.

Snethen, D. R.: *see* Johnson, L. D. and Snethen, D. R.

**Soil chemistry:** vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237

**Soil classifications:** Suggested practice for description of frozen soils (Visual-manual procedure), Dec., 228

**Soil mechanics**  
Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72  
Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3  
Soil mechanics information analysis center (SMIAC)—a specialized information resource (Cunny), Mar., 113

**Soil moisture:** Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 199

**Soil physical properties:** Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125

**Soil samples:** Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107

**Soil science:** History of ASTM Committee D-18, June, 65

**Soil tests:** History of ASTM Committee D-18, June, 65

**Strain rate:** Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3

## T-Z

**Tensile strength**  
Method of test for determining the splitting tensile strength of rocks, Mar., 55  
Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190

**Tensiometers:** Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 129

**Test procedures:** Method of test for determining the splitting tensile strength of rocks (Peng), Mar., 55

Townsend, F. C.: *see* Donaghe, R. T. and Townsend, F. C.

Triandafilidis, G. E.: *see* Mehdiratta, G. R. and Triandafilidis, G. E.

**Triaxial tests**  
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173  
Preparing test specimens using undercompaction (Ladd), Mar., 16  
Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125

**Unit weight:** Accuracy of the density scoop for unit weight determinations in cohesionless soils (Weiler and Kulhawy), Dec., 234

**Varved clays:** Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148

**Vibratory compaction:** Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34

**Visual classifications:** Suggested practice for description of frozen soils (visual-manual procedure), Dec., 228

Wayne, R. C.: *see* Panuccio, C. M., Wayne, R. C., and Selig, E. T.

**Weiler, W. A., Jr., and Kulhawy, F. H.:** Accuracy of the density scoop for unit weight determinations in cohesionless soils, Dec., 234

Williams, R. I. T.: *see* Kolias, S. and Williams, R. I. T.

**Yoo, T. S., Chen, H. M., and Selig, E. T.:** Railroad ballast density measurement, Mar., 41

**Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.:** New apparatus for measuring the principal strains in anisotropic clays, Mar., 24