

Journal of Testing and Evaluation

Index to Volume 3

1975

Number	Month of Issue	Pages
1	January	1-84
2	March	85-156
3	May	157-248
4	July	249-332
5	September	333-404
6	November	405-500

A

- Abrasion tests, Martian sandstorms and their effects on the 1975 Viking lander system (Maegley and Diederich), Sept., 380
- Accelerated tests
- life testing of enclosed heating elements (Starr), July, 278
 - simple accelerated strength test for portland cements (Halsted), July, 271
- Accelerating (chemistry)
- effect of various accelerating chemical admixtures on setting and strength development of concrete (Rosskopf, Linton, and Pepler), July, 322
 - mechanisms of acceleration by calcium chloride: a review (Skalny and Maycock), July, 303
 - tricalcium silicate hydration in the presence of various salts (Kantro), July, 312
- Acceptability, contamination control during acceptance testing of Mariner class spacecraft propulsion hardware (Nenno and Oldland), Sept., 392
- Acoustics
- acoustic emission produced during heating of tin and zinc single crystals (Papa, Sette, Stagni, and Congiu Castellano), Jan., 48
 - acoustic emission testing of unflawed 7075-T6 aluminum (Hamstad and Mukherjee), May, 167
- Adepegba, Dotun: Effect of water content on the compressive strength of laterized concrete, Nov., 449.
- Admixtures, effect of various accelerating chemical admixtures on setting and strength development of concrete (Rosskopf, Linton, and Pepler), July, 322
- Aggregates
- discussion of "The Effect of Cement Properties and the Thermal Compatibility of Aggregates on the Strength of Accelerated Cured Concrete" by Orchard, Jones, and Al-Rawi (Mather and Mather), Jan., 79
 - simple technique for determining relative strength of aggregates (Rad), Nov., 477

Albright, D. L.: *see* Kargol, J. A. and Albright, D. L.

Aluminum

- acoustic emission testing of unflawed 7075-T6 aluminum (Hamstad and Mukherjee), May, 167
 - fracture mechanics method for determining the crack propagation resistance of embrittled aluminum bicrystals (Kargol and Albright), May, 173
- Aluminum alloys
- analysis of the influence of mean stress intensity and environment on fatigue crack growth in a new high strength aluminum alloy (Branco, Radon, and Culver), Nov., 407
 - effect of specimen thickness on delay in fatigue crack growth (Shih and Wei), Jan., 46
 - evaluation of fracture energy of aluminum alloys (Johnson and Radon), Sept., 364
 - note on performance of tapered grip tensile loading devices (Jones and Brown), May, 179
- Autoclaving, simple accelerated strength test for portland cements (Halsted), July, 271

B

- Batra, R., Wilber, G. A., Breit, H. F., and Childs, W. J.: Programmed in situ melting, freezing, and tensile testing for laboratory study of high temperature properties of as-cast metals, Jan., 68
- Beeler, J. R., Jr.: Radiation damage units for steel, May, 230
- Berenbaum, L.: Technique for examining submicron particulate matter on semiconductor device wafers, Sept., 389
- Berman, H. A.: Determination of low levels of chloride in hardened portland cement paste, mortar, and concrete, May, 208
- Beryllium, study of crack tip plastic zone topography in beryllium (Cooper), March, 87
- Bhattacharya, S. and Schroder, K.: New method of detecting fatigue crack propagation in ferromagnetic specimens, July, 289
- Bituminous concretes, nonlinear viscoelastic properties of bituminous concretes (Sharma and Kim), May, 182
- Blachere, J. R. and Young, J. E.: Freezing and thawing tests and theories of frost damage, July, 273
- Branco, C. M., Radon, J. C., and Culver, L. E.: Analysis of the influence of mean stress intensity on fatigue crack growth

in a new high strength aluminum alloy Nov., 407

- Breit, H. F.: *see* Batra, R., Wilber, G. A., Breit, H. F., and Childs, W. J.
- Brown, W. F., Jr.: *see* Jones, M. H. and Brown, W. F., Jr.

C

- Calcium chlorides, mechanisms of acceleration by calcium chloride: a review (Skalny and Maycock), July, 303
- Calcium silicates, tricalcium silicate hydration in the presence of various salts (Kantro), July, 312
- Calorimeters, tricalcium silicate hydration in the presence of various salts (Kantro), July, 312
- Carpets, interlaboratory evaluation of ASTM E 84-70 tunnel test applied to floor coverings (Lee and Huggett), Jan., 3
- Cements, polymeric materials for concrete (Idorn), Sept., 355
- Childs, W. J.: *see* Batra, R., Wilber, G. A., Breit, H. F., and Childs, W. J.
- Chlorides, determination of low levels of chloride in hardened portland cement paste, mortar, and concrete (Berman), May, 208
- Cho, M. M.: *see* Ratz, G. A. and Cho, M. M.
- Chwirut, D. J.: Tensile creep of angle-ply boron/epoxy laminates, Nov., 442
- Clark, W. G., Jr. and Hudak, S. J., Jr.: Variability in fatigue crack growth rate testing, Nov., 454
- Cleaning, automatic particle measurement systems and liquid-handling techniques for clean liquids (Lieberman), Sept., 398
- Clough, R. B.: New method for determination of proportional limit and machine stiffness, March, 143
- Composite materials
- comparison of the elevated temperature strength loss in high tensile strength graphite/epoxy composite laminates due to ambient and accelerated aging (Hofer, Stander, and Rao), Nov., 423
 - fatigue of ferrocement (McKinnon and Simpson), Sept., 359
- Compressive strength
- discussion of "The Effect of Cement Properties and the Thermal Compatibility of Aggregates on the Strength of Accelerated Cured Concrete" by Orchard, Jones, and Al-Rawi (Mather and Mather), Jan., 79
 - early assessment of concrete quality by accelerating compressive strength development with heat (results of

- ASTM's cooperative test program (Wills), July, 251
- a simple technique for determining relative strength of aggregates (Rad), Nov., 477
- Computers**
- interlaboratory test for wool fineness using the PiMc particle measurement computer system (Pohle), May, 159
- system for computer analysis of stress-strain curves (Olshausen and Larsen), March, 137
- Concretes**
- analysis of the design of beam testing apparatus (Ducker, Vallabhan, and McMullin), May, 163
- determination of low levels of chloride in hardened portland cement paste, mortar, and concrete (Berman), May, 208
- discussion of "The Effect of Cement Properties and the Thermal Compatibility of Aggregates on the Strength of Accelerated Cured Concrete" by Orchard, Jones, and Al-Rawi (Mather and Mather), Jan., 79
- early assessment of concrete quality by accelerating compressive strength development with heat (results of ASTM's cooperative test program) (Wills), July, 251
- effect of various accelerating chemical admixtures on setting and strength development of concrete (Roskopf, Linton, and Peppler), July, 322
- effect of water content on the compressive strength of laterized concrete (Adepegba), Nov., 449
- holographic interferometry for measuring swelling of hardened concrete (Goldberg, O'Toole, and Roper), July, 263
- mechanisms of acceleration by calcium chloride: a review (Skalny and Maycock), July, 303
- polymeric materials for concrete (Idorn), Sept., 355
- strength of concrete subjected to compression-compression-tension stress systems (Mahmood and Hannant), March, 107
- Congiu Castellano, A.: *see* Papa, T., Sette, D., Stagni, L., and Congiu Castellano, A.
- Construction materials**, high purity approach to high chromium ferritic stainless steels (Matejka and Knoth), May, 199
- Cooper, R. E.: Study of crack tip plastic zone topography in beryllium, March, 87
- Copper, discussion of "High Cycle Fatigue Crack Propagation Rates in Copper" by Nakano and Sandor (Thompson), March, 121
- Copper beryllium alloys, stress relaxation in tension of CA 172 copper-beryllium (Goel), Jan., 62
- Corotis, R. B.: *see* Farzin, M. H., Corotis, R. B., and Krizek, R. J.
- Corrosion fatigue**, analysis of the influence of mean stress intensity and environment on fatigue crack growth in a new high strength aluminum alloy (Banco, Radon, and Culver), Nov., 407
- Cracking (fracturing)**, variability in fatigue crack growth rate testing (Clark and Hudak), Nov., 454
- Crack propagation**
- discussion of "Dependence of Fatigue Notch Factor on Plasticity and Duration of Crack Growth" by Gowda, Leis, and Smith (Thompson), March, 124
- discussion of "High Cycle Fatigue Crack Propagation Rates in Copper" by Nakano and Sandor (Thompson), March, 121
- effect of specimen thickness on delay in fatigue crack growth (Shih and Wei), Jan, 46
- evaluation of fracture energy of aluminum alloys (Johnson and Radon), Sept., 364
- fracture mechanics method for determining the crack propagation resistance of embrittled aluminum bicrystals (Kargol and Albright), May, 173
- new method of detecting fatigue crack propagation in ferromagnetic specimens (Bhattacharya and Schroder), July, 289
- Cracks**
- failure load criteria for two collinear cracks in a finite width strip (McLellan and Goranson), July, 292
- fracture testing with surface crack specimens (Orange), Sept., 335
- Creep properties**
- nonlinear viscoelastic properties of bituminous concretes (Sharma and Kim), May, 182
- strength and ductility of Cr-Mo-V steels in creep at elevated temperatures (Viswanathan), March, 93
- tensile creep of angle-ply boron/epoxy laminates (Chwirut), Nov., 442
- Culver, L. E.: *see* Branco, C. M., Radon, J. C., and Culver, L. E.
- Cyclic loads**, history dependence in the cyclic stress-strain response of wavy slip materials (Laird, Finney, Schwartzman, and de la Veaux), Nov., 435
- Czoboly, E. and Sandor, B. I.: Cycle-dependent softening in notched steel specimens, Sept., 343
- D**
- Damage**
- cumulative fatigue damage analysis of a light truck frame (Mitchell and Wetzel), Nov., 427
- damage function analysis (McElroy, Simons, Doran, and Odette), May, 220
- Damping**, correlation of damping and fatigue properties of an AISI 403 stainless steel (Willert and Moon), May, 191
- Defects**, finite element modeling of magnetic field/defect interactions (Hwang and Lord), Jan., 21
- Deformation**, evaluation of deformation phenomena of metals for fatigue analysis (Jhansale), Sept., 348
- de la Veaux, R.: *see* Laird, C., Finney, J. M., Schwartzman, A., and de la Veaux, R.
- Design**, analysis of the design of beam testing apparatus (Ducker, Vallabhan, and McMullin), May, 163
- Diederich, D. P.: *see* Maegley, W. J. and Diederich, D. P.
- Doran, D. G.: *see* McElroy, W. N., Simons, R. L., Doran, D. G., and Odette, G. R.
- Dosimetry**
- damage function analysis (McElroy, Simons, Doran, and Odette), May, 220
- dosimetry related to controlled thermonuclear research (Dudey), May, 238
- long-term dosimetry (Morgan), May, 217
- neutron spectrum analysis from dosimetry experiments (Kam and Stallman), May, 211
- radiation damage units for steel (Beeler), May, 230
- Ducker, W. L., Vallabhan, C. V. G., and McMullin, W. S.: Analysis of the design of beam testing apparatus, May, 163
- Dudey, N. D.: Dosimetry related to controlled thermonuclear research, May, 238
- Durelli, A. J.: *see* Haseem, H. M., Durelli, A. J., and Parks, V. J.
- E**
- Electron microscopy**
- magnetic domain structures in Fe-3.2Si revealed by scanning electron microscopy—a photo essay (Yakowitz and Newbury), Jan., 75
- technique for examining submicron particulate matter on semiconductor device wafers (Berenbaum), Sept., 389
- Electron probes**, detection of chrysotile asbestos in airborne dust from thermosetting resin grinding (Faulring, Forgeng, Kleber, and Rhodes), Nov., 482
- Emission**
- acoustic emission produced during heating of tin and zinc single crystals (Papa, Sette, Stagni, and Congiu Castellano), Jan., 48
- acoustic emission testing of unflawed 7075-T6 aluminum (Hamstad and Mukherjee), May, 167
- spectral energy distributions and aging characteristics of fluorescent sunlamps and blacklights (Mullen, Kimmonth, and Searle), Jan., 15
- Endicott, D. L.: Contamination damage avoidance concepts for propulsion feed system components, Sept., 374
- Epoxy laminates**
- comparison of the elevated temperature strength loss in high tensile strength graphite/epoxy composite laminates due to ambient and accelerated aging (Hofer, Stander, and Rao), Nov., 423
- tensile creep of angle-ply boron/epoxy laminates (Chwirut), Nov., 442
- Epoxy resins, new model material for three-dimensional stress analysis (Haseem, Durelli, and Parks), Sept., 368

- Evans, R. E.: Measurement of the coefficient of friction of polymer pellets under extruder conditions, March, 133
- Extensometers, extensometer for circumferential strains (Findley and Reed), July, 300

F

- Failure, failure load criteria for two collinear cracks in a finite width strip (McLellan and Goranson), July, 292
- Farzin, M. H., Corotis, R. B., and Krizek, R. J.: Inverse method for determining approximate stress-strain behavior of soils, Jan., 51
- Fatigue (materials)
- correlation of damping and fatigue properties of an AISI 403 stainless steel (Willertz and Moon), May, 191
 - cumulative fatigue damage analysis of a light truck frame (Mitchell and Wetzel), Nov., 427
 - cycle-dependent softening in notched steel specimens (Czoboly and Sandor), Sept., 343
 - discussion of "Dependence of Fatigue Notch Factor on Plasticity and Duration of Crack Growth" by Gowda, Leis, and Smith (Thompson), March, 124
 - discussion of "High Cycle Fatigue Crack Propagation Rates in Copper" by Nakano and Sandor (Thompson), March, 121
 - effect of specimen thickness on delay in fatigue crack growth (Shih and Wei), Jan., 46
 - evaluation of deformation phenomena of metals for fatigue analysis (Jhansale), Sept., 348
 - fatigue of ferrocement (McKinnon and Simpson), Sept., 359
 - a new method of detecting fatigue crack propagation in ferromagnetic specimens (Bhattacharya and Schroder), July, 289
 - variability in fatigue crack growth rate testing (Clark and Hudak), Nov., 454
- Faulring, G. M., Forgeng, W. D., Kleber, F. J., and Rhodes, H. B.: Detection of chrysotile asbestos in airborne dust from thermosetting resin grinding, Nov., 482
- Ferritic stainless steels, high purity approach to high chromium ferritic stainless steels (Matejka and Knoth), May, 199
- Ferrocement, fatigue of ferrocement (McKinnon and Simpson), Sept., 359
- Ferromagnetic materials, new method of detecting fatigue crack propagation in ferromagnetic specimens (Bhattacharya and Schroder), July, 289
- Findley, W. N. and Reed, R. M.: Extensometer for circumferential strains, July, 300
- Finney, J. M.: *see* Laird, C., Finney, J. M., Schwartzman, A., and de la Veaux, R.
- Fire tests, interlaboratory evaluation of ASTM E 84-70 tunnel test applied to floor coverings (Lee and Huggett), Jan., 3
- Flexural strength
- analysis of the design of beam testing apparatus (Ducker, Vallabhan, and McMullin), May, 163
 - comparison of the elevated temperature strength loss in high tensile strength graphite/epoxy composite laminates due to ambient and accelerated aging (Hofer, Stander, and Rao), Nov., 423
- Floor coverings, interlaboratory evaluation of ASTM E 84-70 tunnel test applied to floor coverings (Lee and Huggett), Jan., 3
- Fluid system components, contamination damage avoidance concepts for propulsion feed system components (Endicott), Sep., 374
- Fluorescent lamps, spectral energy distributions and aging characteristics of fluorescent sunlamps and blacklights (Mullen, Kinmonth, and Searle), Jan., 15
- Forgeng, W. D.: *see* Faulring, G. M., Forgeng, W. D., Kleber, E. J., and Rhodes, H. B.
- Fracture properties, analysis of the influence of mean stress intensity and environment on fatigue crack growth in new high strength aluminum alloy (Branco, Radon, and Culver), Nov., 407
- Fracture strength, evaluation of fracture energy of aluminum alloys (Johnson and Radon), Sept., 364
- Fracture tests
- fracture mechanics method for determining the crack propagation resistance of embrittled aluminum bicrystals (Kargol and Albright), May, 173
 - fracture testing with surface crack specimens (Orange), Sept., 335
- Freezing, freezing and thawing tests and theories of frost damage (Blachere and Young), July, 273
- Friction, measurement of the coefficient of friction of polymer pellets under extruder conditions (Evans), March, 133

G

- Gallaccio, A.: *see* Pearlstein, F. and Gallaccio, A.
- Galvanized materials, characterization of galvanized sheet steel for automotive vehicle bodies (Pearlstein and Gallaccio), Nov., 414
- Goel, R. P.: Stress relaxation in tension of CA 172 copper-beryllium, Jan., 62
- Goldberg, J. L., O'Toole, K. M., and Roper, H.: Holographic interferometry for measuring swelling of hardened concrete, July, 263
- Goranson, U. G.: *see* McLellan, D. L. and Goranson, U. G.
- Gowda, C. V. B.: Author's closure, March, 121

H

- Halsted, L. E.: Simple accelerated strength test for portland cements, July, 271
- Hamstad, M. A. and Mukherjee, A. K.: Acoustic emission testing of unflawed 7075-T6 aluminum, May, 167

- Hannant, D. J.: *see* Mahmood, N. and Hannant, D. J.
- Hasseem, H. M., Durelli, A. J., and Parks, V. J.: New model material for three-dimensional stress analysis, Sept., 368
- Heating coils
- evaluation of an 80Ni-20Cr alloy in an enclosed heating element (Starr), March, 125
 - life testing of enclosed heating elements (Starr), July, 278
- High temperature tests
- programmed in situ melting, freezing, and tensile testing for laboratory study of high temperature properties of as-cast metals (Batra, Wilber, Breit, and Childs), Jan., 68
 - properties of 713LC compacts, hot isostatically pressed at supersolidus temperatures (Wallace, Holt, and Whelan), March, 113
 - strength and ductility of Cr-Mo-V steels in creep at elevated temperatures (Viswanathan), March, 93
- Hofer, K. E., Stander, M., and Rao, P. N.: Comparison of the elevated temperature strength loss in high tensile strength graphite/epoxy composite laminates due to ambient and accelerated aging, Nov., 423
- Holography, holographic interferometry for measuring swelling of hardened concrete (Goldberg, O'Toole, and Roper), July, 263
- Holt, R. T.: *see* Wallace, W., Holt, R. T., and Whelan, E. P.
- Hudak, S. J., Jr.: *see* Clark, W. G., Jr. and Hudak, S. J., Jr.
- Huggett, Clayton: *see* Lee, T. G. and Huggett, Clayton
- Hwang, J. H. and Lord, W.: Finite element modeling of magnetic field/defect interactions, Jan., 21

I

- Idorn, G. M.: Polymeric materials for concrete, Sept., 355
- Impact tests, simple technique for determining relative strength of aggregates (Rad), Nov., 477
- Interferometers
- holographic interferometry for measuring swelling of hardened concrete (Goldberg, O'Toole, and Roper), July, 263
 - study of crack tip plastic zone topography in beryllium (Cooper), March, 87

J

- Jhansale, H. R.: Evaluation of deformation phenomena of metals for fatigue analysis, Sept., 348
- Johnson, F. A. and Radon, J. C.: Evaluation of fracture energy of aluminum alloys, Sept., 364
- Jones, M. H. and Brown, W. F., Jr.: Note on performance of tapered grip tensile loading devices, May, 179

K

- Kam, F. B. K. and Stallmann, F. W.: Neutron spectrum analysis from dosimetry experiments, May, 211
- Kantro, D. L.: Tricalcium silicate hydration in the presence of various salts, July, 312
- Kargol, J. A. and Albright, D. L.: Fracture mechanics method for determining the crack propagation resistance of embrittled aluminum bicrystals, May, 173
- Kennedy, J. C. and Woodmansee, W. E.: Signal processing in nondestructive testing, Jan., 26
- Kim, K. S.: *see* Sharma, M. G. and Kim, K. S.
- Kinmonth, R. A.: *see* Mullen, P. A., Kinmonth, R. A., and Searle, N. Z.
- Kleber, E. J.: *see* Faulring, G. M., Forgeng, W. D., Kleber, E. J., and Rhodes, H. B.
- Knoth, R. J.: *see* Matejka, W. A. and Knoth, R. J.
- Krizek, R. J.: *see* Farzin, M. H., Corotis, R. B., and Krizek, R. J.

L

- Laird, C., Finney, J. M., Schwartzman, A., and de la Veaux, R.: History dependence in the cyclic stress-strain response of wavy slip materials, Nov., 435
- Laminates, tensile creep of angle-ply boron/epoxy laminates (Chwirut), Nov., 442
- Larsen, J. K.: *see* Olshausen, K. D. and Larsen, J. K.
- Laterites, effect of water content on the compressive strength of laterized concrete (Adepegba), Nov., 449
- Lee, T. G. and Huggett, Clayton: Interlaboratory evaluation of ASTM E 84-70 tunnel test applied to floor coverings, Jan., 3
- Lieberman, A.: Automatic particle measurement systems and liquid-handling techniques for clean liquids, Sept., 398
- Life tests
evaluation of an 80Ni-20Cr alloy in an enclosed heating element (Starr), March, 125
life testing of enclosed heating elements (Starr), July, 278
- Linton, F. J.: *see* Roskopf, P. A., Linton, F. J., and Pepler, R. B.
- Liquids, automatic particle measurement systems and liquid-handling techniques for clean liquids (Lieberman), Sept., 398
- Lord, W.: *see* Hwang, J. H. and Lord, W.

M

- Maegley, W. J. and Diederich, D. P.: Martian sandstorms and their effects on the 1975 Viking lander system, Sept., 380
- Magnesium alloys, note on performance of tapered grip tensile loading devices (Jones and Brown), May, 179
- Magnetic domains, magnetic domain structures in Fe-3.2Si revealed by scanning electron microscopy—a photo essay (Yakowitz and Newbury), Jan., 75

- Magnetic fields, finite element modeling of magnetic field/defect interactions (Hwang and Lord), Jan., 21
- Manmood, N. and Hannant, D. J.: Strength of concrete subjected to compression-compression-tension stress systems, March, 107
- Matejka, W. A. and Knoth, R. J.: High purity approach to high chromium ferritic stainless steels, May, 199
- Mather, Bryant: *see* Mather, Katharine and Mather, Bryant
- Mather, Katharine and Mather, Bryant: Discussion of "The Effect of Cement Properties and the Thermal Compatibility of Aggregates on the Strength of Accelerated Cured Concrete" by D. F. Orchard, R. Jones, and R. S. Al-Rawi, Jan., 79
- Maycock, J. N.: *see* Skalney, Jan and Maycock, J. N.
- McElroy, W. N., Simons, R. L., Doran, D. G., and Odette, G. R.: Damage function analysis, May, 220
- McKinnon, E. A. and Simpson, M. G.: Fatigue of ferrocement, Sept., 359
- McLellan, D. L. and Goranson, U. G.: Failure load criteria for two collinear cracks in a finite width strip, July, 292
- McMullin, W. S.: *see* Ducker, W. L., Vallabhan, C. V. G., and McMullin, W. S.
- Mechanical properties
strength of concrete subjected to compression-compression-tension stress systems (Mahmood and Hannant), March, 107
study of crack tip plastic zone topography in beryllium (Cooper), March, 87
- Melting, freezing and thawing tests and theories of frost damage (Blachere and Young), July, 273
- Metals, programmed in situ melting, freezing, and tensile testing for laboratory study of high temperature properties of as-cast metals (Batra, Wilber, Breit, and Childs), Jan., 68
- Mitchell, M. R. and Wetzell, R. M.: Cumulative fatigue damage analysis of a light truck frame, Nov., 427
- Models, finite element modeling of magnetic field/defect interactions (Hwang and Lord), Jan., 21
- Moon, D. M.: *see* Willertz, L. E. and Moon, D. M.
- Morgan, W. C.: Long-term dosimetry, May, 217
- Mortars (materials), determination of low levels of chloride in hardened portland cement paste, mortar, and concrete (Berman), May, 208
- Mukherjee, A. K.: *see* Hamstad, M. A. and Mukherjee, A. K.
- Mullen, P. A., Kinmonth, R. A., and Searle, N. Z.: Spectral energy distributions and aging characteristics of fluorescent sunlamps and blacklights, Jan., 15

N

- Nakano, Yoshifumi and Sandor, B. I.: Author's closure, March, 121
- Nenno, R. E. and Oldland, A. H.: Contamination control during acceptance

- testing of Mariner class spacecraft propulsion hardware, Sept., 392
- Neutron spectra
dosimetry related to controlled thermonuclear research (Dudey), May, 238
long-term dosimetry (Morgan), May, 217
neutron spectrum analysis from dosimetry experiments (Kam and Stallmann), May, 211
- Newbury, D. E.: *see* Yakowitz, Harvey and Newbury, D. E.
- Nickel alloys, properties of 713LC compacts, hot isostatically pressed at supersolidus temperatures (Wallace, Holt, and Whelan), March, 113
- Nickel-chromium alloys, evaluation of an 80Ni-20Cr alloy in an enclosed heating element (Starr), March, 125
- Nondestructive tests, signal processing in nondestructive testing (Kennedy and Woodmansee), Jan., 26
- Noronha, P. J. and Wert, J. J.: Ultrasonic technique for the measurement of residual stress, March, 147
- Notch tests, note on performance of tapered grip tensile loading devices (Jones and Brown), May, 179

O

- Odette, G. R.: *see* McElroy, W. N., Simons, R. L., Doran, D. G., and Odette, G. R.
- Oldland, A. H.: *see* Nenno, R. E. and Oldland, A. H.
- Olshausen, K. D. and Larsen, J. K.: System for computer analysis of stress-strain curves, March, 137
- Orange, T. W.: Fracture testing with surface crack specimens, Sept., 335
- Orchard, D. F.: Author's closure, Jan., 79
- O'Toole, K. M.: *see* Goldberg, J. L., O'Toole, K. M., and Roper, H.

P

- Papa, T., Sette, D., Stagni, L. and Congiu Castellano, A.: Acoustic emission produced during heating of tin and zinc single crystals, Jan., 48
- Parks, V. J.: *see* Hasseem, H. M., Durelli, A. J., and Parks, V. J.
- Particle measurement, interlaboratory test for wool fineness using the PiMc particle measurement computer system (Pohle), May, 159
- Particulate contamination
contamination control during acceptance testing of Mariner class spacecraft propulsion hardware (Nenno and Oldland), Sept., 392
contamination damage avoidance concepts for propulsion feed system components (Endicott), Sept., 374
Martian sandstorms and their effects on the 1975 Viking lander system (Maegley and Diederich), Sept., 380
technique for examining submicron particulate matter on semiconductor device wafers (Berenbaum), Sept., 389
- Pearlstein, F. and Gallaccio, A.: Characterization of galvanized sheet steel for automotive vehicle bodies, Nov., 414

- Peppler, R. B.: *see* Roskopf, P. A., Linyon, F. J., and Peppler, R. B.
- Photoelasticity, new model materials for three-dimensional stress analysis (Haseem, Durelli, and Parks), Sept., 368
- Plastic properties, cycle-dependent softening in notched steel specimens (Czoboly and Sandor), Sept., 343
- Plastics, extensometer for circumferential strains (Findley and Reed), July, 300
- Pohle, E. M.: Interlaboratory test for wool fineness using the PiMc particle measurement computer system, May, 159
- Polymers
 measurement of the coefficient of friction of polymer pellets under extruder conditions (Evans), March, 133
 polymeric materials for concrete (Idorn), Sept., 355
- Porous materials, freezing and thawing tests and theories of frost damage (Blachere and Young), July, 273
- Portland cements, simple accelerated strength test for portland cements (Halsted), July, 271
- Powder metallurgy, properties of 713LC compacts, hot isostatically pressed at supersolidus temperatures (Wallace, Holt, and Whelan), March, 113
- Proportional limit, new method for determination of proportional limit and machine stiffness (Clough), March, 143
- Purity, high purity approach to high chromium ferritic stainless steels (Matejka and Knoth), May, 199

R

- Rad, P. F.: Simple technique for determining relative strength of aggregates, Nov., 477
- Radiation effects
 damage function analysis (McElroy, Simons, Doran, and Odette), May, 220
 dosimetry related to controlled thermonuclear research (Dudey), May, 238
 long-term dosimetry (Morgan), May, 217
 neutron spectrum analysis from dosimetry experiments (Kam and Stallmann), May, 211
 radiation damage units for steel (Beeler), May, 230
- Randon, J. C.
 see Branco, C. M., Radon, J. C., and Culver, L. E.
 see Johnson, F. A. and Randon, J. C.
- Rao, P. N.: *see* Hofer, K. E., Stander, M., Rao, P. N.
- Ratz, G. A. and Cho, M. M.: Discussion of "Programmed In Situ Melting, Freezing, and Tensile Testing for Laboratory Study of High Temperature Properties of As-Cast Metals" by R. Batra, G. A. Wilber, H. F. Breit, and W. J. Childs, Jan., 74
- Reed, R. M.: *see* Findley, W. N. and Reed, R. M.
- Residual stress
 failure load criteria for two collinear cracks in a finite width strip (McLellan and Goranson), July, 229

- ultrasonic technique for the measurement of residual stress (Noronha and Wert), March, 147
- Rhodes, H. B.: *see* Faulring, G. M., Foregang, W. D., Kleber, E. J., and Rhodes, H. B.
- Roper, H.: *see* Goldberg, J. L., O'Toole, K. M., and Roper, H.
- Roskopf, P. A., Linton, F. J., and Peppler, R. B.: effect of various accelerating chemical admixtures on setting and strength development of concrete, July, 322

S

- Sandor, B. I.
 see Czoboly, E. and Sandor, B. I.
 see Nakano, Yoshifumi and Sandor, B. I.
- Scanning, magnetic domain structures in Fe-3.2Si revealed by scanning electron microscopy—a photo essay (Yakowitz and Newbury), Jan., 75
- Schroder, K.: *see* Bhattacharya, S. and Schroder, K.
- Schwartzman, A.: *see* Laird, C., Finney, J. M., Schwartzman, A., and de la Veaux, R.
- Searle, N. Z.: *see* Mullen, P. A., Kinmonth, R. A., and Searle, N. Z.
- Semiconductor devices, technique for examining submicron particulate matter on semiconductor device wafers (Berenbaum), Sept., 389
- Serpentine, detection of chrysotile asbestos in airborne dust from thermosetting resin grinding (Faulring, Forgeng, Kleber, and Rhodes), Nov., 482
- Sette, D.: *see* Papa, T., Sette, D., Stagni, L., and Congiu Castellano, A.
- Sharma, M. G. and Kim, K. S.: Nonlinear viscoelastic properties of bituminous concretes, May, 182
- Shih, T. T. and Wei, R. P.: Effect of specimen thickness on delay in fatigue crack growth, Jan., 46
- Signal processing, signal processing in nondestructive testing (Kennedy and Woodmansee), Jan., 26
- Simons, R. L.: *see* McElroy, W. N., Simons, R. L., Doran, D. G., and Odette, G. R.
- Simpson, M. G.: *see* McKinnon, E. A. and Simpson, M. G.
- Skalny, Jan and Maycock, J. N.: Mechanisms of acceleration by calcium chloride: a review, July, 303
- Softening steels, cycle-dependent softening in notched steel specimens (Czoboly and Sandor), Sept., 343
- Soils, inverse method for determining approximate stress-strain behavior of soils (Farzin, Corotis, and Krizek), Jan., 51
- Spacecraft landing, Martian sandstorms and their effects on the 1975 Viking lander system (Maegley and Diederich), Sept., 380
- Spacecraft propulsion
 contamination control during acceptance testing of Mariner class spacecraft propulsion hardware (Nenno and Oldland), Sept., 392
 contamination damage avoidance concepts for propulsion feed system components (Endicott), Sept., 374

- Spectral energy distribution, spectral energy distributions and aging characteristics of fluorescent sunlamps and blacklights (Mullen, Kinmonth, and Searle), Jan., 15
- Stagni, L.: *see* Papa, T., Sette, D., Stagni, L., and Congiu Castellano, A.
- Stainless steels, correlation of damping and fatigue properties of an AISI 403 stainless steel (Willertz and Moon), May, 191
- Stallmann, F. W.: *see* Kam, F. B. K. and Stallmann, F. W.
- Standards, early assessment of concrete quality by accelerating compressive strength development with heat (results of ASTM's cooperative test program) (Wills), July, 251
- Stander, M.: *see* Hofer, K. E., Stander, M., and Rao, P. N.
- Starr, C. D.
 Evaluation of an 80Ni-20Cr alloy in an enclosed heating element, March, 125
 Life testing of enclosed heating elements, July, 278
- Steels
 characterization of galvanized sheet steel for automotive vehicle bodies (Pearlstein and Gallaccio), Nov., 414
 radiation damage units for steel (Beeler), May, 230
 strength and ductility of Cr-Mo-V steels in creep at elevated temperatures (Viswanathan), March, 93
- Stiffness, new method for determination of proportional limit and machine stiffness (Clough), March, 143
- Strains
 extensometer for circumferential strains (Findley and Reed), July, 300
 history dependence in the cyclic stress-strain response of wavy slip materials (Laird, Finney, Schwartzman, and de la Veaux), Nov., 435
 inverse method for determining approximate stress-strain behavior of soils (Farzin, Corotis, and Krizek), Jan., 51
- Stress analysis
 cumulative fatigue damage analysis of a light truck frame (Mitchell and Wetzell), Nov., 427
 new model material for three-dimensional stress analysis (Haseem, Durelli, and Parks), Sept., 368
- Stresses
 history dependence in the cyclic stress-strain response of wavy slip materials (Laird, Finney, Schwartzman, and de la Veaux), Nov., 435
 inverse method for determining approximate stress-strain behavior of soils (Farzin, Corotis, and Krizek), Jan., 51
 strength of concrete subjected to compression-compression-tension stress systems (Mahmood and Hannant), March, 107
 ultrasonic technique for the measurement of residual stress (Noronha and Wert), March, 147
- Stress relaxation, evaluation of deformation phenomena of metals for fatigue analysis (Jhansale), Sept., 348

Stress relaxation tests, stress relaxation in tension of CA 172 copper-beryllium (Goel), Jan., 62

Stress strain diagrams

new method for determination of proportional limit and machine stiffness (Clough), March, 143

system for computer analysis of stress-strain curves (Olshausen and Larsen), March, 137

Surface defects, fracture testing with surface crack specimens (Orange), Sept., 335

T

Tension tests

programmed in situ melting, freezing, and tensile testing for laboratory study of high temperature properties of as-cast metals (Batra, Wilber, Breit, and Childs), Jan., 68

stress relaxation in tension of CA 172 copper-beryllium (Goel), Jan., 62

system for computer analysis of stress-strain curves (Olshausen and Larsen), March, 137

Thermosetting resins, detection of chrysotile asbestos in airborne dust from thermosetting resin grinding (Faulring, Forgeng, Kleber, and Rhodes), Nov., 482

Thompson, A. W.

Discussion of "Dependence of Fatigue Notch Factor on Plasticity and Duration of Crack Growth" by Gowda, Leis, and Smith, March, 124

Discussion of "High Cycle Fatigue Crack Propagation Rates in Copper" by Nakano and Sandor, March, 121

U

Ultrasonic tests

signal processing in nondestructive testing (Kennedy and Woodmansee), Jan., 26

ultrasonic technique for the measurement of residual stress (Noronha and Wert), March, 147

V

Vallabhān, C. V. G.: *see* Ducker, W. L., Vallabhan, C. V. G., and McMullin, W. S.

Variability, variability in fatigue crack growth rate testing (Clark and Hudak), Nov., 454

Viscoelasticity, nonlinear viscoelastic properties of bituminous concretes (Sharma and Kim), May, 182

Viswanathan, R.: Strength and ductility of Cr-Mo-V steels in creep at elevated temperatures, March, 93

W

Wallace, W., Holt, R. T., and Whelan, E. P.: Properties of 713LC compacts, hot isostatically pressed at supersolidus temperatures, March, 113

Water cement ratio, effect of water content on the compressive strength of laterized concrete (Adepegba), Nov., 449

Wear, measurement of the coefficient of friction of polymer pellets under extruder conditions (Evans), March, 133

Wei, R. P.: *see* Shih, T. T. and Wei, R. P.

Welding, characterization of galvanized sheet steel for automotive vehicle bodies (Pearlstein and Gallaccio), Nov., 414

Wert, J. J.: *see* Noronha, P. J. and Wert, J. J.

Wetzel, R. M.: *see* Mitchell, M. R. and Wetzel, R. M.

Whelan, E. P.: *see* Wallace, W., Holt, R. T., and Whelan, E. P.

Whiskers (single crystals), acoustic emission produced during heating of tin and zinc single crystals (Papa, Sette, Stagni, and Congiu Castellano), Jan., 48

Wilber, G. A.: *see* Bartra, R., Wilber, G. A., Breit, H. F., and Childs, W. J.

Willert, L. E. and Moon, D. M.: Correlation of damping and fatigue properties of an AISI 403 stainless steel, May, 191

Wills, M. H., Jr.: Early assessment of concrete quality by accelerating compressive strength development with heat (results of ASTM's cooperative test program), July, 251

Woodmansee, W. E.: *see* Kennedy, J. C. and Woodmansee, W. E.

Wool, interlaboratory test for wool fineness using the PiMc particle measurement computer system (Pohle), May, 159

Y

Yakowitz, Harvey and Newbury, D. E.: Magnetic domain structure in Fe-3.2Si revealed by scanning electron microscopy—a photo assay, Jan., 75

Young, J. E.: *see* Blachere, J. R. and Young, J. E.