

U.S. POSTAL SERVICE		
STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION		
(Required by 39 U.S.C. 3685)		
1. TITLE OF PUBLICATION <u>Journal of Testing and Evaluation</u>	A. PUBLICATION NO. 2 8 1 0 2 0	2. DATE OF FILING 24 September 1979
3. FREQUENCY OF ISSUE <u>Bimonthly</u>	A. NO. OF ISSUES PUBLISHED ANNUALLY 6	B. ANNUAL SUBSCRIPTION PRICE \$18.00
4. LOCATION OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers) <u>1916 Race Street, Philadelphia, PA 19103</u>		
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers) <u>1916 Race Street, Philadelphia, PA 19103</u>		
6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR		
PUBLISHER (Name and Address) <u>American Society for Testing &amp; Materials, 1916 Race St., Philadelphia, PA 19103</u>		
EDITOR (Name and Address)		
MANAGING EDITOR (Name and Address) <u>K.C. Lieb, ASTM, 1916 Race Street, Philadelphia, PA 19103</u>		
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be giving. If the publication is published by a nonprofit organization, its name and address must be stated.)		
NAME	ADDRESS	
<u>American Society for Testing &amp; Materials</u>	<u>1916 Race Street, Philadelphia, PA 19103</u>	
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)		
NAME	ADDRESS	
NONE		
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 132.122, PSM) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)		
<input checked="" type="checkbox"/> HAVE NOT CHANGED DURING PRECEDING 12 MONTHS <input type="checkbox"/> HAVE CHANGED DURING PRECEDING 12 MONTHS             (If changed, publisher must submit explanation of change with this statement.)		
10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED (Net Press Run)	2,600	2,400
B. PAID CIRCULATION		
1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTIONS	2,120	2,162
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	2,120	2,162
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	0	0
E. TOTAL DISTRIBUTION (Sum of C and D)	2,120	2,162
F. COPIES NOT DISTRIBUTED		
1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	480	238
2. RETURNS FROM NEWS AGENTS	0	0
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	2,600	2,400
11. I certify that the statements made by me above are correct and complete.	SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER <u>R. L. Meltzer</u> R. L. Meltzer, Director of Publications	
12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 132.121, Postal Service Manual)		
39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."  In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U. S. C. 3626.		
SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER		

# Journal of Testing and Evaluation

## Table of Contents, Volume 7

### 1979

#### No. 1, January

Procedures for the Reduction and Testing of Bias—JAN VISMAN	3
Acute Fish Toxicity and Absorption Tests of an Experimental Detergent Builder, Trisodium Carboxymethyloxysuccinate— C. S. NEWSOME AND M. J. HOW	16
Biaxial Analogs of Triaxial Stresses—D. O. EHRENBURG	18
A New Fixture for Fatigue Testing—B. K. MIN AND RISHI RAJ	24
Compliance Correction for Determining Load-Line Energies for Compact Fracture Toughness Specimens—W. L. SERVER	29
Fracture Modes and Acoustic Emission of Composite Materials—ASSA ROTEM AND ELIEZER ALTUS	33
A Modified Procedure for Measuring the Maximum Specific Gravity of Bituminous Paving Mixtures—ILAN ISHAI, EGONS TONS, AND A. P. CHRITZ	41
A Procedure for the Determination of Ductile Fracture Toughness Values Using $J$ Integral Techniques—G. A. CLARKE, W. R. ANDREWS, J. A. BEGLEY, J. K. DONALD, G. T. EMBLEY, J. D. LANDES, D. E. MC CABE, AND J. H. UNDERWOOD	49

#### No. 2, March

Sampling and Analysis of Atmospheric Sulfur Dioxide with the Lead Dioxide Plate (Huey Plate)—BENJAMIN LEVADIE	61
Constant and Variable Amplitude Fatigue Behavior of Eight Steels—R. I. STEPHENS, P. H. BENNER, G. MAURITZSON, AND G. W. TINDALL	68
Strain Criteria for Fatigue Fracture of Metals at High-Cycle Loading—V. T. TROSHCHENKO	82
Effect of Measurement Precision and Data Processing Procedures on Variability in Fatigue Crack Growth Rate Data— R. P. WEI, WILLIAM WEI, AND G. A. MILLER	90
Statistical Analysis of Notch Toughness Data—G. F. KOONS	96
Comments on Erosion Tests Conducted in an ASTM Interlaboratory Test Program—KAZIMIERZ STELLER, ZDZISŁAW REYMAN, MAREK TARGAN, AND F. G. HAMMITT	103
Application of Fatigue Life Prediction Techniques to Materials Substitution—A. M. SHERMAN	111
A Correlative Study Between Analysis and Experiment on the Fracture Behavior of Graphite/Epoxy Composites— Y. T. YEOW, D. H. MORRIS, AND H. F. BRINSON	117

#### No. 3, May

A Tower Extensometer—W. N. FINDLEY AND J. K. LEPPER	129
Evaluation of Erosion Resistance of Metallic Materials and the Role of Material Properties in Correlations— B. C. SYAMALA RAO, P. VEERABHADRA RAO, AND N. S. LAKSHMANA RAO	133
A Simple and Sensitive Method of Monitoring Crack and Load in Compact Fracture Mechanics Specimens Using Strain Gages—W. F. DEANS AND C. E. RICHARDS	147
The Influence of Bulk-Solution-Chemistry Conditions on Marine Corrosion Fatigue Crack Growth Rate— F. D. BOGAR AND T. W. CROOKER	155
Use of the Double Torsion Method to Study Crack Propagation in an Adhesive Layer—R. H. FRENCH AND RISHI RAJ	160
Cohesive Bond Strength Prediction for Adhesive Joints—P. L. FLYNN	168
Acoustic Emission Monitoring of High-Temperature Cyclic Oxidation Damage in a Titanium-Aluminum-Vanadium Alloy— J. C. BARAM, DAVID ITZHAK, AND MOSHE ROSEN	172
Three-Point Bending at Large Deflections of Beams with Different Moduli of Elasticity in Tension and Compression— S. G. PAOLINELIS, S. A. PAIPETIS, AND P. S. THEOCARIS	177

#### No. 4, July

Correlation of Fiber Composite Tensile Strength with the Ultrasonic Stress Wave Factor—ALEX VARY AND R. F. LARK	185
Isochronous Relaxation Curves for Type 304 Stainless Steel After Monotonic and Cyclic Strain—R. W. SWINDEMAN	192
Stress-Strain Characteristics of Reinforcing Steel Bars Under Cyclic Loading—PRAKASH DESAYI, K. T. S. R. IYENGAR, AND T. S. REDDY	199

Optimization of the Electrical Potential Technique for Crack Growth Monitoring in Compact Test Pieces Using Finite Element Analysis—G. H. ARONSON AND R. O. RITCHIE	208
Acoustic Emission Monitoring of Weldments—THEODORE HOPWOOD II AND J. H. HAVENS	216
A Phenomenological Description of the Acoustic Emission Response in Several Polycrystalline Materials— WILLIAM ST. LAWRENCE	223
Truncated Sequential Sampling Plan for Use in Determining the Grade of Wool—H. C. REALS AND DAVID MUSE	229
Environmental Testing Under Random Loading—C. J. DODDS	232
<i>Technical Note:</i> Reliability of Results of Analyses After Multiple Testing of Petroleum Products—ADAM ZANKER	238

## No. 5, September

A Review of Aggregate Selection Criteria for Improved Wear Resistance and Skid Resistance of Bituminous Surfaces— S. H. DAHIR	245
Computer Simulation of the Tension Test: Effect of Testing Conditions—A. A. BAPTISTA AND M. A. FORTES	254
Evaluation of the $J$ Integral for the Compact Specimen—G. A. CLARKE AND J. D. LANDES	264
Relationships Between Low-Cycle Fatigue and Fatigue Crack Growth Rate Properties—L. R. KAISAND AND D. F. MOWBRAY	270
A Rolling Bottle Device for Measuring the Flow of Liquids and Powders—D. N. WINSLOW	281
Stress Relaxation in Bending of Copper-Nickel-Tin Alloy Strip Strengthened by Spinodal Decomposition—ALFRED FOX	286
Nondestructive Evaluation of Hygrothermal Effects on Fiber-Reinforced Plastic Laminates—Y. BAR COHEN, MICHAEL MERON, AND O. ISHAI	291
<i>Technical Note:</i> A Low-Cycle Fatigue Test for Pipe-Type Power Transmission Cables—W. R. SPILLERS, A. N. GREENWOOD, AND GEORGE SPILIOTIS	297

## No. 6, November

A Rapid Test for the Assessment of Steel Sheet and Tinplate Properties—D. C. LUDWIGSON	301
Determination of the Fracture-Energy Criterion $J_{Ic}$ of Two Steels by Static and Dynamic Testing—PHUC NGUYEN-DUY AND GUY PHÉLIPPEAU	310
A New Load-Transmitting Medium to Measure Strength of Brittle Materials—C. K. ERDEI	317
Fitting Curves to Toughness Data—WILLIAM OLDFIELD	326
<i>Special Report:</i> The United States and Union of Soviet Socialist Republics Cooperative Exchange Program on Fatigue— K. L. JERINA AND L. F. COFFIN	328-1
Reproducibility of the Surface Area of Some Powders as Measured by the Monosorb® Surface-Area Analyzer Using the Brunauer-Emmett-Teller Equation—H. L. ACE AND D. S. PARSONS	334
High-Speed Sampling Cutters and Their Effect on Bias—W. V. BLUCK, RAY HANSON, AND F. R. HUNTINGTON	338
An Optical Comparator for Evaluation of Fine Sieves—NOAH BAREKET, E. W. POLUIANOV, AND F. P. MANCINI	349

## W

## Wear resistance

Review of aggregate selection criteria  
for improved wear resistance and skid

resistance of bituminous surfaces  
(Dahir), Sept., 245

## Weldments

Acoustic emission monitoring of weld-  
ments (Hopwood and Havens), July, 216

## Wool

Truncated sequential sampling plan for  
use in determining the grade of wool  
(Reals and Muse), July, 229

# MOVING?

To insure uninterrupted service on your *JTE* subscription, please notify us at least six weeks before you move.

1. Attach your address label from a recent issue in the space provided opposite. (If label is not available, be sure to give your old address, including Zip Code)



2. Print your name, membership no., and address below. (Be sure to include Zip Code)

3. Mail entire notice to: **ASTM**  
***Journal of Testing and Evaluation***  
**P.O. Box 64106**  
**Baltimore, Md. 21264**

Name \_\_\_\_\_ Membership No. \_\_\_\_\_

New Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

(please print or type the above information)