

Journal of Testing and Evaluation

Table of Contents, Volume 18

1990

No. 1, January

Applicability of Modified J as a Fracture Parameter for Polycarbonate—MELISSA J. WERT, ASHOK SAXENA, AND HUGO A. ERNST	1
The Linearity of Clip Gages Used in Fracture Mechanics Tests—D. J. SMITH AND J. R. GORDON	14
Estimation of the C , Parameter: Experimental Implications—CHUN-POK LEUNG, DAVID L. MCDOWELL, AND ASHOK SAXENA	25
Dynamic K Measurements in Three-Point-Bend Specimens—W. N. SHARPE, JR., AND J. M. SHAPIRO	38
Weathering Effects on Some Mechanical Properties of Polyvinyl Chloride Pipes—A. R. RAGAB, H. ALAWI, AND E. ADDASSI	45
Effect of Compressive Underloads and Tensile Overloads on Fatigue Damage Accumulation in 2024-T351 Aluminum—M. A. POMPETZKI, T. H. TOPPER, D. L. DUQUESNAY, AND M. T. YU	53
The Use of Miniaturized Tests to Predict Flow Properties and Estimate Fracture Toughness in Deformed Steel Plates—F. M. HAGGAG, W. L. SERVER, G. E. LUCAS, G. R. ODETTE, AND J. W. SHECKHERD	62
Bending Strength of Gray Cast Iron—TORU NOGUCHI	70
An Appraisal of Hydration Characteristics of Dead Burnt Dolomite Grains—S. K. DAS, A. GHOSH, P. K. DAS, AND G. BANERJEE	76
<i>Technical Note:</i> Measurements of Dynamic Young's Modulus in Short Specimens with the PUCOT—S. N. WICKSTROM AND A. WOLFENDEN	81

No. 2, March

Development of Analytical Methodology and a Report on Collaborative Study on the Determination of Morpholine, Cyclohexylamine, and Diethylaminoethanol in Aqueous Samples by Direct Aqueous Injection Gas Chromatography—MURUGAN MALAIYANDI AND MICHAEL J. GODDARD	87
Effect of Crystallographic Texture on Flexure Fatigue Properties of Ti-3Al-2.5V Hydraulic Tubing—STEVEN E. MEREDITH AND JOHN H. SCHEMEL	98
A Suggested Procedure for Combined Mode I-Mode III Fracture Toughness Testing—MOHAN MANOHARAN, JOHN P. HIRTH, AND ALAN R. ROSENFELD	106
Optimal Stress Amplitude Selection in Estimating Median Fatigue Limits Using Small Samples—R. E. LITTLE	115
Measurement of Maximum Arrest Force in Performance Tests of Fall Protection Equipment—ANDREW C. SULOWSKI AND JAMES W. BRINKLEY	123
Hardness Gradients within Roll-Threaded Steel Nails—M. S. WHITE, T. E. MCLAIN, D. PADLA, AND B. KASAL	128
A Computer-Aided Image System for Analyzing Cracks Created by Nailing in Wood—PETER W. C. LAU AND YVON TARDIF	131
<i>Technical Note:</i> Historical Overview of Femoral Intramedullary Nailing—DAVID SELIGSON, M.D.	138

No. 3, May

Estimation of Characteristic Values of Fracture Toughness—STEPHEN SLATCHER	141
Cyclic Stress-Strain Behavior and Low Cycle Fatigue of Ti 6242—THANG BUI-QUOC, REHA GOMUC, ANDRE BIRON, HUU LUAN NGUYEN, AND REDA N. TADROS	160
Nondestructive Evaluation of In-Service Toughness Degradation for Cr-Mo-V Steam Turbine Rotor Steel—KAZUSHIGE KIMURA, TAKAO INUKAI, KIYOSHI SAITO, AND HIDEO KASHIWAYA	172
Influence of Overload Plastic Zone Size on Stress Corrosion Crack Growth Behavior of a Low Alloy Steel in 3.0% NaCl Solution—SUSIL K. PUTATUNDA AND VINODH VENUGOPAL	182
Use of Cantilever Specimens to Determine Microcreep Properties—JOSEPH S. SANTNER	191
A Method for Uniform Shear Stress-Strain Analysis of Adhesives—G. W. WYCHERLEY, S. A. MESTAN, AND IVAN GRABOVAC	203
Elasto-Plastic Fracture Characterization of Paving Materials at Low Temperatures—KAMYAR MAHBOUB	210
Relationships Between the Results of Nail Impact Bend Tests and Selected Nail Material Properties—M. S. WHITE, T. E. MCLAIN, AND D. PADLA	219

No. 4, July

Dynamic Loading: A New Microhardness Test Method—W. W. WEILER	229
Measuring the Stress Intensity Factor for Propagating Cracks with Strain Gages—JAMES W. DALLY AND ROBERT J. SANFORD	240
Experimental and Analytical Evaluation of the Mechanical Performance of a Gas-Fired Ceramic Radiant Tube at Steady-State—A. E. SEGALL, J. R. HELLMANN, AND P. STRZEPA	250
Behavior of Rubber-Based Elastomeric Construction Adhesive in Wood Joints—PATRICK J. PELLICANE	256
Instrumented Impactor for Testing Wood-Base Floor Panels—J. DOBBIN MCNATT AND LAWRENCE A. SOLTIS	265
Fatigue Behavior of a Cold-Rolled SAE Grade 945X HSLA Steel—M. T. YU, D. L. DUQUESNAY, AND T. H. TOPPER	274
Stress Intensity Factors for Side-Grooved Fracture Specimens—BRUCE D. MACDONALD AND JOSEPH J. PAJOT	281
An Approach to Predicting Long-Term Toughness, Strength, and Ductility of a Cr-Mo-V Steel Alloy Using Short-Term Tests—D. C. DAVIS	286
Plastic Strain Ratio (r) for Sheet Metal: Effect of Gage Length and Width Measurement Locations Using Reduced Section Specimens—J. A. TAYLOR AND D. K. SCHERRER	292
<i>Technical Note: J_{Ic} Data Analysis Methods with a "Negative Crack Growth" Correction Procedure—Y. A. ROSENTHAL, R. L. TOBLER, AND P. T. PURTSCHER</i>	301

No. 5, September

Crevice Corrosion Testing in Natural Seawater: Significance and Use of Multiple Crevice Assemblies—R. M. KAIN	309
Influence of Test Methodology on Fatigue Crack Propagation in Engineering Plastics—THOMAS R. CLARK, RICHARD W. HERTZBERG, AND JOHN A. MANSON	319
A Rapid Method for Measurement of Rolling Contact Fatigue Limit of Case-Hardened Gear Materials—BINGYUAN JIANG AND ERYU SHAO	328
Dynamic Strain-Aging and Neutron Irradiation Effects on Mechanical and Fracture Properties of A533B Class 1 PV Steel and 2.25Cr-1Mo Steel—SHEIKH T. MAHMOOD, KHALID M. AL-OTAIBI, YOUN H. JUNG, AND K. LINGA MURTY	332
Use of X-Ray Diffraction for Measuring Recrystallization of Low Carbon Steels for Tin Plate Application—KENNETH C. LIAO	338
A K_I Calibration for a Modified Single Edge Notched Tension Specimen—M. T. KIRK AND R. J. SANFORD	344
Influence of Contact Angles on the Leakage of Latex Condoms—GREGORY B. DAVIS AND L. W. SCHROEDER	352
Force Plate for Corrugated Container Vibration Tests—THOMAS J. URBANIK	359
<i>Technical Note: Impact Energy/Specimen Thickness Relationship for Two Turbine Steels—S. A. BASHU</i>	363
Discussion of "Chevron-Notched Specimens for Fracture Toughness Measurements Independent of R-Curve Effects," with Author's Closure—D. MUNZ AND L. M. BARKER	369

No. 6, November

Characterization of the Effects of Large Unloading Cycles on the Ductile Tearing Toughness of HSLA Steel—JAMES A. JOYCE	373
Probability, Confidence, and Sample Size in Fatigue Testing—N. PARIDA, S. K. DAS, P. C. GOPE, AND O. N. MOHANTY	385
Fracture of Defect Foam Core Sandwich Beams—HANS L. GROTH AND DAN ZENKERT	390
A Quality Control Test for Selecting Materials to Arrest Fast-Running, Full-Thickness Cracks—P. B. CROSLY AND E. J. RIPLING	396
Damage Tolerance Analysis of Multiple-Site Cracks Emanating from Hole Array—TOSHIHIKO NISHIMURA, YOSHIHARU NOGUCHI, AND TETSUO UCHIMOTO	401
Changes in Cotton Fabric Bending Properties As a Result of Laboratory Wear—JOSHUA OSAYANDE UKPONMWAN	408
SYMPOSIUM ON QUANTITATIVE METHODS IN THE ASSESSMENT OF STRUCTURAL DEFECTS	
Introduction—A. P. BERENS AND R. T. WATANABE	420
Fatigue Crack Characterization by Ultrasonic Inspection—D. K. REHBEIN, R. B. THOMPSON, AND O. BUCK	421
Imaging Short Fatigue Cracks with the Gel Electrode—WILLIAM J. BAXTER	430
Durability Assessment Based on Initial Material Quality—P. E. MAGNUSEN, A. J. HINKLE, W. T. KAISER, R. J. BUCCI, AND R. L. ROLF	439
Bore Inspection and Life Evaluation of Vintage Steam Turbine/Generator Rotors—H. R. JHANSALE AND DONALD R. MCCANN	446
<i>Technical Note: A Simplified Method for Determining Relaxation Time and Electrical Resistivity from Eddy-Current Decay Measurements—G. L. RICHARDS AND K. T. HARTWIG, JR.</i>	454


U.S. Postal Service
STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
Required by 39 U.S.C. 3685

1A. Title of Publication Journal of Testing and Evaluation		1B. PUBLICATION NO. 0 0 9 0 3 9 7 3				2. Date of Filing 9-28-90	
3. Frequency of Issue Bi-monthly		3A. No. of Issues Published Annually 6				3B. Annual Subscription Price \$60.00	
4. Complete Mailing Address of Known Office of Publication (<i>Street, City, County, State and ZIP+4 Code</i>) (<i>Not printers</i>) 1916 Race Street, Philadelphia, PA 19103-1108							
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (<i>Not printer</i>) 1916 Race Street, Philadelphia, PA 19103-1108							
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (<i>This item MUST NOT be blank</i>)							
Publisher (<i>Name and Complete Mailing Address</i>) American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1108							
Editor (<i>Name and Complete Mailing Address</i>) Alan Wolfenden, Texas A&M University, Mechanical Department, College Station, TX 77843-3123							
Managing Editor (<i>Name and Complete Mailing Address</i>) Susan Gebremedhin, ASTM, 1916 Race Street, Philadelphia, PA 19103-1108							
7. Owner (<i>If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.</i>) (<i>Item must be completed.</i>)							
Full Name				Complete Mailing Address			
American Society for Testing and Materials				1916 Race Street Philadelphia, PA 19103-1108			
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (<i>If there are none, so state</i>)							
Full Name				Complete Mailing Address			
NONE							
9. For Completion by Nonprofit Organizations Authorized to Mail at Special Rates (<i>DMM Section 423.12 only</i>) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (<i>Check one</i>)							
(1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months		(2) <input type="checkbox"/> Has Changed During Preceding 12 Months		<i>(If changed, publisher must submit explanation of change with this statement.)</i>			
10. Extent and Nature of Circulation (<i>See instructions on reverse side</i>)		Average No. Copies Each Issue During Preceding 12 Months		Actual No. Copies of Single Issue Published Nearest to Filing Date			
A. Total No. Copies (<i>Net Press Run</i>)		1,749		1,730			
B. Paid and/or Requested Circulation		0		0			
1. Sales through dealers and carriers, street vendors and counter sales							
2. Mail Subscription (<i>Paid and/or requested</i>)		1,323		1,427			
C. Total Paid and/or Requested Circulation (<i>Sum of 10B1 and 10B2</i>)		1,323		1,427			
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies		44		48			
E. Total Distribution (<i>Sum of C and D</i>)		1,367		1,475			
F. Copies Not Distributed		382		255			
1. Office use, left over, unaccounted, spoiled after printing							
2. Return from News Agents		0		0			
G. TOTAL (<i>Sum of E, F1 and 2—should equal net press run shown in A</i>)		1,749		1,730			
11. I certify that the statements made by me above are correct and complete		Signature and Title of Editor, Publisher, Business Manager, or Owner Robert L. Meltzer, Vice President, Publications & Marketing					

MOVING?

To insure uninterrupted service on your *JTE* subscription, please notify us at least six weeks before you move.

1. Attach your address label from a recent issue in the space provided opposite. (If label is not available, be sure to give your old address, including Zip Code.)



2. Print your name, membership no., and address below. (Be sure to include Zip Code.)

3. Mail entire notice to: ASTM
Subscription Dept.—JTE
1916 Race St.
Philadelphia, PA 19103

Name _____ Membership No. _____

New Address _____

City _____ State _____ Zip Code _____

(please print or type the above information)



1916 Race Street
Philadelphia, PA 19103

(215) 299-5454
TWX: 710-670-1037
FAX: 215-977-9679

1990 MEMBERSHIP APPLICATION

THIS APPLICATION IS FOR SOCIETY MEMBERSHIP ONLY
SEE BENEFITS AND FEES ON REVERSE SIDE

APPLICATION IS MADE FOR MEMBERSHIP IN ASTM:

MEMBER

AN INDIVIDUAL OR AN INSTITUTION (EDUCATIONAL, PUBLIC LIBRARY, OR A SCIENTIFIC ENGINEERING, OR TECHNICAL NON-PROFIT SOCIETY) SUBSCRIBING TO THE PURPOSES OF THE SOCIETY PROVIDED IN THE CHARTER AND BYLAWS.

ORGANIZATIONAL

AN INDIVIDUAL, BUSINESS, GOVERNMENTAL, RESEARCH, OR PROFESSIONAL ORGANIZATION, OR TRADE ASSOCIATION, OR SEPARATE FACILITY THEREOF SUBSCRIBING TO THE PURPOSES OF THE SOCIETY PROVIDED IN THE CHARTER AND BYLAWS.

PLEASE PRINT ALL INFORMATION CLEARLY. DO NOT EXCEED THE CAPACITY OF EACH LINE.

LAST NAME																									FIRST NAME													INITIAL	<input type="checkbox"/>
COMPANY NAME																																							
FACILITY																																							
STREET																																							
P.O. BOX																																							
CITY																									STATE	<input type="checkbox"/>	ZIP							-					
PHONE	(<input type="checkbox"/>)	-													EXTENSION																						
FAX	(<input type="checkbox"/>)	-																																			
COUNTRY																																							
JOB TITLE																																							
PARENT COMPANY (IF DIFFERENT FROM ABOVE) ▶ _____																																							

OFFICIAL REPRESENTATIVE (ORGANIZATIONAL MEMBERSHIP ONLY)

LAST NAME																									FIRST NAME													INITIAL	<input type="checkbox"/>
TITLE																																							

IF HOME ADDRESS IS TO BE USED FOR ALL MAILINGS & PUBLICATIONS, PLEASE COMPLETE BELOW (AFTER COMPLETING ABOVE).

ADDRESS																																					
CITY																									STATE	<input type="checkbox"/>	ZIP							-			

PLEASE SEND APPLICATIONS FOR THE FOLLOWING COMMITTEES LISTED BELOW (EACH COMMITTEE REQUIRES A SEPARATE APPLICATION):

*** ALL CHECKS MADE PAYABLE TO ASTM IN U.S. FUNDS ON U.S. BANKS**

* OPTIONAL METHODS OF PAYMENT:

AMERICAN EXPRESS

MASTER CARD

VISA

ACCOUNT NO. (ALL DIGITS)

EXPIRATION DATE

SIGNATURE

ONE FREE VOLUME - BOOK OF ASTM STANDARDS

YOUR CHOICE - VOLUME # _____

MAIL TO: ASTM

ATTN: MEMBER SERVICES

BENEFITS AND FEES FOR 1990

	<u>Organizational</u>	<u>Member</u>
Annual Fee	\$350.00 minimum	\$50.00
Participation on ASTM Technical Committees	One Official Rep. Only	Member Only
Annual Book of ASTM Standards	One Free Volume	One Free Volume
Complete Set of Book of ASTM Standards (Vols. 1-68)	\$3,100.00 (Prepaid)	\$3,500.00 (Prepaid)
Individual Book of Standards at Member Price	No Limit	None
Complete Sections at Member Price (Prepaid)	No Limit	No Limit
Other Publications at Member prices	No Limit	No Limit
Annual Subscription to <i>Standardization News</i>	1 Free	1 Free

MEMBERSHIP

- Membership year is 1 January to 31 December. Fees are payable in advance and are not prorated. Membership will become effective upon payment of fees.
- Organizations applying for membership should select one official representative qualified to exercise the rights and privileges of membership. This includes voting on Society Ballot, and if appropriate, on technical committee matters.
- Only the official representative may participate on committees under the organizational membership. All others must maintain individual memberships in order to participate on committees.
- The official representative for the organizational membership may be changed as needed by notifying ASTM Headquarters. Committee participation is not transferable. An application will have to be submitted by the new representative to the appropriate committees. A member not officially serving on ASTM committees may not vote in committee matters.
- For members serving on technical committees, their organizations may ask for this membership to be transferred without payment of additional fees, if the fees were paid by the company. However, no additional free volume of the Book of ASTM Standards will be allowed. Committee participation is not transferable. An application will have to be submitted by the new member to the appropriate committee.

PUBLICATIONS

- All publications must be shipped to the member.
- Shipping and handling costs will not be charged for prepaid orders shipped to the U.S. and Canada.

NOTE: Membership benefits and publication prices are subject to change.