

Geotechnical Testing Journal

Index to Volume 9

1986

Number	Month of Issue	Pages
1	March	1-48
2	June	49-116
3	September	117-166
4	December	167-242

A

- Alarcon, A., and Chameau, J. L., and Leonards, G. A.:** A new apparatus for investigating the stress-strain characteristics of sands, Dec., 204
- Aggour, M. S.:** *see* Amer, M. I., Aggour, M. S., and Kovacs, W. D.
- Amer, M. I., Aggour, M. S., and Kovacs, W. D.:** Testing using a large-scale cyclic simple shear device, Sept., 140
- Armstrong, J. C. and Petry, T. M.:** Significance of specimen preparation upon soil plasticity, Sept., 147
- ASTM Subcommittee D18.02:** Suggested method for performing the flat dilatometer test, June, 93
- Atterberg limits:** Significance of specimen preparation upon soil plasticity (Armstrong and Petry), Sept., 147

B

- Bauer, G. E.:** *see* Felio, G. Y. and Bauer, G. E.
- Bloomquist, D. G.:** *see* Davidson, J. L. and Bloomquist, D. G.
- Book Review:** Handbook of Physical Properties of Rocks by R. S. Carmichael (Wang), March, 46
- Borehole stabilization:** Influence of borehole stabilization techniques on standard penetration test results (Whited and Edil), Dec., 180
- Bouvard, D. and Stutz, P.:** Experimental study of rheological properties of a sand using a special triaxial apparatus, March, 10
- Briaud, J.-L.:** *see* Felio, G. Y. and Briaud, J.-L.
- Brown, S. F.:** *see* Shaw, P. and Brown, S. F.
- Buck, W.:** Report on the International Symposium on Kurst Water Resources, June, 113

C

- Campanella, R. G.:** *see* Robertson, P. K. and Campanella, R. G.
- Calibrations:** Factors affecting the performance of a pneumatic earth pressure cell (Felio and Bauer), June, 102

Capillary pressures: Discussion of "Evaluation of Soil Suction Components" by T. B. Edil and S. E. Motan (Richards, Emerson, and Peter), March, 41

Carpenter, G. W. and Stephenson, R. W.: Permeability testing in the triaxial cell, March, 3

Centrifuges

Determination of ice forces with centrifuge models (Clough, Kurst, and Vinson), June, 49

Effect of boundary conditions upon centrifuge experiments using ground motion simulation (Whitman and Lambe), June, 61

A new boundary stress transducer for small soil models in the centrifuge (Pang), June, 72

Chameau, J. L.: *see* Alarcon, A., Chameau, J. L., and Leonards, G. A.

Chemical analysis: The application of multivariate statistics and saturation extract data to identify dispersive clay soils (Craft), March, 34

Clays

The application of multivariate statistics and saturation extract data to identify dispersive clay soils (Craft), March, 34

Discussion of "Evaluation of Soil Suction Components" by T. B. Edil and S. E. Motan (Richards, Emerson, and Peter), March, 41

A new technique to evaluate erosivity of cohesive material (Rohan, Lefebvre, Douville, and Milette), June, 87

A rapid method to identify clay type in soils by the free-swell technique (Sridharan, Rao, and Murthy), Dec., 198

Swelling pressure of clays (Sridharan, Rao, and Sivapullaiah), March, 24

Clough, H. F., Kurst, P. L., and Vinson, T. S.: Determination of ice forces with centrifuge models, June, 49

Compaction

Characteristic threshold and infrared vibrothermography of sand (Pang), June, 80

Swelling pressure of clays (Sridharan, Rao, and Sivapullaiah), March, 24

Compressive strength: Development of an erosion test for soil cement (Oswell and Joshi), March, 19

Cone penetrometer: Effect of cementation on the cone penetration resistance of sand: a model study (Rad and Tumay), Sept., 117

Crack propagation: Development of an index to quantify rock texture for qualitative assessment of intact rock properties (Howarth and Rowlands), Dec., 169

Craft, D.: The application of multivariate statistics and saturation extract data to identify dispersive clay soils, March, 34

D

Damping: Testing using a large-scale cyclic simple shear device (Amer, Aggour, and Kovacs), Sept., 140

Davidson, J. L. and Bloomquist, D. G.: New equipment and techniques for use with the Cambridge self-boring pressuremeter (Davidson and Bloomquist), June, 107

Dilatancy: Characteristic threshold and infrared vibrothermography of sand (Luong), June, 80

Dilatometer tests: Suggested method for performing the flat dilatometer test (ASTM Subcommittee 18.02), June, 93

Direct shear tests: Cyclic simple shear testing of granular materials (Shaw and Brown), Dec., 213

Douville, S.: *see* Rohan, K., Lefebvre, G., Douville, S., and Milette, J.-P.

Drill holes: Influence of borehole stabilization techniques on standard penetration test results (Whited and Edil), Dec., 180

Drnevich, V. P.

Editorial, Dec., 167

Editorial, March, 2

50th Anniversary Celebration of Committee D-18, Dec., 226

E

Earth pressure cell: Factors affecting the performance of a pneumatic earth pressure cell (Felio and Bauer), June, 102

Earthquakes: Effect of boundary conditions upon centrifuge experiments using ground Motan simulation (Whitman and Lambe), June, 61

Edil, T. B.: *see* Whited, G. C. and Edil, T. B.

Emerson, W. W.: *see* Richards, B. G., Emerson, W. W., and Peter, P.

Erosion: A new technique to evaluate erosivity of cohesive material (Rohan, Lefebvre, Douville, and Milette), June, 87

Erosion tests: Development of an erosion test for soil cement (Oswell and Joshi), March, 19

Evans, J. C. and Fang, H.-Y.: Triaxial equipment for permeability testing with hazardous and toxic permeants, Sept., 126

F

Fang, H.-Y.: *see* Evans, J. C. and Fang, H.-Y.

Felio, G. Y. and Bauer, G. E.: Factors affecting the performance of a pneumatic earth pressure cell, June, 102

Felio, G. Y. and Briaud, J.-L.: Procedure for rod shear test, Sept., 133

Flat plate dilatometer: Estimating liquefaction potential of sands using the flat plate dilatometer (Robertson and Campanella), March, 38

Frozen soils: Discussion of "Repeated Load Triaxial Testing of Frozen and Thawed Soils" by D. M. Cole, G. Durrell, and E. Chamberlain (Youssef) Dec., 221

H

Hazardous wastes: Triaxial equipment for permeability testing with hazardous and toxic permeants (Evans and Fang), Sept., 126

Holtz, R. D., II: *see* Juang, C. H. and Holtz, R. D., II

Howarth, D. F. and Rowlands, J. C.: Development of an index to quantify rock texture for qualitative assessment of intact rock properties, Dec., 169

Hydraulic conductivity: Triaxial equipment for permeability testing with hazardous and toxic permeants (Evans and Fang), Sept., 126

I

Ice: Determination of ice forces with centrifuge models (Clough, Kurst, and Vinson), June, 49

In-situ testing

Estimating liquefaction potential of sands using the flat plate dilatometer (Robertson and Campanella), March, 38

A new equipment and techniques for use with the Cambridge self-boring pressuremeter (Davidson and Bloomquist), June, 107

J

Joshi, R. C.: *see* Oswell, J. M. and Joshi, R. C.

Juang, C. H. and Holtz, R. D., II: Preparation of specimens of noncohesive material for mercury intrusion porosimetry, Sept., 154

K-L

Kovacs, W. D.: *see* Amer, M. I., Aggour, M. S., and Kovacs, W. D.

Kurst, P. L.: *see* Clough, H. F., Kurst, P. L., and Vinson, T. S.

Laboratory testing

Testing using a large-scale cyclic simple shear device (Amer, Aggour, and Kovacs), Sept., 140

Triaxial equipment for permeability testing with hazardous and toxic permeants (Evans and Fang), Sept., 140

Lambe, P. C.: *see* Whitman, R. V. and Lambe, P. C.

Lefebvre, G.: *see* Rohan, K., Lefebvre, G., Douville, S., and Milette, J.-P.

Leonards, G. A.: *see* Alarcon, A., Chameau, J. L., and Leonards, G. A.

Liquid limit: Significance of specimen preparation upon soil plasticity (Armstrong and Petry), Sept., 147

Liquefaction: Estimating liquefaction potential of sands using the flat plate dilatometer (Robertson and Campanella), March, 38

Luong, M. P.: Characteristic threshold and infrared vibrothermography of sand, June, 80

M

Mercury intrusion porosimetry: Preparation of specimens of noncohesive material for mercury intrusion porosimetry (Juang and Holtz), Sept., 154

Milette, J.-P.: *see* Rohan, K., Lefebvre, G., Douville, S., and Milette, J.-P.

Model tests: Effect of boundary conditions upon centrifuge experiments using ground motion simulation (Whitman and Lambe), June, 61

Montmorillonite: Liquid limit of montmorillonite soils (Sridharan, Rao, and Murthy), Sept., 156

Multivariate statistics: The application of multivariate statistics and saturation extract data to identify dispersive clay soils (Craft), March, 34

Murthy, N. S.: *see* Sridharan, A., Rao, S. M., and Murthy, N. S.

Muster, G. L., II and O'Neill, M. W.: Dynamically loaded pile overconsolidated clay, Dec., 189

N-O

Noncohesive material: Preparation of specimens of noncohesive material for mercury intrusion porosimetry (Juang and Holtz), Sept., 154

O'Neill, M. W.: *see* Muster, G. L., II and O'Neill, M. W.

Oswell, J. M. and Joshi, R. C.: Development of an erosion test for soil cement, March, 19

Overconsolidated clays: Dynamically loaded pile in overconsolidated clay (Muster and O'Neill), Dec., 189

P

Pang, P. L. R.: A boundary stress transducer for small soil models in the centrifuge, June, 72

Penetration rig: New equipment and techniques for use with the Cambridge self-boring pressuremeter (Davidson and Bloomquist), June, 107

Penetration tests: Suggested method for performing the flat dilatometer test (ASTM Subcommittee 18.02), June, 93

Permeability: Permeability testing in the triaxial cell (Carpenter and Stephenson), March, 3

Peter, P.: *see* Richards, B. G., Emerson, W. W., and Peter, P.

Petry, T. M.: *see* Armstrong, J. C. and Petry, T. M.

Pile driving: Dynamically loaded pile in overconsolidated clay (Muster and O'Neill), Dec., 189

Pile friction: Procedure for a rod shear test (Felio and Briaud), Sept., 133

Piles

Determination of ice forces with centrifuge models (Clough, Kurst, and Vinson), June, 49

Dynamically loaded pile in overconsolidated clay (Muster and O'Neill), Dec., 189

Plastic limit: Significance of specimen preparation upon soil plasticity (Armstrong and Petry), Sept., 147

Pore size distribution: Preparation of specimens of noncohesive material for mercury intrusion porosimetry (Juang and Holtz), Sept., 154

Pressure cells: A new boundary stress transducer for small soil models in the centrifuge (Pang), June, 72

Pressures: Suggested method for performing the flat dilatometer test (ASTM Subcommittee 18.02), June, 93

R

Rad, N. S. and Tumay, M. T.: Effect of cementation on the cone penetration resistance of sand: a model study, Sept., 117

Rao, A. R.

see Sridharan, A., Rao, S. M., and Murthy, N. S.

see Sridharan, A., Rao, A. R., and Sivapullaiah, P. V.

Relative density: Effect of cementation on the cone penetration resistance of sand: a model study (Rad and Tumay), Sept., 117

Richards, B. G., Emerson, W. W., and Peter, P.: Discussion of "Evaluation of Soil Suction Components" by T. B. Edil and S. E. Motan, March, 41

Robertson, P. K. and Campanella, R. G.: Estimating liquefaction potential of sands using the flat plate dilatometer, March, 38

Rock texture: Development of an index to quantify rock texture for qualitative assessment of intact rock properties (Howarth and Rowlands), Dec., 169

Rocks: Development of an index to quantify rock texture for qualitative assessment of intact rock properties (Howarth and Rowlands), 169

Rod shear test: Procedure for a rod shear test (Felio and Briaud), Sept., 133

Rohan, K., Lefebvre, G., Douville, S., and Milette, J.-P.: A new technique to evaluate erosivity of cohesive material, June, 87

Rowlands, J. C.: *see* Howarth, D. F. and Rowlands, J. C.

S

Sands

Effect of cementation on the cone penetration resistance of sand: a model study (Rad and Tumay), Sept., 117

Estimating liquefaction potential of sands using the flat plate dilatometer (Robertson and Campanella), March, 38

Experimental study of rheological properties of a sand using a special triaxial apparatus (Bouvard and Stutz), March, 10

A new apparatus for investigating the stress-strain characteristics of sands (Alarcon, Chameau, and Leonards), Dec., 204

Testing using a large-scale cyclic simple shear device (Amer, Aggour, and Kovacs), Sept., 140

Schmertmann, J. H.: Suggested method for performing the flat dilatometer test (ASTM Subcommittee D18.02), June, 93

Shaw, P. and Brown, S. F.: Cyclic simple

- shear testing of granular materials, Dec., 213
- Shear apparatus:** Cyclic simple shear testing of granular materials (Shaw and Brown), Dec., 213
- Shear stress:** Cyclic simple shear testing at granular materials (Shaw and Brown), Dec., 213
- Shear tests:** Procedure for a rod shear test (Felio and Briaud), Sept., 133
- Shockley, W. G.**
Comments from the chairman of Committee D-18, Dec., 226
Update of the History of ASTM Committee D-18, Dec., 228
- Sivapullaiah, P. V.:** *see* Sridharan, A., Rao, A. S., and Sivapullaiah, P. V.
- Soil cement:** Development of an erosion test for soil cement (Oswell and Joshi), March, 19
- Soil mechanics:** A new boundary stress transducer for small soil models in the centrifuge (Pang), June, 72
- Soil tests:** Permeability testing in the triaxial cell (Carpenter and Stephenson), March, 3
- Soils**
The application of multivariate statistics and saturation extract data to identify dispersive clay soils (Craft), March, 34
Discussion of "Evaluation of Soil Suction Components" by T. B. Edil and S. E. Motan (Richards, Emerson, and Peter), March, 41
Liquid limit of montmorillonite soils (Sridharan, Rao, and Murthy), Sept., 156
A rapid method to identify clay type in soils by the free-swell technique (Sridharan, Rao, and Murthy), Dec., 198
- Sridharan, A., Rao, S. M., and Murthy, N. S.**
Liquid limit of montmorillonite soil, Sept., 156

- A rapid method to identify clay type in soils by the free-swell technique, Dec., 198
- Sridharan, A., Rao, A. S., and Sivapullaiah, P. V.:** Swelling pressure of clays, March, 24
- Stephenson, R. W.:** *see* Carpenter, G. W. and Stephenson, R. W.
- Standard penetration test:** Influence of borehole stabilization techniques on standard penetration test results (Whited and Edil), Dec., 180
- Stress:** Factors affecting the performance of a pneumatic earth pressure cell (Felio and Bauer), June, 102
- Stress-strain curves:** Experimental study of rheological properties of a sand using a special triaxial apparatus (Bouvard and Stutz), March, 10
- Stutz, P.:** *see* Bouvard, D. and Stutz, P.
- Swelling:** Swelling pressure of clays (Sridharan, Rao, and Sivapullaiah), March, 24
- Swelling index:** A rapid method to identify clay type in soils by the free-swell technique (Sridharan, Rao, and Murthy), Dec., 198

T

- Test procedures:** A new technique to evaluate erosivity of cohesive material (Rohan, Lefebvre, Douville, and Millette), June, 87
- Thawed soils:** Discussion of "Repeated Load Triaxial Testing of Frozen and Thawed Soils" by D. M. Cole, G. Durrell, and E. Chamberlain (Youssef), Dec., 221
- Torsion shear tests:** A rapid apparatus for investigating the stress-strain characteristics of sands (Alarcon, Chameau, Leonards), Dec., 204
- Torsional shear apparatus:** A new apparatus for investigating the stress-strain characteristics of sands (Alarcon, Chameau, and Leonards), Dec., 204

Triaxial tests

- Characteristic threshold and infrared vibrothermography of sand (Luong), June, 80
- Discussion of "Repeated Load Triaxial Testing of Frozen and Thawed Soils" by D. M. Cole, G. Durrell, and E. Chamberlain (Youssef), Dec. 221
- Experimental study of rheological properties of a sand using a special triaxial apparatus (Bouvard and Stutz), March, 10
- Permeability testing in the triaxial cell (Carpenter and Stephenson), March, 3
- Tumay, M. T.:** *see* Rad, N. S. and Tumay, M. T.

V

- Vinson, T. S.:** *see* Clough, H. F., Kurst, P. L., and Vinson, T. S.

W-Z

- Wang, H. F.:** Review of Handbook of Physical Properties of Rocks by R. S. Carmichael, March, 46
- Whited, G. C. and Edil, T. B.:** Influence of borehole stabilization techniques on standard penetration test results (Whited and Edil), Dec., 180
- Whitman, R. V. and Lambe, P. C.:** Effect of boundary conditions upon centrifuge experiments using ground motion simulation, June, 61
- Youssef, H.:** Discussion of "Repeated Load Triaxial Testing of Frozen and Thawed Soils" by D. M. Cole, G. Durrell, and E. Chamberlain, Dec., 221