

# Journal of Testing and Evaluation

## Index to Volume 4

### 1976

Number	Month of Issue	Pages
1	January	1-116
2	March	117-164
3	May	165-228
4	July	229-300
5	September	301-380
6	November	381-452

#### A

##### Abrasion testers

Development of a method to measure wear on resilient flooring (Irwin), Jan., 15

##### Accelerated tests

Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440

##### Acceptability

Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272

##### Acoustic emission

Note on pseudo-acoustic emission sources (Egle and Brown), May, 196

Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313

Adams, Marc and Sines, George: Methods for determining the strength of brittle materials in compressive stress states, Nov., 383

##### Admixtures

Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85

##### Aerodynamic configurations

Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418

##### Aggregates

Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303

Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355

Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148

##### Air flow

Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268

##### Alignment

Alignment problems in the tensile test (Christ and Swanson), Nov., 405

##### Aluminum

Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375

Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313

##### Aluminum oxide

Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355

#### B

Bachmann, V. and Munz, D.: Unusual potential drop during the application of the electrical potential method in a fracture mechanics test, July, 257

Barrick, J. E., II and Krokosky, E. M.: Effects of temperature and relative humidity on static strength of hydrated portland cement, Jan., 61

Bellow, D. G. and Faulkner, M. G.: Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements, March, 141

Berger, D. M. and Mroz, S. E.: Instruments for inspection of coatings, Jan., 29

Berger, R. L., Kung, J. H., and Young, J. F.: Influence of calcium chloride on the drying shrinkage of alite paste, Jan., 85

Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.: Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum, Sept., 313

##### Binders (materials)

Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347

##### Bioassay

Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119

Blank, H. R.: Red mud from alumina plants

as a possible source of synthetic aggregate, Sept., 355

##### Block concrete

Block concrete is a structural material (Holm), July, 293

##### Brasses

Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426

##### Bricks

Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272

Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283

##### Brittleness

Fracture criteria for brittle materials (Ehrenburg), May, 200

Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383

Production and economic consequences when machining glass ceramic (Turker, Stanislaw, and Richman), March, 157

Brodrick, R. F.: Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"], Sept., 375

Brown, A. E.: *see* Egle, D. M. and Brown, A. E.

Brown, R. H. and Grogan, J. C.: Statistical interpretation of strength tests of masonry units for structural applications, July, 272

Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.: Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater, March, 119

Buzzard, R. J.: *see* Klima, S. J., Fisher, D. M., and Buzzard, R. J.

#### C

Čadek, Josef: *see* Hostinský, Tomáš and Čadek, Josef

Cairns, John, Jr.: *see* Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.

##### Calcium chloride

Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85

##### Cavitation

Correlating models and prediction of

- erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamala Rao, and Lakshmana Rao), Jan., 3
- Chait, R.: Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations, Sept., 359
- Chemical attack
- Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjrv (Coutinho), Jan., 40
- Chen, W. F., Mehta, H. C., and Slutter, R. G.: Sulfur- and polymer-impregnated brick and block prisms, July, 283
- Chriss, Stephen: Correlation of strength of cement mortar cured by 28-day standard and accelerated methods, Nov., 440
- Christ, B. W. and Swanson, S. R.: Alignment problems in the tensile test, Nov., 405
- Clay minerals
- Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101
- Clotfelter, W. N.: *see* Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.
- Clough, R. B.: Note on the measurement of proportional limit under multiaxial stresses, March, 139
- Coatings
- Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57
- Collacott, R. A.: Monitoring to determine the dynamics of fatigue testing, May, 181
- Compacting
- Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303
- Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberlandge, and Koehler), May, 167
- Components
- Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231
- Compression tests
- Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383
- Concretes
- Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151
- Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347
- Construction joints
- Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151
- Copper
- Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
- Copper beryllium alloys
- Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161
- Correlation
- Correlating models and prediction of erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamala Rao, and Lakshmana Rao), Jan., 3
- Corrosion
- Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426
- Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434
- Corrosion fatigue
- Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements (Bellow and Faulkner), March, 141
- Corrosion tests
- Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261
- Cotsworth, R. P.: *see* Emery, J. J., Kim, C. S., and Cotsworth, R. P.
- Coutinho, A. S.: Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjrv, Jan., 40
- Crack initiation
- Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319
- Crack propagation
- Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425
- Fracture energy and crack tunnelling (Johnson and Radon), May, 209
- Monitoring crack extension in fracture toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397
- Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257
- Creep properties
- Constant tensile stress creep testing machine (Hostinský and Ćadek), Jan., 26
- Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
- Cumberlandge, Gaylord: *see* Hoffman, G. L., Cumberlandge, Gaylord, and Koehler, W. C.
- Cutting
- Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109
- ## D
- Density
- Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303
- Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberlandge, and Koehler), May, 167
- Detectors
- Instruments for inspection of coatings (Berger and Mroz), Jan., 29
- Devitrified glass
- Production and economic consequences when machining glass ceramic (Turker, Stanislao, and Richman), March, 157
- Dezincification
- Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426
- Dielectric properties
- Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss (Endicott), May, 188
- Drawability
- Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340
- Ductility
- Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340
- Dynamic characteristics
- Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220
- ## E
- Egle, D. M. and Brown, A. E.: Note on pseudo-acoustic emission sources, May, 196
- Ehrenburg, D. O.: Fracture criteria for brittle materials, May, 200
- Ekvall, J. C. and Young, L.: Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components, July, 231
- Electric potential
- Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425
- New stable nickel-base thermocouple (Starr and Wang), Jan., 42
- Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257
- Electrodes
- Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss (Endicott), May, 188
- Electronic test equipment
- Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176
- Electroplating
- Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57
- Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
- Elevated temperature
- Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327
- Emery, J. J., Kim, C. S., and Cotsworth, R. P.: Base stabilization using pelletized blast furnace slag, Jan., 94
- Endicott, H. S.: Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss, May, 188

## Erosion

Correlating models and prediction of erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamala Rao, and Lakshmana Rao), Jan., 3

## Experimentation

Constant tensile stress creep testing machine (Hostinský and Čadek), Jan., 26

## F

## Fatigue (materials)

Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231

Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327

Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375

Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57

Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319

## Fatigue tests

Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181

Faulkner, M. G.: *see* Bellow, D. G. and Faulkner, M. G.

## Field strength

Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberledge, and Koehler), May, 167

## Field tests

X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218

Fisher, D. M.: *see* Klima, S. J., Fisher, D. M., and Buzzard, R. J.

## Flight simulation

Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418

## Floors

Development of a method to measure wear on resilient flooring (Irwin), Jan., 15

Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133

## Formability

Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340

Fortes, M. A. and Proença, J. G.: Constancy of the tensile test machine stiffness, July, 248

Fox, A.: Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards, Jan., 74

## Fractures (materials)

Fracture criteria for brittle materials (Ehrenburg), May, 200

Monitoring crack extension in fracture

toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397

## Fracture strength

Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251

Fracture energy and crack tunnelling (Johnson and Radon), May, 209

## Fracture tests

Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425

Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257

## G

Goldenberg, Kim: Structural tests of aerodynamic surfaces: a systems approach to analysis and design, Nov., 418

Gonzalez, Henry: Screening test for torsional creep performance of plastics, Jan., 21

Grogan, J. C.: *see* Brown, R. H. and Grogan, J. C.

## H

Hamstad, M. A.: *see* Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.

Harboe, E. M.: *see* Kalousek, G. L., Porter, L. C., and Harboe, E. M.

Henry, L. F., III: Environmental stress cracking of thermoplastics: a new approach to testing, July, 263

Hoffman, G. L., Cumberledge, Gaylord, and Koehler, W. C.: Laboratory compaction test methods and results compared with attainable field densities on subbase materials, May, 167

Holm, T. A.: Block concrete is a structural material, July, 293

Hostinský, Tomáš and Čadek, Josef: Constant tensile stress creep testing machine, Jan., 26

Hsu, T. C. and Lee, S. Y.: Definition of drawability and its relation to deformation in the drawing of square cups, Sept., 340

## Humidity

Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Korkosky), Jan., 61

## I

## Impact tests

Fracture energy and crack tunnelling (Johnson and Radon), May, 209

Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176

## Industrial wastes

Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355

## Inspection

Instruments for inspection of coatings (Berger and Mroz), Jan., 29

## Intergranular corrosion

Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434

## Invertebrates

Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119

## Iron alloys

Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368

Irvine, C. H.: Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces, March, 133

Irwin, W. E.: Development of a method to measure wear on resilient flooring, Jan., 15

## Isotropy

Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101

## J

Johnson, C. L.: *see* Kirby, C. K., Johnson, C. L., and Larsen, S. A.

Johnson, F. A. and Radon, J. C.: Fracture energy and crack tunnelling, May, 209

## Joint movement

Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151

## K

Kalousek, G. L., Porter, L. C., and Harboe, E. M.: Past, present, and potential developments of sulfate-resisting concretes, Sept., 347

Kao, C.-C. and Slate, F. O.: Tensile-shear bond strength and failure between aggregate and mortar, March, 148

Karpati, K. K. and Sereda, P. J.: Joint movement in precast concrete panel cladding, March, 151

Khera, R. P.: Remolding stresses and directional strength behavior of an illitic clay, Jan., 101

Kim, C. S.: *see* Emery, J. J., Kim, C. S., and Cotsworth, R. P.

Kirby, C. K., Johnson, C. L., and Larsen, S. A.: Comparisons of determinations of wool fiber diameter by two airflow methods, July, 268

Klima, S. J., Fisher, D. M., and Buzzard, R. J.: Monitoring crack extension in fracture toughness tests by ultrasonics, Nov., 397

Koehler, W. C.: *see* Hoffman, G. L., Cumberledge, Gaylord, and Koehler, W. C.

Koleske, J. V.: *see* Seefried, C. G., Jr. and Koleske, J. V.

Krokosky, E. M.: *see* Barrick, J. E., II and Krokosky, E. M.

Kung, J. H.: *see* Berger, R. L., Kung, J. H., and Young, J. F.

## L

Lakshmana Rao, N. S.: *see* Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.

Larsen, S. A.: *see* Kirby, C. K., Johnson, C. L., and Larsen, S. A.

## Lasers

Note on pseudo-acoustic emission sources (Egle and Brown), May, 196

Lee, D. R.: *see* Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.

Lee, S. Y.: *see* Hsu, T. C. and Lee, S. Y.

## Loading frequency

Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231

## Loads (forces)

Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176

Loginow, A. W.: Evaluation of intergranular corrosion in stainless steel, Nov., 434

## M

## Machinability

Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109

Production and economic consequences when machining glass ceramic (Turker, Stanislao, and Richman), March, 157

## Magnetic alloys

Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368

## Magnetic properties

Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368

## Maraging steel

Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251

## Masonry

Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283

Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272

McKinnon, E. A.: Fatigue damage alleviation by intermittent electroplating, Jan., 57

McLeod, N. W.: Asphalt cements: pen-vis number and its application to moduli of stiffness, July, 275

## Measurement

Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268

Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139

## Measuring instruments

Instruments for inspection of coatings (Berger and Mroz), Jan., 29

## Mechanical properties

Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21

Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148

## Mechanical tests

Constancy of the tensile test machine stiffness (Fortes and Proenca), July, 248

Development of a method to measure wear on resilient flooring (Irwin), Jan., 15

Mehta, H. C.: *see* Chen, W. F., Mehta, H. C., and Slutter, R. G.

Meshii, M.: *see* Quesnel, D. J. and Meshii, M.

## Microstructure

Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109

## Modulus of elasticity

Block concrete is a structural material (Holm), July, 293

## Modulus of stiffness

Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275

## Mortars (material)

Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440

Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148

Mroz, S. E.: *see* Berger, D. M. and Mroz, S. E.

Mukherjee, A. K.: *see* Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.

Munz, D.: *see* Bachmann, V. and Munz, D.

## N

## Nomographs

Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261

## O

Ostergren, W. J.: Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue, Sept., 327

## P

Parikh, P. D. and Shapiro, Eugene: Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel, March, 161

## Pelletizing

Base stabilization using pelletized blast furnace slag (Emery, Kim, and Cotsworth), Jan., 94

## Pen-vis number

Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275

Pinnel, M. R.: Variations in magnetic properties of iron-cobalt-vanadium alloys, Sept., 368

## Polymers

Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220

Porter, L. C.: *see* Kalousek, G. L., Porter, L. C., and Harboe, E. M.

## Portland cements

Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440

Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjörv (Coutinho), Jan., 40

Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Krokosky), Jan., 61

Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347

## Power spectra

Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181

## Prisms

Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283

Proenca, J. G.: *see* Fortes, M. A. and Proenca, J. G.

## Proportional limit

Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139

## Q

Quesnel, D. J. and Meshii, M.: Local strain behavior prior to fatigue crack nucleation, Sept., 319

## R

Rack, H. J.: Load-time attenuation during instrumented Charpy impact testing, May, 176

Radon, J. C.: *see* Johnson, F. A. and Radon, J. C.

Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.: X-ray residual stress calibration data of certain ferrous and nonferrous alloys, May, 218

## Residual stress

X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218

Richman, M. H.

*see* Stanislao, Joseph, Turker, E. G., and Richman, M. H.

*see* Turker, E. G., Stanislao, Joseph, and Richman, M. H.

Roberts, F. L.: Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate, Sept., 303

## S

Schwartzbart, H.: *see* Skidmore, K. F. and Schwartzbart, H.

Seefried, C. G., Jr. and Koleske, J. V.: Characterization of polymeric materials by dynamic mechanical properties, May, 220

Sereda, P. J.: *see* Karpati, K. K. and Sereda, P. J.

Shannon, J. L., Jr.: Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz, Nov., 425

Shapiro, Eugene: *see* Parikh, P. D. and Shapiro, Eugene

## Shear modulus

Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21

## Shoes

Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133

## Shrinkage

Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85

Sines, George: *see* Adams, Marc and Sines, George

Skidmore, K. F. and Schwartzbart, H.: Corrosion and dezincification of brasses in water, Nov., 426

## Skid resistance

Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133

## Slags

Base stabilization using pelletized blast furnace slag (Emergy, Kim, and Cotsworth), Jan., 94

Slate, F. O.: *see* Kao, C.-C. and Slate, F. O.  
Slutter, R. G.: *see* Chen, W. F., Mehta, H. C., and Slutter, R. G.

## Sonic tests

Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181

## Stability

New stable nickel-base thermocouple (Starr and Wang), Jan., 42

## Stabilization

Base stabilization using pelletized blast furnace slag (Emergy, Kim, and Cotsworth), Jan., 94

## Stainless steels

Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434

## Standardization

Yield point standardization (Taraldsen), March, 126

## Stanislao, Joseph

and Turker, E. G. and Richman, M. H.: Machining glass ceramic in dry and wet environments, Jan., 109

*see* Turker, E. G., Stanislao, Joseph, and Richman, M. H.

Starr, C. D. and Wang, T. P.: New stable nickel-base thermocouple, Jan., 42

## Strain rate

Constancy of the tensile test machine stiffness (Fortes and Proença), July, 248

Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359

## Strains

Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327

Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161

Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375

Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319

## Stresses

Alignment problems in the tensile test (Christ and Swanson), Nov., 405

Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263

Fracture criteria for brittle materials (Ehrenburg), May, 200

Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383

Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139

Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101

## Stress relaxation tests

Constancy of the tensile test machine stiffness (Fortes and Proença), July, 248

Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161

## Stress waves

Note on pseudo-acoustic emission sources (Egle and Brown), May, 196

## Structural tests

Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418

## Sulfates

Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjörv (Coutinho), Jan., 40

Swanson, S. R.: *see* Christ, B. W. and Swanson, S. R.

Syamala Rao, B. C.: *see* Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.

## T

Taraldsen, Alf: Yield point standardization, March, 126

## Temperature

Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Krokosky), Jan., 61

## Temperature susceptibility

Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275

## Tensile strength

Block concrete is a structural material (Holm), July, 293

## Tensile stress

Constant tensile stress creep testing machine (Hostinský and Čadek), Jan., 26

## Tensile testers

Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263

## Tension tests

Alignment problems in the tensile test (Christ and Swanson), Nov., 405

Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313

Yield point standardization (Taraldsen), March, 126

## Thermal conductivity

New stable nickel-base thermocouple (Starr and Wang), Jan., 42

## Thermoplastic resins

Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263

## Threads

Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded

elements (Bellow and Faulkner), March, 141

## Titanium alloys

Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359

## Torsion

Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21

## Torsion pendulums

Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220

## Toughness

Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359

## Toxicity

Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119

## Turker, E. G.

and Stanislao, Joseph and Richman, M. H.: Production and economic consequences when machining glass ceramic, March, 157

*see* Stanislao, Joseph, Turker, E. G., and Richman, M. H.

## Two-fluid measurements

Guard-gap corrections for guarded-electrode measurements and exact equations for the two-fluid method of measuring permittivity and loss (Endicott), May, 188

## U

## Ultrasonic tests

Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251

Monitoring crack extension in fracture toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397

## V

Vary, Alex: Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements, July, 251

Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.: Correlating models and prediction of erosion resistance to cavitation and drop impact, Jan., 3

## W

Wang, T. P.: *see* Starr, C. D. and Wang, T. P.

Wert, J. J.: *see* Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.

## Wire

Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261

## Wool

Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268

## Work hardening

Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements (Bellow and Faulkner), March, 141

**Y**

X-ray diffraction

X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218

Yield point

Yield point standardization (Taraldsen), March, 126

Young, J. F.: *see* Berger, R. L., Kung, J. H., and Young, J. F.

Young, L.: *see* Ekvall, J. C. and Young, L.

**Z**

Zanker, Adam: Nomograph for determining corrosion rate in wire coil tests, July, 261