# Geotechnical Testing Journal Index to Volume 6 1983

Number	Month of Issue	Pages
1	March	1-52
2	June	53-100
3	September	101-162
4	December	165-240

### A-B

Aggour, M. S.: see Al-Sanad, H., Aggour, M. S., and Yang, J. C. S.

Al-Sanad, H., Aggour, M. S., and Yang, J. C. S.: Dynamic shear modulus and damping ratio from random loading tests, Sept., 170

Alther, G. R.: The methylene blue test for bentonite liner quality control, Sept., 128

Anisotropy: Influence of stress history on the experimental flow rule (Rao, Yudhbir, and Madhav), March, 42

Arman, A.: see McManis, K. L., Ferrell, R. E., Jr., and Arman, A.

Atterberg limits: Use of property tests to determine the thermal properties of soils (Salomone and Kovacs), Dec., 173

Ballard, R. F.: Proposed standard test methods for cross-hole seismic testing, Dec., 210
Bauer, G. E.: see Demartinecourt, J. P. and Bauer, G. E.

Bell, J. R.: Review of Membranes in Ground Engineering by Rankilor, March, 46

Berrill, J. B.: see Simcock, K. J., Davis, R. O., Berrill, J. B., and Mullenger, G.

### **Book reviews**

Grouting in Engineering Practice by Bowen (Welsh), Sept., 162

Membranes in Ground Engineering by Rankilor (Bell), March, 46

Bove, J. A.: see Koerner, R. M. and Bove, J.A.

### C

Calcite: Rapid carbonate analyzer (Demars, Chaney, and Richter), March, 30

Carbonates: Rapid carbonate analyzer (Demars, Chaney, and Richter), March, 30

Chaney, R. C., Ramanjaneya, G., Hencey, G., Kanchanastit, P., and Fang, H. Y.: Suggested test method for determination of thermal conductivity of soil by thermal-needle procedure, Dec., 220

Chaney, R. C.: see Demars, K. R., Chaney, R. C., and Richter, J.

Chaney, R. C., Slonim, S. M., and Slonim, S. S.: Suggested test method for determination of the soluble salt content of soils by refractometer, June, 93

Chemical analysis: Suggested test method for determination of the soluble salt content of soils by refractometer (Chaney, Slonim, and Slonim), June, 93

Copyright © 1983 by ASTM International

Cimolini, P.: see Dusseault, M. B., Cimolini, P., Soderberg, H., and Scafe, D. W.

#### Clays

Influence of stress history on the experimental flow rule (Rao, Yudhbir, and Madhay), March, 42

Laboratory investigation of grid reinforcements in clay (Ingold), Sept., 112

Methods of studying clay microstructure (Osipov), March, 10

Clay structure: Methods of studying clay microstructure (Osipov), March, 10

Coal: Direct shear strength of Appalachian coal (Peng, Patrick, and Khair), Sept., 144

Cohesionless soils: Dynamic shear modulus and damping ratio from random loading tests (Al-Sanad, Aggour, and Yang), Sept., 120

Compression: Proposed new standard test method for dimensional and shape tolerances of rock core specimens (Haas), Dec., 226

Costa, J. M. A. and Raymond, G. P.: Burst tester for geotextile bidirectional strength, Sept., 133

#### D

Damping: Dynamic shear modulus and damping ratio from random loading tests (Al-Sanad, Aggour, and Yang), Sept., 120

Daniel, D. E.: Permeability test for unsaturated soil, June, 81

Davis, R. O.: see Simcock, K. J., Davis, R. O., Berrill, J. B., and Mullenger, G.

Demars, K. R., Chaney, R. C., and Richter, J. A.: The rapid carbonate analyzer, March,

Demartinecourt, J. P. and Bauer, G. E.: Modified borehole shear device, March, 24

**Density:** Method of estimating the in-situ density of dry uniformity graded sand under controlled conditions of placement (Wersching), Dec., 196

Direct shear tests: Direct shear strength of Appalachian coal (Peng, Patrick, and Khair), Sept., 144

**Dolomites:** Rapid carbonate analyzer (Demars, Chaney, and Richter), March, 30

**Double-tube core samplers:** Drilling and sampling frozen fine-grained soils (Horvath and Johnson), March, 40

Drainage: In-plane hydraulic properties of geotextiles (Koerner and Bove), Dec., 190
Drill Holes

Discussion of "the modified borehole shear device" by J. P. Demartinecourt and G. E. Bauer (Lutenegger), Sept., 161

Drilling and sampling frozen fine-grained soils (Horvath and Johnson), March, 40

Modified borehole shear device (Demartinecourt and Bauer), March, 24

Dusseault, M. B., Cimolini, P., Soderberg, H., and Scafe, D. W.: Rapid index tests for transitional materials, June, 64

### E-F

**Electrical analogy:** Electrical analogy of hydraulic flow through rock fractures (Sundaram and Frink), March, 3

Energy: Soil remolding and sensitivity measurements (Yong and Tang), June, 73

Equipment: Burst tester for geotextile bidirectional strength (Costa and Raymond), Sept.,

Expansion: Rapid index tests for transitional materials (Dusseault, Cimolini, Soderberg, and Scafe), June, 64

Experimental data: Regression analysis of experimental data using desktop computers (Frink and Sundaram) Sept. 151

(Frink and Sundaram), Sept., 151 Failure criteria: Apparatus for cyclic stress path testing (Khosla and Singh), Dec., 165

Fang, H. Y.: see Chaney, R. C., Ramanjaneya, G., Hencey, G., Kanchanastit, P., and Fang, H. Y.

Ferrell, R. E., Jr.: see McManis, K. L., Ferrell, R. E., Jr., and Arman, A.

### Field Tests

Discussion of "the modified borehole shear device" by J. P. Demartinecourt and G. E. Bauer (Lutenegger), Sept., 161

Modified borehole shear device (Demartinecourt and Bauer), March, 24

### Filter materials

In-Plane hydraulic properties of geotextiles (Koerner and Bove), Dec., 190

In-plane permeability of geotextiles (Gerry and Raymond), Dec., 181

Filter tests: Equivalent opening size of geotextiles (Gerry and Raymond), June, 53

Frink, D.: see Sundaram, P. N. and Frink, D. Frink, D. and Sundaram, P. N.: Regression analysis of experimental data using desktop computers, Sept., 151

Frozen soils: Drilling and sampling frozen finegrained soils (Horvath and Johnson), March, 40

### G-I

# Gerry, B. S. and Raymond, G. P.

Equivalent opening size of geotextiles, June, 53

In-plane permeability of geotextiles, Dec., 181 **Guinnee, J. W.:** ASTM award of merit, Dec., 231

Haas, C. J.: Proposed new standard test method for dimensional and shape tolerances of rock core specimens, Dec., 226

Hammer: Reproducible SPT hammer impact force with an automatic free fall SPT hammer system (Riggs, Schmidt, and Rassieur), Dec., 201

Hardy, R. H., Jr.: ASTM award for technical paper, Sept. 163

Hencey, G.: see Chaney, R. C., Ramanjaneya, G., Hencey, G., Kanchanastit, P., and Fang, H. Y.

Horvath, J. S. and Johnson, F. W.: Drilling and sampling frozen fine-grained soils, March, 40 Hydraulic conductivity

In-plane hydraulic properties of geotextiles (Koerner and Bove), Dec., 190

Permeability test for unsaturated soil (Daniel), June, 81

**Hydraulics:** Electrical analogy of hydraulic flow through rock fractures (Sundaram and Frink), March, 3

Impact tests: Reproducible SPT hammer impact force with an automatic free fall SPT hammer system (Riggs, Schmidt, and Rassieur), Dec., 201

Index tests: Rapid index tests for transitional materials (Dusseault, Cimolini, Soderberg, and Scafe), June, 64

#### Ingold, T. S.

Laboratory investigation of grid reinforcements in clay, Sept., 112

Laboratory pull-out testing of grid reinforcements in sand, Sept., 101

Instrumentation: Cyclic triaxial tests with continuous measurement of dissipated energy (Simcock, Davis, Berrill, and Mullenger), March, 35

#### J-L

- Jarrett, P. M.: Peat testing standardization by Peter M. Jarrett, March, 49
- Johnson, A. I.: Frank W. Reinhart Award, Sept., 163
- Johnson, F. W.: see Horvath, J. S. and Johnson, F. W.

Kanchanastit, P.: see Chaney, R. C., Ramanjaneya, G., Hencey, G., Kanchanastit, P., and Fang, H. Y.

Khair, A. W.: see Peng, S. S., Patrick, C. W., and Khair, A. W.

Khosla, V. K. and Singh, R. D.: Apparatus for cyclic stress path testing, Dec., 165

Koerner, R. M. and Bove, J. A.: In-plane hydraulic properties of geotextiles, Dec., 190

Kovacs, W. D.: see Salomone, L. A. and Kovacs, W. D.

### Laboratory tests

Suggested test method for determination of thermal conductivity of soil by thermal-needle procedure (Chaney, Ramanjaneya, Hencey, Kanchanastit, and Fang), Dec., 220

Use of property tests to determine the thermal properties of soils (Salomone and Kovacs), Dec., 173

Letter to the editor: A probe to measure friction coefficient (Handy), March, 47

Liquefaction: Cyclic triaxial tests with continous measurement of dissipated energy (Simcock, Davis, Berrill, and Mullenger), March, 35

Lutenegger, A. J.: Discussion of "the modified borehole shear device" by J. P. Demartinecourt and G. E. Bauer, Sept., 161

### M-Q

Madhav, M. R.: see Rao, N. B. S., Yudhbir, and Madhav, M. R.

Mayne, P. W.: Discussion of "triaxial testing at the Norwegian Geotechnical Institute" by T. Berre, Sept., 160 McManis, K. L., Ferrell, R. E., Jr., and Arman, A.: Interpreting the physical properties of a clay using microanalysis techniques, June, 87

Mullenger, G.: see Simcock, K. J., Davis, R. O., Berrill, J. B., and Mullenger, G.

Olofsson, T.: see Swan, G. and Olofsson, T. Organic soils: Measurement of underground corrosion of steel (Roy and Ramaswamy), June, 96

Osipov, V. I.: Methods of studying clay microstructure, March, 10

Overconsolidation: Discussion of "triaxial testing at the Norwegian Geotechnical Institute" by T. Berre (Mayne), Sept., 160

Patrick, C. W.: see Peng, S. S., Patrick, C. W., and Khair, A. W.

Penetration tests: reproducible SPT hammer impact force with an automatic free fall SPT hammer system (Riggs, Schmidt, and Rassieur), Dec., 201

Peng, S. S., Patrick, C. W., and Khair, A. W.: Direct shear strength of Appalachian coal, Sept., 144

### Permeability

In-plane permeability of geotextiles (Gerry and Raymond), Dec., 181

Permeability test for unsaturated soil (Daniel), June, 81

Quality control: Methylene blue test for bentonite liner quality control (Alther), Sept., 128

### R

Ramanjaneya, G.: see Chaney, R. C., Ramanjaneya, G., Hencey, G., Kanchanastit, P., and Fang, H. Y.

Ramaswamy, S. D.: see Roy, S. K. and Ramaswamy, S. D.

Rao, N. B. S., Yudhbir, and Madhav, M. R.: Influence of stress history on the experimental flow rule, March, 42

Rassieur, C. L.: see Riggs, C. O., Schmidt, N. O., and Rassieur, C. L.

## Raymond, G. P.

see Costa, J. M. A. and Raymond, G. P. see Gerry, B. S. and Raymond, G. P.

Remolded soil samples: Soil remolding and sensitivity measurements (Yong and Tang), June, 73

### Research and development

Laboratory investigation of grid reinforcements in clay (Ingold), Sept., 112

Laboratory pull-out testing of grid reinforcements in sand (Ingold), Sept., 101

Richter, J.: see Demars, K. R., Chaney, R. C., and Richter, J.

Riggs, C. O., Schmidt, N. O., and Rassieur, C. L.: Reproducible SPT hammer impact force with an automatic free fall SPT hammer system, Dec., 201

### Rock mechanics

Electrical analogy of hydraulic flow through rock fractures (Sundaram and Frink), March, 3

Multi-purpose rock core testing device (Swan and Olofsson), March, 18

Regression analysis of experimental data using desktop computers (Frink and Sundaram), Sept., 151

### Rocks

Multi-purpose rock core testing device (Swan and Olofsson), March, 18

Proposed new standard test method for dimensional and shape tolerances of rock core specimens (Haas), Dec., 226

Roy, S. K. and Ramaswamy, S. D.: Measurement of underground corrosion of steel, June, 96

#### S

Salinity: Suggested test method for determination of the soluble salt content of soils by refractometer (Chaney, Slonim, and Slonim), June. 93

Salomone, L. A. and Kovacs, W. D.: Use of property tests to determine the thermal properties of soils, Dec., 173

Samples: Use of a chain saw for obtaining undisturbed block samples (Tiedemann and Sorensen), Sept., 157

Sampling: Use of a chain saw for obtaining undisturbed block samples (Tiedemann and Sorensen), Sept., 157

### Sands

Apparatus for cyclic stress path testing (Khosla and Singh), Dec., 165

Cyclic triaxial tests with continuous measurement of dissipated energy (Simcock, Davis, Berrill, and Mullenger), March, 35

Dynamic shear modulus and damping ratio from random loading tests (Al-Sanad, Aggour, and Yang), Sept., 120

Laboratory pull-out testing of grid reinforcements in sand (Ingold), Sept., 101

Method of estimating the in-situ density of dry uniformity graded sand under controlled conditions of placement (Wersching), Dec., 196

Scafe, D. W.: see Dusseault, M. B., Cimolini, P., Soderberg, H., and Scafe, D. W.

Schmidt, N. O.: see Riggs, C. O., Schmidt, N. O., and Rassieur, C. L.

Seismic investigations: Proposed standard test methods for cross-hole seismic testing (Ballard), Dec., 210

Seismic waves: Proposed standard test methods for cross-hole seismic testing (Ballard), Dec., 210

Selig, E. T.: Award for editorial excellence, Dec., 230

### Sensitivity

Interpreting the physical properties of a clay using microanalysis techniques (McManis, Ferrell, and Arman), June, 87 Soil remolding and sensitivity measurements (Yong and Tang), June, 73

# Shear Strength

Discussion of "the modified borehole shear device" by J. P. Demartinecourt and G. E. Bauer (Lutenegger), Sept., 161

Laboratory investigation of grid reinforcements in clay (Ingold), Sept., 112

Laboratory pull-out testing of grid reinforcements in sand (Ingold), Sept., 101

Method of estimating the in-situ density of dry uniformity graded sand under controlled conditions of placement (Wersching), Dec., 196

Modified borehole shear device (Demartinecourt and Bauer), March, 24

Sieve analysis: Equivalent opening size of geotextiles (Gerry and Raymond), June, 53

Simcock, K. J., Davis, R. O., Berrill, J. B., and Mullenger, G.: Cyclic triaxial tests with continuous measurement of dissipated energy, March, 35

- Singh, R. D.: see Khosla, V. K. and Singh, R. D.
- Slaking: Rapid index tests for transitional materials (Dusseault, Cimolini, Soderberg, and Scafe), June, 64
- Slonim, S. M.: see Chaney, R. C., Slonim, S. M., and Slonim, S. S.
- Slurries: Methylene blue test for bentonite liner quality control (Alther), Sept., 128
- Soderberg, H.: see Dusseault, M. B., Cimolini, P., Soderberg, H., and Scafe, D. W.

### Soil mechanics

- Equivalent opening size of geotextiles (Gerry and Raymond), June, 53
- In-plane permeability of geotextiles (Gerry and Raymond), Dec., 181
- Methods of studying clay microstructure (Osipov), March, 10
- Regression analysis of experimental data using desktop computers (Frink and Sundaram), Sept., 151
- Use of property tests to determine the thermal properties of soils (Salomone and Kovacs), Dec., 173

#### Soils

- Burst tester for geotextile bidirectional strength (Costa and Raymond), Sept., 133 Influence of stress history on the experimental flow rule (Rao, Yudhbir, and Madhay), March, 42
- Methylene blue test for bentonite liner quality control (Alther), Sept., 128
- Proposed standard test methods for crosshole seismic testing (Ballard), Dec., 210
- Suggested test method for determination of the soluble salt content of soils by refractometer (Chaney, Slonim, and Slonim), June, 93

### Soil Tests

- Discussion of "triaxial testing at the Norwegian Geotechnical Institute" by T. Berre (Mayne), Sept., 160
- Suggested test method for determination of thermal conductivity of soil by thermal-needle procedure (Chaney, Ramanjaneya, Hencey, Kanchanastit, and Fang), Dec., 220
- Sorensen, R. D.: see Tiedemann, D. A. and Sorensen, R. D.
- Steels: Measurement of underground corrosion of steel (Roy and Ramaswamy), June, 96
- Stones: Burst tester for geotextile bidirectional strength (Costa and Raymond), Sept., 133
- Strain: Interpreting the physical properties of a clay using microanalysis techniques (McManis, Ferrell, and Arman), June, 87
- Stress: Interpreting the physical properties of a clay using microanalysis techniques (McManis, Ferrell, and Arman), June, 87
- Sundaram, P. N. and Frink, D.: Electrical analogy of hydraulic flow through rock fractures, March, 3
- Sundaram, P. N.: see Frink, D. and Sundaram, P. N.
- Swan, G. and Olofsson, T.: A multi-purpose rock core testing device, March, 18
- Swelling: Discussion of "triaxial testing at the Norwegian Geotechnical Institute" by T. Berre (Mayne), Sept., 160

### T-Y

Tang, K. Y.: see Yong, R. N. and Tang, K. Y.Tensiometers: Permeability test for unsaturated soil (Daniel), June, 81

Testing machines: Multi-purpose rock core testing device (Swan and Olofsson), March, 18

### Test specimens

- Direct shear strength of Appalachian coal (Peng, Patrick, and Khair), Sept., 144
- Proposed new standard test method for dimensional and shape tolerances of rock core specimens (Haas), Dec., 226

### Thermal conductivity

- Suggested test method for determination of thermal conductivity of soil by thermal-needle procedure, (Chaney, Ramanjaneya, Hencey, Kanchanastit, and Fang), Dec., 220
- Tiedemann, D. A. and Sorensen, R. D.: Use of a chain saw for obtaining undisturbed block samples, Sept., 157
- Triaxial tests: Apparatus for cyclic stress path testing (Khosla and Singh), Dec., 165
- Underground corrosion: Measurement of underground corrosion of steel (Roy and Ramaswamy), June, 96
- Undisturbed samples: Use of a chain saw for obtaining undisturbed block samples (Tiedemann and Sorensen), Sept., 157
- Welsh, J. P.: Review of Grouting in Engineering Practice by Bowen, Sept., 162
- Wersching, S. N.: Method of estimating the in-situ density of dry uniformity graded sand under controlled conditions of placement, Dec., 196
- Yang, J. C. S.: see Al-Sanad, H., Aggour, M. S., and Yang, J. C. S.
- Yong, R. N. and Tang, K. Y.: Soil remolding and sensitivity measurements, June, 73
- Yudhbir: see Rao, N. B. S., Yudhbir, and Madhav, M. R.