

Geotechnical Testing Journal

Subject Index

Volume 17, 1994

A

Absorption

Geo-environmental assessment of a micaceous soil for its potential use as an engineered clay barrier (Mohamed, AMO, Yong, RN, Tan, BK, Farkas, A, and Curtis LW), Sept., 291

Test procedures to evaluate absorption and swelling of grout (Krizek, RJ and Borden, RH), Dec., 512

Acrylate grout

Test procedures to evaluate absorption and swelling of grout (Krizek, RJ and Borden, RH), Dec., 512

Anisotropy

Study of an anisotropically overconsolidated silt by the resonant column method (Macari, EJ and Ko, H-Y), Sept., 315

Arid soils

Suggested modifications to ASTM standard methods when testing arid, saline soils (Al-Amoudi, OSB and Abduljawwad, SN), June, 243

Automation

Time-dependent triaxial relaxation behavior of a resedimented clay (Sheahan, TC, Ladd, CC, and Germaine, JT), Dec., 444

Use of fuzzy control in automated soil testing (Huang, A-B, Hsu, S-P, and Kuhr, H-R), Sept., 356

B

B-value

Discussion of "B-value measurements for granular materials at high confining pressures," by Jerry A. Yamamuro and Poul V. Lade (Charlie, WA, Veyera, GE, and Doehring, DO), March, 119

Bearing capacities

Method for interpretation of plate load test results (Reznik, YM), March, 72

Bitumens

Laboratory investigation on bitumen coat-

ing and polyethylene sheeting for down-drag reduction in piles: a comparative study (Tawfiq, KS), June, 171

Book review

Introduction to Mineral Sciences by Putnis (Robertson, EC), June, 266

Boreholes

Deformability of rock-like materials using a sharp cone test (Leite, MH, Ladanyi, B, and Gill, DE), June, 195

C

Cement grout

Effect of preparation technique on permeability and strength of cement-grouted sand (Schwarz, LG and Krizek, RJ), Dec., 434

Cemented sand

Compressibility characteristics of gypsaceous sandy soils (AlNouri, I and Sakleam, S), Dec., 465

Cemented soil

Discussion on "behavior of fiber-reinforced cemented sand under static and cyclic loads" by M. H. Maher and Y. C. Ho (Ling, HI), June, 254

Centrifuge

Centrifuge modeling of laterally loaded pile groups in sands (McVay, M, Bloomquist, D, Vanderlinde, D, and Clausen, J), June, 129

Clay-sand mixture

Shear strength of very soft clay-sand mixtures (Tan, T-S, Goh, T-C, Karunaratne, GP, and Lee, S-L), March, 27

Clays

Approximate method for estimating the consolidation behavior of soft sensitive clays (Joshi, RC, Achari, G, and Griffiths, FJ), March, 50

Effect of short duration of load increment on the compressibility of soils (Sridharan, A, Sivapullaiah, PV, and Stalin, VK), Dec., 489

Image analysis method for studying

movements in granular and solid bodies (Gustafsson, L and Knutsson, S), March, 95

Shear strength of very soft clay-sand mixtures (Tan, T-S, Goh, T-C, Karunaratne, GP, and Lee, S-L), March, 27

Time-dependent triaxial relaxation behavior of a resedimented clay (Sheahan, TC, Ladd, CC, and Germaine, JT), Dec., 444

Water content relationships of a sensitive clay subjected to cycles of capillary pressures (Silverstri, V), March, 57

Compacted soils

Expansion potential of compacted fine-grained soils using suction measurements (Garbulewski, K, Zakowicz, S, and Al-Helo, IK), Dec., 506

Compaction

Compaction control of earth-rock mixtures: a new approach (Torrey, VH, III and Donaghe, RT), Sept., 371

Compaction test method for soil-rock mixtures in which equipment size effects are minimized (Donaghe, RT and Torrey, VH, III), Sept., 363

Engineering properties of tire chips and soil mixtures (Edil, TB and Bosscher, PJ), Dec., 453

Proposed new standard test method for laboratory compaction testing of soil-rock mixtures using standard effort (Donaghe, RT and Torrey, VH, III), Sept., 387

Compressibilities

Compressibility characteristics of gypsaceous sandy soils (AlNouri, I and Sakleam, S), Dec., 465

Effect of short duration of load increment on the compressibility of soils (Sridharan, A, Sivapullaiah, PV, and Stalin, VK), Dec., 489

Compressibility testing

Suggested modifications to ASTM standard methods when testing arid, saline soils (Al-Amoudi, OSB and Abduljawwad, SN), June, 243

Compression

Measurements of elastic properties of geo-

Compression (Cont.)

materials in laboratory compression tests (Tatsuoka, F, Sato, T, Park, C-S, Kim, Y-S, Mukabi, JN, and Kohata, Y), March, 80

Compression index

Compressibility of contaminated fine-grained soils (Meegoda, NJ and Ratna-weera, P), March, 101

Concrete

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part I—Numerical studies (Lin, J-M and Sansalone, M), June, 207

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part II—Experimental studies (Lin, J-M and Sansalone, M), June, 220

New combined servo-controlled loading frame/direct-shear apparatus for the study of concrete or rock joint behavior under different boundary and loading conditions (Mouchaorab, KS and Benmokrane, B), June, 233

Consolidated-undrained tests

Time-dependent triaxial relaxation behavior of a resedimented clay (Sheahan, TC, Ladd, CC, and Germaine, JT), Dec., 444

Consolidation

Approximate method for estimating the consolidation behavior of soft sensitive clays (Joshi, RC, Achari, G, and Griffiths, FJ), March, 50

Effect of short duration of load increment on the compressibility of soils (Sridharan, A, Sivapullaiah, PV, and Stalin, VK), Dec., 489

Improved velocity method for the determination of coefficient of consolidation (Pandian, NS, Sridharan, A, and Kumar, KS), March, 113

Suggested modifications to ASTM standard methods when testing arid, saline soils (Al-Amoudi, OSB and Abduljawwad, SN), June, 243

Use of fuzzy control in automated soil testing (Huang, A-B, Hsu, S-P, and Kuhr, H-R), Sept., 356

Contaminated soils

Compressibility of contaminated fine-grained soils (Meegoda, NJ and Ratna-weera, P), March, 101

Contamination

Compressibility of contaminated fine-grained soils (Meegoda, NJ and Ratna-weera, P), March, 101

Core description

Development and potential of core-logging manuals (Ettensohn), Sept., 393

D**Deformability parameters**

Deformability of rock-like materials using a sharp cone test (Leite, MH, Ladanyi, B, and Gill, DE), June, 195

Deformation

Method for interpretation of plate load test results (Reznik, YM), March, 72

Deformation modulus

Method for interpretation of plate load test results (Reznik, YM), March, 72

Desorption

Geo-environmental assessment of a micaceous soil for its potential use as an engineered clay barrier (Mohamed, AMO, Yong, RN, Tan, BK, Farkas, A, and Curtis LW), Sept., 291

Diamond-core drilling

Development and potential of core-logging manuals (Ettensohn), Sept., 393

Direct shear testing

New combined servo-controlled loading frame/direct-shear apparatus for the study of concrete or rock joint behavior under different boundary and loading conditions (Mouchaorab, KS and Benmokrane, B), June, 233

Displacements

Image analysis method for studying movements in granular and solid bodies (Gustafsson, L and Knutsson, S), March, 95

Downdrag forces

Laboratory investigation on bitumen coating and polyethylene sheeting for down-drag reduction in piles: a comparative study (Tawfiq, KS), June, 171

Drainage

Improved velocity method for the determination of coefficient of consolidation (Pandian, NS, Sridharan, A, and Kumar, KS), March, 113

Drilled shafts

Evaluation of static capacity of deep foundations from statnamic testing (Brown, DA), Dec., 403

Dynamic properties

General dynamic model for the resonant column/quasi-static torsional shear apparatus (Ashmawy, AK and Drnevich, VP), Sept., 337

E**Editorial**

Expanded scope = expanded opportuni-

ties = expanded service (Pincus, HJ), March, 123

Elastic properties

Measurements of elastic properties of geomaterials in laboratory compression tests (Tatsuoka, F, Sato, T, Park, C-S, Kim, Y-S, Mukabi, JN, and Kohata, Y), March, 80

Method for interpretation of plate load test results (Reznik, YM), March, 72

Expansive soils

Expansion potential of compacted fine-grained soils using suction measurements (Garbulewski, K, Zakowicz, S, and Al-Helo, IK), Dec., 506

Moisture increase in expansive soils at developed sites (Sikh, TS), Dec., 517

F**Fiber-reinforced soil**

Discussion on "behavior of fiber-reinforced cemented sand under static and cyclic loads" by M. H. Maher and Y. C. Ho (Ling, HI), June, 254

Field tests

Monitoring system for hydrologic evaluation of landfill covers (Benson, CH, Bosscher, PJ, Lane, DT, and Pliska, RJ), June, 138

Prediction models of resilient modulus for nongranular materials (Pezo, R and Hudson, WR), Sept., 349

Filtration

Critical evaluation of the gradient ratio test (Fannin, RJ, Vaid, YP, and Shi, Y), March, 35

Flow

Image analysis method for studying movements in granular and solid bodies (Gustafsson, L and Knutsson, S), March, 95

Foundation failures

Image analysis method for studying movements in granular and solid bodies (Gustafsson, L and Knutsson, S), March, 95

Foundations

Physical modeling of drilled shaft side resistance in sand (Turner JP and Kulhawy, FH), June, 282

Friction

Laboratory investigation on bitumen coating and polyethylene sheeting for down-drag reduction in piles: a comparative study (Tawfiq, KS), June, 171

Fuzzy control

Use of fuzzy control in automated soil test-

ing (Huang, A-B, Hsu, S-P, and Kuhr, H-R), Sept., 356

G

Geocomposites

In-plane flow of four geosynthetics for landfill drainage (Campbell, RP and Wu, JTH), March, 3

Geomaterials

Measurements of elastic properties of geomaterials in laboratory compression tests (Tatsuoka, F, Sato, T, Park, C-S, Kim, Y-S, Mukabi, JN, and Kohata, Y), March, 80

Geomembranes

Strain measurement in HDPE geomembrane tensile tests (Giroud, JP, Monroe, M, and Charron, R), March, 65

Geonets

In-plane flow of four geosynthetics for landfill drainage (Campbell, RP and Wu, JTH), March, 3

Geosynthetics

In-plane flow of four geosynthetics for landfill drainage (Campbell, RP and Wu, JTH), March, 3

Geotextiles

Critical evaluation of the gradient ratio test (Fannin, RJ, Vaid, YP, and Shi, Y), March, 35

Gradients

Critical evaluation of the gradient ratio test (Fannin, RJ, Vaid, YP, and Shi, Y), March, 35

Grouting

Cyclic undrained behavior and liquefaction potential of sand treated with chemical grouts and microfine cement (MC-500) (Maher, MH, Ro, KS, and Welsh, JP), June, 159

Gypseous soil

Compressibility characteristics of gypseous sandy soils (AlNouri, I and Sakleam, S), Dec., 465

H-I

Hydraulic conductivity

Design and evaluation of a flow pump system for column testing (Redmond, PL and Shackelford, CD), June, 269

Hydraulic mean radius

Effects of particle shape and surface roughness on the hydraulic mean radius of a porous medium consisting of quarried

rock (Sabin, GCW and Hansen, D), March, 43

Impact-echo response

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part I--Numerical studies (Lin, J-M and Sansalone, M), June, 207

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part II--Experimental studies (Lin, J-M and Sansalone, M), June, 220

Instrumentation

Monitoring system for hydrologic evaluation of landfill covers (Benson, CH, Bosscher, PJ, Lane, DT, and Pliska, RJ), June, 138

L

Laboratory equipment

Multiple purpose soil testing apparatus (Huang, A-B, Hsu, S-P, and Kuhn, H-R), June, 227

Laboratory tests

Compaction test method for soil-rock mixtures in which equipment size effects are minimized (Donaghe, RT and Torrey, VH, III), Sept., 363

Investigation of the strain-softening behavior of granular soils with a new multiaxial cell (Lo, R, Chu, J, and Lee, IK), Sept., 325

Landfills

Monitoring system for hydrologic evaluation of landfill covers (Benson, CH, Bosscher, PJ, Lane, DT, and Pliska, RJ), June, 138

Lateral loads

Determination of *P-Y* curves using inclinometer data (Brown, DA, Hidden, SA, and Zhang, S), June, 150

Linear variable differential transformer

Instrumentation for a weigh in motion system using pavement strain (Marsh, JG and Jewell, RJ), Dec., 498

Liquefaction

Cyclic undrained behavior and liquefaction potential of sand treated with chemical grouts and microfine cement (MC-500) (Maher, MH, Ro, KS, and Welsh, JP), June, 159

Logging manuals and codes

Development and potential of core-logging manuals (Ettensohn), Sept., 393

Load pile tests

Evaluation of static capacity of deep foun-

datations from statnamic testing (Brown, DA), Dec., 403

Loads

Determination of *P-Y* curves using inclinometer data (Brown, DA, Hidden, SA, and Zhang, S), June, 150

M

Matric suction sensor

Numerical modeling of a thermal conductivity matric suction sensor (Xing, A and Fredlund, DG), Dec., 415

Micaceous soil

Geo-environmental assessment of a micaceous soil for its potential use as an engineered clay barrier (Mohamed, AMO, Yong, RN, Tan, BK, Farkas, A, and Curtis LW), Sept., 291

Model test

Centrifuge modeling of laterally loaded pile groups in sands (McVay, M, Bloomquist, D, Vanderlinde, D, and Clausen, J), June, 129

Physical modeling of drilled shaft side resistance in sand (Turner JP and Kulhawy, FH), June, 282

Prediction models of resilient modulus for nongranular materials (Pezo, R and Hudson, WR), Sept., 349

Moisture

Moisture increase in expansive soils at developed sites (Sikh, TS), Dec., 517

N-O

Numerical modeling

Numerical modeling of a thermal conductivity matric suction sensor (Xing, A and Fredlund, DG), Dec., 415

Optical techniques

Development of a transparent material to model the geotechnical properties of soils (Iskander, MG, Lai, J, Oswald, CJ, and Mannheimer, RJ), Dec., 425

Overconsolidation

Study of an anisotropically overconsolidated silt by the resonant column method (Macari, EJ and Ko, H-Y), Sept., 315

P

Pavements

Prediction models of resilient modulus for

Pavements (Cont.)

nongranular materials (Pezo, R and Hudson, WR), Sept., 349

Permeability

Critical evaluation of the gradient ratio test (Fannin, RJ, Vaid, YP, and Shi, Y), March, 35

Design and evaluation of a flow pump system for column testing (Redmond, PL and Shackelford, CD), June, 269

Pile-bearing capacities

Discussion on "the simple pile load test (SPLT)" by Myung Whan Lee, Se Whan Paik, Won Jae Lee, Chang Tok Yi, Dae Young Kim, and Sung Jin Yoon (Schmertmann, JH), March, 122

Pile foundations

Centrifuge modeling of laterally loaded pile groups in sands (McVay, M, Bloomquist, D, Vanderlinde, D, and Clausen, J), June, 129

Determination of *P-Y* curves using inclinometer data (Brown, DA, Hidden, SA, and Zhang, S), June, 150

Discussion on "the simple pile load test (SPLT)" by Myung Whan Lee, Se Whan Paik, Won Jae Lee, Chang Tok Yi, Dae Young Kim, and Sung Jin Yoon (Schmertmann, JH), March, 122

Pile-loading tests

Discussion on "the simple pile load test (SPLT)" by Myung Whan Lee, Se Whan Paik, Won Jae Lee, Chang Tok Yi, Dae Young Kim, and Sung Jin Yoon (Schmertmann, JH), March, 122

Piles

Evaluation of static capacity of deep foundations from statnamic testing (Brown, DA), Dec., 403

Laboratory investigation on bitumen coating and polyethylene sheeting for downward drag reduction in piles: a comparative study (Tawfiq, KS), June, 171

Pore geometry

Effects of particle shape and surface roughness on the hydraulic mean radius of a porous medium consisting of quarried rock (Sabin, GCW and Hansen, D), March, 43

Pore pressure

Discussion of "*B*-value measurements for granular materials at high confining pressures," by Jerry A. Yamamuro and Poul V. Lade (Charlie, WA, Veyera, GE, and Doehring, DO), March, 119

Laboratory filter paper suction measurements (Houston, SL, Houston, WN, and Wagner, A-M), June, 185

Preparation method

Effect of preparation technique on permeability and strength of cement-grouted sand (Schwarz, LG and Krizek, RJ), Dec., 434

Pressure plate apparatus

Water content relationships of a sensitive clay subjected to cycles of capillary pressures (Silverstri, V), March, 57

R**Reinforced soil**

Discussion on "behavior of fiber-reinforced cemented sand under static and cyclic loads" by M. H. Maher and Y. C. Ho (Ling, HI), June, 254

Resilient modulus

Prediction models of resilient modulus for nongranular materials (Pezo, R and Hudson, WR), Sept., 349

Resonance

General dynamic model for the resonant column/quasi-static torsional shear apparatus (Ashmawy, AK and Drnevich, VP), Sept., 337

Resonant column tests

Torsional motion monitoring system for small-strain (10^{-5} to $10^{-3}\%$) soil testing (Kim, D-S and Stokoe, KH, II), March, 17

Rock

Compaction control of earth-rock mixtures: a new approach (Torrey, VH, III and Donaghe, RT), Sept., 371

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part I—Numerical studies (Lin, J-M and Sansalone, M), June, 207

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part II—Experimental studies (Lin, J-M and Sansalone, M), June, 220

Rock joints

New combined servo-controlled loading frame/direct-shear apparatus for the study of concrete or rock joint behavior under different boundary and loading conditions (Mouchaorab, KS and Benmokrane, B), June, 233

Rock surface area

Effects of particle shape and surface roughness on the hydraulic mean radius of a porous medium consisting of quarried rock (Sabin, GCW and Hansen, D), March, 43

S**Sands**

Cyclic undrained behavior and liquefaction potential of sand treated with chemical grouts and microfine cement (MC-500) (Maher, MH, Ro, KS, and Welsh, JP), June, 159

Investigation of the strain-softening behavior of granular soils with a new multiaxial cell (Lo, R, Chu, J, and Lee, IK), Sept., 325

Physical modeling of drilled shaft side resistance in sand (Turner JP and Kulhawy, FH), June, 282

Saturation

Discussion of "*B*-value measurements for granular materials at high confining pressures," by Jerry A. Yamamuro and Poul V. Lade (Charlie, WA, Veyera, GE, and Doehring, DO), March, 119

Sharp cone test

Deformability of rock-like materials using a sharp cone test (Leite, MH, Ladanyi, B, and Gill, DE), June, 195

Shear modulus

Torsional motion monitoring system for small-strain (10^{-5} to $10^{-3}\%$) soil testing (Kim, D-S and Stokoe, KH, II), March, 17

Shear strength

Approximate method for estimating the consolidation behavior of soft sensitive clays (Joshi, RC, Achari, G, and Griffiths, FJ), March, 50

Effects of centerline tube sampling strains on the undrained behavior of two stiff overconsolidated clays (Georgiannou, VN and Hight, DW), Dec., 475

Shear tests

General dynamic model for the resonant column/quasi-static torsional shear apparatus (Ashmawy, AK and Drnevich, VP), Sept., 337

Multiple purpose soil testing apparatus (Huang, A-B, Hsu, S-P, and Kuhn, H-R), June, 227

Shrinkage

Water content relationships of a sensitive clay subjected to cycles of capillary pressures (Silverstri, V), March, 57

Silts

Study of an anisotropically overconsolidated silt by the resonant column method (Macari, EJ and Ko, H-Y), Sept., 315

Size distribution

Engineering properties of tire chips and soil mixtures (Edil, TB and Bosscher, PJ), Dec., 453

Slurries

Shear strength of very soft clay-sand mixtures (Tan, T-S, Goh, T-C, Karunaratne, GP, and Lee, S-L), March, 27

Soil

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part I—Numerical studies (Lin, J-M and Sansalone, M), June, 207

Impact-echo response of hollow cylindrical concrete structures surrounded by soil and rock: Part II—Experimental studies (Lin, J-M and Sansalone, M), June, 220

Soil columns

Design and evaluation of a flow pump system for column testing (Redmond, PL and Shackelford, CD), June, 269

Soil-rock mixtures

Compaction control of earth-rock mixtures: a new approach (Torrey, VH, III and Donaghe, RT), Sept., 371

Compaction test method for soil-rock mixtures in which equipment size effects are minimized (Donaghe, RT and Torrey, VH, III), Sept., 363

Proposed new standard test method for laboratory compaction testing of soil-rock mixtures using standard effort (Donaghe, RT and Torrey, VH, III), Sept., 387

Soil tests

Multiple purpose soil testing apparatus (Huang, A-B, Hsu, S-P, and Kuhn, H-R), June, 227

Statnamic method

Evaluation of static capacity of deep foundations from statnamic testing (Brown, DA), Dec., 403

Strain

Measurements of elastic properties of geomaterials in laboratory compression tests (Tatsuoka, F, Sato, T, Park, C-S, Kim, Y-S, Mukabi, JN, and Kohata, Y), March, 80

Strain measurement in HDPE geomembrane tensile tests (Giroud, JP, Monroe, M, and Charron, R), March, 65

Strain path

Effects of centerline tube sampling strains on the undrained behavior of two stiff over-consolidated clays (Georgiannou, VN and Hight, DW), Dec., 475

Strain rate

Tensile stress-strain characteristics of lightly cemented sand (Dass, RN, Yen, S-C, Das, BM, Puri, VK, and Wright, MA), Sept., 305

Strain softening

Investigation of the strain-softening behavior of granular soils with a new multiaxial cell (Lo, R, Chu, J, and Lee, IK), Sept., 325

Strain transducers

Instrumentation for a weigh in motion system using pavement strain (Marsh, JG and Jewell, RJ), Dec., 498

Stress

Tensile stress-strain characteristics of lightly cemented sand (Dass, RN, Yen, S-C, Das, BM, Puri, VK, and Wright, MA), Sept., 305

Suction

Laboratory filter paper suction measurements (Houston, SL, Houston, WN, and Wagner, A-M), June, 185

Surface irrigation

Moisture increase in expansive soils at developed sites (Sikh, TS), Dec., 517

Swelling

Expansion potential of compacted fine-grained soils using suction measurements (Garbulewski, K, Zakowicz, S, and Al-Helo, IK), Dec., 506

Test procedures to evaluate absorption and swelling of grout (Krizek, RJ and Borden, RH), Dec., 512

Water content relationships of a sensitive clay subjected to cycles of capillary pressures (Silverstri, V), March, 57

T

Tensile strengths

Tensile stress-strain characteristics of lightly cemented sand (Dass, RN, Yen, S-C, Das, BM, Puri, VK, and Wright, MA), Sept., 305

Tensile tests

Strain measurement in HDPE geomembrane tensile tests (Giroud, JP, Monroe, M, and Charron, R), March, 65

Thermal conductivity

Numerical modeling of a thermal conductivity matric suction sensor (Xing, A and Fredlund, DG), Dec., 415

Tire chips

Engineering properties of tire chips and soil mixtures (Edil, TB and Bosscher, PJ), Dec., 453

Tomography

Development of a transparent material to

model the geotechnical properties of soils (Iskander, MG, Lai, J, Oswald, CJ, and Mannheimer, RJ), Dec., 425

Torsional shear test

Torsional motion monitoring system for small-strain (10^{-5} to $10^{-3}\%$) soil testing (Kim, D-S and Stokoe, KH, II), March, 17

Transmissivity

In-plane flow of four geosynthetics for landfill drainage (Campbell, RP and Wu, JTH), March, 3

Transparent materials

Development of a transparent material to model the geotechnical properties of soils (Iskander, MG, Lai, J, Oswald, CJ, and Mannheimer, RJ), Dec., 425

Tube samples

Effects of centerline tube sampling strains on the undrained behavior of two stiff over-consolidated clays (Georgiannou, VN and Hight, DW), Dec., 475

U-W

Unsaturated soils

Laboratory filter paper suction measurements (Houston, SL, Houston, WN, and Wagner, A-M), June, 185

Vehicle weighing

Instrumentation for a weigh in motion system using pavement strain (Marsh, JG and Jewell, RJ), Dec., 498

Velocity

Improved velocity method for the determination of coefficient of consolidation (Pandian, NS, Sridharan, A, and Kumar, KS), March, 113

Viscoelasticity

General dynamic model for the resonant column/quasi-static torsional shear apparatus (Ashmawy, AK and Drnevich, VP), Sept., 337

Water content

Proposed new standard test method for laboratory compaction testing of soil-rock mixtures using standard effort (Donaghe, RT and Torrey, VH, III), Sept., 387

Water-to-cement ratio

Effect of preparation technique on permeability and strength of cement-grouted sand (Schwarz, LG and Krizek, RJ), Dec., 434