

Journal of Testing and Evaluation

Subject Index to Volume 19

1991

A

- A286 stainless steel**
Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
- Abrasion resistance**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115
- Accident prevention**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263
- Adhesive joints**
Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24
- Adiabatic heat**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34
- Aluminum**
Cryogenic creep testing (McDonald and Hartwig), March, 107
- Aluminum alloys**
Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14
- Aluminum oxide**
Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461
- Analysis of variance**
Models and interactions (Mandel), Sept., 398
- Anthropometry**
Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263
- Areal analysis**
Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210
- Argon**
Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214
- Arrester beds**
Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280
- Asphalt**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
- Asphalt-aggregate paving mixtures**
Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

- Asphalt concrete**
Prediction of fatigue life of asphalt concrete beams from fracture tests (Ram-samooj), May, 231
- Asphalt mixes**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1
- ASTM Practice G 81-83**
Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115
- ASTM Test D 4123**
Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1
- Atomic spectroscopy**
Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77
- Austenitic alloys**
Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34
- Austenitic stainless steel**
Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321
Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312
- Automatic measurement**
Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

B

- Boiler tube steel**
Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485
- Book reviews**
Concise Encyclopedia of Building and Construction Materials by Moavenzadeh (Donaldson), March, 178
Ceramic Hardness by McColm (Quinn), Nov., 497
Defect Prevention: Use of Simple Statistical Tools by Kane (Kowalewski), Jan., 89
Detection, Diagnosis, and Prognosis of Rotating Machinery to Improve Reliability, Maintainability, and Readiness Through the Application of New and Innovative Techniques by Cambridge University Press (Blau), July, 345
Engineering Project Management by Blanchard (Shuman), Nov., 497
Experimentation and Uncertainty Analysis for Engineers by Coleman and Steele (Jacobs), Nov., 498

- High Temperature Fatigue: Properties and Prediction* by Skelton (Gabb), July, 345
Inherently Conducting Polymers by Aldissi (Burnell), Nov., 499
International Advances in Nondestructive Testing, Volume 15 by McGonnagle (McKee), Sept., 418
An Introduction to the Design and Behavior of Bolted Joints by Bickford (Link), Sept., 417
Materials for Marine Systems and Structures by Hasson and Crowe (Reemsnyder), May, 260
Mechanical Testing by Curbishley (Westbrook), May, 261
Physical Acoustics: Vol. 18 by Mason and Thurston (Sachse), July, 346
Powder Testing Guide: Methods of Measuring the Physical Properties of Bulk Powders by Svarovsky (Merks), Sept., 418
Science and Engineering by National Science Board (Strauss), March, 178
Theory and Practice of Force Measurement by Bray, Barbato, and Levi (Doebelin), Sept., 417
Time-Saver Standards for Building Types: 3rd Edition by De Chiara and Callender (Chusid), July, 347
- Bricks**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
Predicting the durability of paving bricks (Winslow), Jan., 29
- Burst testing**
New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

C

- Calibration**
Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292
- Cantilever-type bend tests**
Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349
- Cement**
Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
- Ceramics**
Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454
Direct measurements of displacements in the inner roller span of four-point-bend-

- ing creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334
- Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461
- Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181
- Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192
- Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250
- Theoretical comparison of error in K_{Ic} values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256
- Certification**
- Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
- Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
- Preparation and certification of uranium oxide (U_3O_8) spectrometric reference materials (Santoliquido), Jan., 83
- What constitutes a reference material and how is it certified?, (Ridsdale and Meeres) Jan., 71
- Certified Reference Material (CRM)**
- Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60
- What constitutes a reference material and how is it certified?, (Ridsdale and Meeres), Jan., 71
- Charpy impact tests**
- Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34
- Children**
- Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263
- Cleavage**
- Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123
- Closure**
- Authors' closure to discussion of "Design and analysis of jaw crusher gouging abrasion tests" (Sare and Constantine), Sept., 410
- Author's closure to discussion of "Dynamic loading: a new microhardness test method" (Weiler), Sept., 415
- Combined loading**
- Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421
- Compact tension**
- Plastic η and γ factors for compact tension specimen in J -integral estimation (Hu and Albrecht), March, 169
- Compliance**
- Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149
- Compressive strength**
- Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374
- Computers**
- Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63
- Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135
- Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172
- Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250
- Concrete**
- Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440
- Condoms**
- Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244
- Consumer product safety**
- Procedure to evaluate openings in children's products for head entrapment hazards (Deppa), July, 263
- Continuous wave tests**
- Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172
- Convection ovens**
- Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161
- Copper coupons**
- Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292
- Corrosion**
- Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292
- Corrosion resistance**
- Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429
- Corrugated containers**
- Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374
- Cotton**
- Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394
- Cotton/polyester**
- Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394
- Crack work release rate**
- Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149
- Creep**
- Cryogenic creep testing, (McDonald and Hartwig), March, 107
- Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334
- Creep acceleration**
- Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14
- Creep deformation**
- Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93
- Creep fatigue interaction**
- Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485
- Cryogenic material properties**
- Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312
- Cryogenic temperatures**
- Charpy impact tests near absolute zero (Tobler, Reed, Hwang, Morra, Ballinger, Nakajima, and Shimamoto), Jan., 34
- Cryogenic creep testing (McDonald and Hartwig), March, 107
- Cyclic creep tests**
- Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14
- Cylindrical specimens**
- Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

D

Debond resistance

Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24

Definitions

Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60

What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71

Deformation

Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201

Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kanehiro, and Itokazu), May, 221

Delamination crack growth

Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

Density measurements

Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

Design specifications

Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297

Discussions

Discussion of "Design and analysis of jaw crusher gouging abrasion tests" (Wood), Sept., 408

Discussion of "Dynamic loading: a new microhardness test method" (O'Hern), Sept., 413

Displacements

Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334

Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45

Distillation

Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

Ductile-brittle transition

Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123

Ductility

Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240

Durability

Predicting the durability of paving bricks (Winslow), Jan., 29

Dwell time

Deformation of aluminum alloy under cyclic creep loadings (Gong and Hsu), Jan., 14

E**Electrical contacts**

Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

Electrical resistance

Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321

Electron beam radiation

Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403

End notched flexure specimens

Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

Engineering properties

Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

Epoxies

Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240

Error analysis

Theoretical comparison of error in K_{Ic} values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256

European Yield Model

Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

F**Failure probability**

Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181

Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192

Failure statistics

Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May, 192

Fastener quality

Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379

Fatigue

Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201

Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326

Prediction of fatigue life of asphalt concrete beams from fracture tests (Ram-samooj), May, 231

Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312

Fatigue life

Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135

Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450

Fatigue predictions

Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359

Fiber optic sensors

Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493

Formability analysis

Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349

Four-point bending tests

Direct measurements of displacements in the inner roller span of four-point-bending creep tests (Fett, Keller, Martin, and Rosenfelder), July, 334

Fracture ductility

Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kaneshiro, and Itokazu), May, 221

Fracture mechanics

Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45

Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461

Prediction of fatigue life of asphalt concrete beams from fracture tests (Ram-samooj), May, 231

Fracture specimens

Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45

Fracture toughness

Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March, 123

Theoretical comparison of error in K_{Ic} values determined by different testing methods of ceramics (Martins, Steen, and Rosa), May, 256

Warm precracking at 295 K and its effects on the 4-K toughness of austenitic steels (Tobler and Shimada), July, 312

Fracture toughness tests

Thick adherend, instrumented double-cantilever-beam specimen for measuring debonding of adhesive joints (Crosley and Ripling), Jan., 24

Friction

Influence of friction on the compliance and crack work rate of an end notched flexure specimen (Gradin, Gustafson, and Hojo), March, 149

G**Gamma-rays**

Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

Gas analysis

Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214

Go-no-go fatigue tests

Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450

Gouging abrasion

Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

Gravel

Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

H**Handling**

Effect of handling on the compression strength of corrugated fiberboard containers (Singh, Crofts, and Burgess), Sept., 374

Hardness

Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368

Heat conduction

Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

Homogeneity

Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63

Hysteretic energy

Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201

I**Image analysis**

Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210

Impact resistance

Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379

Indentation

Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368

Inflation tests

Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244

Intense Pulsed Neutron Source (IPNS)

In situ ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467

Interactions

Models and interactions (Mandel), Sept., 398

Interlaboratory tests

Models and interactions (Mandel), Sept., 398

International Organization for Standardization (ISO)

What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71

J**J integral**

Plastic η and γ factors for compact tension specimen in *J*-integral estimation (Hu and Albrecht), March, 169

J-R curves

Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305

Jaw crushers

Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

L**Laser diodes**

Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

Laundering

Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394

Lead

New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

Lead alloys

New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

Linear models

Models and interactions (Mandel), Sept., 398

LMN function

Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305

Loading

Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

Cryogenic creep testing (McDonald and Hartwig), March, 107

Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326

Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359

Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305

Prediction of fatigue life of asphalt concrete beams from fracture tests (Ram-samooj), May, 231

Load-slip

Mechanical behavior of nailed joints with various side member materials (Pellicane), March 97

M**Marking pens**

Assessment of the effects of treatment, time, and heat on the removal of erasable pen marks from cotton and cotton/polyester blend fabrics (Moore and Eddleman), Sept., 394

Materials properties

Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250

Mathematical models

Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326

Mechanical behavior

Mechanical behavior of nailed joints with various side member materials (Pellicane), March, 97

Mechanical components

Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359

Mechanical properties

Creep-fatigue interaction in T11 boiler tube steel (Miller, Marder, Holt, and Voorhees), Nov., 485

Mercury intrusion

Predicting the durability of paving bricks (Winslow), Jan., 29

Metal analysis

Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77

Metal connector plates

Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421

Metal reference material

Computer-aided homogeneity testing of proposed metal and metal alloy reference materials (Hurwitz), Jan., 63

Metals

Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349

Introduction to symposium on the use of reference materials in the metals analysis laboratory (Bottone), Jan., 55

Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

MIBANT angle

Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297

Microcracks

Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kane-shiro, and Itokazu), May, 221

Microscopy

Accuracy of a volume fraction measurement using areal image analysis (Shi and Winslow), May, 210

Microwaves

Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

Moisture content

Comparison of methods for measuring moisture content of aggregate and asphalt-aggregate paving mixtures (Parker and Brown), March, 161

N**Nailed joints**

Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

Mechanical behavior of nailed joints with various side member materials (Pellicane), March, 97

Nails

Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297

Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379

National Institute of Standards and Technology

Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

Neutrons

In situ ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467

Nondestructive tests

Electrical resistance measurements on type 304 stainless steel with different degrees of sensitization (Kain, Chouthai, and Gadiyar), July, 321

Nondestructive density measurements of

cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

Nonproportional hardening

Fatigue predictions for components under biaxial reversed loading (Lee and Chiang), Sept., 359

Normalization

Normalization method for developing *J-R* curves with the *LMN* function (Landes, Zhou, Lee, and Herrera), July, 305

O

Oxidation

Change in mass of copper coupons as a measure of severity of environments in accelerated aging tests for electrical contacts (Sproles), July, 292

P

Pallets

Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379

Plastic η and γ factors

Plastic η and γ factors for compact tension specimen in *J*-integral estimation (Hu and Albrecht), March, 169

Plastic additives

Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77

Plastic pipes

Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475

Plastics

Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338

Polyethylene

Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475

Pore size distribution

Predicting the durability of paving bricks (Winslow), Jan., 29

Proof test

Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135

Pulse tests

Pulse current automatic electro-optical characterization of the laser diode (Oyedokun), March, 172

Q

Quality assurance

Metals analysis in the plastics additives industry: quality assurance considerations (Nagourney and Madan), Jan., 77

Quality control

Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244

R

Radiant tubes

Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454

Radiation attenuation

Nondestructive density measurements of cylindrical specimens by gamma-ray attenuation (Tan and Fwa), March, 155

Radius-to-thickness (*R/t*) ratio

Cantilever-type bend test technique for formability analysis of strip/plate metals (Selcuk and Rawlings), Sept., 349

Rating numbers

Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429

Reference Material (RM)

Preparation and certification of uranium oxide (U_3O_8) spectrometric reference materials (Santoliquido), Jan., 83

What constitutes a reference material and how is it certified? (Ridsdale and Meeres), Jan., 71

Reliability

Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450

Repeatability

Evaluation of variability in resilient modulus test results (ASTM D 4123) (Brown and Foo), Jan., 1

Research

Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

Resilient modulus

Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1

Resonant response

Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493

Rheopectic behavior

New method for burst testing of low strength materials (Goodwin and Nguyen-Duy), Jan., 41

S

Shear strain

Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93

Shear strength

Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240

Shear stress state

Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93

Size effect

Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368

Specimen geometry

Novel specimen geometry for double shear creep experiments (Kim, Mohamed, and Earthman), March, 93

Specimens

Plastic η and γ factors for compact tension

specimen in *J*-integral estimation (Hu and Albrecht), March, 169

Specimen size requirements for fracture toughness testing in the transition region (Anderson and Dodds), March 123

Standard Reference Material (SRM)

Certification: what it means for inhomogeneity and reference materials (Kennedy), Jan., 60

Introduction to symposium on the use of reference materials in the metals analysis laboratory (Bottone), Jan., 55

Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

Standards

Condom inflation testing: strain distribution during test (Gerofi and Shelley), May, 244

Standards glossary

Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338

Staples

Understanding impact testing of pallet nails and staples (Loferski and Stern), Sept., 379

Steel

Reliability and life estimation from component fatigue failures below the go-no-go fatigue life limit (Parida), Nov., 450

Stored energy

Energy stored in a specimen under fatigue limit loading conditions (Kaleta, Blotny, and Harig), July, 326

Strain

Effect of thickness of elasto-plastic deformation and hysteretic energy dissipated at crack tip (Jendoubi, Ranganathan, and Merah), May, 201

Strength

Mechanical behavior of nailed joints with various side member materials (Pellucane), March, 97

Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181

Stress

Evaluation of variability in resilient modulus test results (ASTM D 4123), (Brown and Foo), Jan., 1

Structural Ceramics Database (SCD)

Structural ceramics database: data acquisition format for monolithic ceramics (Munro and Begley), May, 250

Structural components

Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403

Subcritical crack growth

Methods of determining subcritical crack growth by static lifetime tests with natural and artificial cracks (Fett and Munz), Nov., 461

Symposium

Standard Reference Materials: NBS-ASTM cooperation (Rasberry), Jan., 56

T

Terminology

Glossary (German/English, English/German) of specialized plastics testing terminology (Meraw), July, 338

Test grips

Test apparatus for simulating interactive loads on metal plate wood connections (Wolfe, Hall, and Lyles), Nov., 421

Thermal diffusivity

Determination of thermal diffusivity of construction materials (Low, Tan, and Fwa), Nov., 440

Thermal fatigue

Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403

Thermal insulation

Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214

Thermal profile

Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—thermal transient modeling (Segall, Hellmann, and Modest), Nov., 454

Thermal shock

Thermal shock and thermal fatigue testing (Yuen and Walter), Sept., 403

Threaded fasteners

Development of methodology for qualifying safety critical A286 threaded fasteners (Hsieh, Hendrickson, and Bamford), March, 135

Torsion

Shear strength of a ductile material from torsion of solid cylinders (Lyon), May, 240

Torsional prestrain

Effects of microcracks and artificial surface cracks on fracture ductility of a torsional prestrained specimen (Makabe, Kanehiro, and Itokazu), May, 221

Trace element analysis

Preparation and certification of uranium oxide (U_3O_8) spectrometric reference materials (Santoliquido), Jan., 83

Transient heating

Analysis of gas-fired ceramic radiant tubes during transient heating: Part I—ther-

mal transient modeling (Segall, Hellmann, and Modest), Nov., 454

Triaxial tests

Laboratory testing of river gravel used in arrester beds (Al-Qadi and Rivera-Ortiz), July, 280

U

Ultrasonic monitoring

In situ ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467

Uranium

In situ ultrasonic examination of the Intense Pulsed Neutron Source (IPNS) enriched uranium target assembly (Bohringer, Kupperman, Bailey, and Knox), Nov., 467

Uranium oxide (U_3O_8)

Preparation and certification of uranium oxide (U_3O_8) spectrometric reference materials (Santoliquido), Jan., 83

V

Vertical shafts

Analysis of large diameter high-density polyethylene plastic pipes as vertical shafts in landfills (Hossain and Lytton), Nov., 475

Vibration monitoring

Vibration monitoring of small lightweight components using fiber optic sensors (Powers and Chuang), Nov., 493

Vickers hardness

Analysis of the size effect in low-hardness testing of metals (Atkinson), Sept., 368

Volume fraction

Accuracy of a volume fraction measure-

ment using areal image analysis (Shi and Winslow), May, 210

W

Wear testing

Design and analysis of jaw crusher gouging abrasion tests (Sare and Constantine), March, 115

Weathering steel

Evaluation of rating numbers for atmospheric corrosion resistance of weathering steel (Albrecht and Lee), Nov., 429

Weibull analysis

Prediction of the strength of ceramic tubular components: Part I—analysis (Jadaan, Shelleman, Conway, Mecholsky, and Tressler), May, 181

Prediction of the strength of ceramic tubular components: Part II—experimental verification (Shelleman, Jadaan, Conway, and Mecholsky), May 192

Wide range expressions

Improved wide range expressions for displacements and inverse displacements for standard fracture toughness specimens (Kapp), Jan., 45

Windows

Nonintrusive test for argon gas content in windows: feasibility study (Latta, Bogan, and Wagner), May, 214

Wood

Application of the European Yield Model to nailed joints in southern hardwoods (Pellicane), Sept., 385

Y

Yield stress

Static and impact flexural properties of common wire nails (Loferski and McLain), July, 297