




Geotechnical Testing Journal

Contents:

-
- 907 A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil**
Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun
-
- 917 Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry**
Tri V. Tran, Stacey E. Tucker-Kulesza, and Michelle L. Bernhardt-Barry
-
- 928 Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils**
S. J. Abbey, S. Ngambi, and E. Ganjian
-
- 936 Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay**
Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu
-
- 951 Effects of Strain Rates on the Undrained Shear Strength of Kaolin**
S. Nanda, V. Sivakumar, P. Hoyer, A. Bradshaw, K. G. Gavin, H. Gerkus, S. Jalilvand, R. B. Gilbert, P. Doherty, and J. Fanning
-
- 963 Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm**
Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang
-
- 978 Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study**
Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng
-
- 1000 Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing**
Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst
-
- 1011 Measurement of Gas Released during Blast Densification**
Aaron P. Gallant and Richard J. Finno
-
- 1026 Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach**
Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong
-
- 1043 Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles**
Suguang Xiao, Muhannad T. Suleiman, Clay Naito, and Mohammed Al-Khawaja
-
- 1057 Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles**
Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao



Volume 40, Number 6
November 2017
Codon: GTJODJ

(Contents continued on back cover)



ASTM INTERNATIONAL

CO-EDITORS

Mr. L. David Suits

P.O. Box 12063
Albany, NY 12212-2063, USA
Tel: 518-869-2917
Fax: 518-869-2917
E-mail: Nagsdirector05@gmail.com

Dr. William J. Likos

Department of Civil and Environmental Engineering
University of Wisconsin-Madison
Madison, WI 53706, USA
Tel: 608-890-2662
E-mail: likos@wisc.edu

EDITORIAL OBJECTIVES

The *Geotechnical Testing Journal* is published in six issues per year by ASTM International, a nonprofit technical organization that develops and publishes voluntary consensus standards and related information for materials, products, systems, and services. Some issues, in whole or in part, may be Special Issues focused on a topic of interest to our readers. Contributions are peer reviewed prior to publication.

EDITORIAL SERVICES—SUBMISSIONS

Sara Welliver

Supervisor, Peer Review Services
Geotechnical Testing Journal Editorial Offices
J&J Editorial Services
201 Shannon Oaks Cir #124
Cary, NC 27511, USA
Tel: (919) 650-1459 ext. 210
E-mail: astm@jjeditorial.com

PURPOSE AND SCOPE

The purpose of the *Geotechnical Testing Journal* is (1) to provide a high-quality publication that informs the profession of new developments in soil and rock testing and related fields; (2) to provide a forum for the exchange of information, particularly that which leads to the development of new test procedures; and (3) to stimulate active participation of the profession in the work of ASTM International Committee D18 on Soil and Rock and related committees.

Contributions include papers, technical notes, letters to the editor, discussions of previously published papers, and book reviews. The editorial scope of this journal covers test methods for soil and rock, sampling, nomenclature, and practices relating to the determination of properties and behavior of soil and rock for engineering purposes, and for soil as a medium for plant growth. Topics of interest include: new testing equipment, apparatus, and procedures for both field and laboratory applications; evaluation of existing ASTM International standards and recommendations for new standards for apparatus or test procedures; and test results that give insights into test procedures, techniques, and data interpretation. Topics must be related to soil and rock, but may include use and testing of geosynthetic materials in conjunction with soil and rock, highway materials testing such as aggregate properties or pavement performance measurement, geophysical exploration, marine sediments, groundwater investigations, testing and stabilization of contaminated soils and soil and rock engineering related to waste management.

EDITORIAL BOARD

Dr. David W. Airey
University of Sydney, Australia

Dr. Khalid A. Alshibli
University of Tennessee
Knoxville, TN, USA

Dr. Charles Aubeny
Texas A&M University
College Station, TX, USA

Dr. Richard J. Bathurst
Royal Military College of Canada
Kingston, Ontario, Canada

Dr. Paul J. Bullock
Fugro Consultants, Inc. – Loadtest
Gainesville, FL, USA

Dr. Andrew P. Bunker
University of Pittsburgh
Pittsburgh, PA, USA

Dr. Giovanni Cascante
University of Waterloo, Canada

Dr. Andrew Corkum
Dalhousie University
Halifax, Nova Scotia, Canada

Dr. Pierre Delage
CERMES
Ecole Nationale des Ponts et Chaussées
France

Dr. Mandar Dewoolkar
University of Vermont
Burlington, VT, USA

Dr. Vincent P. Drnevich
Purdue University
W. Lafayette, IN, USA

Chadi El Mohtar
University of Texas at Austin
Austin, TX, USA

Dr. Dante Fratta
University of Wisconsin-Madison
Madison, WI, USA

Dr. Majid Ghayoomi
University of New Hampshire
Durham, NH, USA

Dr. Karen S. Henry
United States Air Force Academy
USAF Academy, CO, USA

Dr. Laureano R. Hoyos
The University of Texas at Arlington
Arlington, TX, USA

Dr. Zoubair Lafhaj
Ecole Centrale de Lille
Lille, France

Mr. Michael W. Laney
Terracon Consultants, Inc.
Olathe, KS, USA

Professor Fook-Hou Lee
National University of Singapore
Singapore

Garland E. Likins
Pile Dynamics, Inc.
Cleveland, OH, USA

Dr. Michael Long
University College Dublin, Ireland

Dr. Ning Lu
Colorado School of Mines
Golden, CO, USA

Mr. Robert Mackey
S2L Inc.
Maitland, FL, USA

Dr. Ali Maher
Rutgers University
Piscataway, NJ, USA

Ms. Gabriela Mariscal
National Concrete Masonry Association
Herndon, VA, USA

Dr. John Scott McCartney
University of California San Diego
La Jolla, CA, USA

Mr. James A. McKelvey
Earth Engineering, Inc.
East Norriton, PA, USA

Dr. Jay N. Meegoda
New Jersey Institute of Technology
Newark, NJ, USA

Dr. Michael A. Mooney
Colorado School of Mines
Golden, CO, USA

Majdi Abou Najm
Beirut, Lebanon

Dr. Phillip S. K. Ooi
University of Hawaii at Manoa
Honolulu, HI, USA

Dr. Anand J. Puppala
University of Texas at Arlington
Arlington, TX, USA

Donald T. Robertson
Applied Foundation Testing, Inc.
Green Cove Springs, FL, USA

Dr. Joel Sarout
Commonwealth Scientific and Industrial
Research Organization
Bentley, Australia

Dr. Tom Schanz
Ruhr-Universität Bochum
Bochum, Germany

Dr. Vincent Silvestri
Ecole Polytechnique de Montreal
Canada

Dr. Devendra N. Singh
Indian Institute of Technology
India

Dr. Khaled Sobhan
Florida Atlantic University
Boca Raton, FL, USA

Dr. Muhannad T. Suleiman
Bethlehem, PA, USA

Ingrid Tomac
San Diego, CA, USA

Dr. George Veyera
University of Rhode Island
Kingston, RI, USA

Dr. Dharma Wijewickreme
University of British Columbia
Canada

Dr. Nazli Yesiller
Global Waste Research Institute
California Polytechnic State University
San Luis Obispo, CA, USA

Dr. Xiong Yu
Case Western Reserve University
Cleveland, OH, USA

POSTMASTER: Send address change to ASTM International—GTJ, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.

Printed in the USA.

View our website: www.astm.org

Geotechnical Testing Journal

Table of Contents

Volume 40, 2017

No. 1, January

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion—P. SLANGEN AND R. J. FANNIN	1
Adaptation of Broadband Simple Shear Device for Constant Volume and Stress-Controlled Testing—A. SHAFIEE, J. P. STEWART, R. VENUGOPAL, AND S. J. BRANDENBERG	15
Assessment of Rainfall Runoff Based on the Field Measurements on an Embankment—N. AN, S. HEMMATI, Y.-J. CUI, AND D. MERCADIER	29
Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range—A. S. KIRLANGIÇ, G. CASCANTE, AND M. A. POLAK	37
Closure to “Discussion of ‘Development of an Internal Camera-Based Volume Determination System for Triaxial Testing’ by S. E. Salazar, A. Barnes, and R. A. Coffman” by A. Mehdizadeh, M. M. Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong—S. E. SALAZAR, A. BARNES, AND R. A. COFFMAN	47
Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression—EDUARDO SUESCUN-FLOREZ AND MAGUED ISKANDER	52
Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study—L. ZHANG, N. W. WANG, L. P. JING, C. FANG, Z. D. SHAN, AND Y. Q. LI	72
Field Measurements and Design Optimization of Diaphragm Walls—J. CHEN, J. YANG, X. ZHANG, S. WANG, AND X. OU	84
Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation—A. HEDAYAT AND G. WALTON	92
Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions—Y. DONG AND N. LU	107
Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers—R. P. CHAPUIS AND F. DUHAIME	122

TECHNICAL NOTES

Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation—Y. GAO, Y.-H. WANG, AND J. K. CHOW	134
Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect—S. YUAN, X. LIU, AND O. BUZZI	144
Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models—JAE-HYUN KIM, HYUNG-IK CHO, HEON-JOON PARK, AND DONG-SOO KIM	150
Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters—C. DREFKE, M. SCHEDEL, J. STEGNER, C. BALZER, V. HINRICHSEN, AND I. SASS	160

No. 2, March

1 g Model Tests on the Displacement Accumulation of Large-Diameter Piles Under Cyclic Lateral Loading—J. ALBIKER, M. ACHMUS, D. FRICK, AND F. FLINDT	173
Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests—R. P. CHAPUIS	185
Discussions on Correction of Goodman Jack Test—R. HOU, K. ZHANG, K. SUN, AND R. P. GAMAGE	199
Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments—A. ROSHANI, M. FALL, AND K. KENNEDY	210
Experimental Analysis of 3D Cracking in Drying Soils Using Ground-Penetrating Radar—H. U. LEVATTI, P. C. PRAT, A. LEDESMA, A. CUADRADO, AND J. A. CORDERO	221
In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams—Y. L. TAN, X. S. LIU, J. G. NING, AND Y. W. LU	244
Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results—M. AZIZ AND A. AKBAR	258
Medium-Scale Experimental Study of Pile Setup—R. KSAIBATI AND K. NG	269
Protocol for Cohesionless Sample Preparation for Physical Experimentation—O.-D. S. TAYLOR, W. W. BERRY, K. E. WINTERS, W. R. ROWLAND, M. D. ANTWINE, AND A. L. CUNNINGHAM	284
Rational Decision Framework for Designing Pile-Load Test Programs—S. NAJJAR, G. SAAD, AND Y. ABDALLAH	302
Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis—J. ZHENG AND R. D. HRYCIW	317

TECHNICAL NOTES

- Estimation of Elastic Modulus of Rock Using Modified Point-Load Test—T. ZHAO, K. FANG, L. WANG, J. ZOU, AND M. WEI 329
- Literature Survey and Experimental Study on the Direct Tension Test on Rocks—K. HASHIBA, T. OKADA, K. TANI, S. SHIRASAGI, K. HAYANO, T. NAKAMURA, Y. OIKAWA, M. ONO, K. SHIMAMOTO, S. YAMADA, N. WAKABAYASHI, T. NAMIKAWA, AND Y. NISHIKANE 335
- Simple Method to Measure the Long-Term Load Change of Ground Anchors—H.-J. LIAO, S.-H. CHENG, H.-R. CHEN, AND C.-C. CHEN 345
- Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review—W. ZHANG, Q. SUN, L. CAO, AND B. WANG 351

No. 3, May

- 3D Consolidation of Tunis Soft Clay Improved by Geodrains—H. JEBALI, W. FRIKHA, AND M. BOUASSIDA 361
- Crack Detection in Pillars Using Infrared Thermographic Imaging—H. SEO, H. CHOI, J. PARK, J. PARK, AND I.-M. LEE 371
- Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand—K. N. LE AND M. GHAYOUMI 381
- Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests—A. OSOULI, M. KARIMPOUR, AND P. S. BAHRI 396
- Experimental and Numerical Investigations of Behavior of Rammed Aggregate Piers—S. DEMIR, P. ÖZENER, AND M. KIRKIT 411
- Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till—H. RÖNNQVIST, P. VIKLANDER, AND S. KNUTSSON 426
- Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests—D. PARK, I. KIM, G. KIM, AND J. LEE 440
- Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project—A. MORTAZAVI AND V. SAATI 452
- Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils—J. M. MORENO-MAROTO AND J. ALONSO-AZCÁRATE 467
- Preliminary Research on Mechanical Properties of 3D Printed Rock Structures—W. TIAN AND N. HAN 483

TECHNICAL NOTES

- The Hole Erosion Test: A Comparison of Interpretation Methods—S. M. FATTAHI, A. SOROUSH, AND P. T. SHOURIJEH 494
- Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures—B. TUTMEZ AND B. UNVER 506

DISCUSSION

- Discussion of “Correlations for Fully Softened Shear Strength Parameters” by B. A. Castellanos, T. L. Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184]—G. MESRI AND C. WANG 515
- Discussion of “Correlations for Fully Softened Shear Strength Parameters” by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184]—T. D. STARK 517

CLOSURE

- Closure on Correlations for Fully Softened Shear Strength Parameters—B. A. CASTELLANOS, T. L. BRANDON, AND D. R. VANDENBERGE 526

No. 4, July

- A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits—E. DAMIANO, B. AVOLIO, A. MINARDO, L. OLIVARES, L. PICARELLI, AND L. ZENI 529
- A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads—L. SHI, X. LI, B. BING, A. WANG, Z. ZENG, AND H. HE 542
- Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup—M. Y. ABU-FARSAKH, M. N. HAQUE, AND Q. CHEN 559
- Axial Uplift Behavior of Belled Piers in Sloping Ground—XIAN-LONG LU, ZENG-ZHEN QIAN, AND WEN-ZHI YANG 579
- Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests—V. SILVESTRI AND G. ABOU-SAMRA 591
- Brazilian Tensile Strength Testing of Compacted Clay—I. DENIZ AKIN AND W. J. LIKOS 608
- Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens—N. CRUZ, S. RIOS, E. FORTUNATO, C. RODRIGUES, J. CRUZ, C. MATEUS, AND C. RAMOS 618
- Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow—Y. LIANG, C. ZENG, J.-J. WANG, M.-W. LIU, T.-C. JIM YEH, AND Y.-Y. ZHA 630
- Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy—M. SON AND M. KIM 643
- New Suitable Pore Fluid to Manufacture Transparent Soil—G.-Q. KONG, H. LI, Y.-X. HU, Y.-X. YU, AND W.-B. XU 658
- Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer—JUAN L. AYALA, FELIPE A. VILLALOBOS, AND GIOVANNY ALVARADO 673
- Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup—R. AHMADI-NAGHADEH AND N. K. TOKER 683

TECHNICAL NOTES

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil—Y. WU, Y. H. WANG, AND Q. NIU	698
<i>p</i> -Constant Condition Applied to Undrained Cyclic Triaxial Test of Unsaturated Soils—H. WANG, J. KOSEKI, AND T. SATO	710
Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge—M. A. CABRERA AND W. WU	719

No. 5, September

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments—MICHAEL P. MCGUIRE AND GEORGE M. FILZ	731
Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests—NONIKA ANTONAKI, TAREK ABDOUN, AND INTHUORN SASANAKUL	746
Design and Evaluation of a Moisture/Suction TDR Probe—NAN ZHANG, XINBAO YU, AND ANAND PUPPALA	762
Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions—QIONG WANG, XINYU YE, SHANYONG WANG, SCOTT SLOAN, AND DAICHAO SHENG	776
Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading—SAEED JAMALI, HAMID HASHEMOLHOSSEINI, ALIREZA BAGHBANAN, MOHSEN KHOSHKAM, AND HADI HAGHGOUEI	789
Experimental Modeling of Quicksand with Transparent Soil through an Orifice—BINGLUN GAO AND WANGHUA SUI	798
Experimental Study on Use of Internal and External Drains in Triaxial Tests—YUSUKE SUZUKI, RUNE DYVIK, AND JOHN H. SCHMERTMANN	810
Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p' - q Space—L. A. OLDECOP AND E. E. ALONSO	822
Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method—HUAN WANG, AILAN CHE, AND SHAO KONG FENG	833
The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts—SHUQI MA, NAJ AZIZ, JAN NEMCIK, AND ALI MIRZAGHORBANALI	846
Transient Plane and Line Source Methods for Soil Thermal Conductivity—JUN YAO AND WILLIAM J. LIKOS	858
Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock—ALI NEJAD GHAFAR, SASAN SADRIZADEH, KONSTANTINOS MAGAKIS, ALMIR DRAGANOVIC, AND STEFAN LARSSON	871
A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes—CRISTHIAN MENDOZA, WILLIAM OVALLE, BERNARDO CAICEDO, AND INTHUORN SASANAKUL	883
Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer—J. K. CHOW AND Y. H. WANG	891

No. 6, November

A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil—LONGTAN SHAO, TIANDE WEN, XIAOXIA GUO, AND XIANG SUN	907
Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry—TRI V. TRAN, STACEY E. TUCKER-KULESZA, AND MICHELLE L. BERNHARDT-BARRY	917
Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils—S. J. ABBEY, S. NGAMBI, AND E. GANJIAN	928
Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay—MAHDI KERAMATIKERMAN, AMIN CHEGENIZADEH, AND HEFU PU	936
Effects of Strain Rates on the Undrained Shear Strength of Kaolin—S. NANDA, V. SIVAKUMAR, P. HOYER, A. BRADSHAW, K. G. GAVIN, H. GERKUS, S. JALILVAND, R. B. GILBERT, P. DOHERTY, AND J. FANNING	951
Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm—YUMEI KANG, PENG PENG NI, CHUANG FU, AND PENG HAI ZHANG	963
Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study—XIAOWEI FENG, NONG ZHANG, FENGZHEN HE, SEN YANG, AND XIGUI ZHENG	978
Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing—SATOSHI MATSUMURA, TAKA AKI KOBAYASHI, TAKA AKI MIZUTANI, AND RICHARD J. BATHURST	1000
Measurement of Gas Released during Blast Densification—AARON P. GALLANT AND RICHARD J. FINNO	1011
Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach—AMIRHASSAN MEHDIZADEH, MAHDI M. DISFANI, ROBERT EVANS, ARUL ARULRAJAH, AND D. E. L. ONG	1026
Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles—SUGUANG XIAO, MUHANNAD T. SULEIMAN, CLAY NAITO, AND MOHAMMED AL-KHAWAJA	1043
Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles—TIELIN HAN, JUNPING SHI, YUNSHENG CHEN, AND XIAOSHAN CAO	1057
Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction—MRITYUNJAY JAISWAL AND BINDHU LAL	1071

The Use of Carbonation Depth Techniques on Stabilized Peat—ALAN R. DUGGAN, JAMIE GOGGINS, EOGHAN CLIFFORD,
AND BRYAN A. MCCABE 1083

Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect—SØREN DAM NIELSEN,
LARS BO IBSEN, AND BENJAMINN NORDAHL NIELSEN 1101

REVIEW PAPER

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media—
SADOK FEIA, JEAN-CLAUDE DUPLA, JEAN CANOU, SIYAVASH GHABEZLOO, JEAN SULEM, BAPTISTE CHABOT, ERIC AUBRY,
AND MARC MAINGUY 1115

Geotechnical Testing Journal

Author Index to Volume 40

2017

Number	Month of Issue	Pages
1	January	1–170
2	March	171–360
3	May	361–528
4	July	529–730
5	September	731–906
6	November	907–1124

A

Abbey, S. J., Ngambi, S., and Ganjian, E.: Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils, Nov., 928

Abdallah, Y.: *see* Najjar, S.

see Tan, Y. L.

Abdoun, Tarek: *see* Antonaki, Nonika

Abou-Samra, G.: *see* Silvestri, V.

Abu-Farsakh, M. Y., Haque, M. N., and Chen, Q.: Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup, Jul., 559

Achmus, M.: *see* Albiker, J.

Ahmadi-Naghadeh, R., Toker, N. K., and Chen, Q.: Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup, Jul., 683

Akbar, A.: *see* Aziz, M.

Albiker, J., Achmus, M., Frick, D., Flindt, F., Cordero, J. A., and Cunningham, A. L.: 1 g Model Tests on the Displacement Accumulation of Large-Diameter Piles Under Cyclic Lateral Loading, Mar., 173

Al-Khawaja, Mohammed: *see* Xiao, Suguang

Alonso, E. E.: *see* Oldecop, L. A.

Alonso-Azcárate, J.: *see* Moreno-Maroto, J. M.

Alvarado, Giovanni: *see* Ayala, Juan L.

see Cabrera, M. A.

see Liang, Y.

see Lu, Xian-long

An, N., Hemmati, S., Cui, Y.-J., Mercadier, D., Ou, X., Shan, Z. D., and

Li, Y. Q.: Assessment of Rainfall Runoff Based on the Field Measurements on an Embankment, Jan., 29

Antonaki, Nonika, Abdoun, Tarek, and Sasanakul, Inthuorn: Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests, Sep., 746

Antwine, M. D.: *see* Chapuis, R. P.

see Roshani, A.

see Taylor, O.-D. S.

Arulrajah, Arul: *see* Mehdizadeh, Amirhassan

Aubry, Eric: *see* Feia, Sadok

Avolio, B.: *see* Damiano, E.

Ayala, Juan L., Villalobos, Felipe A., and Alvarado, Giovanni: Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer, Jul., 673

Aziz, M., Akbar, A., Tani, K., Shirasagi, S., Hayano, K., Nakamura, T., Oikawa, Y., Ono, M., Shimamoto, K., and Yamada, S.: Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results, Mar., 258

Aziz, Naj: *see* Ma, Shuqi

B

Baghbanan, Alireza: *see* Jamali, Saeed

Balzer, C.: *see* Drefke, C.

Barnes, A.: *see* Salazar, S. E.

Bathurst, Richard J.: *see* Matsumura, Satoshi

Bernhardt-Barry, Michelle L.: *see* Tran, Tri V.

Berry, W. W.: *see* Chapuis, R. P.

see Taylor, O.-D. S.

Bouassida, M.: *see* Jebali, H.

Bradshaw, A.: *see* Nanda, S.

Brandenberg, S. J.: *see* Chapuis, R. P.

see Shafiee, A.

Brandon, T. L.: *see* Castellanos, B. A.

Buzzi, O.: *see* Gao, Y.

see Slangen, P.

see Yuan, S.

C

Cabrera, M. A., Wu, W., and Alvarado, Giovanni: Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge, Jul., 719

Caicedo, Bernardo: *see* Mendoza, Cristhian

Canou, Jean: *see* Feia, Sadok

Cao, L.: *see* Zhang, W.

Cao, Xiaoshan: *see* Han, Tielin

Cascante, G.: *see* Kırılancı, A. S.

Castellanos, B. A., Brandon, T. L., VandenBerge, D. R., and Lee, I.-M.: Closure on Correlations for Fully Softened Shear Strength Parameters, May, 526

Chabot, Baptiste: *see* Feia, Sadok

Chapuis, R. P., Berry, W. W., Winters, K. E., Rowland, W. R., Antwine, M. D., and Cunningham, A. L.: Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests, Mar., 185

Chapuis, R. P., Duhaime, F., Venugopal, R., and Brandenberg, S. J.: Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers, Jan., 122

Che, Ailan: *see* Wang, Huan

Chegenizadeh, Amin: *see* Keramatikerman, Mahdi

Chen, C. -C.: *see* Hou, R.

see Ksaibati, R.

see Liao, H. -J.

Chen, H. -R.: *see* Ksaibati, R.

see Liao, H. -J.

Chen, J., Yang, J., Zhang, X., Wang, S., Ou, X., Shan, Z. D., and Li, Y. Q.: Field Measurements and Design Optimization of Diaphragm Walls, Jan., 84

Chen, Q.: *see* Abu-Farsakh, M. Y.

see Ahmadi-Naghadeh, R.

Chen, Yunsheng: *see* Han, Tielin

Cheng, S. -H.: *see* Liao, H. -J.

Cho, Hyung-Ik: *see* Kim, Jae-Hyun

Choi, H.: *see* Seo, H.

Chow, J. K.: *see* Gao, Y.

Chow, J. K. and Wang, Y. H.: Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer, Sep., 891

Clifford, Eoghan: *see* Duggan, Alan R.

Coffman, R. A.: *see* Salazar, S. E.

Cordero, J. A.: *see* Albiker, J.

see Hou, R.

see Ksaibati, R.

see Levatti, H. U.

see Liao, H. -J.

see Najjar, S.

see Tan, Y. L.

see Zhang, W.

Cruz, N., Rios, S., Fortunato, E., Rodrigues, C., and Ramos, C.: Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens, Jul., 618

Cuadrado, A.: *see* Levatti, H. U.

see Najjar, S.

see Tan, Y. L.

Cui, Y.-J.: *see* An, N.

Cunningham, A. L.: *see* Albiker, J.

see Chapuis, R. P.

see Hou, R.

see Ksaibati, R.

see Levatti, H. U.

see Liao, H. -J.

see Najjar, S.

see Roshani, A.

see Tan, Y. L.

see Taylor, O.-D. S.

see Zhang, W.

see Zhao, T.

see Zheng, J.

D

Damiano, E., Minardo, A., and Avolio, B.: A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits, Jul., 529

Demir, S., Özener, P., and Kirkit, M.: Experimental and Numerical Investiga-

tions of Behavior of Rammed Aggregate Piers, May, 411

Deniz Akin, I., Likos, W. J., Hu, Y. -X., and Yu, Y. -X.: Brazilian Tensile Strength Testing of Compacted Clay, Jul., 608

Disfani, Mahdi M.: *see* Mehdizadeh, Amirhassan

Doherty, P.: *see* Nanda, S.

Dong, Y., Lu, N., Zhang, X., Wang, S., Ou, X., Shan, Z. D., and Li, Y. Q.: Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions, Jan., 107

Draganovic, Almir: *see* Ghafar, Ali Nejad

Drefke, C., Balzer, C., Zhang, X., Wang, S., Ou, X., Shan, Z. D., and Li, Y. Q.: Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters, Jan., 160

Duggan, Alan R., Goggins, Jamie, Clifford, Eoghan, and McCabe, Bryan A.: The Use of Carbonation Depth Techniques on Stabilized Peat, Nov., 1083

Duhaime, F.: *see* Chapuis, R. P.

Dupla, Jean-Claude: *see* Feia, Sadok

Dyvik, Rune: *see* Suzuki, Yusuke

E

Evans, Robert: *see* Mehdizadeh, Amirhassan

F

Fall, M.: *see* Roshani, A.

Fang, C.: *see* Gao, Y.

see Slangen, P.

see Suescun-Florez, Eduardo

see Yuan, S.

see Zhang, L.

Fang, K.: *see* Zhao, T.

Fannin, R. J.: *see* Slangen, P.

Fanning, J.: *see* Nanda, S.

Fattahi, S. M., Soroush, A., Shourijeh, P. T., and Lee, I.-M.: The Hole Erosion Test: A Comparison of Interpretation Methods, May, 494

Feia, Sadok, Dupla, Jean-Claude, Canou, Jean, Ghabezloo, Siavash, Sulem, Jean, Chabot, Baptiste, Aubry, Eric, and Mainguy, Marc: An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media, Nov., 1115

Feng, Shaokong: *see* Wang, Huan

Feng, Xiaowei, Zhang, Nong, He, Fengzhen, Yang, Sen, and Zheng, Xigui: Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study, Nov., 978

Filz, George M.: *see* McGuire, Michael P.

Finno, Richard J.: *see* Gallant, Aaron P.

Flindt, F.: *see* Albiker, J.

Fortunato, E.: *see* Cruz, N.

see Shi, L.

Frick, D.: *see* Albiker, J.

Fu, Chuang: *see* Kang, Yumei

G

Gallant, Aaron P. and Finno, Richard J.: Measurement of Gas Released during Blast Densification, Nov., 1011

Gamage, R. P.: *see* Hou, R.

Ganjan, E.: *see* Abbey, S. J.

Gao, Binglun and Sui, Wanghua: Experimental Modeling of Quicksand with Transparent Soil through an Orifice, Sep., 798

Gao, Y., Wang, Y. -H., Chow, J. K., Buzzi, O., Fang, C., Shan, Z. D., and Li, Y. Q.: Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation, Jan., 134

Gavin, K. G.: *see* Nanda, S.

Gerkus, H.: *see* Nanda, S.

Ghabezloo, Siavash: *see* Feia, Sadok

Ghafar, Ali Nejad, Sadrizadeh, Sasan, Magakis, Konstantinos, Draganovic, Almir, and Larsson, Stefan: Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock, Sep., 871

Ghayoomi, M.: *see* Le, K. N.

Gilbert, R. B.: *see* Nanda, S.

Goggins, Jamie: *see* Duggan, Alan R.

Guo, Xiaoxia: *see* Shao, Longtan

H

Haghgoei, Hadi: *see* Jamali, Saeed

Han, Tielin, Shi, Junping, Chen, Yunsheng, and Cao, Xiaoshan: Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles, Nov., 1057

Haque, M. N.: *see* Abu-Farsakh, M. Y.

Hashemolhosseini, Hamid: *see* Jamali, Saeed

Hashiba, K., Okada, T., Tani, K., Shirasagi, S., Hayano, K., Nakamura, T., Oikawa, Y., Ono, M., Shimamoto, K., and Yamada, S.: Literature Survey and Experimental Study on the Direct Tension Test on Rocks, Mar., 335

Hayano, K.: *see* Aziz, M.

see Hashiba, K.

He, Fengzhen: *see* Feng, Xiaowei

Hedayat, A., Walton, G., Zhang, X., Wang, S., Ou, X., Shan, Z. D., and Li, Y. Q.: Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation, Jan., 92

Hemmati, S.: *see* An, N.

Hou, R., Zhang, K., Gamage, R. P., Chen, C. -C., Cordero, J. A., and Cunningham, A. L.: Discussions on Correction of Goodman Jack Test, Mar., 199

Hoyer, P.: *see* Nanda, S.

Hryciw, R. D.: *see* Zheng, J.

Hu, Y. -X.: *see* Deniz Akin, I.

see Kong, G. -Q.

see Son, M.

I

Ibsen, Lars Bo: *see* Nielsen, Søren Dam

Iskander, Magued: *see* Suescun-Florez, Eduardo

J

Jaiswal, Mrityunjay and Lal, Bindhu: Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction, Nov., 1071

Jalilvand, S.: *see* Nanda, S.

Jamali, Saeed, Hashemolhosseini, Hamid, Baghbanan, Alireza, Khoshkam, Mohsen, and Haghgouei, Hadi: Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading, Sep., 789

Jebali, H., Bouassida, M., Park, J., and Lee, I.-M.: 3D Consolidation of Tunis Soft Clay Improved by Geodrains, May, 361

Jim Yeh, T.-C.: *see* Liang, Y.

Jing, L. P.: *see* Suescun-Florez, Eduardo

see Zhang, L.

K

Kırlangıç, A. S., Cascante, G., and Polak, M. A.: Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range, Jan., 37

Kang, Yumei, Ni, Pengpeng, Fu, Chuang, and Zhang, Penghai: Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm, Nov., 963

Karimpour, M.: *see* Osouli, A.

see Tian, W.

Kennedy, K.: *see* Roshani, A.

Keramatikerman, Mahdi, Chegenizadeh, Amin, and Pu, Hefu: Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay, Nov., 936

Khoshkam, Mohsen: *see* Jamali, Saeed

Kim, Dong-Soo: *see* Kim, Jae-Hyun

Kim, Jae-Hyun, Cho, Hyung-Ik, Park, Heon-Joon, and Kim, Dong-Soo: Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models, Jan., 150

Kim, M.: *see* Son, M.

Kirkkit, M.: *see* Demir, S.

Kobayashi, Takaaki: *see* Matsumura, Satoshi

Kong, G. -Q., Li, H., Hu, Y. -X., and Yu, Y. -X.: New Suitable Pore Fluid to Manufacture Transparent Soil, Jul., 658

Koseki, J.: *see* Wang, H.

Ksaibati, R., Ng, K., Chen, H. -R., Chen, C. -C., Cordero, J. A., and Cunningham, A. L.: Medium-Scale Experimental Study of Pile Setup, Mar., 269

L

Lal, Bindhu: *see* Jaiswal, Mrityunjay

Larsson, Stefan: *see* Ghafar, Ali Nejad

Le, K. N., Ghayoomi, M., Shourijeh, P. T., and Lee, I.-M.: Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand, May, 381

Ledesma, A.: *see* Levatti, H. U.

Lee, I.-M.: *see* Castellanos, B. A.

see Fattahi, S. M.

see Jebali, H.

see Le, K. N.

see Mesri, G.

see Moreno-Maroto, J. M.

see Mortazavi, A.

see Osouli, A.

see Park, D.

see Rönnqvist, H.

see Seo, H.

see Stark, T. D.

see Tian, W.

see Tutmez, B.

Lee, J.: *see* Park, D.

Levatti, H. U., Prat, P. C., Ledesma, A., Cuadrado, A., Cordero, J. A., and Cunningham, A. L.: Experimental Analysis of 3D Cracking in Drying Soils Using Ground-Penetrating Radar, Mar., 221

Li, H.: *see* Kong, G. -Q.

Li, X.: *see* Shi, L.

Li, Y. Q.: *see* An, N.

see Chen, J.

see Dong, Y.

see Drefke, C.

see Gao, Y.

see Hedayat, A.

see Salazar, S. E.

see Slangen, P.

see Suescun-Florez, Eduardo

see Yuan, S.

see Zhang, L.

Liang, Y., Jim Yeh, T.-C., and Alvarado, Giovanni: Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow, Jul., 630

Liao, H. -J., Cheng, S. -H., Chen, H. -R., Chen, C. -C., Cordero, J. A., and Cunningham, A. L.: Simple Method to Measure the Long-Term Load Change of Ground Anchors, Mar., 345

Likos, W. J.: *see* Deniz Akin, I.

Likos, William J.: *see* Yao, Jun

Liu, X. S.: *see* Tan, Y. L.

Liu, X.: *see* Yuan, S.

Lu, N.: *see* Dong, Y.

Lu, Xian-long, Qian, Zeng-zhen, and Alvarado, Giovanni: Axial Uplift Behavior of Belled Piers in Sloping Ground, Jul., 579

M

Ma, Shuqi, Aziz, Naj, Nemcik, Jan, and Mirzaghorbanali, Ali: The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts, Sep., 846

Magakis, Konstantinos: *see* Ghafar, Ali Nejad

Mainguy, Marc: *see* Feia, Sadok

Matsumura, Satoshi, Kobayashi, Takaaki, Mizutani, Takaaki, and Bathurst, Richard J.: Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing, Nov., 1000

McCabe, Bryan A.: *see* Duggan, Alan R.

McGuire, Michael P. and Filz, George M.: Bench-Scale Test Apparatus for Modeling Column-Supported Embankments, Sep., 731

Mehdizadeh, Amirhassan, Disfani, Mahdi M., Evans, Robert, Arulrajah, Arul, and Ong, D. E. L.: Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach, Nov., 1026

Mendoza, Cristhian, Ovalle, William, Caicedo, Bernardo, and Sasanakul, Inthuorn: A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes, Sep., 883

Mercadier, D.: *see* An, N.

see Salazar, S. E.

Mesri, G., Wang, C., Shourijeh, P. T., and Lee, I.-M.: Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L. Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184], May, 515

Minardo, A.: *see* Damiano, E.

Mirzaghobanali, Ali: *see* Ma, Shuqi

Mizutani, Takaaki: *see* Matsumura, Satoshi

Moreno-Maroto, J. M., Alonso-Azcárate, J., Park, J., and Lee, I.-M.: Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils, May, 467

Mortazavi, A., Saati, V., Park, J., and Lee, I.-M.: Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project, May, 452

N

Naito, Clay: *see* Xiao, Suguang

Najjar, S., Saad, G., Abdallah, Y., Cuadrado, A., Cordero, J. A., and Cunningham, A. L.: Rational Decision Framework for Designing Pile-Load Test Programs, Mar., 302

Nakamura, T.: *see* Aziz, M.

see Hashiba, K.

Nanda, S., Sivakumar, V., Hoyer, P., Bradshaw, A., Gavin, K. G., Gerkus, H., Jalilvand, S., Gilbert, R. B., and Doherty, P.: Effects of Strain Rates on

the Undrained Shear Strength of Kaolin, Nov., 951

Nemcik, Jan: *see* Ma, Shuqi

Ng, K.: *see* Ksaibati, R.

Ngambi, S.: *see* Abbey, S. J.

Ni, Pengpeng: *see* Kang, Yumei

Nielsen, Benjaminn Nordahl: *see* Nielsen, Søren Dam

Nielsen, Søren Dam, Ibsen, Lars Bo, and Nielsen, Benjaminn Nordahl: Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect, Nov., 1101

Niu, Q.: *see* Wu, Y.

O

Oikawa, Y.: *see* Aziz, M.

see Hashiba, K.

Okada, T.: *see* Hashiba, K.

Oldecop, L. A. and Alonso, E. E.: Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p' - q Space, Sep., 822

Ong, D. E. L.: *see* Mehdizadeh, Amirhassan

Ono, M.: *see* Aziz, M.

see Hashiba, K.

Osouli, A., Karimpour, M., Shourijeh, P. T., and Lee, I.-M.: Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests, May, 396

Ou, X.: *see* An, N.

see Chen, J.

see Dong, Y.

see Drefke, C.

see Hedayat, A.

see Salazar, S. E.

Ovalle, William: *see* Mendoza, Cristhian

Özener, P.: *see* Demir, S.

P

Park, D., Lee, J., Shourijeh, P. T., and Lee, I.-M.: Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests, May, 440

Park, Heon-Joon: *see* Kim, Jae-Hyun

Park, J.: *see* Jebali, H.

see Moreno-Maroto, J. M.

see Mortazavi, A.

see Rönnqvist, H.

see Seo, H.

Polak, M. A.: *see* Kırılancı, A. S.

Prat, P. C.: *see* Levatti, H. U.

Pu, Hefu: *see* Keramatikerman, Mahdi

Puppala, Anand: *see* Zhang, Nan

Q

Qian, Zeng-zhen: *see* Lu, Xian-long

R

Rönnqvist, H., Viklander, P., Park, J., and Lee, I.-M.: Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till, May, 426

Ramos, C.: *see* Cruz, N.

see Shi, L.

Rios, S.: *see* Cruz, N.

Rodrigues, C.: *see* Cruz, N.

see Shi, L.

Roshani, A., Fall, M., Kennedy, K., Rowland, W. R., Antwine, M. D., and Cunningham, A. L.: Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments, Mar., 210

Rowland, W. R.: *see* Chapuis, R. P.

see Roshani, A.

see Taylor, O.-D. S.

S

Saad, G.: *see* Najjar, S.

Saati, V.: *see* Mortazavi, A.

Sadrizadeh, Sasan: *see* Ghafar, Ali Nejad

Salazar, S. E., Barnes, A., Coffman, R. A., Mercadier, D., Ou, X., Shan, Z. D., and Li, Y. Q.: Closure to "Discussion of 'Development of an Internal Camera-Based Volume Determination System for Triaxial Testing' by S. E. Salazar, A. Barnes, and R. A. Coffman" by A. Mehdizadeh, M. M. Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong, Jan., 47

Sasanakul, Inthuorn: *see* Antonaki, Nonika

see Mendoza, Cristhian

Sato, T.: *see* Silvestri, V.

see Wang, H.

Schmertmann, John H.: *see* Suzuki, Yusuke

Seo, H., Choi, H., Park, J., and Lee, I.-M.: Crack Detection in Pillars Using Infrared Thermographic Imaging, May, 371

Shafiee, A., Stewart, J. P., Venugopal, R., and Brandenburg, S. J.: Adaptation of

Broadband Simple Shear Device for Constant Volume and Stress-Controlled Testing, Jan., 15

Shan, Z. D.: *see* An, N.

see Chen, J.

see Dong, Y.

see Drefke, C.

see Gao, Y.

see Hedayat, A.

see Salazar, S. E.

see Slangen, P.

see Suescun-Florez, Eduardo

see Yuan, S.

see Zhang, L.

Shao, Longtan, Wen, Tiande, Guo, Xiaoxia, and Sun, Xiang: A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil, Nov., 907

Sheng, Daichao: *see* Wang, Qiong

Shi, Junping: *see* Han, Tielin

Shi, L., Li, X., Fortunato, E., Rodrigues, C., and Ramos, C.: A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads, Jul., 542

Shimamoto, K.: *see* Aziz, M.

see Hashiba, K.

Shirasagi, S.: *see* Aziz, M.

see Hashiba, K.

Shourijeh, P. T.: *see* Fattahi, S. M.

see Le, K. N.

see Mesri, G.

see Osouli, A.

see Park, D.

see Stark, T. D.

see Tian, W.

see Tutmez, B.

Silvestri, V., Abou-Samra, G., and Sato, T.: Behavior of a Sensitive Clay in Isotropically Consolidated K_o -Drained Triaxial Tests, Jul., 591

Sivakumar, V.: *see* Nanda, S.

Slangen, P., Fannin, R. J., Venugopal, R., Buzzi, O., Fang, C., Shan, Z. D., and Li, Y. Q.: A Flexible Wall Permeameter for Investigating Suffusion and Suffosion, Jan., 1

Sloan, Scott: *see* Wang, Qiong

Son, M., Kim, M., Hu, Y. -X., and Yu, Y. -X.: Estimation of the Compressive Strength of Intact Rock Using Non-

Destructive Testing Method Based on Total Sound-Signal Energy, Jul., 643

Soroush, A.: *see* Fattahi, S. M.

Stark, T. D., Wang, C., Shourijeh, P. T., and Lee, I.-M.: Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184], May, 517

Stewart, J. P.: *see* Shafiee, A.

Suescun-Florez, Eduardo, Iskander, Magued, Venugopal, R., Jing, L. P., Fang, C., Shan, Z. D., and Li, Y. Q.: Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression, Jan., 52

Sui, Wanghua: *see* Gao, Binglun

Suleiman, Muhannad T.: *see* Xiao, Suguang

Sulem, Jean: *see* Feia, Sadok

Sun, Q.: *see* Zhang, W.

Sun, Xiang: *see* Shao, Longtan

Suzuki, Yusuke, Dyvik, Rune, and Schmertmann, John H.: Experimental Study on Use of Internal and External Drains in Triaxial Tests, Sep., 810

T

Tan, Y. L., Liu, X. S., Abdallah, Y., Cuadrado, A., Cordero, J. A., and Cunningham, A. L.: In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams, Mar., 244

Tani, K.: *see* Aziz, M.

see Hashiba, K.

Taylor, O.-D. S., Berry, W. W., Winters, K. E., Rowland, W. R., Antwine, M. D., and Cunningham, A. L.: Protocol for Cohesionless Sample Preparation for Physical Experimentation, Mar., 284

Tian, W., Karimpour, M., Shourijeh, P. T., and Lee, I.-M.: Preliminary Research on Mechanical Properties of 3D Printed Rock Structures, May, 483

Toker, N. K.: *see* Ahmadi-Naghadeh, R.

Tran, Tri V., Tucker-Kulesza, Stacey E., and Bernhardt-Barry, Michelle L.: Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry, Nov., 917

Tucker-Kulesza, Stacey E.: *see* Tran, Tri V.

Tutmez, B., Unver, B., Shourijeh, P. T., and Lee, I.-M.: Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures, May, 506

U

Unver, B.: *see* Tutmez, B.

V

VandenBerge, D. R.: *see* Castellanos, B. A.

Venugopal, R.: *see* Chapuis, R. P.

see Shafiee, A.

see Slangen, P.

see Suescun-Florez, Eduardo

see Yuan, S.

see Zhang, L.

Viklander, P.: *see* Rönqvist, H.

Villalobos, Felipe A.: *see* Ayala, Juan L.

W

Walton, G.: *see* Hedayat, A.

Wang, B.: *see* Zhang, W.

Wang, C.: *see* Mesri, G.

see Stark, T. D.

Wang, H., Koseki, J., and Sato, T.: p -Constant Condition Applied to Undrained Cyclic Triaxial Test of Unsaturated Soils, Jul., 710

Wang, Huan, Che, Ailan, and Feng, Shaokong: Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method, Sep., 833

Wang, L.: *see* Zhao, T.

see Zheng, J.

Wang, N. W.: *see* Zhang, L.

Wang, Qiong, Ye, Xinyu, Wang, Shanyong, Sloan, Scott, and Sheng, Daichao: Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions, Sep., 776

Wang, S.: *see* Chen, J.

see Dong, Y.

see Drefke, C.

see Hedayat, A.

Wang, Shanyong: *see* Wang, Qiong

Wang, Y. H.: *see* Chow, J. K.

Wang, Y. -H.: *see* Gao, Y.

Wang, Y. H.: *see* Wu, Y.

Wei, M.: *see* Zhao, T.

see Zheng, J.

Wen, Tiande: *see* Shao, Longtan

Winters, K. E.: *see* Chapuis, R. P.

see Taylor, O.-D. S.

Wu, W.: *see* Cabrera, M. A.

Wu, Y., Wang, Y. H., and Niu, Q.: Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil, Jul., 698

X

Xiao, Suguang, Suleiman, Muhannad T., Naito, Clay, and Al-Khawaja, Mohammed: Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles, Nov., 1043

Y

Yamada, S.: *see* Aziz, M.

see Hashiba, K.

Yang, J.: *see* Chen, J.

Yang, Sen: *see* Feng, Xiaowei

Yao, Jun and Likos, William J.: Transient Plane and Line Source Methods for Soil Thermal Conductivity, Sep., 858

Ye, Xinyu: *see* Wang, Qiong

Yu, Xinbao: *see* Zhang, Nan

Yu, Y. -X.: *see* Deniz Akin, I.

see Kong, G. -Q.

see Son, M.

Yuan, S., Liu, X., Venugopal, R., Buzzi, O., Fang, C., Shan, Z. D., and Li, Y. Q.: Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect, Jan., 144

Z

Zhang, K.: *see* Hou, R.

Zhang, L., Wang, N. W., Venugopal, R., Jing, L. P., Fang, C., Shan, Z. D., and Li, Y. Q.: Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study, Jan., 72

Zhang, Nan, Yu, Xinbao, and Puppala, Anand: Design and Evaluation of a Moisture/Suction TDR Probe, Sep., 762

Zhang, Nong: *see* Feng, Xiaowei

Zhang, Penghai: *see* Kang, Yumei

Zhang, W., Sun, Q., Cao, L., Wang, B., Cordero, J. A., and Cunningham, A. L.: Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review, Mar., 351

Zhang, X.: *see* Chen, J.

see Dong, Y.

see Drefke, C.

see Hedayat, A.

Zhao, T., Fang, K., Wang, L., Zou, J., Wei, M., and Cunningham, A. L.: Estimation of Elastic Modulus of Rock Using Modified Point-Load Test, Mar., 329

Zheng, J., Hryciw, R. D., Wang, L., Zou, J., Wei, M., and Cunningham, A. L.: Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis, Mar., 317

Zheng, Xigui: *see* Feng, Xiaowei

Zou, J.: *see* Zhao, T.

see Zheng, J.

Geotechnical Testing Journal

Subject Index to Volume 40

2017

NUMERICAL

IGC: C03, C08, D01, D06

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

3D modeling

Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project (A. Mortazavi and V. Saati), May, 452

3D printing

Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing (Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst), Nov., 1000

Preliminary Research on Mechanical Properties of 3D Printed Rock Structures (W. Tian and N. Han), May, 483

3D reconstruction

Preliminary Research on Mechanical Properties of 3D Printed Rock Structures (W. Tian and N. Han), May, 483

3-D-printed oedometer

Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer (J. K. Chow and Y. H. Wang), Sep., 891

A

Accuracy

Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers (R. P. Chapuis and F. Duhaime), Jan., 122

Acoustic emission

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study (Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng), Nov., 978

Aging

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup

(M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Alkali-activated cement

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Anchored slope

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Anisotropic stresses

A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes (Cristhian Mendoza, William Ovalle, Bernardo Caicedo, and Inthuorn Sasanakul), Sep., 883

Aquifer

Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers (R. P. Chapuis and F. Duhaime), Jan., 122

Arrival time

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Atrazine

Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay (Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu), Nov., 936

Atterberg limits

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Auscultation

Experimental Analysis of 3D Cracking in Drying Soils Using Ground-Penetrating

Radar (H. U. Levatti, P. C. Prat, A. Ledesma, A. Cuadrado, and J. A. Cordero), Mar., 221

B

Bakhtiyari dam

Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project (A. Mortazavi and V. Saati), May, 452

BAT probe

Measurement of Gas Released during Blast Densification (Aaron P. Gallant and Richard J. Finno), Nov., 1011

Beam theory

In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams (Y. L. Tan, X. S. Liu, J. G. Ning, and Y. W. Lu), Mar., 244

Bearing capacity

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440

Bedding material

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Belled pier

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

Bend-breaking limit

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Bender element

Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer (Juan L. Ayala, Felipe A. Villalobos, and Giovanni Alvarado), Jul., 673

Bending moment

Field Measurements and Design Optimization of Diaphragm Walls (J. Chen, J. Yang, X. Zhang, S. Wang, and X. Ou), Jan., 84

Bending test

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Blast densification

Measurement of Gas Released during Blast Densification (Aaron P. Gallant and Richard J. Finno), Nov., 1011

Bond strength

The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts (Shuqi Ma, Naj Aziz, Jan Nemcik, and Ali Mirzaghobanali), Sep., 846

Boot effect

Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect (Søren Dam Nielsen, Lars Bo Ibsen, and Benjamin Nordahl Nielsen), Nov., 1101

BOTDA technique

A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits (E. Damiano, B. Avolio, A. Minardo, L. Olivares, L. Picarelli, and L. Zeni), Jul., 529

Boundary effect

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil (Y. Wu, Y. H. Wang, and Q. Niu), Jul., 698

Brazilian tensile strength

Brazilian Tensile Strength Testing of Compacted Clay (I. Deniz Akin and W. J. Likos), Jul., 608

Broadband testing

Adaptation of Broadband Simple Shear Device for Constant Volume and Stress-Controlled Testing (A. Shafiee, J. P. Stewart, R. Venugopal, and S. J. Brandenberg), Jan., 15

Burgers model

Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup (R. Ahmadi-Naghadeh and N. K. Toker), Jul., 683

Buried energy cables

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

C**Calibration**

Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range (A. S. Kirlangıç, G. Cascante, and M. A. Polak), Jan., 37

California bearing ratio

Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction (Mrityunjay Jaiswal and Bindhu Lal), Nov., 1071

Carbonation depth techniques

The Use of Carbonation Depth Techniques on Stabilized Peat (Alan R. Duggan, Jamie Goggins, Eoghan Clifford, and Bryan A. McCabe), Nov., 1083

Carbonation

The Use of Carbonation Depth Techniques on Stabilized Peat (Alan R. Duggan, Jamie Goggins, Eoghan Clifford, and Bryan A. McCabe), Nov., 1083

Casagrande classification

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Cavern

Crack Detection in Pillars Using Infrared Thermographic Imaging (H. Seo, H. Choi, J. Park, J. Park, and I.-M. Lee), May, 371

Cement

The Use of Carbonation Depth Techniques on Stabilized Peat (Alan R. Duggan, Jamie Goggins, Eoghan Clifford, and Bryan A. McCabe), Nov., 1083

Cement-grout

Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock (Ali Nejad Ghafar, Sasan Sadrizadeh, Konstantinos Magakis, Almir Draganovic, and Stefan Larsson), Sep., 871

Cement-improved soils

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 928

Centrifuge modeling

Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models (Jae-Hyun Kim, Hyung-Ik Cho, Heon-Joon Park, and Dong-Soo Kim), Jan., 150
Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge (M. A. Cabrera and W. Wu), Jul., 719
Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests (Nonika Antonaki, Tarek Abdoun, and Inthuorn Sasanakul), Sep., 746

Characterization

Effects of Strain Rates on the Undrained Shear Strength of Kaolin (S. Nanda, V. Sivakumar, P. Hoyer, A. Bradshaw, K. G. Gavin, H. Gerkus, S. Jalilvand, R. B. Gilbert, P. Doherty, and J. Fanning), Nov., 951

Chemical erosion

Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles (Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao), Nov., 1057

Chemical reaction

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Classification

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Clay fabric

Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer (J. K. Chow and Y. H. Wang), Sep., 891

Clay

Effects of Strain Rates on the Undrained Shear Strength of Kaolin (S. Nanda, V. Sivakumar, P. Hoyer, A. Bradshaw, K. G. Gavin, H. Gerkus, S. Jalilvand, R. B. Gilbert, P. Doherty, and J. Fanning), Nov., 951

Claystone

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Clogging

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

Coefficient of consolidation

3D Consolidation of Tunis Soft Clay Improved by Geodrains (H. Jebali, W. Frikha, and M. Bouassida), May, 361

Coefficient of lateral earth pressure at rest

Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests (V. Silvestri and G. Abou-Samra), Jul., 591

Cohesionless soil behavior

Protocol for Cohesionless Sample Preparation for Physical Experimentation (O.-D. S. Taylor, W. W. Berry, K. E.

Winters, W. R. Rowland, M. D. Antwine, and A. L. Cunningham), Mar., 284

Cohesive Soils

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Column-supported embankment

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731

Compacted clay

Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests (R. P. Chapuis), Mar., 185

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Compaction

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Comparisons

Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests (V. Silvestri and G. Abou-Samra), Jul., 591

Completely reversed loading

Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading (Saeed Jamali, Hamid Hashemolhosseini, Alireza Baghbanan, Mohsen Khoshkam, and Hadi Haghgouei), Sep., 789

Compressibility

Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay (Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu), Nov., 936

Compressive strength

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Computational model

Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry (Tri V. Tran, Stacey E. Tucker-Kulesza, and Michelle L. Bernhardt-Barry), Nov., 917

Concentrated leak

The Hole Erosion Test: A Comparison of Interpretation Methods (S. M. Fattahi, A. Soroush, and P. T. Shourijeh), May, 494

Cone penetration test (CPT)

Groundwater Effect Factors for the Load-Carrying Behavior of Footings From

Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Consolidation

Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation (Y. Gao, Y.-H. Wang, and J. K. Chow), Jan., 134

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup (M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests (Nonika Antonaki, Tarek Abdoun, and Inthuorn Sasanakul), Sep., 746

Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments (A. Roshani, M. Fall, and K. Kennedy), Mar., 210

Experimental Study on Use of Internal and External Drains in Triaxial Tests (Yusuke Suzuki, Rune Dyvik, and John H. Schmertmann), Sep., 810

Constant volume testing

Adaptation of Broadband Simple Shear Device for Constant Volume and Stress-Controlled Testing (A. Shafiee, J. P. Stewart, R. Venugopal, and S. J. Brandenberg), Jan., 15

Controlled-condition chamber

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Cores

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426

Correlation

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Correlation equation

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Crack detection

Crack Detection in Pillars Using Infrared Thermographic Imaging (H. Seo, H. Choi, J. Park, J. Park, and I.-M. Lee), May, 371

Critical height

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731

Critical hydraulic gradient

Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow (Y. Liang, C. Zeng, J.-J. Wang, M.-W. Liu, T.-C. Jim Yeh, and Y.-Y. Zha), Jul., 630

Critical shear stress

The Hole Erosion Test: A Comparison of Interpretation Methods (S. M. Fattahi, A. Soroush, and P. T. Shourijeh), May, 494

Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests (V. Silvestri and G. Abou-Samra), Jul., 591

Critical threshold

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Crystalline intact rocks

Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading (Saeed Jamali, Hamid Hashemolhosseini, Alireza Baghbanan, Mohsen Khoshkam, and Hadi Haghgouei), Sep., 789

Cycle loads

A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes (Cristhian Mendoza, William Ovalle, Bernardo Caicedo, and Inthuorn Sasanakul), Sep., 883

Cyclic loading

1 g Model Tests on the Displacement Accumulation of Large-Diameter Piles Under Cyclic Lateral Loading (J. Albiker, M. Achmus, D. Frick, and F. Flindt), Mar., 173

D

Damage variable

Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles (Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao), Nov., 1057

Damping ratio

Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand (K. N. Le and M. Ghayoomi), May, 381

Decision analysis

Rational Decision Framework for Designing Pile-Load Test Programs (S. Najjar, G. Saad, and Y. Abdallah), Mar., 302

Decomposition

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Deep foundations

Rational Decision Framework for Designing Pile-Load Test Programs (S. Najjar, G. Saad, and Y. Abdallah), Mar., 302

Deep soil mixing

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 928

Deformation modulus

Discussions on Correction of Goodman Jack Test (R. Hou, K. Zhang, K. Sun, and R. P. Gamage), Mar., 199

Degree of consolidation

3D Consolidation of Tunis Soft Clay Improved by Geodrains (H. Jebali, W. Frikha, and M. Bouassida), May, 361

Degree of saturation

Measurement of Gas Released during Blast Densification (Aaron P. Gallant and Richard J. Finno), Nov., 1011

Denoising

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Densification

Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions (Qiong Wang, Xinyu Ye, Shanyong Wang, Scott Sloan, and Daichao Sheng), Sep., 776

Desiccation cracks

Experimental Analysis of 3D Cracking in Drying Soils Using Ground-Penetrating Radar (H. U. Levatti, P. C. Prat, A. Ledesma, A. Cuadrado, and J. A. Cordero), Mar., 221

Design optimization

Field Measurements and Design Optimization of Diaphragm Walls (J. Chen, J. Yang, X. Zhang, S. Wang, and X. Ou), Jan., 84

Dewatering

Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments (A. Roshani, M. Fall, and K. Kennedy), Mar., 210

Diaphragm wall

Field Measurements and Design Optimization of Diaphragm Walls (J. Chen, J. Yang, X. Zhang, S. Wang, and X. Ou), Jan., 84

Dielectric constant

Design and Evaluation of a Moisture/Suction TDR Probe (Nan Zhang, Xinbao Yu, and Anand Puppala), Sep., 762

Digital image correlation

Brazilian Tensile Strength Testing of Compacted Clay (I. Deniz Akin and W. J. Likos), Jul., 608

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

Digital photogrammetry

Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry (Tri V. Tran, Stacey E. Tucker-Kulesza, and Michelle L. Bernhardt-Barry), Nov., 917

Dilatometer

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Direct shear

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L. Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Direct simple shear

Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand (K. N. Le and M. Ghayoomi), May, 381

Direct tension test

Literature Survey and Experimental Study on the Direct Tension Test on Rocks (K. Hashiba, T. Okada, K. Tani, S. Shirasagi, K. Hayano, T. Nakamura, Y. Oikawa, M. Ono, K. Shimamoto, S. Yamada, N. Wakabayashi, T. Namikawa, and Y. Nishikane), Mar., 335

Displacement accumulation

1 g Model Tests on the Displacement Accumulation of Large-Diameter Piles Under Cyclic Lateral Loading (J. Albiker, M. Achmus, D. Frick, and F. Flindt), Mar., 173

Dynamic load test

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup (M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Dynamic shear stiffness

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

E**Earth pressure**

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Effect of electrode size

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil (Y. Wu, Y. H. Wang, and Q. Niu), Jul., 698

Effect of water content

A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes (Cristhian Mendoza, William Ovalle, Bernardo Caicedo, and Inthuorn Sasanakul), Sep., 883

Elastic modulus

Estimation of Elastic Modulus of Rock Using Modified Point-Load Test (T. Zhao, K. Fang, L. Wang, J. Zou, and M. Wei), Mar., 329

Elastic shear modulus

Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer (Juan L. Ayala, Felipe A. Villalobos, and Giovanni Alvarado), Jul., 673

Electric controlled water flow detector

In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams (Y. L. Tan, X. S. Liu, J. G. Ning, and Y. W. Lu), Mar., 244

Electro-osmotic chemical treatment

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

Embankment

Assessment of Rainfall Runoff Based on the Field Measurements on an Embankment (N. An, S. Hemmati, Y.-J. Cui, and D. Mercadier), Jan., 29

Embankment dams

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426

Empirical formula

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

End effect

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

Endurance limit

Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading (Saeed Jamali, Hamid Hashemolhosseini, Alireza Baghbanan, Mohsen Khoshkam, and Hadi Haghgoeui), Sep., 789

Energy pile

Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles (Suguang Xiao, Muhannad T. Suleiman, Clay Naito, and Mohammed Al-Khawaja), Nov., 1043

Erosion

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Erosion rate

The Hole Erosion Test: A Comparison of Interpretation Methods (S. M. Fattahi, A. Soroush, and P. T. Shourijeh), May, 494
Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow (Y. Liang, C. Zeng, J.-J. Wang, M.-W. Liu, T.-C. Jim Yeh, and Y.-Y. Zha), Jul., 630

Erosion-triaxial apparatus

Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach (Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong), Nov., 1026

Excess pore water pressure

Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation (Y. Gao, Y.-H. Wang, and J. K. Chow), Jan., 134

Extra large flat jack (ELFJ)

Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project (A. Mortazavi and V. Saati), May, 452

F**Field measurement**

Field Measurements and Design Optimization of Diaphragm Walls (J. Chen, J. Yang, X. Zhang, S. Wang, and X. Ou), Jan., 84

Field study

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

Field testing

Rational Decision Framework for Designing Pile-Load Test Programs (S. Najjar, G. Saad, and Y. Abdallah), Mar., 302

Filter paper strips

Experimental Study on Use of Internal and External Drains in Triaxial Tests (Yusuke Suzuki, Rune Dyvik, and John H. Schmertmann), Sep., 810

Filters

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H.

Rönnqvist, P. Viklander, and S. Knutsson), May, 426

Filtration tendency

Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock (Ali Nejad Ghafar, Sasan Sadrizadeh, Konstantinos Magakis, Almir Draganovic, and Stefan Larsson), Sep., 871

Fine soils

A New Testing Device for Characterizing Anisotropic Response of Soils during Compaction Processes (Cristhian Mendoza, William Ovalle, Bernardo Caicedo, and Inthuorn Sasanakul), Sep., 883

Fine-grained soils

Experimental Study on Use of Internal and External Drains in Triaxial Tests (Yusuke Suzuki, Rune Dyvik, and John H. Schmertmann), Sep., 810

Flat jack testing

Numerical Investigation of Extra Large Flat Jack Testing of Bakhtiyari Dam Project (A. Mortazavi and V. Saati), May, 452

FlexiForce sensor

Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation (Y. Gao, Y.-H. Wang, and J. K. Chow), Jan., 134

Floodwall

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Fly ash

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Footing

Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440

Fractional power model

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Freeze-thaw cycle

Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles (Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao), Nov., 1057

Full waveform inversion

Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel

Foundation Base using Full Waveform Inversion Method (Huan Wang, Ailan Che, and Shaokong Feng), Sep., 833

Fully bonded bolt

Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study (Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng), Nov., 978

Fully grouted rockbolts

The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts (Shuqi Ma, Naj Aziz, Jan Nemcik, and Ali Mirzaghorbanali), Sep., 846

Fully softened strength

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. Vandenberg, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

G**Garlic skin**

Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction (Mrityunjay Jaiswal and Bindhu Lal), Nov., 1071

Gas

Measurement of Gas Released during Blast Densification (Aaron P. Gallant and Richard J. Finno), Nov., 1011

Geodrains

3D Consolidation of Tunis Soft Clay Improved by Geodrains (H. Jebali, W. Frikha, and M. Bouassida), May, 361

Geosynthetic reinforcement

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731

Geotechnical laboratory testing

Protocol for Cohesionless Sample Preparation for Physical Experimentation (O.-D. S. Taylor, W. W. Berry, K. E. Winters, W. R. Rowland, M. D. Antwine, and A. L. Cunningham), Mar., 284

Glacial tills

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426

Goodman jack

Discussions on Correction of Goodman Jack Test (R. Hou, K. Zhang, K. Sun, and R. P. Gamage), Mar., 199

Granular filter design

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1

Granular flows

Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge (M. A. Cabrera and W. Wu), Jul., 719

Granular materials

Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52

Gravel

Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing (Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst), Nov., 1000

Ground anchor

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Ground improvement

Experimental and Numerical Investigations of Behavior of Rammed Aggregate Piers (S. Demir, P. Özener, and M. Kirkit), May, 411

Ground-penetrating radar

Experimental Analysis of 3D Cracking in Drying Soils Using Ground-Penetrating Radar (H. U. Levatti, P. C. Prat, A. Ledesma, A. Cuadrado, and J. A. Cordero), Mar., 221

Groundwater effect

Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440

Grout penetrability

Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock (Ali Nejad Ghafar, Sasan Sadrizadeh, Konstantinos Magakis, Almir Draganovic, and Stefan Larsson), Sep., 871

Grouting quality

Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method (Huan Wang, Ailan Che, and Shaokong Feng), Sep., 833

H

Heat exchangers

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Height of the failure zone

In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining

Multiple Coal Seams (Y. L. Tan, X. S. Liu, J. G. Ning, and Y. W. Lu), Mar., 244

Herbicide

Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay (Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu), Nov., 936

High strain rate

Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52

Hole erosion test (HET)

The Hole Erosion Test: A Comparison of Interpretation Methods (S. M. Fattahi, A. Soroush, and P. T. Shourijeh), May, 494

High strain rate (HSR)

Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52

Hydraulic conductivity

3D Consolidation of Tunis Soft Clay Improved by Geodrains (H. Jebali, W. Frikha, and M. Bouassida), May, 361
A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil (Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun), Nov., 907
Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay (Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu), Nov., 936

Hysteresis

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

I

Image analysis

Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis (J. Zheng and R. D. Hryciw), Mar., 317

In situ stress

Discussions on Correction of Goodman Jack Test (R. Hou, K. Zhang, K. Sun, and R. P. Gamage), Mar., 199

In situ test

Discussions on Correction of Goodman Jack Test (R. Hou, K. Zhang, K. Sun, and R. P. Gamage), Mar., 199

In-flight soil properties

Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models (Jae-Hyun Kim, Hyung-Ik Cho, Heon-Joon Park, and Dong-Soo Kim), Jan., 150

Infrared thermographic imaging

Crack Detection in Pillars Using Infrared Thermographic Imaging (H. Seo, H. Choi, J. Park, J. Park, and I.-M. Lee), May, 371

Instrumentation

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup (M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Intact rock

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Intermediate principal stress

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

Internal drains

Experimental Study on Use of Internal and External Drains in Triaxial Tests (Yusuke Suzuki, Rune Dyvik, and John H. Schmertmann), Sep., 810

Internal erosion

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1
Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426
The Hole Erosion Test: A Comparison of Interpretation Methods (S. M. Fattahi, A. Soroush, and P. T. Shourijeh), May, 494
Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach (Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong), Nov., 1026

Internal stability

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426
Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach (Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong), Nov., 1026

K

Kaolinite

Brazilian Tensile Strength Testing of Compacted Clay (I. Deniz Akin and W. J. Likos), Jul., 608

L

Laboratory model test

Experimental and Numerical Investigations of Behavior of Rammed Aggregate Piers (S. Demir, P. Özener, and M. Kirkit), May, 411

Laboratory pull-out

Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions (Qiong Wang, Xinyu Ye, Shanyong Wang, Scott Sloan, and Daichao Sheng), Sep., 776

Laboratory testing

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1
Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52

Landslides

A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits (E. Damiano, B. Avolio, A. Minardo, L. Olivares, L. Picarelli, and L. Zeni), Jul., 529

Lateral stress

Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p' - q Space (L. A. Oldecop and E. E. Alonso), Sep., 822

Levee

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Liner

Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests (R. P. Chapuis), Mar., 185

Liquefaction

Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests (Nonika Antonaki, Tarek Abdoun, and Inthuorn Sasanakul), Sep., 746

Load cell

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Load change

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Load test

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Load transfer platform

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731

Local deformation

Closure to "Discussion of 'Development of an Internal Camera-Based Volume Determination System for Triaxial Testing' by S. E. Salazar, A. Barnes, and R. A. Coffman" by A. Mehdizadeh, M. M. Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong (S. E. Salazar, A. Barnes, and R. A. Coffman), Jan., 47

M

Marble

Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles (Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao), Nov., 1057

Marine clayey soils

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

Material characterization

Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range (A. S. Kirlangıç, G. Cascante, and M. A. Polak), Jan., 37

Material damping

Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range (A. S. Kirlangıç, G. Cascante, and M. A. Polak), Jan., 37

Mature fine tailings

Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments (A. Roshani, M. Fall, and K. Kennedy), Mar., 210

Maximum likelihood criterion

Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures (B. Tutmez and B. Unver), May, 506

Measurement uncertainty

Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures (B. Tutmez and B. Unver), May, 506

Mechanical properties

Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52
Preliminary Research on Mechanical Properties of 3D Printed Rock Structures (W. Tian and N. Han), May, 483

Physical and Mechanical Properties of Marble under the Combined Effects of Chemical Solutions and Freeze-Thaw Cycles (Tielin Han, Junping Shi, Yunsheng Chen, and Xiaoshan Cao), Nov., 1057

Mercury intrusion porosimetry

Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer (J. K. Chow and Y. H. Wang), Sep., 891

Method

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Mica

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil (Y. Wu, Y. H. Wang, and Q. Niu), Jul., 698

Microstructural characterizations

Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer (J. K. Chow and Y. H. Wang), Sep., 891

Mine tailings

Consolidation and Dynamic Response of a Layered Mine Tailings Deposit in Centrifuge Tests (Nonika Antonaki, Tarek Abdoun, and Inthuorn Sasanakul), Sep., 746

Mining safety

In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams (Y. L. Tan, X. S. Liu, J. G. Ning, and Y. W. Lu), Mar., 244

Modified-thermal borehole shear test

Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles (Suguang Xiao, Muhannad T. Suleiman, Clay Naito, and Mohammed Al-Khawaja), Nov., 1043

Moisture/suction time domain reflectometry probe

Design and Evaluation of a Moisture/Suction TDR Probe (Nan Zhang, Xinbao Yu, and Anand Puppala), Sep., 762

Monitoring well

Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers (R. P. Chapuis and F. Duhaime), Jan., 122

Mono bucket foundation

Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect (Søren Dam Nielsen, Lars Bo Ibsen, and Benjamin Nordahl Nielsen), Nov., 1101

Monopiles

1 g Model Tests on the Displacement Accumulation of Large-Diameter Piles Under Cyclic Lateral Loading (J. Albiker, M. Achmus, D. Frick, and F. Flindt), Mar., 173

Moveable frames in horizontal layout

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

Multiple mining actions

In Situ Investigations on Failure Evolution of Overlying Strata Induced by Mining Multiple Coal Seams (Y. L. Tan, X. S. Liu, J. G. Ning, and Y. W. Lu), Mar., 244

Multistep outflow experiment

A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil (Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun), Nov., 907

N

Needle probe

Application of Film-Like Sensors for K_0 and Pore Water Pressure Measurement in Clay During 1D Consolidation (Y. Gao, Y.-H. Wang, and J. K. Chow), Jan., 134

Non-destructive testing (NDT)

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Numerical analysis

Experimental and Numerical Investigations of Behavior of Rammed Aggregate Piers (S. Demir, P. Özener, and M. Kirkit), May, 411

O

Oedometer

Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p' - q Space (L. A. Oldecop and E. E. Alonso), Sep., 822

Optical fiber sensors

A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits (E. Damiano, B. Avolio, A. Minardo, L. Olivares, L. Picarelli, and L. Zeni), Jul., 529

Osmotic technique

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Overburden pressure

Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions (Qiong Wang, Xinyu Ye, Shanyong Wang, Scott Sloan, and Daichao Sheng), Sep., 776

P

Particle breakage

Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p' - q Space (L. A. Oldecop and E. E. Alonso), Sep., 822

Particle image velocimetry

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

Particle shape distribution

Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis (J. Zheng and R. D. Hryciw), Mar., 317

Particle size distribution

Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis (J. Zheng and R. D. Hryciw), Mar., 317

Performance

Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests (R. P. Chapuis), Mar., 185

Permeability

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

Permeability evolution

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

Permeability test

Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests (R. P. Chapuis), Mar., 185

Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers (R. P. Chapuis and F. Duhaime), Jan., 122

Permeameter

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1

PES membrane

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by

Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Photogrammetry

Closure to "Discussion of 'Development of an Internal Camera-Based Volume Determination System for Triaxial Testing' by S. E. Salazar, A. Barnes, and R. A. Coffman" by A. Mehdizadeh, M. M. Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong (S. E. Salazar, A. Barnes, and R. A. Coffman), Jan., 47

Physical and mechanical properties

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Physical model

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Physical modelling

Effects of Strain Rates on the Undrained Shear Strength of Kaolin (S. Nanda, V. Sivakumar, P. Hoyer, A. Bradshaw, K. G. Gavin, H. Gerkus, S. Jalilvand, R. B. Gilbert, P. Doherty, and J. Fanning), Nov., 951

Pile

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Pile setup

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup (M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Piled embankment

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731

Pillar

Crack Detection in Pillars Using Infrared Thermographic Imaging (H. Seo, H. Choi, J. Park, J. Park, and I.-M. Lee), May, 371

Piping

Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow (Y. Liang, C. Zeng, J.-J. Wang, M.-W. Liu, T.-C. Jim Yeh, and Y.-Y. Zha), Jul., 630

Plastic limit

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Plasticity

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Plasticity index

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Point-load test

Estimation of Elastic Modulus of Rock Using Modified Point-Load Test (T. Zhao, K. Fang, L. Wang, J. Zou, and M. Wei), Mar., 329

Polyethylene glycol (PEG)

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Pore fluids

New Suitable Pore Fluid to Manufacture Transparent Soil (G.-Q. Kong, H. Li, Y.-X. Hu, Y.-X. Yu, and W.-B. Xu), Jul., 658

Pore water pressure

Medium-Scale Experimental Study of Pile Setup (R. Ksaibati and K. Ng), Mar., 269

Porous medium

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

Post-erosion soil behavior

Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach (Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong), Nov., 1026

Post-failure behavior

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

Pressure grouting

Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions (Qiong Wang, Xinyu Ye, Shanyong Wang, Scott Sloan, and Daichao Sheng), Sep., 776

Pretension

Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study (Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng), Nov., 978

Proof load tests

Rational Decision Framework for Designing Pile-Load Test Programs (S. Najjar, G. Saad, and Y. Abdallah), Mar., 302

Pullout test

Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study (Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng), Nov., 978

Push tests

The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts (Shuqi Ma, Naj Aziz, Jan Nemcik, and Ali Mirzaghobanali), Sep., 846

Q**Quasi-linearization method**

Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method (Huan Wang, Ailan Che, and Shaokong Feng), Sep., 833

Quicksand

Experimental Modeling of Quicksand with Transparent Soil through an Orifice (Binglun Gao and Wanghua Sui), Sep., 798

R**Radial expansion/contraction and cycles**

Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles (Suguang Xiao, Muhannad T. Suleiman, Clay Naito, and Mohammed Al-Khawaja), Nov., 1043

Radial injection

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

Rammed aggregate pier

Experimental and Numerical Investigations of Behavior of Rammed Aggregate Piers (S. Demir, P. Özener, and M. Kirkit), May, 411

Random search

Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method (Huan Wang, Ailan Che, and Shaokong Feng), Sep., 833

Real-scale demonstration

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Refractive index

New Suitable Pore Fluid to Manufacture Transparent Soil (G.-Q. Kong, H. Li, Y.-X. Hu, Y.-X. Yu, and W.-B. Xu), Jul., 658

Regression analysis

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Regression model

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 1

Relative deformation

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Reliability

Rational Decision Framework for Designing Pile-Load Test Programs (S. Najjar, G. Saad, and Y. Abdallah), Mar., 302

Resistivity anisotropy

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil (Y. Wu, Y. H. Wang, and Q. Niu), Jul., 698

Rheology

Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge (M. A. Cabrera and W. Wu), Jul., 719

Rice husk ash

Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction (Mrityunjay Jaiswal and Bindhu Lal), Nov., 1071

Ring shear

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L., Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Rock discontinuity

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

Rock fatigue

Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading (Saeed Jamali, Hamid Hashemolhosseini, Alireza Baghbanan, Mohsen Khoshkam, and Hadi Haghgouei), Sep., 789

Rock fracture

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave

Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

Rock mechanics

Preliminary Research on Mechanical Properties of 3D Printed Rock Structures (W. Tian and N. Han), May, 483

Rockfill

Measurement of Lateral Stress and Friction in Rockfill Oedometer Tests Enabling the Analysis of the Experimental Results in the p - q Space (L. A. Oldecop and E. E. Alonso), Sep., 822

Roughness

Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry (Tri V. Tran, Stacey E. Tucker-Kulesza, and Michelle L. Bernhardt-Barry), Nov., 917

Runoff measurement

Assessment of Rainfall Runoff Based on the Field Measurements on an Embankment (N. An, S. Hemmati, Y.-J. Cui, and D. Mercadier), Jan., 29

Runoff-rainfall correlation

Assessment of Rainfall Runoff Based on the Field Measurements on an Embankment (N. An, S. Hemmati, Y.-J. Cui, and D. Mercadier), Jan., 29

S

Salt solution

Electro-Osmotic Chemical Treatment for Marine Clayey Soils: A Laboratory Experiment and A Field Study (L. Zhang, N. W. Wang, L. P. Jing, C. Fang, Z. D. Shan, and Y. Q. Li), Jan., 72

Sample preparation

Protocol for Cohesionless Sample Preparation for Physical Experimentation (O.-D. S. Taylor, W. W. Berry, K. E. Winters, W. R. Rowland, M. D. Antwine, and A. L. Cunningham), Mar., 284

Sand flow pattern

Experimental Modeling of Quicksand with Transparent Soil through an Orifice (Binglun Gao and Wanghua Sui), Sep., 798

Sand

Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models (Jae-Hyun Kim, Hyung-Ik Cho, Heon-Joon Park, and Dong-Soo Kim), Jan., 150
Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440
An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

Saturation ratio

Erosion Characteristics of Silty to Clayey Soils Using EFA and Lab-Scaled Levee-Floodwall Tests (A. Osouli, M. Karimpour, and P. S. Bahri), May, 396

Scale model

Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge (M. A. Cabrera and W. Wu), Jul., 719

Scaling principles

Scale Model for Mass Flows Down an Inclined Plane in a Geotechnical Centrifuge (M. A. Cabrera and W. Wu), Jul., 719

Scanning electron microscopy

Preparation of High-Quality Load-Preserved Fabric Clay Samples for Microstructural Characterizations: A Pragmatic Guide Featuring a 3-D-Printed Oedometer (J. K. Chow and Y. H. Wang), Sep., 891

Seismic wave propagation

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

Sensitive clay

Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests (V. Silvestri and G. Abou-Samra), Jul., 591

Settlement

Bench-Scale Test Apparatus for Modeling Column-Supported Embankments (Michael P. McGuire and George M. Filz), Sep., 731
Groundwater Effect Factors for the Load-Carrying Behavior of Footings From Hydraulic Chamber Load Tests (D. Park, I. Kim, G. Kim, and J. Lee), May, 440

Shear modulus

Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand (K. N. Le and M. Ghayoomi), May, 381

Shear strength

Effect of Fast Constant Loading Rates on the Global Behavior of Sand in Triaxial Compression (Eduardo Suescun-Florez and Magued Iskander), Jan., 52
Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L. Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Shear wave velocity

Evaluation of Soil State Variation using Bender Elements Within Centrifuge Models (Jae-Hyun Kim, Hyung-Ik Cho, Heon-Joon Park, and Dong-Soo Kim), Jan., 150
Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer (Juan L. Ayala, Felipe A.

Villalobos, and Giovanni Alvarado), Jul., 673

Simple shear

Adaptation of Broadband Simple Shear Device for Constant Volume and Stress-Controlled Testing (A. Shafiee, J. P. Stewart, R. Venugopal, and S. J. Brandenburg), Jan., 15

Slope

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

Slug test

Taking into Account Data Accuracy for Interpretation of Slug Tests in Confined or Unconfined Aquifers (R. P. Chapuis and F. Duhaime), Jan., 122

Small-scale slopes

A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits (E. Damiano, B. Avolio, A. Minardo, L. Olivares, L. Picarelli, and L. Zeni), Jul., 529

Soil consistency

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Soil contamination

Effect of Atrazine Contamination on Compressibility and Permeability Characteristics of Clay (Mahdi Keramatikerman, Amin Chegenizadeh, and Hefu Pu), Nov., 936

Soil drying and wetting

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

Soil erosion

Determining Surface Roughness in Erosion Testing Using Digital Photogrammetry (Tri V. Tran, Stacey E. Tucker-Kulesza, and Michelle L. Bernhardt-Barry), Nov., 917

Soil improvement

Characterization of Soil Treated With Alkali-Activated Cement in Large-Scale Specimens (N. Cruz, S. Rios, E. Fortunato, C. Rodrigues, J. Cruz, C. Mateus, and C. Ramos), Jul., 618

Soil plasticity

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Soil stabilization

Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction (Mrityunjay Jaiswal and Bindhu Lal), Nov., 1071

Soil water characteristic curve (SWCC)

Integrating the Four-Probe Method and SWCC Device to Measure Electrical Resistivity Anisotropy of Unsaturated Soil (Y. Wu, Y. H. Wang, and Q. Niu), Jul., 698

Soil-water retention

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

Soil water retention curve

A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil (Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun), Nov., 907

Soil-structure interaction

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

Source location

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Spin and Hold

The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts (Shuqi Ma, Naj Aziz, Jan Nemcik, and Ali Mirzaghorbanali), Sep., 846

Spin to Stall

The Effects of Installation Procedure on Bond Characteristics of Fully Grouted Rock Bolts (Shuqi Ma, Naj Aziz, Jan Nemcik, and Ali Mirzaghorbanali), Sep., 846

Stabilized peat

The Use of Carbonation Depth Techniques on Stabilized Peat (Alan R. Duggan, Jamie Goggins, Eoghan Clifford, and Bryan A. McCabe), Nov., 1083

Standard averaging

Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures (B. Tutmez and B. Unver), May, 506

Static load test

Experimental Study to Evaluate the Effect of Consolidation Behavior on Pile Setup (M. Y. Abu-Farsakh, M. N. Haque, and Q. Chen), Jul., 559

Static shear stiffness

Laboratory Determination of Rock Fracture Shear Stiffness Using Seismic Wave Propagation and Digital Image Correlation (A. Hedayat and G. Walton), Jan., 92

Statistical analysis

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Statistics

Compacted Clay: Difficulties Obtaining Good Laboratory Permeability Tests (R. P. Chapuis), Mar., 185

Stereophotography

Soil Particle Size and Shape Distributions by Stereophotography and Image Analysis (J. Zheng and R. D. Hryciw), Mar., 317

Stiff clay

Discussion of "Correlations for Fully Softened Shear Strength Parameters" by B. A. Castellanos, T. L. Brandon, and D. R. VandenBerge, This Article Was Published in *Geotechnical Testing Journal*, Vol. 39, No. 4, 2016. [DOI: 10.1520/GTJ20150184] (T. D. Stark), May, 517

Stiffness

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Stiff-soft limit

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Strain monitoring

A Laboratory Study on the Use of Optical Fibers for Early Detection of Pre-Failure Slope Movements in Shallow Granular Soil Deposits (E. Damiano, B. Avolio, A. Minardo, L. Olivares, L. Picarelli, and L. Zeni), Jul., 529

Stratified media

Quantitative Investigation on Grouting Quality of Immersed Tube Tunnel Foundation Base using Full Waveform Inversion Method (Huan Wang, Ailan Che, and Shaokong Feng), Sep., 833

Strength

Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments (A. Roshani, M. Fall, and K. Kennedy), Mar., 210

Strength and compressibility of sands

Protocol for Cohesionless Sample Preparation for Physical Experimentation (O.-D. S. Taylor, W. W. Berry, K. E. Winters, W. R. Rowland, M. D. Antwine, and A. L. Cunningham), Mar., 284

Strength model

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 928

Stress-life method

Evaluating Fatigue in Crystalline Intact Rocks under Completely Reversed Loading (Saeed Jamali, Hamid Hashemolhosseini,

Alireza Baghbanan, Mohsen Khoshkam, and Hadi Haghighouei), Sep., 789

Stress-strain curve

Literature Survey and Experimental Study on the Direct Tension Test on Rocks (K. Hashiba, T. Okada, K. Tani, S. Shirasagi, K. Hayano, T. Nakamura, Y. Oikawa, M. Ono, K. Shimamoto, S. Yamada, N. Wakabayashi, T. Namikawa, and Y. Nishikane), Mar., 335

Stress-controlled apparatus

Constant Gradient Erosion Apparatus for Appraisal of Piping Behavior in Upward Seepage Flow (Y. Liang, C. Zeng, J.-J. Wang, M.-W. Liu, T.-C. Jim Yeh, and Y.-Y. Zha), Jul., 630

Stressing test

Simple Method to Measure the Long-Term Load Change of Ground Anchors (H.-J. Liao, S.-H. Cheng, H.-R. Chen, and C.-C. Chen), Mar., 345

Suction

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Suction stress

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

Suffosion

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1

Suffusion

A Flexible Wall Permeameter for Investigating Suffusion and Suffosion (P. Slangen and R. J. Fannin), Jan., 1

Experimental Investigation of Suffusion in Dam Core Soils of Glacial Till (H. Rönnqvist, P. Viklander, and S. Knutsson), May, 426

Mechanical Consequences of Suffusion on Undrained Behaviour of a Gap-Graded Cohesionless Soil - An Experimental Approach (Amirhassan Mehdizadeh, Mahdi M. Disfani, Robert Evans, Arul Arulrajah, and D. E. L. Ong), Nov., 1026

Super-absorbent polymer

Drying Behavior of Mature Fine Tailings Pre-Dewatered With Super-Absorbent Polymer (SAP): Column Experiments (A. Roshani, M. Fall, and K. Kennedy), Mar., 210

Surrogate soil

Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing (Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst), Nov., 1000

Surrounding rock support

Implementation of a Pretensioned, Fully Bonded Bolting System and Its Failure Mechanism Based on Acoustic Emission: A Laboratorial and Field Study (Xiaowei Feng, Nong Zhang, Fengzhen He, Sen Yang, and Xigui Zheng), Nov., 978

Suspended particles

An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media (Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy), Nov., 1115

T

Temperature

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Temperature change and cycles

Modified-Thermal Borehole Shear Test Device and Testing Procedure to Investigate the Soil-Structure Interaction of Energy Piles (Suguang Xiao, Muhannad T. Suleiman, Clay Naito, and Mohammed Al-Khawaja), Nov., 1043

Temperature changes

Crack Detection in Pillars Using Infrared Thermographic Imaging (H. Seo, H. Choi, J. Park, J. Park, and I.-M. Lee), May, 371

Tensile strength

Brazilian Tensile Strength Testing of Compacted Clay (I. Deniz Akin and W. J. Likos), Jul., 608

Literature Survey and Experimental Study on the Direct Tension Test on Rocks (K. Hashiba, T. Okada, K. Tani, S. Shirasagi, K. Hayano, T. Nakamura, Y. Oikawa, M. Ono, K. Shimamoto, S. Yamada, N. Wakabayashi, T. Namikawa, and Y. Nishikane), Mar., 335

Uncertainty-Based Analysis for Agreement of Tensile-Strength Measurement Procedures (B. Tutmez and B. Unver), May, 506

Thermal conductivity

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Transient Plane and Line Source Methods for Soil Thermal Conductivity (Jun Yao and William J. Likos), Sep., 858

Thermal conductivity dry-out curves

Transient Plane and Line Source Methods for Soil Thermal Conductivity (Jun Yao and William J. Likos), Sep., 858

Thermal damage

Thermal Damage on Claystone After Exposure to Different High Temperatures: A Review (W. Zhang, Q. Sun, L. Cao, and B. Wang), Mar., 351

Thermal dryout curve

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Thread-rolling

Plastic Limit and Other Consistency Parameters by a Bending Method and Interpretation of Plasticity Classification in Soils (J. M. Moreno-Maroto and J. Alonso-Azcárate), May, 467

Total sound-signal energy

Estimation of the Compressive Strength of Intact Rock Using Non-Destructive Testing Method Based on Total Sound-Signal Energy (M. Son and M. Kim), Jul., 643

Transient loading

Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect (Søren Dam Nielsen, Lars Bo Ibsen, and Benjamin Nordahl Nielsen), Nov., 1101

Transient water content curve

A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil (Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun), Nov., 907

Transparent soil

Experimental Modeling of Quicksand with Transparent Soil through an Orifice (Binglun Gao and Wanghua Sui), Sep., 798

New Suitable Pore Fluid to Manufacture Transparent Soil (G.-Q. Kong, H. Li, Y.-X. Hu, Y.-X. Yu, and W.-B. Xu), Jul., 658

Travel time

Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer (Juan L. Ayala, Felipe A. Villalobos, and Giovanni Alvarado), Jul., 673

Triaxial test

Closure to "Discussion of 'Development of an Internal Camera-Based Volume Determination System for Triaxial Testing' by S. E. Salazar, A. Barnes, and R. A. Coffman" by A. Mehdizadeh, M. M. Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong (S. E. Salazar, A. Barnes, and R. A. Coffman), Jan., 47

Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup (R. Ahmadi-Naghadeh and N. K. Toker), Jul., 683

Experimental Study on Use of Internal and External Drains in Triaxial Tests (Yusuke

Suzuki, Rune Dyvik, and John H. Schmertmann), Sep., 810

Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing (Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst), Nov., 1000

True triaxial apparatus

A Mogi-Type True Triaxial Testing Apparatus for Rocks With Two Moveable Frames in Horizontal Layout for Providing Orthogonal Loads (L. Shi, X. Li, B. Bing, A. Wang, Z. Zeng, and H. He), Jul., 542

U

Ultrasonic testing

Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range (A. S. Kurlanç, G. Cascante, and M. A. Polak), Jan., 37

Ultrasonic transducers

Characterization of Piezoelectric Accelerometers Beyond the Nominal Frequency Range (A. S. Kurlanç, G. Cascante, and M. A. Polak), Jan., 37

Unconfined compression

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Unconfined compressive strength

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 928

Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction (Mrityunjay Jaiswal and Bindhu Lal), Nov., 1071

Undrained behavior

Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect (Søren Dam Nielsen, Lars Bo Ibsen, and Benjamin Nordahl Nielsen), Nov., 1101

Undrained cyclic triaxial test

p-Constant Condition Applied to Undrained Cyclic Triaxial Test of Unsaturated Soils (H. Wang, J. Koseki, and T. Sato), Jul., 710

Undrained shear strength

Interrelationships of Flat Rigid Dilatometer Parameters With Unconfined Compression Test Results (M. Aziz and A. Akbar), Mar., 258

Uniaxial compressive test

Estimation of Elastic Modulus of Rock Using Modified Point-Load Test (T. Zhao, K. Fang, L. Wang, J. Zou, and M. Wei), Mar., 329

Unloading/reloading cycles

Study of the Elastic Shear Modulus of Bio Bio Sand Using Bender Elements in an Oedometer (Juan L. Ayala, Felipe A. Villalobos, and Giovanni Alvarado), Jul., 673

Unsaturated conditions

Development of a Model Test System for Studying the Behaviour of a Compaction Grouted Soil Nail under Unsaturated Conditions (Qiong Wang, Xinyu Ye, Shanyong Wang, Scott Sloan, and Daichao Sheng), Sep., 776

Unsaturated soil

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

Calibration of a Coupled Model to Predict the Magnitude of Suction Generated by Osmotic Technique With PES Membranes and Temperature Effect (S. Yuan, X. Liu, and O. Buzzi), Jan., 144

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Cyclic Direct Simple Shear Test to Measure Strain-Dependent Dynamic Properties of Unsaturated Sand (K. N. Le and M. Ghayoomi), May, 381

Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup (R. Ahmadi-Naghadeh and N. K. Toker), Jul., 683

p-Constant Condition Applied to Undrained Cyclic Triaxial Test of Unsaturated Soils (H. Wang, J. Koseki, and T. Sato), Jul., 710

Design and Evaluation of a Moisture/Suction TDR Probe (Nan Zhang, Xinbao Yu, and Anand Puppala), Sep., 762

Transient Plane and Line Source Methods for Soil Thermal Conductivity (Jun Yao and William J. Likos), Sep., 858

A Method for Directly Measuring the Hydraulic Conductivity of Unsaturated Soil (Longtan Shao, Tiande Wen, Xiaoxia Guo, and Xiang Sun), Nov., 907

Uplift resistance

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

Uplift

Axial Uplift Behavior of Belled Piers in Sloping Ground (Xian-long Lu, Zeng-zhen Qian, and Wen-zhi Yang), Jul., 579

V**Variation in strength**

Literature Survey and Experimental Study on the Direct Tension Test on Rocks (K. Hashiba, T. Okada, K. Tani, S. Shirasagi, K. Hayano, T. Nakamura, Y. Oikawa, M. Ono, K. Shimamoto, S. Yamada, N. Wakabayashi, T. Namikawa, and Y. Nishikane), Mar., 335

Varying aperture long slot

Varying Aperture Long Slot (VALS), a Method for Studying Grout Penetrability into Fractured Hard Rock (Ali Nejad Ghafar, Sasan Sadrizadeh, Konstantinos Magakis, Almir Draganovic, and Stefan Larsson), Sep., 871

Viscoelasticity

Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup (R. Ahmadi-Naghadeh and N. K. Toker), Jul., 683

Viscosity

New Suitable Pore Fluid to Manufacture Transparent Soil (G.-Q. Kong, H. Li, Y.-X. Hu, Y.-X. Yu, and W.-B. Xu), Jul., 658

Volume change measurement

Volume Change Measurement in Triaxial Tests by Monitoring Cell Fluid Volume Based on Viscoelastic Behavior of the Test Setup (R. Ahmadi-Naghadeh and N. K. Toker), Jul., 683

Volume measurements

Closure to "Discussion of 'Development of an Internal Camera-Based Volume Determination System for Triaxial Testing' by S. E. Salazar, A. Barnes, and R. A. Coffman" by A. Mehdizadeh, M. M.

Disfani, R. Evans, A. Arulrajah, and D. E. L. Ong (S. E. Salazar, A. Barnes, and R. A. Coffman), Jan., 47

W**Water retention**

Measurement Method of Thermal Properties of Cementitious Bedding Materials and Unsaturated Soils: Hydraulic Influence on Thermal Parameters (C. Drefke, M. Schedel, J. Stegner, C. Balzer, V. Hinrichsen, and I. Sass), Jan., 160

Water-gas saturation

Measurement of Gas Released during Blast Densification (Aaron P. Gallant and Richard J. Finno), Nov., 1011

Wavelet packet

Estimation of Damage Location of Rock Based on Denoised Acoustic Emission Signals Using Wavelet Packet Algorithm (Yumei Kang, Pengpeng Ni, Chuang Fu, and Penghai Zhang), Nov., 963

Weak soil

Development of Strength Models for Prediction of Unconfined Compressive Strength of Cement/Byproduct Material Improved Soils (S. J. Abbey, S. Ngambi, and E. Ganjian), Nov., 928

X**X-ray CT tomography**

Manufacture of Bonded Granular Soil Using X-Ray CT Scanning and 3D Printing (Satoshi Matsumura, Takaaki Kobayashi, Takaaki Mizutani, and Richard J. Bathurst), Nov., 1000

Y**Yield locus**

Behavior of a Sensitive Clay in Isotropically Consolidated K_0 -Drained Triaxial Tests (V. Silvestri and G. Abou-Samra), Jul., 591

Young's modulus

Measurement of Suction-Stress Characteristic Curve Under Drying and Wetting Conditions (Y. Dong and N. Lu), Jan., 107

EXECUTIVE COMMITTEE

D. Thomas Marsh, Chairman
Dale F. Bohn, Vice Chairman
Taco van der Maten, Vice Chairman
Andrew G. Kireta, Jr., Chairman of the Finance and Audit Committee
Ronald J. Ebelhar, Past Chairman
Ralph M. Paroli, Past Chairman
Katharine E. Morgan, President

DIRECTORS

Ferdinando Aspesi
Dale F. Bohn
Lawrence Carbary
Cesar Constantino
Oliver S. Delery, Jr.
Ronald J. Ebelhar
John Fletcher
James Galipeau
Andrew G. Kireta, Jr.
Laurie E. Locascio
John Logar
Christina Lomasney
D. Thomas Marsh
Katharine E. Morgan
Deryck Omar
Ralph M. Paroli
Jun Sasaki
Irving S. Scher
Arman Shakkaliyev
James Simnick
Brent Stucker
James Tann
Vicky Taylor
Taco van der Maten
Jeff Weiss

COMMITTEE ON PUBLICATIONS

Dee Magnoni, Chairman
William J. Likos, Vice Chairman
D. Thomas Marsh, ex officio
K. Russell DePriest
Nikhil Gupta
Susan Jones
Julie Kilgore
Michael R. Mitchell
Richard W. Neu
Suzanne Pecore
Sudarsan Rachuri
George E. Totten
W. Jason Weiss

INFORMATION FOR AUTHORS

For details regarding paper submission go to <http://mc04.manuscriptcentral.com/astm-gtj>. The subject matter must not be of a speculative nature and the contents must not include materials of an advertising nature. The paper must not be seriously defective as to literary form and structure, continuity of thought, and clarity of expression. The substance of the paper should not have been published previously in the open literature.

Authors preparing papers for submittal should observe the conventions of style explained in the ASTM Style Manual. Since the journal does not request page charges, the author is expected to conform to these standard conventions for style and the inclusion of complete references and high-quality figures. SI units are to be used throughout; if data were not measured in SI units, a note should appear to that effect and the original units should be included in parentheses after the SI units.

IN APPRECIATION OF THE REVIEWERS

The high quality of the papers that appear in this publication is a tribute not only to the obvious efforts of the authors represented but to the unheralded, though essential, efforts of their reviewers. It is to the reviewers' dedication to upholding the high standards of their profession that this note pays tribute. On behalf of ASTM International and the authors as well, we acknowledge with appreciation their important contribution to the success of this journal.

AWARDS FOR PAPERS

Papers are eligible for the following ASTM International awards:

The C.A. Hogentogler Award — papers on soils for engineering purposes.

The Sanford E. Thompson Award — papers on concrete and concrete aggregates.

The Richard L. Templin Award — papers on new and useful testing procedures and apparatus.

The Geotechnical Testing Journal Award — papers on the practice of geotechnical testing.

PAST TECHNICAL EDITORS

Dr. Ernest T. Selig
(March 1978 to September 1985)

Dr. Vincent P. Drnevich
(December 1985 to December 1989)

Mr. Paul Knodel
(March 1990 to December 1992)

Dr. Howard J. Pincus
(March 1993 to December 1995)

Dr. Ronald C. Chaney and Dr. Kenneth R. Demars
(March 1996 to June 2002)

Dr. Thomas C. Sheahan
(July 2002 to December 2008)

Geotechnical Testing Journal (ISSN 0149-6115) is published in six issues per year by ASTM International. Some issues, in whole or in part, may be Special Issues focused on a topic of interest to our readers. The views expressed in this journal are not those of ASTM International. The data and opinions appearing in the published material were prepared by and are the responsibility of the contributors, not of ASTM International.

Copyright © 2017 ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media without the written consent of the publisher.

Subscriptions include two formats—online access only or online access plus printed volumes. Individual subscriptions: \$252.00 for 1 year online access and \$355.00 for 1 year online access plus printed volumes. Institutional subscriptions (one geographic site via IP access): \$473.00 for 1 year online access and \$673.00 for 1 year online access plus printed volumes. Single copies are \$55.00. For Multi-site subscription and pricing, please contact Sales or call 1-877-909-ASTM. To subscribe, please send prepaid order to ASTM International, Customer Service, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959 or visit www.astm.org.

Photocopy Rights: Authorization to photocopy items for internal, personal, or educational classroom use, or the internal, personal, or educational classroom use of specific clients, is granted by ASTM International provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; <http://www.copyright.com/>

1071 Stabilization of Clayey Soil with Garlic Skin and Rice Husk Ash for Flexible Pavement Construction

Mrityunjay Jaiswal and Bindhu Lal

1083 The Use of Carbonation Depth Techniques on Stabilized Peat

Alan R. Duggan, Jamie Goggins, Eoghan Clifford, and Bryan A. McCabe

1101 Transiently Loaded Bucket Foundations in Saturated Dense Sand - Demonstration of the Boot Effect

Søren Dam Nielsen, Lars Bo Ibsen, and Benjaminn Nordahl Nielsen

REVIEW PAPER

1115 An Experimental Setup with Radial Injection for Investigation of Transport and Deposition of Suspended Particles in Porous Media

Sadok Feia, Jean-Claude Dupla, Jean Canou, Siavash Ghabezloo, Jean Sulem, Baptiste Chabot, Eric Aubry, and Marc Mainguy

1125 Table of Contents to Volume 40

1129 Index to Volume 40

The *Geotechnical Testing Journal* is online.

TAKE ADVANTAGE OF THESE BENEFITS:

- Search Papers and Authors
- View Abstracts
- View Table of Contents
- Download Individual Papers
- IP access is available

For information, visit: www.astm.org