Journal of Testing and Evaluation Table of Contents, Volume 8 1980

N). J	,	J	an	ua	ry
---	------	---	---	----	----	----

A Hydrostatic Stress-Sensitive Relationship for Fatigue Under Biaxial Stress Conditions—D. F. MOWBRAY	3
The Development of a Closed-Loop, Servo-Hydraulic Test System for Direct Stress Monotonic and Cyclic Crack Propagation	
Studies Under Biaxial Loading—1. m. h. charvat and g. g. garrett	9
Computer-Controlled Stress Intensity Gradient Technique for High Rate Fatigue Crack Growth Testing—J. K. DONALD AND	
D. W. SCHMIDT	19
A Compact Specimen for Plane Strain Crack Arrest Toughness Testing—P. B. CROSLEY AND E. J. RIPLING	25
Long-Time Creep-Rupture Tests of Aluminum Alloys—w. c. leslie, j. w. jones, and h. r. voorhees	32
An Evaluation of the Effect of Low Temperatures on Mechanical Properties of a Commercial Steel to be Used in the	
Arctic—M. R. KRISHNADEV, R. GHOSH, L. R. CUTLER, J. R. PRINCE, AND P. GAUVIN	42
Infrared Techniques for the Evaluation of Silicon Carbide Heat-Exchanger Tubing—w. d. deininger and	
D. S. KUPPERMAN	48
No. 2, March	
Constant-Pressure Liquid Filtration: Mathematical Models for Fast Plugging of the Filter Medium—P. R. JOHNSTON AND	
D. L. BEALS	57
A Single Specimen Determination of J_{Ic} for Different Alloy Steels—HIDEAKI TAKAHASHI, M. A. KHAN, AND	0,
MASAHIKO SUZUKI	63
Effects of Stress Ratio on Fatigue Crack Growth Rates in X70 Pipeline Steel in Air and Saltwater—OLDRICH VOSIKOVSKY	68
Galvanic Corrosion of Piping and Fitting Alloys in Sulfide-Modified Seawater—H. P. HACK	74
Statistical Tolerance Limits for Censored Log-Normal Data—R. E. LITTLE	80
Development and Correlation of a Variable-Speed Friction Tester—J. K. WHITFIELD AND W. G. MULLEN	85
Letter to the Editor—M. A. LLOYD	91
No. 3, May	
Comparisons of Fracture Toughness Measurements by the Short Rod and ASTM Standard Method of Test for Plane-	
Strain Fracture Toughness of Metallic Materials (E 399-78)—L. M. BARKER AND F. I. BARATTA	97
Performance of Chevron-Notch Short Bar Specimen in Determining the Fracture Toughness of Silicon Nitride and	
Aluminium Oxide—d. munz, r. t. bubsey, and j. l. shannon, jr.	103
Effect of Clamping Pressure on the Fatigue Strength of Dimpled and Undimpled Loaded Holes—A. K. LOHSE AND	
JOHN SHEWCHUK	108
Evaluation of the Three-Component Model for Representing Wide-Range Fatigue Crack Growth Rate Data—	
ASHOK SAXENA AND S. J. HUDAK, JR.	113
Stress Relaxation in Bending of Copper Beryllium Alloy Strip—ALFRED FOX	119
Erosion and Cavity Characteristics in Rotating Components—P. VEERABHADRA RAO, B. C. SYAMALA RAO, AND	107
N. S. LAKSHMANA RAO	127
The Effect of Oxygen, Salt Concentration, and pH on Galvanic Cells Between a Carbon Filled Polyethylene Cathode and Various Metal Anodes—George schick	143
Various Metal Alloues—George Schiek	143
No. 4, July	
Impurity Variations in Electrolytic Cathode Copper—D. S. MEDRICK AND J. E. TEAGUE	157
Sampling of Electrorefined Copper Cathodes—w. m. tuddenham, a. d. dangerfield, and b. b. mcmillan	161
Strength Reduction in Thin Aluminum Alloy Sheets by Laser Irradiation—GRAHAM CLARK AND M. E. DE MORTON	166
Tensile Properties of A357-T6 Aluminum Castings—D. L. MCLELLAN	170

Coyright © 1980 by ASTM International

Effects of Temperature on the Behavior of Metals Under Erosion by Particulate Matter—NAHUM GAT AND	
WIDEN TABAKOFF	177
Application of Accelerated Weathering Test to Glass-Fiber Reinforced Polyester Sheets of Improved Surface Durability—	107
R. S. YAMASAKI AND A. BLAGA	187
Electromotive Force Stability of Nicrosil-Nisil®—T. P. WANG AND C. D. STARR	192 199
Generalized Application of Neuber's Rule—timm seeger and paul heuler	205
An Acceptance Plan for Feather and Down Products—william landes	203
No. 5, September	
Evaluation of the $J_{\rm Ic}$ Testing Procedure by Round Robin Tests on A533B Class 1 Pressure Vessel Steel—G. A. CLARKE	213
Results of an ASTM Cooperative Test Program on the $J_{\rm Ic}$ Determination of HY130 Steel—g. a. clarke, j. d. landes, and	
J. A. BEGLEY	221
Measuring J_{lc} and the Resistance to Crack Growth After Initiation—p. w. Early and s. j. burns	233
Error Analysis of Intrinsic Viscosity Measurements—BHARAT ASHAR AND L. R. TURCOTTE	235
The Shear Strain to Fracture Characteristics of a Titanium Alloy and an Ultrahigh Molecular Weight Polyethylene Under	
Complex Loading Conditions—R. J. GRIEVE AND R. LAWRENCE	239
Studies of Impurity Distribution in Electrolytically Refined Copper Cathodes—w. E. Publicover and P. W. Taubenblat The Interactions of Stabilized Scrubber Sludge and Fly Ash with the Marine Environment—f. J. ROETHEL, I. W. DUEDALL,	246
H. B. O'CONNORS, J. H. PARKER, AND P. M. J. WOODHEAD	250
Potential for Utilization of Solid Wastes from Sulfur Oxide Control Processes—c. H. Peterson	255
Utilization of Fluidized Bed Combustion Wastes—R. J. COLLINS	259
Sludge to Fertile Soil—Research Results—R. W. BRIGGS AND R. C. FREAS	265
No. 6, November	
A Hot Compression Testing Apparatus for the Study of Isothermal Forging—1-P. A. IMMARIGEON, A. Y. KANDEIL,	
WILLIAM WALLACE, AND M. C. DE MALHERBE	273
Development of a Chronic Toxicity Test Using Chironomus riparius and the Sublethal Effect of Trisodium	
Carboxymethyloxysuccinate—c. m. lee, j. f. fullard, and e. huntingdon	282
Room Temperature Capacitance and Dissipation Factor Measurement of Chip Capacitors—An Interlaboratory	
Evaluation—w. c. lo	288
Computer Data Acquisition Monitoring of the Stress Corrosion Cracking of Depleted Uranium Cantilever Beam	202
Specimens—J. A. JOYCE, D. F. HASSON, AND C. R. CROWE	293
Fatigue Life Prediction of Welded Components Based on Fracture Mechanics—M. H. EL HADDAD, T. H. TOPPER, AND I. F. C. SMITH	301
A Proposed Standard Round Compact Specimen for Plane Strain Fracture Toughness Testing—J. H. UNDERWOOD,	301
J. C. NEWMAN, JR., AND R. R. SEELEY	308
A Wide Range Stress Intensity Factor Expression for the C-Shaped Specimen—J. A. KAPP, J. C. NEWMAN, JR., AND	500
J. H. UNDERWOOD	314
Vibrations in Compact Specimens During Crack Arrest Testing—KLAUS RAHKA	318
Vibratory Horn Cavitation Erosion Comparisons—F. G. HAMMITT AND TSUNENORI OKADA	324

U.S. POSTAL SERVICE STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685)						
1. TITLE OF PUBLICATION	A, PUBLICATION NO.	2. DATE OF FILING				
Journal of Testing and Evaluation 3. FREQUENCY OF ISSUE	A. NO. OF ISSUES PUBLISH	7 3 16 September 1980				
Bimonthly 4. LOCATION OF KNOWN OFFICE OF PUBLICATION (Street, City, Co	6	\$18.00				
4. Location of known office of publication (Street, City, Co. 428 E. Preston St., Baltimore, MD 21202	junty, State and bir buse, in-	stere)				
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS O	FFICES OF THE PUBLISHERS (No	ot printere)				
1916 Race Street, Philadelphia, PA. 1910						
6. NAMES AND COMPLETE ADDRESSES OF PU PUBLISHER (Name and Address)	BLISHER, EDITOR, AND MANAGE	ING EDITOR				
American Society for Testing and Material: EDITOR (Name and Address) K.C. Lieb, ASTM, 1916 Race St., Philadelph		hiladelphia, PA 19103				
MANAGING EDITOR (Name and Address)	119/ 110					
7. OWNER (If owned by a corporation, its name and address must be sta holders owning or holding 1 percent or more of total amount of stock, owners must be given, If owned by a partnership or other unincorpora giving. If the publication is published by a nonprofit organization, its n	If not owned hy a corporation, the r sted firm, its name and address, as wel name and address must be stated.)	names and addresses of the individual ill as that of each individual must be				
NAME	ADC	DRESS				
American Society for Testing & Materials	1016 Page Street	D1:17-3-1-1-1- DN 10102				
Allier I Can Society for 163-1113 a saven	1916 Race Street	Philadelphia, PA 19103				
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURI	R OTHER SECURITIES (If there are	none, so state)				
NAME	ADD	DRESS				
NONE						
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZ The purpose, function, and nonprofit status of this organization and the X PRECEDING 12 MONTHS PRECEDING 12 MONTHS	e axempt status for Federal income ta RING (If changed, publisher n					
10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE				
A, TOTAL NO. COPIES PRINTED (Net Press Run) B. PAID CIRCULATION	2,761	2,694				
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0				
2. MAIL SUBSCRIPTIONS	1,973	2,005				
C. TOTAL PAID CIRCULATION (Sum of 1031 and 1082)	1,973	2,005				
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	14	15				
E. TOTAL DISTRIBUTION (Sum of C and D) F. COPIES NOT DISTRIBUTED	1,987	2,020				
1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	774	674				
2. RETURNS FROM NEWS AGENTS	0	0				
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	2,761	2,694				
above are correct and complete. R.L						
12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULA	RATES (Section 132.121, Postal S.	ervice Manual)				
39 U. S. C. 3826 provides in pertinent part: "No person who would is shall mail such matter at the rates provided under this subsection unless it to mail matter at such rates,"	have been entitled to mell matter und he files annually with the Postal Servi	der former section 4389 of this title rice a written requast for permission				
39 U. S. C. 3826 provides in pertinent part: "No person who would the shall mail such matter at the rates provided under this subsection unless to mail matter at such rates." In accordance with the provisions of this statute, I hereby request per rates presently authorized by 39 U. S. C. 3626.	have been entitled to mell metter und he files annually with the Postel Servi	der former section 4389 of this title rice a written requast for permission				
shall mail such matter at the rates provided under this subsection unless to mail matter at such rates." In accordance with the provisions of this statute, I hereby request per	have been entitled to mell metter und he files annually with the Postel Servi	der former section 4389 of this title rice a written request for permission				

PS Form Aug. 1978 3526 (Page 1)

(See instructions on reverse)