

Journal of Testing and Evaluation

Index to Volume 2

1974

Number	Month of Issue	Pages
1	January	1-64
2	March	65-128
3	May	129-212
4	July	213-320
5	September	321-432
6	November	433-560

A

Accelerated tests, effects of composition and fineness of cement in accelerated testing of concrete (Al-Rawi), March, 102

Acoustics

acoustical emission-damping fatigue study of a 17-4 PH steel (Willertz and Hunter), May, 190

acoustic emission response of dry soils (Lord and Koerner), May, 159

Aggregates

effect of cement properties and the thermal compatibility of aggregates on the strength of accelerated cured concrete (Orchard, Jones, and Al-Rawi), March, 95

waste glass as coarse aggregate for concrete (Johnston), Sept., 344

Ajaz, A. and Parry, R. H. G.: Unconfined direct tension test for compacted clays, May, 163

Alloy steels, liquid metal embrittlement of 4145 steel by lead-tin and lead-antimony alloys (Breyer and Johnson), Nov., 471

Al-Rawi, R. S.

Effects of composition and fineness of cement in accelerated testing of concrete, March, 102

see Orchard, D. F., Jones, R., and Al-Rawi, R. S.

Andrejasik, H.: see Kass, J. N., Begley, J. A., and Andrejasik, H.

Asphalts, glass transition of asphalts under pressure (Schweyer), Jan., 50

B

Babitz, Menachem and Rucker, Arye: Determination of trace amounts of sediment in gas-oil, Jan., 14

Begley, J. A.: see Kass, J. N., Begley, J. A., and Andrejasik, H.

Blankenhorn, P. R.: see Whiting, D. A., Blankenhorn, P. R., and Kline, D. E.

Breyer, N. N. and Johnson, K. L.: Liquid metal embrittlement of 4145 steel by lead-tin and lead-antimony alloys, Nov., 471

Brinkman, C. R. and Korth, G. E.: Strain fatigue and tensile behavior of Inconel® 718 from room temperature to 650°C, July, 249

Britton, S. C., Ledbetter, W. B., and Gallaway, B. M.: Estimation of skid numbers from surface texture parameters in the rational design of standard reference pavements for test equipment calibration, March, 73

Brown, W. F., Jr.: see Jones, M. H., Bubsey, R. T., Succop, G., and Brown, W. F., Jr.

Bubsey, R. T.: see Jones, M. H., Bubsey, R. T., Succop, G., and Brown, W. F., Jr.

Bush, S. H.: Structural materials for nuclear power plants, Nov., 435

C

Cantilever beams, critical assessment of the cantilever beam method for the determination of dynamic Young's modulus (Rosinger and Ritchie), May, 131

Cements

effect of cement properties and the thermal compatibility of aggregates on the strength of accelerated cured concrete (Orchard, Jones, and Al-Rawi), March, 95

effects of composition and fineness of cement in accelerated testing of concrete (Al-Rawi), March, 102

investigation of the fluid characteristics of cement grouts (Huang), Nov., 516

new test for sulfate resistance of cements (Mehta and GjØrv), Nov., 510

study of cement and concrete correlation (Weaver, Isabelle, and Williamson), July, 260

Centrifuges, modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants (Pace), March, 71

Ceramics

application of the single-edge notched beam to fracture toughness testing of ceramics (Simpson, Hsu, and Merrett), Nov., 503

contact angle of zinc on some ceramic materials and metals (Kelley and Harris), Jan., 40

Chemical attack, new test for sulfate resistance of cements (Mehta and GjØrv), Nov., 510

Clays

apparatus for two-dimensional measurement of the shrinkage resistance of soils (Uzan), Nov., 489

unconfined direct tension test for compacted clays (Ajaz and Parry), May, 163

Cleaning, contamination control in the production of high-purity chemicals (Zief and Horvath), March, 113

Coatings

fatigue of nickel-plated copper (McKinnon and Sandor), July, 243

sources and magnitude of errors in the measurement of coating thickness with the double-beam interference microscope (Saur), March, 87

Collins, D. G.: see Goldenberg, K. and Collins, D. G.

Columbium alloys, short-time creep of columbium and tantalum alloys at 2600 to 3200°F (Perkins and Wright), Sept., 337

Composite materials, comparison of static and dynamic mechanical properties of some epoxy-matrix composites (Jenness and Kline), Nov., 483

Compressive properties, decreasing the fatigue strength reduction factor by dimpling (Shewchuk), Sept., 425

Compressive strength, study of cement and concrete correlation (Weaver, Isabelle, and Williamson), July, 260

Computers

computer-aided interpretation of stress-strain curves (Goodman, Jorgensen, and Wonsiewicz), Sept., 361

computer optimization of hydraulic system pressure for development and qualification testing (Goldenberg and Collins), July, 229

Concretes

effect of cement properties and the thermal compatibility of aggregates on the strength of accelerated cured concrete (Orchard, Jones, and Al-Rawi), March, 95

effects of composition and fineness of cement in accelerated testing of concrete (Al-Rawi), March, 102

mechanical properties of epoxy impregnated concrete (Whiting, Blankenhorn, and Kline), Jan., 44

study of cement and concrete correlation (Weaver, Isabelle, and Williamson), July, 260

waste glass as coarse aggregate for concrete (Johnston), Sept., 344

Conductivity, stress-relaxation characteristics in tension of high-strength, high-conductivity copper and high copper alloy wires (Fox), Jan., 32

Construction materials, laser-heating-induced failure of metal alloys under constant stress (McLellan), Nov., 463

Contaminants, contamination control in the production of high-purity chemicals (Zief and Horvath), March, 113

Convection, heat transmission in cellulosic fiber insulation materials (Tye), May, 176

Copper

fatigue behavior of copper with intermediate surface layer removal (Nakano and Sandor), Jan., 16

fatigue of nickel-plated copper (McKinnon and Sandor), July, 243

high cycle fatigue crack propagation rates in copper (Nakano and Sandor), May, 196

stress-relaxation characteristics in tension of high-strength, high-conductivity copper and high copper alloy wires (Fox), Jan., 32

Corrosion

contribution of materials technology to power generation (Gemmell), Jan., 3

design and analysis of corrosion experiments for testing materials exposed to gamma radiation (Makepeace), May, 202

Corrosion fatigue, temperature influence on corrosion fatigue behavior of 5Ni-Cr-Mo-V steel (Ryder and Gallagher), May, 180

Cracking (fracturing), fracture of rocket grain models subjected to cooldown: a study of temperature-initiated fractures of two-dimensional rocket grain models (Francis, Deverall, and Zitzer), Sept., 354

Crack propagation

dependence of fatigue notch factor on plasticity and duration of crack growth (Gowda, Leis, and Smith), Jan., 57

high cycle fatigue crack propagation rates in copper (Nakano and Sandor), May, 196

test procedure for determining the influence of stress ratio on fatigue crack growth (FitzGerald and Wei), March, 67

Cracks, crack initiation and growth in plane strain, fully plastic Zircaloy® (Kass, Begley, and Andrejasik), July, 304

Creep properties, short-time creep of columbium and tantalum alloys at 2600 to 3200°F (Perkins and Wright), Sept., 337

Creep strength, contribution of materials technology to power generation (Gemmell), Jan., 3

D

Damping

acoustical emission-damping fatigue study of a 17-4 PH steel (Willert and Hunter), May, 190

dynamic response of metals in evaluating stress corrosion cracking (Hochrein and Thiruvengadam), Sept., 370

magnetomechanical damping properties of AISI 403 stainless steel with applied static torsional and axial stresses (Willert), Nov., 478

Deformation, distinction between coaxial and noncoaxial strains in sheet metal and its implications on the assessment of material formability (Hsü), Nov., 541

Design criteria, soil-stress gage design and evaluation (Triandafilidis), May, 146

Deverall, L. I.: *see* Francis, E. C., Deverall, L. I., and Zitzer, H. J., Jr.

Dimpling, decreasing the fatigue strength reduction factor by dimpling (Shewchuk), Sept., 425

Ductility

distinction between coaxial and non-coaxial strains in sheet metal and its implications on the assessment of material formability (Hsü), Nov., 541

effect of hydrogen on iron-nickel-cobalt sealing alloys (Thompson and Posey), July, 240

E

Earth dams, unconfined direct tension test for compacted clays (Ajaz and Parry), May, 163

Elastomers, present status of ASTM tracking test methods (Mitchell), Jan., 23

Electrical insulation, present status of ASTM tracking test methods (Mitchell), Jan., 23

Electric power generation, contribution of materials technology to power generation (Gemmell), Jan., 3

Electropolishing, fatigue behavior of copper with intermediate surface layer removal (Nakano and Sandor), Jan., 16

Embrittlement, liquid metal embrittlement of 4145 steel by lead-tin and lead-antimony alloys (Breyer and Johnson), Nov., 471

Emission

acoustical emission-damping fatigue study of a 17-4 PH steel (Willert and Hunter), May, 190

acoustic emission response of dry soils (Lord and Koerner), May, 159

Epoxy resins, mechanical properties of epoxy impregnated concrete (Whiting, Blankenhorn, and Kline), Jan., 44

Ericksen, R. H.: *see* Swearingen, J. C. and Ericksen, R. H.

Evans, R. E.: Calculation of gas transmission rates measured by manometric methods, Nov., 529

Experimentations, note on selecting the better material in a paired comparison test program (Little), July, 235

F

Fabric analysis, spectrophotometric technique for the fabric analysis of monomineralic kaolinitic soils (Sheeran and Krizek), Sept., 323

Failure, fracture of rocket grain models subjected to cooldown: a study of temperature-initiated fractures of two-dimensional rocket grain models (Francis, Deverall, and Zitzer), Sept., 354

Fatigue (materials)

acoustical emission-damping fatigue study of a 17-4 PH steel (Willert and Hunter), May, 190

decreasing the fatigue strength reduction factor by dimpling (Shewchuk), Sept., 425

dependence of fatigue notch factor on plasticity and duration of crack growth (Gowda, Leis, and Smith), Jan., 57

fatigue behavior of copper with intermediate surface layer removal (Nakano and Sandor), Jan., 16

fatigue of nickel-plated copper (McKinnon and Sandor), July, 243

high cycle fatigue crack propagation rates in copper (Nakano and Sandor), May, 196

strain fatigue and tensile behavior of Inconel® 718 from room temperature to 650°C (Brinkman and Korth), July, 249

test procedure for determining the influence of stress ratio on fatigue crack growth (FitzGerald and Wei), March, 67

Ferritic stainless steels

high-temperature properties of a high-purity ferritic stainless steel (Kies and Schwartz), March, 118

influence of interstitial content on the ductile-brittle transition temperature of Fe-25Cr ferritic stainless steels (Plumtree and Gullberg), Sept., 331

Fiber composites, some mechanical properties of sintered fiber metal composites (Rostoker, Galante, and Shen), March, 107

Fibers, strain measurement techniques for fiber modulus determination (Moore and Lepper), May, 173

Filaments, strain gage method for determining the mechanical properties of filaments (Swearingen and Ericksen), Nov., 547

Fischer, J. A.: *see* Salomone, L. A., Fischer, J. A., and Watson, Ian

FitzGerald, J. H. and Wei, R. P.: Test procedure for determining the influence of stress ratio on fatigue crack growth, March, 67

Fox, A.: Stress-relaxation characteristics in tension of high-strength, high-conductivity copper and high copper alloy wires, Jan., 32

Fracture mechanics, test procedure for determining the influence of stress ratio on fatigue crack growth (FitzGerald and Wei), March, 67

Fractures (materials), application of the single-edge notched beam to fracture toughness testing of ceramics (Simpson, Hsu, and Merrett), Nov., 503

Fracture strength

application of the single-edge notched beam to fracture toughness testing of ceramics (Simpson, Hsu, and Merrett), Nov., 503

axial alignment fixtures for tension tests of threaded specimens (Jones, Bubbsey, Succop, and Brown), Sept., 378

contribution of materials technology to power generation (Gemmell), Jan., 3

crack initiation and growth in plane strain, fully plastic Zircaloy® (Kass, Begley, and Andrejasik), July, 304

Francis, E. C., Deverall, L. I., and Zitzer, H. J., Jr.: Fracture of rocket grain models subjected to cooldown: a study of temperature-initiated fractures of

two-dimensional rocket grain models, Sept., 354

G

- Galante, J. O.: *see* Rostoker, W., Galante, J. O., and Shen, G.
 Gallagher, J. P.: *see* Ryder, J. T. and Gallagher, J. P.
 Gallaway, B. M.: *see* Britton, S. C., Ledbetter, W. B., and Gallaway, B. M.
 Gamma rays, design and analysis of corrosion experiments for testing materials exposed to gamma radiation (Makepeace), May, 202
 Gases, calculation of gas transmission rates measured by manometric methods (Evans), Nov., 529
 Gemmill, M. G.: Contribution of materials technology to power generation, Jan., 3
 Gillett memorial lecture—1973, contribution of materials technology to power generation (Gemmill), Jan., 3
 Gillett memorial lecture—1974, structural materials for nuclear power plants (Bush), Nov., 435
 Gjörv, O. E.: *see* Mehta, P. K. and Gjörv, O. E.
 Glass, waste glass as coarse aggregate for concrete (Johnston), Sept., 344
 Glass transition temperature, glass transition of asphalts under pressure (Schweyer), Jan., 50
 Goldenberg, K. and Collins, D. G.: Computer optimization of hydraulic system pressure for development and qualification testing, July, 229
 Goldhoff, R. M.: Towards the standardization of time-temperature parameter usage in elevated temperature data analysis, Sept., 387
 Goodman, M. L., Jorgensen, G. L., and Wonsiewicz, B. C.: Computer-aided interpretation of stress-strain curves, Sept., 361
 Gowda, C. V. B., Leis, B. N., and Smith, K. N.: Dependence of fatigue notch factor on plasticity and duration of crack growth, Jan., 57
 Grout, investigation of the fluid characteristics of cement grouts (Huang), Nov., 516
 Gullberg, R.: *see* Plumtree, A. and Gullberg, R.

H

- Harris, H. M.: *see* Kelley, J. E. and Harris, H. M.
 Heat resistant alloys, high-temperature properties of a high-purity ferritic stainless steel (Kies and Schwartz), March, 118
 High temperature tests
 high-temperature properties of a high-purity ferritic stainless steel (Kies and Schwartz), March, 118
 liquid metal embrittlement of 4145 steel by lead-tin and lead-antimony alloys (Breyer and Johnson), Nov., 471
 short-time creep of columbium and tantalum alloys at 2600 to 3200°F (Perkins and Wright), Sept., 337

towards the standardization of time-temperature parameter usage in elevated temperature data analysis (Goldhoff), Sept., 387

- Hochrein, A. A., Jr. and Thiruvengadam, A.: Dynamic response of metals in evaluating stress corrosion cracking, Sept., 370
 Horvath, Joseph, Jr.: *see* Zief, Morris and Horvath, Joseph, Jr.
 Hsü, T. C.: Distinction between coaxial and noncoaxial strains in sheet metal and its implications on the assessment of material formability, Nov., 541
 Hsu, T. R.: *see* Simpson, L. A., Hsu, T. R., and Merrett, G.
 Huang, W. H.: Investigation of the fluid characteristics of cement grouts, Nov., 516
 Hummel, P. L. and Krizek, R. J.: Sampling of maintenance dredgings, May, 139
 Hunter, D. O.: *see* Willertz, L. E. and Hunter, D. O.
 Hydraulic servomechanisms, computer optimization of hydraulic system pressure for development and qualification testing (Goldenberg and Collins), July, 229
 Hydrogen embrittlement, effect of hydrogen on iron-nickel-cobalt sealing alloys (Thompson and Posey), July, 240
 Hydrolysis, modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants (Pace), March, 71

I

- Insulation, heat transmission in cellulosic fiber insulation materials (Tye), May, 176
 Interferometers, sources and magnitude of errors in the measurement of coating thickness with the double-beam interference microscope (Saur), March, 87
 Internal friction, dynamic response of metals in evaluating stress corrosion cracking (Hochrein and Thiruvengadam), Sept., 370
 Interstitials, influence of interstitial content on the ductile-brittle transition temperature of Fe-25Cr ferritic stainless steels (Plumtree and Gullberg), Sept., 331
 Iron alloys, effect of hydrogen on iron-nickel-cobalt sealing alloys (Thompson and Posey), July, 240
 Isabelle, H. L.: *see* Weaver, W. S., Isabelle, H. L., and Williamson, F.

J

- Jenness, J. R., Jr. and Kline, D. E.: Comparison of static and dynamic mechanical properties of some epoxy-matrix composites, Nov., 483
 Johnson, K. L.: *see* Breyer, N. N. and Johnson, K. L.
 Johnston, C. D.: Waste glass as coarse aggregate for concrete, Sept., 344
 Jones, M. H., Bubsey, R. T., Succop, G., and Brown, W. F., Jr.: Axial alignment fixtures for tension tests of threaded specimens, Sept., 378

Jones, R.: *see* Orchard, D. F., Jones, R., and Al-Rawi, R. S.
 Jorgensen, G. L.: *see* Goodman, M. L., Jorgensen, G. L., and Wonsiewicz, B. C.

K

- Kass, J. N., Begley, J. A., and Andrejasik, H.: Crack initiation and growth in plane strain, fully plastic Zircaloy®, July, 304
 Kelley, J. E. and Harris, H. M.: Contact angle of zinc on some ceramic materials and metals, Jan., 40
 Kies, F. K. and Schwartz, C. D.: High-temperature properties of a high-purity ferritic stainless steel, March, 118
 Kinematic viscosity, computational aids for kinematic viscosity conversions from 100 and 210°F to 40 and 100°C (Manning), Nov., 522
 Kline, D. E.
see Jenness, J. R., Jr. and Kline, D. E.
see Whiting, D. A., Blankenhorn, P. R., and Kline, D. E.
 Koerner, R. M.: *see* Lord, A. E., Jr. and Koerner, R. M.
 Korth, G. E.: *see* Brinkman, C. R. and Korth, G. E.
 Krizek, R. J.
see Hummel, P. L. and Krizek, R. J.
see Sheeran, D. E. and Krizek, R. J.

L

- Lagowski, B.: New reference radiographs for magnesium alloy castings, July, 221
 Lasers, laser-heating-induced failure of metal alloys under constant stress (McLellan), Nov., 463
 Ledbetter, W. B.: *see* Britton, S. C., Ledbetter, W. B., and Gallaway, B. M.
 Leis, B. N.: *see* Gowda, C. V. B., Leis, B. N., and Smith, K. N.
 Lepper, J. K.: *see* Moore, R. L. and Lepper, J. K.
 Life tests
 life testing of nickel-chromium alloys (Starr), July, 215
 tables for making an early decision in precedence tests (Little), March, 84
 Little, R. E.
 Note on selecting the better material in a paired comparison test program, July, 235
 Tables for making an early decision in precedence tests, March, 84
 Lord, A. E., Jr. and Koerner, R. M.: Acoustic emission response of dry soils, May, 159
 Lubricants, modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants (Pace), March, 71

M

- Magnesium castings, new reference radiographs for magnesium alloy castings (Lagowski), July, 221
 Makepeace, C. E.: Design and analysis of corrosion experiments for testing materials exposed to gamma radiation, May, 202
 Manning, R. E.: Computational aids for kinematic viscosity conversions from

- 100 and 210°F to 40 and 100°C, Nov., 522
- Manometers, calculation of gas transmission rates measured by manometric methods (Evans), Nov., 529
- Maurin, J. K.: *see* Rack, H. J. and Maurin, J. K.
- McKinnon, E. A. and Sandor, B. I.: Fatigue of nickel-plated copper, July, 243
- McLellan, D. L.: Laser-heating-induced failure of metal alloys under constant stress, Nov., 463
- Mechanical properties
- comparison of static and dynamic mechanical properties of some epoxy-matrix composites (Jenness and Kline), Nov., 483
 - magnetomechanical damping properties of AISI 403 stainless steel with applied static torsional and axial stresses (Willert), Nov., 478
 - mechanical properties of cast tin-lead solder (Rack and Maurin), Sept., 351
 - mechanical properties of epoxy impregnated concrete (Whiting, Blankenhorn, and Kline), Jan., 44
 - strain fatigue and tensile behavior of Inconel® 718 from room temperature to 650°C (Brinkman and Korth), July, 249
 - strain gage method for determining the mechanical properties of filaments (Swearengen and Ericksen), Nov., 547
- Mechanical tests, computer-aided interpretation of stress-strain curves (Goodman, Jorgensen, and Wonsiewicz), Sept., 361
- Mehta, P. K. and Gjorv, O. E.: New test for sulfate resistance of cements, Nov., 510
- Merrett, G.: *see* Simpson, L. A., Hsu, T. R., and Merrett, G.
- Metal cutting, evaluation of large strains in industrial applications (Wolak and Parks), Nov., 533
- Microscopy, sources and magnitude of errors in the measurement of coating thickness with the double-beam interference microscope (Saur), March, 87
- Mitchell, G. R.: Present status of ASTM tracking test methods, Jan., 23
- Model tests, fracture of rocket grain models subjected to cooldown: a study of temperature-initiated fractures of two-dimensional rocket grain models (Francis, Deverall, and Zitzer), Sept., 354
- Modulus of elasticity
- critical assessment of the cantilever beam method for the determination of dynamic Young's modulus (Rosinger and Ritchie), May, 131
 - some mechanical properties of sintered fiber metal composites (Rostoker, Galante, and Shen), March, 107
- Moisture content, determination of trace amounts of sediment in gas-oil (Babitz and Rucker), Jan., 14
- Moore, R. L. and Lepper, J. K.: Strain measurement techniques for fiber modulus determination, May, 173
- Motor vehicle accidents, estimation of skid numbers from surface texture parameters in the rational design of standard calibration (Britton, Ledbetter, and Gallaway), March, 73
- N
- Nakano, Yoshifumi and Sandor, B. I.
- Fatigue behavior of copper with intermediate surface layer removal, Jan., 16
 - High cycle fatigue crack propagation rates in copper, May, 196
- Neutron flux, structural materials for nuclear power plants (Bush), Nov., 435
- Nickel alloys, strain fatigue and tensile behavior of Inconel® 718 from room temperature to 650°C (Brinkman and Korth), July, 249
- Nickel-chromium alloys, life testing of nickel-chromium alloys (Starr), July, 215
- Nondestructive tests
- comparison of static and dynamic mechanical properties of some epoxy-matrix composites (Jenness and Kline), Nov., 483
 - new reference radiographs for magnesium alloy castings (Lagowski), July, 221
- Nuclear power plants, structural materials for nuclear power plants (Bush), Nov., 435
- Nuclear reactor materials, design and analysis of corrosion experiments for testing materials exposed to gamma radiation (Makepeace), May, 202
- O
- Orchard, D. F., Jones, R., and Al-Rawi, R. S.: Effect of cement properties and the thermal compatibility of aggregates on the strength of accelerated cured concrete, March, 95
- P
- Pace, J. A.: Modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants, March, 71
- Paired comparisons, note on selecting the better material in a paired comparison test program (Little), July, 235
- Parks, V. J.: *see* Wolak, J. and Parks, V. J.
- Parry, R. H. G.: *see* Ajaz, A. and Parry, R. H. G.
- Pavements, estimation of skid numbers from surface texture parameters in the rational design of standard reference pavements for test equipment calibration (Britton, Ledbetter, and Gallaway), March, 73
- Perkins, R. A. and Wright, E. S.: Short-time creep of columbium and tantalum alloys at 2600 to 3200°F, Sept., 337
- Petroleum products
- computational aids for kinematic viscosity conversions from 100 and 210°F to 40 and 100°C (Manning), Nov., 522
 - determination of trace amounts of sediment in gas-oil (Babitz and Rucker),
- Plastic properties, evaluation of large strains in industrial applications (Wolak and Parks), Nov., 533
- Plumtree, A. and Gullberg, R.: Influence of interstitial content on the ductile-brittle transition temperature of Fe-25Cr ferritic stainless steels, Sept., 331
- Posey, W. N.: *see* Thompson, A. W. and Posey, W. N.
- Probability theory, tables for making an early decision in precedence tests (Little), March, 84
- Prosthetic devices, some mechanical properties of sintered fiber metal composites (Rostoker, Galante, and Shen), March, 107
- R
- Rack, H. J. and Maurin, J. K.: Mechanical properties of cast tin-lead solder, Sept., 351
- Radiography, new reference radiographs for magnesium alloy castings (Lagowski), July, 221
- Refrigerants, experimental determinations of the thermal conductivity of fluids by coaxial-cylinder apparatus (Tsvetkov), July, 226
- Resistance, life testing of nickel-chromium alloys (Starr), July, 215
- Resonant frequency, critical assessment of the cantilever beam method for the determination of dynamic Young's modulus (Rosinger and Ritchie), May, 131
- Ritchie, I. G.: *see* Rosinger, H. E. and Ritchie, I. G.
- Rocker, Arye: *see* Babitz, Menachem and Rocker, Arye
- Rosinger, H. E. and Ritchie, I. G.: Critical assessment of the cantilever beam method for the determination of dynamic Young's modulus, May, 131
- Rostoker, W., Galante, J. O., and Shen, G.: Some mechanical properties of sintered fiber metal composites, March, 107
- Ryder, J. T. and Gallagher, J. P.: Temperature influence on corrosion fatigue behavior of 5Ni-Cr-Mo-V steel, May, 180
- S
- Salomone, L. A., Fischer, J. A., and Watson, Ian: Procedures used to evaluate the thermal properties of soils adjacent to buried extra high voltage transmission lines, Nov., 496
- Salt water, temperature influence on corrosion fatigue behavior of 5Ni-Cr-Mo-V steels (Ryder and Gallagher), May, 180
- Sampling, sampling of maintenance dredgings (Hummel and Krizek), May, 139
- Sandor, B. I.
- see* McKinnon, E. A. and Sandor, B. I.
 - see* Nakano, Yoshifumi and Sandor, B. I.
- Saur, R. L.: Sources and magnitude of errors in the measurement of coating thickness with the double-beam interference microscope, March, 87
- Schwartz, C. D.: *see* Kies, F. K. and

- Schweyer, H. E.: Glass transition of asphalts under pressure, Jan., 50
- Sediments
determination of trace amounts of sediment in gas-oil (Babitz and Rocker), Jan., 14
sampling of maintenance dredgings (Hummel and Krizek), May, 139
- Sheeran, D. E. and Krizek, R. J.: Spectrophotometric technique for the fabric analysis of monomineralic kaolinitic soils, Sept., 323
- Shen, G.: *see* Rostoker, W., Galante, J. O., and Shen, G.
- Shewchuk, J.: Decreasing the fatigue strength reduction factor by dimpling, Sept., 425
- Shrinkage, apparatus for two-dimensional measurement of the shrinkage resistance of soils (Uzan), Nov., 489
- Simpson, L. A., Hsu, T. R., and Merrett, G.: Application of the single-edge notched beam to fracture toughness testing of ceramics, Nov., 503
- Skid resistance, estimation of skid numbers from surface texture parameters in the rational design of standard reference pavements for test equipment calibration (Britton, Ledbetter, and Gallaway), March, 73
- Slurries, sampling of maintenance dredgings (Hummel and Krizek), May, 139
- Smith, K. N.: *see* Gowda, C. V. B., Leis, B. N., and Smith, K. N.
- Soils
acoustic emission response of dry soils (Lord and Koerner), May, 159
procedures used to evaluate the thermal properties of soils adjacent to buried extra high voltage transmission lines (Salomone, Fischer, and Watson), Nov., 496
soil-stress gage design and evaluation (Triandafilidis), May, 146
spectrophotometric technique for the fabric analysis of monomineralic kaolinitic soils (Sheeran and Krizek), Sept., 323
- Soil-stress gages, soil-stress gage design and evaluation (Triandafilidis), May, 146
- Solders, mechanical properties of cast tin-lead solder (Rack and Maurin), Sept., 351
- Spectroscopy, spectrophotometric technique for the fabric analysis of monomineralic kaolinitic soils (Sheeran and Krizek), Sept., 323
- Stainless steels
magnetomechanical damping properties of AISI 403 stainless steel with applied static torsional and axial stresses (Willert), Nov., 478
structural materials for nuclear power plants (Bush), Nov., 435
- Standardization, towards the standardization of time-temperature parameter usage in elevated temperature data analysis (Goldhoff), Sept., 387
- Starr, C. D.: Life testing of nickel-chromium alloys, July, 215
- Static tests, computer optimization of hydraulic system pressure for development and qualification testing (Goldenberg and Collins), July, 229
- Statistical analysis
note on selecting the better material in a paired comparison test program (Little), July, 235
tables for making an early decision in precedence tests (Little), March, 84
- Steady state, experimental determinations of the thermal conductivity of fluids by coaxial-cylinder apparatus (Tsvetkov), July, 226
- Steels, temperature influence on corrosion fatigue behavior of 5Ni-Cr-Mo-V steel (Ryder and Gallagher), May, 180
- Strain gages, strain gage method for determining the mechanical properties of filaments (Swearengen and Ericksen), Nov., 547
- Strain measurement, strain measurement techniques for fiber modulus determination (Moore and Lepper), May, 173
- Strains
dependence of fatigue notch factor on plasticity and duration of crack growth (Gowda, Leis, and Smith), Jan., 57
distinction between coaxial and noncoaxial strains in sheet metal and its implications on the assessment of materials formability (Hsü), Nov., 541
evaluation of large strains in industrial applications (Wolak and Parks), Nov., 533
- Stress corrosion, dynamic response of metals in evaluating stress corrosion cracking (Hochrein and Thiruvengadam), Sept., 370
- Stresses
dependence of fatigue notch factor on plasticity and duration of crack growth (Gowda, Leis, and Smith), Jan., 57
laser-heating-induced failure of metal alloys under constant stress (McLellan), Nov., 463
- Stress relaxation, stress-relaxation characteristics in tension of high-strength, high-conductivity and high copper alloy wires (Fox), Jan., 32
- Stress strain diagrams, computer-aided interpretation of stress-strain curves (Goodman, Jorgensen, and Wonsiewicz), Sept., 361
- Succop, G.: *see* Jones, M. H., Bubsey, R. T., Succop, G., and Brown, W. F., Jr.
- Sulfates, new test for sulfate resistance of cements (Mehta and GjØrv), Nov., 510
- Swearengen, J. C. and Ericksen, R. H.: Strain gage method for determining the mechanical properties of filaments, Nov., 547
- strain fatigue and tensile behavior of Inconel® 718 from room temperature to 650°C (Brinkman and Korth), July, 249
strain measurement techniques for fiber modulus determination (Moore and Lepper), May, 173
- Tensile stress, apparatus for two-dimensional measurement of the shrinkage resistance of soils (Uzan), Nov., 489
- Tension tests
axial alignment fixtures for tension tests of threaded specimens (Jones, Bubsey, Succop, and Brown), Sept., 378
unconfined direct tension test for compacted clays (Ajaz and Parry), May, 163
- Thermal conductivity
experimental determinations of the thermal conductivity of fluids by coaxial-cylinder apparatus (Tsvetkov), July, 226
heat transmission in cellulosic fiber insulation materials (Tye), May, 176
procedures used to evaluate the thermal properties of soils adjacent to buried extra high voltage transmission lines (Salomone, Fischer, and Watson), Nov., 496
- Thermal expansion, effect of cement properties and the thermal compatibility of aggregates on the strength of accelerated cured concrete (Orchard, Jones, and Al-Rawi), March, 95
- Thiruvengadam, A.: *see* Hochrein, A. A., Jr. and Thiruvengadam, A.
- Thompson, A. W. and Posey, W. N.: Effect of hydrogen on iron-nickel-cobalt sealing alloys, July, 240
- Time-temperature parameters, towards the standardization of time-temperature parameter usage in elevated temperature data analysis (Goldhoff), Sept., 387
- Tin alloys, mechanical properties of cast tin-lead solder (Rack and Maurin), Sept., 351
- Toughness, axial alignment fixtures for tension tests of threaded specimens (Jones, Bubsey, Succop, and Brown), Sept., 378
- Trace elements, contamination control in the production of high-purity chemicals (Zief and Horvath), March, 113
- Tracking tests, present status of ASTM tracking test methods (Mitchell), Jan., 23
- Transmission, calculation of gas transmission rates measured by manometric methods (Evans), Nov., 529
- Transmission lines, procedures used to evaluate the thermal properties of soils adjacent to buried extra high voltage transmission lines (Salomone, Fischer, and Watson), Nov., 496
- Triandafilidis, G. E.: Soil-stress gage design and evaluation, May, 146
- Tsvetkov, O. B.: Experimental determinations of the thermal conductivity of fluids by coaxial-cylinder apparatus, July, 226
- Tye, R. P.: Heat transmission in cellulosic fiber insulation materials, May, 176

T

U

- Uzan, J.: Apparatus for two-dimensional measurement of the shrinkage resistance of soils, Nov., 489

V

- Viscosity
 glass transition of asphalts under pressure (Schweyer), Jan., 50
 investigation of the fluid characteristics of cement grouts (Huang), Nov., 516
 Viscosity index, computational aids for kinematic viscosity conversions from 100 and 210°F to 40 and 100°C (Manning), Nov., 522

W

- Watson, Ian: *see* Salomone, L. A., Fischer, J. A., and Watson, Ian

- Weaver, W. S., Isabelle, H. L., and Williamson, F.: Study of cement and concrete correlation, July, 260

- Wei, R. P.: *see* FitzGerald, J. H. and Wei, R. P.

- Wetting, contact angle of zinc on some ceramic materials and metals (Kelley and Harris), Jan., 40

- Whiting, D. A., Blankenhorn, P. R., and Kline, D. E.: Mechanical properties of epoxy impregnated concrete, Jan., 44

- Willert, L. E.

- and Hunter, D. O.: Acoustical emission damping fatigue study of a 17-4 PH steel, May, 190

- Magnetomechanical damping properties of AISI 403 stainless steel with applied static torsional and axial stresses, Nov., 478

- Williamson, F.: *see* Weaver, W. S., Isabelle, H. L., and Williamson, F.

- Wolak, J. and Parks, V. J.: Evaluation of large strains in industrial applications, Nov., 533

- Wonsiewicz, B. C.: *see* Goodman, M. L., Jorgensen, G. L., and Wonsiewicz, B. C.

- Wright, E. S.: *see* Perkins, R. A. and Wright, E. S.

Z

- Zief, Morris and Horvath, Joseph, Jr.: Contamination control in the production of high-purity chemicals, March, 113

- Zinc, contact angle of zinc on some ceramic materials and metals (Kelley and Harris), Jan., 40

- Zirconium alloys, crack initiation and growth in plane strain, fully plastic Zircaloy® (Kass, Begley, and Andrejaski), July, 304

- Zitzer, H. J., Jr.: *see* Francis, E. C., Deverall, L. I., and Zitzer, H. J., Jr.