

# Geotechnical Testing Journal

## Index to Volume 13

### 1990

| Number | Issue     | Pages   |
|--------|-----------|---------|
| 1      | March     | 1-76    |
| 2      | June      | 77-152  |
| 3      | September | 153-268 |
| 4      | December  | 269-396 |

#### A

- Abrasion:** Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301
- Ali, M. M.:** Statistical Evaluation of Bangkok Clay Shear Strength Parameters, September, 250
- Analysis of variance:** Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257
- Anderson, D. C.:** *see* Sai, J. O. and Anderson, D. C.
- Angle of friction:** Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10
- Angle of internal friction:** Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10
- Arenicz, R. M.:** *see* Ashaari, Y. and Arenicz, R. M.
- Arenicz, R. M.:** Transition from Maximum Tension Line to Acutal Failure Surface in Reinforced Soil Model Walls, June, 83
- Ashaari, Y. and Arenicz, R. M.:** Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls, September, 188
- Atkinson, L. C. and Gale, J. E.:** Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model, December, 334
- Automation:** Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153
- Azizi, F.:** *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F., and Azizi, F.

#### B

- B-testing:** Measurement of B-Values Less Than Unity for Thinly Interbedded Varved Clay (Eigenbrod and Burak), December, 370
- Back pressure saturation:** Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77
- Backfill thrust:** Effect of Backfill Thrust on Vertical Pressure Distribution in Rein-

forced Soil Model Walls (Ashaari and Arenicz), September, 188

**Ballast:** Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301

**Bangkok clay:** Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250

**Bearing capacities:** Evaluation of Allowable Pressure Under Foundations (Reznik), March, 53

**Biaxial compression apparatus:** A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226

**Blaney, G. W.:** *see* Lewis, M. J. and Blaney, G. W.

**Blasts:** An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312

**Boucher, D. L.:** *see* Selig, E. T. and Boucher, D. L.

**Brandon, T. L., Duncan, J. M., and Cadden, A. W.:** Automatic Back-Pressure Saturation Device for Triaxial Testing, June, 77

**Bulking:** Physical and Statistical Models for Bulking of Sand (Neema, Patel and Sharda), June, 115

**Burak, J. P.:** *see* Eigenbrod, K. D. and Burak, J. P.

#### C

**Cadden, A. W.:** *see* Brandon, T. L., Duncan, J. M., and Cadden, A. W.

**Calibration chambers:** Design of a Large Calibration Chamber (Sweeney and Clough), March, 36

#### Calibrations

A New Filter Material for Measuring Soil Suction (Williams), December, 375

Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24

Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartansson, Shields, and Domaschuk), March, 3

Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257

**Callan, C. A.:** *see* Hagerty, D. J., Ullrich, C. R., and Callan, C. A.

**Capillary pressures:** A New Filter Material for Measuring Soil Suction (Williams), December, 375

**Carbowax impregnation:** Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49

**Centrifuges:** Frequency Response of Diaphragm Pore Pressure Transducers in Dy-

namic Centrifuge Model Tests (Lee), September, 201

**Chang, T.-S., Woods, R. D., and Henghui, H. L.:** Preparation of Grouted Sand Specimens for Dynamic Testing, September, 235

**Charlie, W. A.:** *see* Veyera, G. E. and Charlie, W. A.

**Charlie, W. A., Ross, C. A., and Pierce, S. J.:** Split-Hopkinson Pressure Bar Testing of Unsaturated Sand, December, 291

#### Clays

Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375

Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269

Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280

**Clough, G. W.:** *see* Sweeney, B. P. and Clough, G. W.

**Coal tailings:** Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24

**Coarse aggregates:** Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10

**Coarse-grained soils:** Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134

**Cohesion:** Evaluation of Allowable Pressure Under Foundations (Reznik), March, 53

**Cohesive soils:** Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153

**Compacted soil liner:** Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215

#### Compaction

Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146

Effects of Oversize Particles on the Density of Clean Granular Soils (Fragaszy, Su, and Siddiqi), June, 106

**Compressibility:** Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323

**Computer application:** Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153

**Cone penetrometer test:** Design of a Large Calibration Chamber (Sweeney and Clough), March, 36

**Crushed stones:** Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301

**Culverts:** Measuring Strains in Buried Flex-

ible Pipes (Moore and Donaldson), September, 208

**Cyclic:** Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45

**Cyclic shear test:** Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49

## D

**Deformation:** Evaluation of Allowable Pressure Under Foundations (Reznick), March, 53

**Deformation gages:** Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45

## Density

Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146

Effects of Oversize Particles on the Density of Clean

Granular Soils (Fragaszy, Su, and Siddiqui), June, 106

Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24

**Denton, M. M.:** *see* Hagerty, D. J., Ullrich, C. R. and Denton, M. M.

**Dhowian, A. W.:** Simplified Heave Prediction Model for Expansive Shale, December, 323

**Domaschuk, L.:** *see* Kjartanson, B. H., Shields, D. H., and Domaschuk, L.

**Donaldson, C. F.:** *see* Moore, C. A. and Donaldson, C. F.

**Drescher, A., Vardoulakis, I., and Han, C.:** A Biaxial Apparatus for Testing Soils, September, 226

**Drnevich, V. P.:** *see* Min, T., Drnevich, V. P., and Wang, J.

**Duncan, J. M.:** *see* Brandon, T. L., Duncan, J. M. and Cadden, A. W.

**Dynamic property:** Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235

**Dynamic testing:** Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235

## E

**Eigenbrod, K. D. and Burak, J. P.:** Measurement of B-Values Less Than Unity for Thinly Interbedded Varved Clay, December, 370

## F

**Feedback systems:** An Automatic Feedback System for Resonant Column Testing (Morris), March, 16

**Field tests:** Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215

**Field unit weight:** Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146

**Filter materials:** A New Filter Material for

Measuring Soil Suction (Williams), December, 375

**Filter tests:** Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257

**Float permeability:** Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125

**Fragaszy, R. J., Su, W., and Siddiqui, F. H.:** Effects of Oversize Particles on the Density of Clean Granular Soils, June, 106

**Frydman, S.:** *see* Talesnick, M. and Frydman, S.

## G

**Gale, J. E.:** *see* Atkinson, L. C. and Gale, J. E.

**Geotechnical materials:** Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269

**Germaine, J. T.:** *see* Sheahan, T. C., Germaine, J. T., and Ladd, C. C.

**Goto, S.:** *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.

**Graham, J.:** *see* Wan, A. W. L., Graham, J., and Gray, M. N.

**Graham, J., Jamieson, M. R., Ho, D. Y.-F., and Azizi, F.:** Influence of Storage and Reconsolidation Procedures on Clay Properties, December, 280

**Grain size distribution:** Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134

**Granular materials:** Effects of Oversize Particles on the Density of Clean Granular Soils (Fragaszy, Su, and Siddiqui), June, 106

**Gray, M. N.:** *see* Wan, A. W. L., Graham, J., and Gray, M. N.

**Groundwater flow:** Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334

## H

**Hagerty, D. J., Ullrich, C. R., and Callan, C. A.:** Microwave Drying of Highly Plastic and Organic Soils, June, 142

**Hagerty, D. J., Ullrich, C. R., and Denton, M. M.:** Microwave Drying of Soils, June, 138

**Han, C.:** *see* Drescher, A., Vardoulakis, I., and Han, C.

**Heaving:** Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323

**Henghui, H. L.:** *see* Chang, T.-S., Woods, R. D., and Henghui, H. L.

**Herrmann, L. R.:** *see* Kutter, B. C., Sathialingam, N., and Herrmann, L. R.

**Ho, D. Y.-F.:** *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F., and Azizi, F.

**Hollow cylinder:** The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243

**Holm, T. A.:** *see* Valsangkar, A. J. and Holm, T. A.

**Hryciw, R. D.:** *see* Thomann, T. G. and Hryciw, R. D.

**Hryciw, R. D. and Irsyam, M.:** Shear Zone

Characterization in Sands by Carbowax Impregnation, March, 49

**Hydraulic conductivity:** Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215

**Hydraulic models:** Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334

## I

**Ice:** Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartanson, Shields, and Domaschuk), March, 3

**Impact tests:** Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291

**In situ density:** Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88

**Instrumentation:** Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khattrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63

**Irsyam, M.:** *see* Hryciw, R. D. and Irsyam, M.

## J

**Jamieson, M. R.:** *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F., and Azizi, F.

**Joshi, S.:** *see* Sridharan, A., Rao, S. M., and Joshi, S.

## K

**Kjartanson, B. H., Shields, D. H., and Domaschuk, L.:** Pressuremeter Creep Testing in Ice: Calibration and Test Procedures, March, 3

**Kong, X. J.:** *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.

**Konrad, J.-M.:** Sampling of Saturated and Unsaturated Sands by Freezing, June, 88

**Kuerbis, R. H. and Vaid, Y. P.:** Corrections for Membrane Strength in the Triaxial Test, December, 361

**Kutter, B. C., Sathialingam, N., and Herrmann, L. R.:** Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay, September, 164

## L

**Laboratory automation:** Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77

**Laboratory tests:** Design of a Large Calibration Chamber (Sweeney and Clough), March, 36

**Ladd, C. C.:** *see* Sheahan, T. C., Germaine, J. T., and Ladd, C. C.

**Lateral stresses:** Laboratory Measurement of Small Strain Shear Modulus Under  $K_0$  conditions (Thomann and Hryciw), June, 97

**Lee, F.-H.:** Frequency Response of Diaphragm Pore Pressure Transducers in Dy-

- namic Centrifuge Model Tests, September, 201
- Lewis, M. J. and Blaney, G. W.:** Design and Testing of a Synthetic Clay Soil, December, 269
- Liang, K. M.:** *see* Tan, S.-A., Tan, T.-S., and Liang, K. M.
- Liquefaction:** An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312
- Lo, S.-C. R.:** Determination of Design Parameters of a Mesh-Type Soil Reinforcement, December, 343

## M

- Membranes:** Corrections for Membrane Strength in the Triaxial Test (Kuerbis and Vaid), December, 361
- Microprocessors:** Measuring Strains in Buried Flexible Pipes (Moore and Donaldson), September, 208
- Microwave drying**  
Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142  
Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
- Min, T., Drnevich, V. P., and Wang, J.:** Effects of Imperfect Fixity in Spring-Top Resonant Column Tests, December, 351
- Model tests:** Frequency Response of Diaphragm Pore Pressure Transducers in Dynamic Centrifuge Model Tests (Lee), September, 201
- Model walls:** Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
- Models:** Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
- Moisture:** Physical and Statistical Models for Bulking of Sand (Neema, Patel, and Sharda), June, 115
- Moisture content**  
Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142  
Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
- Moore, C. A. and Donaldson, C. F.:** Measuring Strains in Buried Flexible Pipes, September, 208
- Morris, D. V.:** An Automatic Feedback System for Resonant Column Testing, March, 16
- Morris, P. H. and Williams, D. J.:** Generalized Calibration of a Nuclear Moisture/Density Depth Gauge, March, 24

## N

- Nataatmadja, A. and Parkin, A. K.:** Axial Deformation Measurement in Repeated Load Triaxial Testing, March, 45
- Neema, D. L., Patel, A. N., and Sharda, B. L.:** Physical and Statistical Models for Bulking of Sand, June, 115
- Noorany, I.:** Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos, June, 146

- Nuclear waste containment:** Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179

## O

- Organic soils:** Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142

## P

- Parkin, A. K.:** *see* Nataatmadja, A. and Parkin, A. K.
- Patel, A. N.:** *see* Neema, D. L., Patel, A. N., and Sharda, B. L.
- Penetration tests:** Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
- Pierce, S. J.:** *see* Charlie, W. A., Ross, C. A., and Pierce, S. J.
- Pore pressure**  
An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312  
Frequency Response of Diaphragm Pore Pressure Transducers in Dynamic Centrifuge Model Tests (Lee), September, 201  
Measurement of B-Values Less Than Unity for Thinly Interbedded Varved Clay (Eigenbrod and Burak), December, 370
- Pore water pressure:** Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
- Porosity:** Physical and Statistical Models for Bulking of Sand (Neema, Patel, and Sharda), June, 115
- Pressuremeter:** Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartanson, Shields, and Domaschuk), March, 3
- Pumping tests:** Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334
- Pyles, M. R.:** *see* Schoenemann, M. R. and Pyles, M. R.

## R

- Rao, S. M.:** *see* Sridharan, A., Rao, S. M., and Joshi, S.
- Regression:** Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58
- Reinforced soil**  
Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls (Ashaari and Arenicz), September, 188  
Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
- Reinforcement:** Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
- Residual soils:** Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58

## Resonance

- An Automatic Feedback System for Resonant Column Testing (Morris), March, 16
- Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
- Response time:** Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
- Reznik, Y. M.:** Evaluation of Allowable Pressure Under Foundations, March, 53
- Ross, C. A.:** *see* Charlie, W. A., Ross, C. A., and Pierce, S. J.

## S

- Sai, J. O. and Anderson, D. C.:** Field Hydraulic Conductivity Tests for Compacted Soil Liners, September, 215
- Sampling:** Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88
- Sand-bentonite:** Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179
- Sands**  
A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226  
Laboratory Measurement of Small Strain Shear Modulus Under  $K_0$  conditions (Thomann and Hryciw), June, 97  
Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88  
Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291
- Santamarina, C.:** *see* Tallin, A. G. and Santamarina, C.
- Sathialingam, N.:** *see* Kutter, B. C., Sathialingam, N., and Herrmann, L. R.
- Sato, T.:** *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.
- Schoenemann, M. R. and Pyles, M. R.:** Statistical Description of Triaxial Shear Test Results, March, 58
- Sediment sampling:** Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
- Selig, E. T. and Boucher, D. L.:** Abrasion Tests for Railroad Ballast, December, 301
- Shales:** Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323
- Sharda, B. L.:** *see* Neema, D. L., Patel, A. N., and Sharda, B. L.
- Sheahan, T. C., Germaine, J. T., and Ladd, C. C.:** Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System, September, 153
- Shear modulus**  
Laboratory Measurement of Small Strain Shear Modulus Under  $K_0$  Conditions (Thomann and Hryciw), June, 97  
Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235
- Shear strength parameters:** Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250

- Shibuya, S.:** *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.
- Shields, D. H.:** *see* Kjartanson, B. H., Shields, D. H., and Domaschuk, L.
- Shock tests:** Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291
- Sibley, J. W., Smyth, G. K., and Williams, D. J.:** Suction-Moisture Content Calibration of Filter Papers from Different Boxes, September, 257
- Sibley, J. W. and Williams, D. J.:** A New Filter Material for Measuring Soil Suction, December, 375
- Siddiqu, F. W.:** *see* Fragasy, R. J., Su, W., and Siddiqu, F. W.
- Site investigation**
- Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
- Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280
- Sivakugan, N.: Inadequacy in the Classification of Coarse-Grained soils, June, 134
- Slurry surface settlement:** Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125
- Smyth, G. K.:** *see* Sibley, J. W., Smyth, G. K., and Williams, D. J.
- Soft clay:** The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243
- Soil classifications:** Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134
- Soil modulus:** An Automatic Feedback System for Resonant Column Testing (Morris), March, 16
- Soil reinforcement**
- Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls (Ashaari and Arenicz), September, 188
- Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
- Soil structure**
- Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269
- Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
- Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280
- Soil tests:** Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
- Soils**
- A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226
- Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
- Specimen preparation:** The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243
- Sridharan, A., Rao, S. M., and Joshi, S.:** Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
- Statistical analysis**
- Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58
- Statistical analysis:** Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250
- Strain**
- Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63
- Measuring Strains in Buried Flexible Pipes (Moore and Donaldson), September, 208
- Stress:** Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63
- Su, W.:** *see* Fragasy, R. J., Su, W., and Siddiqu, F. W.
- Sweeney, B. P. and Clough, G. W.:** Design of a Large Calibration Chamber, March, 36
- Swelling:** Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
- T**
- Talesnick, M. and Frydman, S.:** The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay, September, 243
- Tallin, A. G. and Santamarina, C.:** Geotomography in Site Investigation: Simulation Study, June, 129
- Tan, T.-S.:** *see* Tan, S.-A., Tan, T.-S., and Liang, K. M.,
- Tan, S.-A., Tan, T.-S., and Liang, K. M.:** Automated Measurement of Slurry Surface Settlement, June, 125
- Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.:** Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique, March, 63
- Test apparatus:** Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125
- Thomann, T. G. and Hryciw, R. D.:** Laboratory Measurement of Small Strain Shear Modulus Under  $K_0$  Conditions, June, 97
- Tomography:** Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
- Transducer:** Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
- Triaxial stress:** Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179
- Triaxial tests**
- Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77
- Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45
- Corrections for Membrane Strength in the Triaxial Test (Kuerbis and Vaid), December, 361
- U**
- Ullrich, C. R.:** *see* Hagerty, D. J., Ullrich, C. R., and Denton, M. M.
- Ulrich, C. R.:** *see* Hagerty, D. J., Ullrich, C. R., and Callan, C. A.
- V**
- Vaid, Y. P.:** *see* Kuerbis, R. H. and Vaid, Y. P.
- Valsangkar, A. J. and Holm, T. A.:** Geotechnical Properties of Expanded Shale Lightweight Aggregate, March, 10
- Vardoulakis, I.:** *see* Drescher, A., Vardoulakis, I., and Han, C.
- Varved clays:** Measurement of B-Values Less Than Unity for Thinly Interbedded Varved Clay (Eigenbrod and Burak), December, 370
- Veyera, G. E. and Charlie, W. A.:** An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction, December, 312
- Viscoelasticity:** Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
- Void ratio:** Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49
- W**
- Wan, A. W. L., Graham, J., and Gray, M. N.:** Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures, September, 179
- Wang, J.:** *see* Min, T., Drnevich, V. P., and Wang, J.
- Williams, D. J.:** *see* Morris, P. H. and Williams, D. J.
- Williams, D. J.:** *see* Sibley, J. W. and Williams, D. J.
- Williams, D. J.:** *see* Sibley, J. W., Smyth, G. K., and Williams, D. J.
- Woods, R. D.:** *see* Chang, T.-S., Woods, R. D., and Henghui, H. L.