

Journal of Testing and Evaluation

Author Index

Volume 24, 1996

| Number | Month of Issue | Pages |
|--------|----------------|---------|
| 1 | January | 1-62 |
| 2 | March | 63-142 |
| 3 | May | 143-204 |
| 4 | July | 205-274 |
| 5 | September | 275-352 |
| 6 | November | 353-446 |

A

Aktaa, J and Schinke, B: Creep lifetime under constant load and constant stress: theory and experiment, July, 212

Al-Smadi, ZA: *see* Obaidat, MT and Al-Smadi, ZA

Amrutharaj, G: *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

Annino, R and Villalobos, R: Eliminating wasteful "cut and try" procedures in gas chromatography method development using computer modeling, May, 143

Antrim, JD: *see* Pao, C, Clark, MA, and Antrim, JD

Arsene, S and Bai, J: New approach to measuring transverse properties of structural tubing by a ring test, Nov., 386

B

Bai, J: *see* Arsene, S and Bai, J

Banker, JG: Commercial applications of zirconium explosion clad, March, 91

Banks, SA: *see* Buczek, FL, Jr. and Banks, SA

Bernard, M: *see* Zouani, A, Bui-Quoc, T, and Bernard, M

Bhaduri, AK: *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

Bian, S, Maj, S, and Borland, DW: Unlubricated sliding wear of steels: the contact conditions in the sliding zone, Jan., 12

Borland, DW: *see* Bian, S, Maj, S, and Borland, DW

Bortz, S: *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

Bothe, K: *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

Brady, RP: *see* Kulkarni, MR and Brady, RP

Brooks, MW, Roy, S, Uden, PC, and Vittum, P: Extraction and determination of Azadirachtin from soil and insects by supercritical fluid extraction, May, 149

Buczek, FL, Jr. and Banks, SA: High-resolution force plate analysis of utilized slip resistance in human walking, Nov., 353

Bui-Quoc, T: *see* Zouani, A, Bui-Quoc, T, and Bernard, M

Burgess, G: Effects of fatigue on fragility testing and the damage boundary curve, Nov., 419

C

Carll, C and TenWolde, A: Accuracy of wood resistance sensors for measurement of humidity, May, 154

Carr, DD, Strickland, J, McDonald, WH, and Bortz, S: Review of durability testing of building stone with annotated bibliography, Sept., 324

Carron, MJ: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

Chawla, KK: *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

Cheema A: *see* Singh, SP and Cheema, A

Chen, ET, Hughes-Dillon, K, and Schroeder, LW: Development of analytical methods for quantification of residual powder on 'powderless' latex gloves, July, 229

Cheon, JS and Kim, IS: Initial deformation during small punch testing, July, 255

Chiang, YJ: Robust design of the Iosipescu shear test specimen for composites, Jan., 1

Clark, MA: *see* Pao, C, Clark, MA, and Antrim, JD

Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH: Fracture test method for Mode I fracture of thin metal materials, Sept., 316

Cyr, WH: *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

E

Epps, HH and Leonas, KK: Color change as a predictor of strength loss in PFD cover fabrics, Nov., 392
Prediction of single-layer fabric air permeability by statistical modeling, Jan., 26

Ezhov, YV: Improved indentation-depth method of hardness measurement, Sept., 320

F

Faccini, EC and Woodbury, HA: Empirical determination of the manufacturing processes which affect EFP liner performance, March, 123

Fee, AR: *see* Heberling, TG, Fee, AR, and Tobolski, EL

Fendley, AE and Marpet, MI: Required coefficient of friction versus walking speed: potential influences of footwear and walkway surfaces, Nov., 359

G

Galitz, CL: *see* Poston, RW, Galitz, CL, and Yates, JS

Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K: Determination of the geometric profile and stress/strain state in the

necked region during inelastic deformation at elevated temperatures using a non-contact measurement technique, May, 161

Gong, Y and Norton, MP: Fatigue under stress cycling with nonzero means, July, 263

Gould, G: Bias testing: myths, misconceptions, and mistakes, Sept., 333

Grauman, JS and Webster, RT: Introduction to Journal section on industrial applications of titanium and zirconium, March, 84

Gupta, DC: Review of *Integrating Reliability into Microelectronics Manufacturing* (Christou), Jan., 56

Gupta, R: *see* Vatovec, M, Gupta, R, and Miller, T

H

Heberling, TG, Fee, AR, and Tobolski, EL: Minimum thickness requirements for Rockwell hardness testing, March, 131

Henderson, PJ: *see* Lindblom, J, Seitisleam, F, and Henderson, PJ

Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ: Titanium cerebral aneurysm clips: characterization and performance in magnetic resonance imaging and computed tomography, March, 85

Hughes-Dillon, K: *see* Chen, ET, Hughes-Dillon, K, and Schroeder, LW

Hwang, WL: *see* Mo, YL and Hwang, WL

J

Jones, C: *see* Rowland, FJ, Jones, C, and Manning, DP

Ju, S-H, Sandor, B, and Plesha, ME: Creep rupture investigation of 63Sn-37Pb solder by experiments and damage mechanics, Nov., 411

K

Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA: Precision of Marshall stability and flow test using 6-in. (152.4-mm) diameter specimens, Jan., 12

Kay, A: Third-party inspection agency response to changing needs, Jan., 32

Kelly, CJ: *see* Terjimanian, A and Kelly, CJ

Kim, IS: *see* Cheon, JS and Kim, IS

Kim, JO and Slaten, BL: Objective assessment of fabric handle in fabrics treated with flame retardants, July, 223

Kliger, IR and Pellicane, PJ: Time-dependent bending properties of lumber, May, 187

Kulkarni, MR and Brady, RP: Preliminary characterization of thermal diffusivity for carbon-carbon composites through pulsed video thermal imaging, Sept., 275

L

Leonas, KK: *see* Epps, HH and Leonas, KK

Lindblom, J, Seitisleam, F, and Henderson, PJ: Creep testing of steels at very high temperatures, Sept., 329

Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH: Two parameters limiting the sensitivity of laboratory tests of condoms as viral barriers, Sept., 279

M

Maile, K: *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

Maj, S: *see* Bian, S, Maj, S, and Borland, DW

Manning, DP: *see* Rowland, FJ, Jones, C, and Manning, DP

Marpet, MI: Comparison of walkway-safety tribometers, July, 245
see Fendley, AE and Marpet, MI

Maughan, KP: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

McDonald, WH: *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

Miller, T: *see* Vatovec, M, Gupta, R, and Miller, T

Minikawa, K: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Mo, YL and Hwang, WL: Cyclic tests on high-strength prestressed concrete frames, May, 168

Moran, AL and Rebis, RE: Structure and property evaluation of large-diameter spray-formed superalloy piping, Sept., 302

Moukwa, M: *see* Vickers, T and Moukwa, M

N

Niikura, M: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Norton, MP: *see* Gong, Y and Norton, MP

O

O'Connor, TF: Review of *Building Design and Construction Handbook (Fifth Edition)* (Merritt and Ricketts), July, 272

Review of *Simplified Building Design for Wind and Earthquake Forces, Third Edition*, (Ambrose and Vergun), March, 142
Review of *The Contractor's Dictionary of Equipment, Tools, and Techniques* (Webster), May, 203

Obaidat, MT and Al-Smadi, ZA: Modified theodolite instrument: conceptual work, May, 194

Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M: Development and applications of titanium alloy SP-700 with high formability, March, 100

Ouchi, C: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Owens, JM: *see* Sacher, A and Owens, JM

P

Pandian, NS, Rajasekhar, C, and Sridharan, A: Fly ash as a pre-filter material for the retention of lead ions, May, 181

Pao, C, Clark, MA, and Antrim, JD: National Institute for Certification in Engineering Technologies Certification: addressing the technician component of laboratory quality, Jan., 45

Parker, F, Jr.: *see* Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

Pellicane, PJ: *see* Kliger, IR and Pellicane, PJ

Petersen, DR: Review of *The Macmillan Dictionary of Measurement* (Darton and Clark), Nov., 428
Review of *The Physics Quick Reference Guide* (Cohen), July, 273

Phelps, AW: Review of *Scanning Tunnel Microscopy and Spectroscopy: Theory, Techniques, and Applications* (Bonnell), Sept., 347

Pielert, JH: *see* Spellerberg, PA, Trimm, WL, and Pielert, JH

Plesha, ME: *see* Ju, S-H, Sandor, B, and Plesha, ME

Poston, RW, Galitz, CL, and Yates, JS: Corrosiveness of chromate exposure to steel embedded in soil or concrete, Nov., 397

R

Rajasekhar, C: *see* Pandian, NS, Rajasekhar, C, and Sridharan, A

Ranganath, VR: *see* Tarafder, S, Tarafder, M, and Ranganath, VR

Rebis, RE: *see* Moran, AL and Rebis, RE

Regnault, WF: *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

Reynolds, AP: Comparison of *R*-curve methodologies for ranking the toughness of aluminum alloys, Nov., 406

Riga, AT

and Scott, CG: Review of *Introduction to Engineering Materials: Behavior, Properties, and Selection, Engineered Materials Series 2* (Murray), March, 140
and Scott, CG: Review of *Successful Management of the Analytical Laboratory* (Milner), March, 141

and Scott, CG: Review of *Thermal Analysis of Materials (Materials Engineering Series 5)* (Speyer), Sept., 348
see Scott, CG and Riga, AT

Routson, LB: *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

Rowland, FJ, Jones, C, and Manning, DP: Surface roughness of footwear soling materials: relevance to slip resistance, Nov., 368

Roy, S: *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

S

Sacher, A and Owens, JM: International symposium on slip resistance: The interface of man, footwear, and walking surfaces, Nov., 351

Sandor, B: *see* Ju, S-H, Sandor, B, and Plesha, ME

Schinke, B: *see* Aktaa, J and Schinke, B

Schmidt, FJ: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

Schroeder, LW: *see* Chen, ET, Hughes-Dillon, K, and Schroeder, LW

Schutz, RW and Xiao, M: Expanded windows for titanium use in the pulp/paper peroxide bleach plant, March, 119
Ti roll-clad plate: more cost-effective plate products for utilizing titanium and zirconium alloys in chemical processes, March, 96

Scott, CG

and Riga, AT: Review of *Engineering Materials 3: Materials Failure Analysis (Case Studies and Design Implications)* (Jones), Jan., 57

and Riga, AT: Review of *International Advances in Nondestructive Testing* (McGonnagle), Jan., 57
see Riga, AT and Scott, CG

Segal, L: Diagnosis of machinery by analysis of running temperature data, July, 268

Seitisleam, F: *see* Lindblom, J, Seitisleam, F, and Henderson, PJ

Shukla, A: *see* Singh, RP and Shukla, A

Sim, MC: *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

Singh, RP and Shukla, A: Critical evaluation of the performance of optical fiber sensors for monitoring dynamic strains, Sept., 295

Singh, SP

and Cheema A: Measurement and analysis of the overnight small package shipping environment for Federal Express and United Parcel Service, July, 205
and Syal, VP: Leakers as a function of closure type in gallon-size plastic bottles in simulated small parcel test environment, July, 241

Slaten, BL: *see* Kim, JO and Slaten, BL

Spellerberg, PA

see Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

Trimm, WL, and Pielert, JH: Development and application of a quality system standard for construction materials testing laboratories, Jan., 49

Sridharan, A: *see* Pandian, NS, Rajasekhar, C, and Sridharan, A

Strickland, J: *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

Syal, VP: *see* Singh, SP and Syal, VP

T

Tarafder, M: *see* Tarafder, S, Tarafder, M, and Ranganath, VR

Tarafder, S, Tarafder, M, and Ranganath, VR: Fracture mechanics expressions for the standard chord-supported arc bend specimen, March, 73

TenWolde, A: *see* Carll, C and TenWolde, A

Teoh, SH: *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

Terjimanian, A and Kelly, CJ: Evolution of the internal quality audit at Ford Motor Company's Central Laboratory, Jan., 37

Thomas, DP: *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

Thomas, HM: *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

Thomas, V: *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

Tobolski, EL: *see* Heberling, TG, Fee, AR, and Tobolski, EL

Trimm, WL: *see* Spellerberg, PA, Trimm, WL, and Pielert, JH

U-V

Uden, PC: *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

Vahradian, HM: Review of *Superconducting Levitation: Applications to Bearings and Magnetic Transportation* (Moon and Chang), May, 204

Vatovec, M, Gupta, R, and Miller, T: Testing and evaluation of metal-plate-connected wood truss joints, March, 63

Vickers, T and Moukwa, M: Evaluation of test methods and environmental conditions to promote efflorescence formation under laboratory conditions, March, 80

Villalobos, R: *see* Annino, R and Villalobos, R

Vittum, P: *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

W

Webster, RT: *see* Grauman, JS and Webster, RT

Wilson, M: Slip resistance characteristics of footwear solings assessed using the SATRA friction tester, Nov., 377

Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK: Effect of fiber coating on the temperature dependence of the elastic and anelastic properties of a fiber-reinforced borosilicate glass matrix composite, July, 237

Woodbury, HA: *see* Faccini, EC and Woodbury, HA

Wu, CY: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

Wu, Y: *see* Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

X-Z

Xiao, M: *see* Schutz, RW and Xiao, M

Yamada, M: *see* Ogawa, A, Niiikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Yates, JS: *see* Poston, RW, Galitz, CL, and Yates, JS

Yau, T-L: Performance of zirconium and zirconium alloys in organics, March, 110

Zouani, A, Bui-Quoc, T, and Bernard, M: Optimal design of a disk-shaped specimen for biaxial-tensile fatigue testing, Sept., 287