Subject Index

A

Abstract factor analysis, 156, 157– 160, 163–165 Additive mixtures, classification of, 13 American Cyanamid, 2 Analytical chemistry, 1, 6 ASTM E 168, 1, 4

B

- Band ratio methods, 128
- Beer's law, 22, 25, 38, 59, 101, 120, 122, 167
 - methods to include nonlinearities in quantitative spectral analysis, 78–93
 - quantitative infrared analysis, 95 sources of apparent deviation from, 38, 40
- Blood serum, use of computerized quantitative infrared spectroscopy to determine lipids in, 131–154

С

- Chemistry, 1
- C-matrix, 19
- Computerized infrared spectroscopy
 - applications of, in petroleum industry, 4, 36–57
 - use of, for novel quantitative polymer analysis, 58-76

use of, to determine lipids in blood serum, 131–154

- Computerized techniques, use of, to carry out multicomponent analysis infrared methods, 4–5
- Cross validation, 159

D

- Deuterated triglycine sulfate (DTGS) detectors, 2
- Difference spectroscopy, use of, in quantitative analysis, 71–74
- Diffuse reflectance, 123-126
- Diffuse reflectance infrared spectra, 59-67
- Double beam infrared spectrometer, introduction of, 2

E

Eigenvector space, generalized plot of, 31

F

- Factor analysis
 - potential of, in infrared spectroscopy, 155
 - use of, in quantitative spectroscopic applications, 5

Fluorescence emission-excitation matrices (EEMs), application of, in analytical chemistry, 26-28, 32-33

Fourier deconvolution, 50-53, 170

Fourier transform infrared (FT-IR) spectrometers, 79 effect of, on standard setting, 3 - 4evolution of, 2 introduction of, 37 use of, for complex samples, 95-129 appropriate calibration samples, 109-110 back-calculation of original concentration, 99-100 diffuse reflectance, 123-126 future developments, 128 K-matrix approach, 97–103 microsampling, 127 minor component analysis, 110 - 116photoacoustic spectroscopy, 123, 126-127 **P**-matrix approach, 103–106 reproducable sample handling, 127-128 theory, 96-97

G

- Gas chromatography (GC) method, replacement of infrared methods by, 2, 37 Gaussian distribution, 8
- Generalized standard addition method (GSAM), use of, in multicomponent calibration, 18-26

I

- Infrared difference spectroscopy applications of, 38 history of developments in, 4, 6-35
 - need for caution in use of computers in, 169–178

potential of factor analysis in, 155

International Union of Pure and Applied Chemistry (IUPAC), 40

K

Key-set analysis, 165
Kirchoff's law, 74
K-matrix analysis, 4, 12, 14–21, 37, 97–99, 107, 113–114, 116
back-calculation of original concentrations, 99–100
calibration with mixtures, 110
dealing with spectral overlap, 139–141
diffuse reflectance, 123
future of, 128
intercepts in, 101
limitations to, 101–103
overdetermination in, 100
Kubelka-Munk function, 64–65

L

- Least squares method, use of, to estimate position of calibration line, 8
- Least squares multiple regression, application of, in analytical chemistry, 27
- Lipids, use of computerized quantitative infrared spectroscopy to determine, in blood serum, 131–154

M

- Mercury-cadmium telluride (MCT) detector, 2
- Micro (IRS) internal reflection spectroscopy, 54-55

Microprocessor technology, incorporation of, into infrared instruments, 2

Microsampling, 127

- Multicomponent analysis infrared methods, use of computerized techniques, 4-5
- Multicomponent analysis of lipids, 139
- Multicomponent bilinear models
 - use of, in infrared quantitative analysis, 26-33
 - least squares multiple regression, 27
 - rank annihilation, 27-28
 - self-modeling curve resolution, 29-33

Multi-component linear model

- use of, in infrared quantitative analysis, 11-26 calibration, 13-21 deterministic errors, 23-26
 - quantitation, 21-23
 - sample classification, 12-13
- Multivariate least-squares calibration, 79, 91

N

- Novel quantitative polymer analysis, use of computerized infrared spectroscopy for, 58-76
- Nuclear magnetic resonance (NMR) spectroscopy, replacement of infrared methods by, 37

0

Optical null double beam instruments, 2

Overdetermination, importance of, 106-109

Р

Partial least squares (PLS), use of, in multicomponent calibration, 16–18

Perkin-Elmer, 2

- Petroleum products, application of computer-assisted quantitative infrared spectroscopy to, 4, 36-57
- Photoacoustic spectroscopy (PAS), 64, 66-67, 123-127
 - sample handling in, 127-128
- **P**-matrix analysis, 4, 82, 103–104, 116 advantages of, 104-105

calibration with mixtures, 110

- dealing with spectral overlap, 141-142
- future of, 128
- limitations to, 105-106
- Polymer films, thermal radiative properties of, 74-76

0

Q-matrix approach, 4-5, 133 dealing with spectral overlap, 142 - 146lipid analysis data obtained with, 146-153 Quantitative absorption spectroscopy application of target factor analysis to, 155–167 data manipulation in, 67-71 difference spectroscopy in, 71-74 methods for including Beer's law nonlinearities in, 78-93 use of factor analysis in, 5

R

Rank annihilation, application of, in analytical chemistry, 27– 28
Resolution enhancement (deconvolution), 36 **R**-matrix, 19
Root-mean-square (RMS) difference, 158

S

- Self-modeling curve resolution, application of, in analytical chemistry, 29-33
- Single component linear model, use of, in infrared quantitative analysis, 7-11
 - deterministic error, 10-11
- random error, 8–10
- Spectral stripping, 36
- Spectral substraction, 42, 44–45, 47, 170–171
- Spectroscopic determinations, need for caution in use of computers in, 5, 169–178

Т

Target factor analysis, application of, to quantitative absorption spectroscopy, 155–167
Thermal radiative properties, of polymer films, 74–76
Tyndall scattering, 40

V

Variable subtraction, 47–50 V-matrix, 22–23

W

Weighted least squares regression, 9, 10

Z

Zero transmittance point, location of, 2 Z-matrix, 156