

Subject Index

A

Abandonment—monitoring wells, 99,
102–107
Air lift, 86–89(figs)
Air rotary, 61
Aquifer testing, 62–63(table), 64–75
Aquifers
 karst monitoring system design, 276–
 279
 monitoring wells, 98–107
Aromatic contaminants, 266–271
Augurs, 10–11, 61

B

Backwashing, 84–85
Bailer test, 134(fig), 241, 242(table)
Becker rig, 62
Benzene
 in situ analysis, 268–269
 sorption, 111, 112(fig)

C

Cable tool drilling, 61
Cancer risk concentrations, 248(table)
Capillary pressure, 28
Carbonate rocks in karst terranes, 275–304
Center sample recovery, 62
Center stem recovery, 62
Chemical characteristics
 organic contaminants, 110(table)
Cleanup—hazardous wastes, 247–255
Compliance, 247–248
Conductive probes, 180
Constant-head test, 129–130
Contaminant concentrations
 aromatics detection, 268, 269(table)
 remedial pumping, 249–251(figs)

Contaminant monitoring, 25–33
Contaminated ground water
 monitoring wells, 108–122
 treatment, 63
 urban areas, 55–56
Costs—monitoring systems, 235–236
Cup-fluid interactions, 20

D

Darcian velocity, 26
Data loggers, 181–184
Data presentation, 193–209
Decommissioning—monitoring wells (*See*
 Abandonment—monitoring wells)
Dissolved metals
 preservation and filtration, 238–246
Drilling
 methods, 60–61(table)
 tools, 61
 in urban areas, 55–56
 water requirements, 59
 wells, 59–60
Dual-wall reverse circulation, 62
Dust
 in drilling, 58
Dye traces, 292–293

E

Electric well probes, 180
Electronic data loggers, 165–177
Ethylbenzene
 in situ analysis, 268–269
 sorption, 113(fig)

F

Falling-head test, 126
Field permeability tests, 140–146
Field tests—statistics, 256–265

Filter packs
 design, 64-75, 76-81
 Filtration of total versus dissolved metals,
 238-246
 Fine-grained sediments, 152-164
 Fluid pressure measurements, 221-223,
 233
 Fluid sampling, 223-226, 234-235
 Fluid-scanning switches, 47
 Fluorescence, laser-induced, 270-271
 Fluvial materials
 hydraulic conductivity, 138-151
 Formation, 64-75
 Free-drainage samplers, 21-22(fig)

G

Gas chromatography, 266-271
 Gasoline, 25-33
 Glacial deposits
 hydraulic conductivity, 138-151
 Grain size distribution, 73
 Graphical presentation, 193-200(figs), 201
 Ground water chemistry, 226
 Ground water cleanup feasibility, 250-252
 Ground water field tests, 256-265f8
 Ground water levels—fluctuations, 165-
 177
 Ground water monitoring
 fiber optics, 266-271
 fluctuations—test methods, 166-177
 hydraulic test methods, 125-137, 138-
 151
 immiscible contaminants, 25-33
 in karst terranes, 275-304
 leakage tracing, 292-295
 monitoring well development, 82-90
 monitoring wells, maintenance, 98-107
 multiple level systems, 213-237
 preservation and filtration of total
 versus dissolved metals, 238-246
 pumping, 247-248
 sampling fluids, 7-24
 sampling procedures, 239
 sampling wells, 108-122
 sediment-free sampling, 76-81
 surge block, 91-97
 tensiometers, 34-51
 urban environments, 55-63
 water level data, 193-209

Waterloo system, 213-237
 well screens and filter packs, 64-75
 Westbay system, 213-237

H

Hazardous wastes in karst terranes, 275-
 304
 Heating oil, 25-33
 Hydraulic conductivity
 fine-grained sediments, 152-164
 glacial and fluvial materials, 138-145
 measurement, 213-237
 multiple-level monitoring systems, 213-
 237
 single-well test methods, 125-137
 test results, 230(fig)
 testing, 226-229(figs)
 Hydraulic test, 134(fig), 135-136
 Hydrographs—water level data, 201-208

I

Immiscible contaminants, 25-33
 Immiscible fluids, 26-27
In situ measurements, 266-271
 Infiltration, 34-51
 Installation and operation
 multiple-level monitoring systems, 213-
 237
 tensiometers, 48-49
 Instrumentation
 comparison, Westbay and Waterloo,
 231-232(table)
 design, 217-221, 233
 tensiometers, 34-51

K

Karst terranes—ground water monitoring,
 275-304
 Kurtosis, 68(fig)

L

Laboratory tests, 140-146
 Laser-induced fluorescence, 270-271
 Leakage, 292
 Limestone in karst terranes, 275-304
 Lysimeters, 13, 28-30(fig)

M

- Maintenance—monitoring wells, 99–100
- Manometer-type tensiometers, 42(table), 43
- Measurement theory, 36–37, 39–41
- Mercury manometer, 43
- Mineralogy—filter packs, 72
- Moisture content, 34–51
- Moisture tension—measurement, 34–51
- Monitor wells
 - design, 76–78, 120–121(fig)
 - development objectives, 82
 - maintenance and rehabilitation, 98–107
 - rehabilitation, 91–97
 - surging, 91–97
 - in urban environments, 55–63
- Monitoring programs
 - costs, 235–236
 - ground water sampling wells, 108–122
 - immiscible contaminants, 25–33
 - sampling fluids, 7–24
 - strategy—karst terranes, 296–300
 - urban well drilling, 55–63
 - well construction and design, 65–72, 76–81, 82–90
 - well screens and filter packs, 64–75
- Mud
 - in drilling, 58
- Mud rotary, 61
- Multiple level monitoring systems, 213–237

N

- Nitric acid preservative, 240–241
- Noise
 - in drilling operations, 58

O

- Organic contaminants
 - compounds and chemical characteristics, 110(table)
 - monitoring wells, 108–122

P

- Particle distribution, 68–70(figs)
- Particle size, 146–149

- Perched ground-water sampling, 24
- Percussion method
 - dual-wall reverse circulation drilling, 62
- Permeability, 27(fig), 138–151, 152–164
- Permits, 56–59
- Phoenix metropolitan area
 - contaminated ground water monitoring, 55
- Planning, 55
- Plugging—monitoring wells, 106–107
- Pollutants in karst terranes, 280–287
- Pore liquid extraction, 8, 12, 17, 21
- Porous suction samplers, 13, 17–18(table)
- Preassembled double-walled screen, 79–80
- Preservation of total versus dissolved metals, 238–246
- Pressure measurement equipment
 - multiple-level monitoring systems, 213–237
 - tensiometers, 34–51
- Pressure transducer, 42(table), 45–47
- Pumping, 248–252
- Pumping tests, 126–127, 138–151

Q

- Quality control—monitoring systems, 235

R

- RCRA (*See* Resource conservation and recovery act)
- Redevelopment—wells, 98–107
- Rehabilitation—monitoring wells, 99, 100–102
- Resource conservation and recovery act, 1–3, 7
- Richards apparatus, 34–51
- Right-of-way
 - urban area drilling, 57, 59
- Roundness, and effective size, 70–72

S

- Safety—public, 59
- Sampling, 8–16, 25–33, 120, 286, 288–289(figs)
- Sampling equipment
 - augurs, 8–11(figs)
 - lysimeters, 13

Sampling equipment—*continued*

- metal contamination, 241
- porous suction samplers, 13
- screen design, 76–81
- vacuum-pressure samplers, 14–16(figs)
- Sampling wells, 108–122
- Sand pack, 79–80
- SARA (*See* Superfund Amendments and Reauthorization Act of 1986)
- Screen design, 78–79
- Secondary filter, 64, 72(fig), 73–74
- Sediment-free sampling, 76–81
- Sediment study, 242–243
- Single-head test, 128
- Single-well pump tests, 130–133
- Site-access
 - for drilling in urban areas, 56–57
- Site descriptions, two monitoring systems, 214–216(figs)
- Slot-type well screens, 66(fig), 67
- Slug test methods, 162(table)
- Slug tests, 127–129, 152–161(figs)
- Soil core sampling, 7–24
 - equipment, 8
- Soil lysimeters, 13
- Soil-moisture tension measurement, 49
- Solids sampling, 12
- Sorption
 - benzene, 111, 112(fig), 120–121
 - ethylbenzene, 113(fig)
 - m*-xylene, *o*-xylene, *p*-xylene, 114–115(figs), 120–122
 - testing, 116–117(tables)
 - toluene, 113(fig)
 - uptake, 118–119(figs)
- Sphericity, 70–71
- Springs in karst terranes
 - ground water monitoring, 275–304
- Statistical discrimination tests, 256–265
- Statistics—ground water, 147–255
- Suction samplers, 13, 20–21
- Superfund amendments and reauthorization act of 1986 (Public law 99–499)
 - provisions, 247–249
- Surge block, 91–97
- Surging, 85–86

T

- Tabular presentation
 - water level data, 193–199(figs)
- Tensiometers, 28–30(fig), 34–51
- Termination pumping, 247–255
- Test methods
 - hydraulic conductivity, 140–146
 - monitoring wells, 127–135
- Testing, 55–63
- Toluene
 - in situ* analysis, 268–269
 - sorption, 113(fig)
- Total metals
 - preservation and filtration, 238–246
- Tracing leakage, 292–294
- Transducers, 181–184

U

- Underground waste disposal, 34–51
- Uniformity coefficient, 67–68
- Unsaturated flow, 34–51
- Urban areas
 - contaminated ground water, 55–56
 - drilling problems, 56–58
- Utilities
 - urban drilling problems, 57–58

V

- Vacuum gage tensiometers, 42(table), 43
- Vacuum-pressure samplers, 14
- Vadose zone
 - contaminant monitoring, 25–33
 - monitoring methods, 7–24

W

- Water
 - in drilling, 59
 - well design, 64–75, 76–81
- Water flow conditions, 165–166
- Water jetting, 89(fig), 90
- Water level data, 193–209
- Water level fluctuations, 184–185, 186–188(figs)
- Water level indicators, 180–181
- Water level studies
 - fluctuations, 172–173, 174–175(tables)
 - test methods, 176–177, 178–192

Waterloo system, 217, 218(fig), 219–225
Water quality—karst terranes, 275–304
Well development, 82–90
Well maintenance and rehabilitation, 98–
107
Well screens
 design, 65–67, 74
 slot type, 66

Wells—drilling, 59–60
Westbay system, 218(fig), 219–221, 225–
226

Y

Xylenes (BTEX)
 in situ analysis, 268–269