

Index

A

Air contamination, 8
 Air temperature, 8
 Aluminum, 7, 9, 62
 atmospheric corrosivity evaluation, 56
 correlation and regression, 61
 corrosion losses of, 29–33, 38–40
 corrosivity classification, 52–53
 flat panels, corrosion losses of, 29–30
 helices, corrosion losses of, 31–32
 observed vs. predicted values for, 63
 predicted loss vs. measured loss, 64
 American National Standards Institute (ANSI), 66
 Argentina
 atmospheric corrosion test sites, 3
 Exposure Program initiation dates, 8
 organizations participating in ISOCORRAG Program, 5
 ASTM G01, 2, 6
 ASTM G50, 2
 ASTM G91, 2
 ASTM G140, 2
 Atmospheric corrosion
 rates, 57–59
 test sites, 3–4
 Atmospheric corrosivity, classification of, 1, 66
 Average values, of metal corrosion, 60

B

B (time exponent), 63
 BRANZ (Building Research Association of New Zealand Building Science Group), 6
 British Steel Corporation, 2
 British Steel Swinden Laboratories, 6
 Building Research Association of New Zealand Building Science Group (BRANZ), 6
 Bundesanstalt für Strassenwesen, 5

C

Canada
 atmospheric corrosion test sites, 3
 Exposure Program initiation dates, 8
 organizations participating in ISOCORRAG Program, 5
 Carbon steel
 atmospheric corrosivity evaluation, 56
 correlation and regression, 61
 corrosive rates, 65
 observed vs. predicted values for, 63
 residual and standard error of prediction for, 62
 unalloyed, 7
 Category derivation, 59–62
 Central Electricity Research Laboratories, 6
 Centre Technique du Zinc, 5
 Centro Nacional de Investigaciones Metalurgicas, 6
 Chemical cleaning solutions, 9
 CITEFA (Instituto de Investigaciones Científicas y Técnicas de las Fuerzas Armadas), 5

72

Cl deposition, 63
 Contamination, 8
 Copper, 7, 9
 atmospheric corrosivity evaluation, 56
 correlation and regression, 61
 corrosion losses of, 25–29, 37–38
 corrosive rates, 65
 corrosivity classification, 50–51
 flat panels, corrosion losses of, 25–26
 helices, corrosion losses of, 26–27
 observed vs. predicted values, 63
 predicted loss vs. measured loss, 64
 residual and standard error of prediction for, 62

Correlation, 61

Corrosion losses

 aluminum, 29–33, 38–40
 copper, 25–29, 37–38
 flat panels, test sites categories, 42–44
 helices, test sites categories, 44–45
 steel, 15–20, 34–35
 zinc, 20–24, 35–37

Corrosion rates, 2, 65

 atmospheric, 57–59
 environmental effects of 1 year, 59

Corrosivity categories

 derivation, 59–62
 for metals in ISOCORRAG Program, 54–55

Corrosivity classification, 40–56

Czechoslovakia

 atmospheric corrosion test sites, 3
 Exposure Program initiation dates, 8
 organizations participating in ISOCORRAG Program, 5

D

Data analysis, 15–40
 Database characteristics, 57
 Department of Materials Science VHE 602, University of Southern California, 6
 Dose-response functions for normative corrosivity category derivation, 59–62

E

Environmental categories, 58
 Environmental data, 10–15
 Environmental effects of 1 year corrosion rates, 59
 Environmental monitoring, 2
 Escuela Técnica Superior de Ingenieros Industriales
 Departamento Ingeniería Química, 6
 Exposure, 2, 15, 63
 Exposure Program initiation dates, 8

F

Federal Republic of Germany (FRG)
 atmospheric corrosion test sites, 3
 Exposure Program initiation dates, 8
 organizations participating in ISOCORRAG Program, 5

- Finland
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8
 - organizations participating in ISOCORRAG Program, 5
- Flat panels, corrosion losses of
 - aluminum, 29–30
 - atmospheric corrosion rates of specimens, 57–59
 - copper, 25–26
 - steel, 15–17
 - zinc, 20–21
- France
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8
 - organizations participating in ISOCORRAG Program, 5
- G**
- Germany
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8
 - organizations participating in ISOCORRAG Program, 5
- H**
- Helices, corrosion losses of
 - copper, 26–27
 - steel, 17–18
 - zinc, 22–23
- I**
- IFCHAN SSSR, 6
- Industrial test sites, 15, 71
- Initiation dates, 8
- Institut de la Recherche la Siderurgie Francaise (IRSID), 5
- Instituto Argentino de Racionalizacion de Materiales, 5
- Instituto de Investigaciones Cientificas y Tecnicas de las Fuerzas Armadas (CITEFA), 5
- Instituto Nacional de Tecnologia Industrial (INTI), 5
- International Organization for Standardization (ISO), 1, 66
- INTI (Instituto Nacional de Tecnologia Industrial), 5
- IRSID (Institut de la Recherche la Siderurgie Francaise), 5
- ISO (International Organization for Standardization), 1
- ISO 8565, 2
- ISO 9223, 1, 40–42, 58, 66
- ISO 9224, 1
- ISO 9225, 1, 2
- ISO 9226, 1, 2, 66
- ISOCORAG-MICAT integrated database characterization, 58–59
- ISOCORRAG atmospheric test sites, 70–71
- ISOCORRAG database, 60
- ISOCORRAG program, 1, 57, 64, 66
 - comparison of corrosivity categories for metals in, 54–55
 - metals used in, 7
 - organizations participating in, 5–6
- J**
- Japan
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8
 - organizations participating in ISOCORRAG Program, 5
- L**
- LABEIN Dep. Materials and Construction, 6
- LaQue Centre for Corrosion Technology, 6
- Ln Corr, 59
- Long-term kinetics, 56, 63–65
- M**
- Mass loss (ML), 15, 63
- Mass loss per unit area (A), 63
- MICAT database, 60
- ML (mass loss), 15, 63
- N**
- NaCl deposition rate, 8
- NaCl deposition rate, 13–14
- National Research Council Industrial Materials Research Institute, 5
- National Research Institute for Protection of Materials, 5
- New Zealand
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8
 - organizations participating in ISOCORRAG Program, 6
- Nippon Test Panel Co., 5
- Normative corrosivity category derivation, 59–62
- Norway
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 8–9
 - organizations participating in ISOCORRAG Program, 6
- Norwegian Institute for Air Research, 6
- P**
- P classification characteristics, 59
- Pechiney, Cegedur, 5
- Percentage frequency, 58
- R**
- Regression, 61
- Relative humidity, 8
- Results, 10–56
 - analyses of, 57–65
 - atmospheric corrosion rates of flat and wire-helix specimens, 57–59
 - database characteristics, 57
 - derivation of dose-response functions for normative corrosivity category derivation, 59–62
 - environmental effects: 1 year corrosion rates, 59
 - long-term kinetics of structural metals, 63–65
 - corrosivity classification, 40–56
 - data analysis, 15–40
 - environmental data, 10–15
 - long-term kinetics, 56
 - mass loss data, 15
- Rural test sites, changes of SO₂ in, 15
- S**
- S classification characteristics, 59
- Salinity, 13–14
- Single quartiles, 57
- SO₂ changes, 15
- SO₂ concentration, 8, 10
- SO₂ deposition, 8, 63
- Spain
 - atmospheric corrosion test sites, 3
 - Exposure Program initiation dates, 9
 - organizations participating in ISOCORRAG Program, 6

Specimen area (A), 2
Specimen evaluation, 2–9
Specimens, 2
Staatliches Materialprüfungsamt, 2, 5
Steel, corrosion losses of, 19–20, 34–35
 corrosivity classification, 46–47
 flat panels, 15–17
 helices, 17–18
 predicted loss vs. measured loss, 64

Sweden
 atmospheric corrosion test sites, 3–4
 Exposure Program initiation dates, 9
 organizations participating in ISOCORRAG Program, 6
Swedish Corrosion Institute, 6

T

Technical Research Centre of Finland (VTT) Metallurgy Laboratory, 5

Test sites
 atmospheric corrosion, 3–4
 categories, corrosion losses of flat panels, 42–44
 categories, corrosion losses of helices, 44–45
 classification of, 40–42
 examples of, 71
 rural, changes of SO₂ in, 15

Time exponent (B), 63
Time of exposure (t), 2
Time of wetness (TOW), 11–13, 59, 63

U

UK. *See* United Kingdom
Unalloyed carbon steel, 7
Union of Soviet Socialist Republics (USSR)
 atmospheric corrosion test sites, 4
 Exposure Program initiation dates, 9
 organizations participating in ISOCORRAG Program, 6

United Kingdom (UK)
 atmospheric corrosion test sites, 4
 Exposure Program initiation dates, 9
 organizations participating in ISOCORRAG Program, 6

United States (USA)
 atmospheric corrosion test sites, 4
 Exposure Program initiation dates, 9
 organizations participating in ISOCORRAG Program, 6

UNS A91100, 2

UNS C10200, 2

UNS C11000, 2

UNS G10060, 2

UNS Z18002, 2

Urban atmospheric test sites, 71

USA. *See* United States

USSR. *See* Union of Soviet Socialist Republics

V

Variables, in standardized corrosivity, 58
VTT (Technical Research Centre of Finland) Metallurgy Laboratory, 5

W

Wetness, 11–13, 59, 63
WG 4 (Working Group 4), 1
Wilcoxon two samples rank test, 57
Wire helix, 2, 7, 15, 57–59
Working Group 4 (WG 4), 1

Z

Zinc, 7, 9
 atmospheric corrosivity evaluation, 56
 correlation and regression, 61
 corrosion losses of, 20–24, 35–37
 corrosive rates, 65
 corrosivity classification, 48–49
 observed vs. predicted values for, 63
 predicted loss vs. measured loss, 64