

## Subject Index

### A

Abrasion, 57  
 test, 3, 43, 57  
 Abrasive grit test, 57  
 Absorbency, 142  
 Absorption, 142, 200  
 Acetone, 347  
 Acrylic test, 103  
 Aerosol  
 efficacy, 347  
 transmission, 103  
 AIDS, 123  
 Aircrew underwear, 625  
 Air supply systems, 471, 486  
 self-contained breathing  
 systems, 534  
 Aramid fabric, 575  
 Arm, sweating and moving,  
 laboratory, 257  
 ASTM Subcommittee F23.70 on  
 Use, 498  
 ASTM standards  
 F 903, 347  
 F 1001, 110  
 F 1154, 311  
 F 1414, 70  
 F 1461, 498  
 Atrazine, 188, 200, 210

### B

Belt abrader, 57  
 Belt impact abrasion test, 3, 43  
 Bio-heat equation, 592  
 Blade degradation, 23, 32  
 Blood contamination protection,  
 103  
 cutaneous, 123  
 Blood perfusion rate, 592  
 Boots, 534  
*B. subtilis*, 103  
 Burst test, 3, 43  
 Butyl coatings, 281  
 Butyl rubber, 157

### C

Calorimeter, 607  
 Carbonaceous materials, 131  
 Carbon tetrachloride, 131  
 Certification program, leg  
 protection devices, 70  
 Chain saw leg protection  
 devices, 70  
 Chaps, 70  
 Charcoal, 131  
 Charge dissipation, 85  
 Chimney effect, 257  
 Chlorine bleach, 223  
 Chlorpyrifos, 223  
 Coefficient of variation, 23, 32  
 Cold protection, 360, 384, 625  
 Collapses, building, 558  
 Comfort-Gard II coveralls, 235  
 Comfort performance, 257, 327,  
 347, 360, 408  
 ASTM F 1154, 311  
 conditioning equipment,  
 microclimatic, 471  
 design, 486  
 gloves, 296, 367  
 mobility, 311, 360, 471  
 Common market, European,  
 effect on standards, 550  
 Composites, 281  
 barrier system, 157  
 Concurrent engineering, 471  
 Conditioning equipment,  
 microclimatic, 471  
 Cotton, 210, 223  
 friction transfer of pesticides  
 with, 200  
 glove liner material, 296  
 Coveralls, 235, 311, 327  
 turnout suit, fire fighting, 396,  
 408, 447, 504  
 Crash damage, 43  
 performance levels, 3  
 Crockmeter, 200  
 Cross-contamination, 177  
 Cut resistance, 23, 32, 43, 70

**D**

Debonding, 157  
 Decontamination  
   chlorpyrifos, 223  
   field, 428  
   laundering, 177, 247, 447  
 Degradation, 486  
   resistance, 110, 142  
 Diffusion, 157, 347  
 Diving, contaminated water, 558  
 Dramm sprayer, 235  
 Drying time, glove liner, 296  
 Dummy, test, 43, 360, 607, 625  
   laboratory arm, 257  
 Duncan's multiple range post  
   hoc procedure, 177  
 Dye tracer, 235

**E**

Elastomer barrier, 157  
 Electrogoniometer, 311  
 Electrostatic delay, 85  
 Electrostatic spraying system, 235  
 Emergency Responder User  
   Requirements Committee, 558  
 Encapsulating suit, 534  
 Equipment and protective  
   clothing design, 471  
 Ergonomic characteristics,  
   personal protective  
   devices, 384  
 European Standardization  
   Committee (CEN), 519, 550  
 European Standards, 550  
   cold protection, 360  
   heat and fire, 519  
 Evaporative resistance, 360  
 Extraction efficiency, 188

**F**

Fabrication feasibility, 408, 471  
 Fabric impact abrasion, 57  
 Fabric pads, high strength fiber,  
   70  
 Fabrics (See also specific types)  
   coated, 486  
   encapsulating suits, 534  
   microporous, 486

Fabric tests, 131, 408, 519, 534,  
   575  
   abrasion, 3, 43, 57  
   aerosol, 347  
   barrier, 188  
   biopenetration, 281  
   burst test, 3, 43  
   chlorpyrifos decontamination,  
     223  
   coated, 281  
   decontamination, 428  
   glove liners, 142, 296  
   gloves, 23, 32, 367  
   gloves, cold climate, 384  
   heat transmission, 269, 360  
   laundering, 177, 223, 247, 447  
   microbiological, 103  
   microscopy, 281  
   mobility, 311  
   nonwoven, barrier efficiency,  
     210  
   nuclear protective apparel,  
     327  
   penetration, 142, 347  
   polyester, 142  
   skin and, transition, 200  
   sleeves, thermal insulation,  
     257  
   spray penetration, 188, 235  
   surgical gown, 123  
   thermal protection, 607, 625  
   treadmill, 396  
   triboelectric charge, 85  
   trousers, 70  
   wear, 396  
 Fiberglass, 281  
 Filtration cups, 103  
 Finite element method, 592  
 Fire fighting clothing, 269, 396,  
   408, 447, 504  
 Fire, flash, 607  
 Fire Service, 558  
 Fit, garment  
   ASTM F 1154, 311  
   gloves, 367  
   mobility, 311, 360, 471  
 Flame resistance, 504, 519  
   turnout gear, 269, 396, 408,  
     447, 504  
 Flammability protection, 625  
 Flexometer, 311  
 Fluorescence, 281

Fluoropolymer barriers, 428  
Frictional transition, 200

## G

Gas chromatography, 177, 210,  
235, 447  
Gloves, 534  
    design considerations, 367  
    ease requirements, 367  
    gloves, for cold climates, 384  
    liners, 142, 296  
    materials, cut resistance, 23,  
    32  
Goniometer, 311  
Greenhouse sprayers, 236

## H

Heat fluxes, 360, 396, 592, 607  
Heat resistance, 408, 504, 519  
Heat shrinkage, 575  
Heat stress, 327, 396, 486  
Heat transfer, 257, 269, 360  
Helmets, safety, for cold  
    climates, 384  
Hepatitis B, 123  
Humidity  
    effect on heat transmission,  
    269  
    effect on protection, 131  
Hydrocarbon, 157

## I

Impact cut test, 43  
Injury analysis, 504  
Insecticide, 223  
Insulation value, 625  
International Classification of  
    Diseases Codes, 504  
International Organization for  
    Standardization, 519, 550

## K

Kevlar, 23, 575

## L

Laundrying, 177, 247, 447  
    chlorpyrifos decontamination,  
    223  
Leather, 57, 70, 200  
Leg protective devices, 70  
Life cycle cost analysis, 534  
Liquid barriers, 123  
Liquid penetration, 142  
    ASTM F 903, 347  
Liquid-sample contact, 142  
Lycra, glove liner material,  
    296

## M

Maintenance, protective  
    clothing, 498, 534  
Management programs, 498  
Mannequin, 43, 360, 607, 625  
    laboratory arm, 257  
Matrix contamination, 428  
Methanol, 347  
Metolachlor, 200  
Microbial penetration, 103  
Microporous membrane, 396  
Mobility measurement, 311,  
    360, 471  
Models and modeling  
    management program, 498  
    Pennes', 592  
    prediction, 360  
    program, 428  
    skin burn, 592  
Moisture absorption, 296, 327  
Moisture transfer, 257, 269, 327,  
    360, 396, 486  
Motorcycling clothing, 3, 43, 57

## N

National Aeronautics and Space  
    Administration, 85, 534  
National Fire Protection  
    Association, 110, 408, 534  
Neoprene, 23, 32  
Nomex, 281, 534, 575, 625  
Nondestructive evaluation,  
    281  
Nylon, 327

**O**

Offgassing, 428  
Organic solvents, 131  
Orthene, 235

**P**

Penetration  
  fluorescent, 281  
  liquid, 142  
    ASTM F 903, 347  
  microbial, 103  
  moisture, 257, 269, 360, 396, 486  
  particle, 347  
  resistance, 110, 142, 210, 408  
  spray, 188, 200, 235  
Pennes' models, 592  
Permeability, 157  
  index, 347  
Permeation, 281, 428  
Permeation resistance, 142  
  butyl rubber composite, 157  
  chemical protective clothing, 110  
  resistance, 534  
  surgical gowns, 123  
Perspiration, 257, 327, 360, 396, 486  
  effect on pesticide transfer, 200  
  skin maceration, 296  
Pesticide, 210  
  contaminated clothing, home laundering, 177, 223, 247  
  greenhouse spraying  
    contamination, 235  
  level determination, 177  
  rubbing transfer, 200  
  spray penetration, 188, 200, 235  
Pig skin, 200  
Polyester, 327  
  cotton blend, 200, 210, 223  
  glove liner material, 296  
  underwear, 142  
Polypropylene, 210  
Polystyrene, 347  
Polytetrafluoroethylene, 85  
Pressing/leaning simulator, 123

**R**

Range of motion measurement, 311  
Ranking, 360  
Rating scale  
  chemical protective suit, 311  
  replacement materials, handlers' ensemble, 534  
Rescue, technical, clothing for, 558  
Residue, 188, 200, 210  
  home laundering, 247  
  transfer, 177  
Road impact, 57  
Rubber  
  butyl, 157  
  chlorobutyl, 534  
Rubbing transfer, 200

**S**

Search and rescue, urban, 558  
Selection  
  chemical protective clothing, 498  
  replacement material, 534  
Serum contamination protection, 103  
Shelter materials, 281  
Shoes, 384  
Sizing, protective clothing, 471  
Skin, 607  
  burn model, 592  
  heat flux to, 269  
  pesticide transfer to, 200  
Sodium hydroxide, 347  
Solid state transition, 200  
Solubility, 157  
Solvent extraction, 428, 447  
Solvents, organic, 131  
Splash suit, 408  
Spray penetration, 188, 200, 235  
Spray pressure, 188  
Standards (See also ASTM standards)  
  Canadian, 70  
  European, cold protection, 360  
  European Standardization Committee (CEN), 519, 550

International Organization  
for Standardization,  
519, 550  
National Aeronautics and  
Space Administration,  
85, 534  
National Fire Protection  
Association, 110,  
408, 534  
World Health Organization,  
disease classification,  
504  
Static charge generation, 85  
Steel  
plate, 57  
reinforced materials, 23  
Strength retention, 575  
Suits, chemical protective, 210,  
281, 311, 534  
Surface heat flux, 607  
Surface resistivity, 85  
Surgical gown fabrics, 123  
Swelling, 157  
Swift water rescue, 558

## T

Tame, 235  
Teflon, 281  
Tensile strain, 157  
Thermal insulation measurement,  
257, 269, 396  
Thermal performance, 360, 396,  
408  
Thermal protection testing, 607,  
625  
Thermal resistance, 257, 269, 504,  
519  
Thermal stability, 575, 592  
Thermal stress, 327, 360, 396, 486  
Time scale, sub-second, 142  
Transducer, 607  
Treadmill test, turnout suit, 396  
Triboelectric charge, 85  
Turnout suit, fire fighting, 269,  
396, 408, 447, 504

## U

UNCG-Clemson spray box,  
188  
U.S. Marine Corps, 625  
U.S. Navy, 408, 625  
Underwear, 625  
polyester, 142  
Use, chemical protective  
clothing, 498

## V

Vapor pressure, 428  
Vapor protection, 534  
Ventilation, 257  
damage, 3  
Viscose, glove liner material,  
296  
Visors, 534  
Voltage, 85

## W

Washer cost, pesticide  
contaminated clothing,  
247  
Water content, skin, 592  
Water diving, contaminated, 558  
Water penetration resistance, 447  
Water solubility, 428  
Water vapor resistance, 257, 269,  
396  
Water transfer, 257, 269, 360,  
396, 486  
Wearability, 384  
Wear, simulated, 281, 396  
Wettability, glove liner fabric,  
296  
Wicking, 281, 296  
World Health Organization, 504