

Subject Index

A

Accelerated corrosion, 205(fig)
Accelerated growth, 658–665, 667–675(figs), 676(table)
Accelerated irradiation growth
 Zircaloy-4 fuel rods, 658–677
Accelerated oxidation, 513–514
Acicular structures, 386–387, 466
Activation energy, 171(fig), 442–444
Advanced Test Reactor (ATR)
 radiation exposures, 247
Advanced water breeder applications program tests (AWBA), 268
Aging
 effects on beta-quenched zircaloy-4, 453(table), 454–456(figs), 458–461(figs), 470
Alkali dissociation, 187–201, discussion, 735
Alloying elements
 Zircaloy-2, 347–348, 353(figs), 355–357(figs), discussion, 744
 zirconium, 665–666
See also Chromium, Iron, Nickel, Niobium, Tin
Alpha-zirconium
 diffusion of transition elements, 436–448(figs, tables)
 discussion, 751
Alumina polishing
 effect on oxidation rate, 513
Aluminum compression properties, 583
Analytical transmission electron microscopy (TEM), 216
Anisotropic creep behavior, 587–591, 597, 644
Anisotropic deformation model, 623
Anisotropic diffusion, 676(table)
Anisotropic mechanical properties, 584(table)
Anisotropy parameters
 microstructures, 693, 719
 temperature, 717, 720

textures, 571, 574–577, discussion, 756
 thermal creep, 629–632, 633–634(table, figs), 639
Anneal hardening, 559–560, discussion, 754
Annealed Zircaloy, 674(fig)
Annealing parameters
 accumulated, 203–204, 211
 beta-quenched zircaloy-4, 453, 464–466, 468(fig), 470–472(figs)
 corrosion, 337–338, 349, 351, discussion, 743
 heat treatment combinations, 130(table), 135
 intermetallic precipitates, 421
 post irradiation, 644
Annealing treatment
 beta-quenched zircaloy-4, 472–475(figs)
 scale growth, 382
Anodization curves, 250–251
Argon-ion etching, 507
Arrhenius behavior, 436, 443(fig), discussion, 751
ASME Boiler and pressure vessel code, 35
ASTM specifications
 B 353, 5(ftn), 621
 E 8, 625
 E 139, 625
 E 399, 736
 E 813, 45, 85
 E 1152, 71
 G 2, 115, 145
 UMS R 60804, 550
Atom probe specimens
 electropolishing procedure, 427
Atom probes, 424–426, discussion, 749
Auger analysis of oxidized zirconium alloys, 498–514
Autoclave corrosion data, 231, 232(figs), 322(table)
Autoclave hydriding, 153–164 discussion, 732
Autoclave tests
 chemical composition influences

Autoclave tests—*Continued*
 on Zircaloys, 335–338,
 discussion, 743
 corrosion, 428–429(fig), 432
 discussion, 749
 corrosion performance rankings system
 designs, 318–320(figs)
 corrosion tests by atom probes, 426–428,
 430(table),
 discussion, 749
 effect of oxygen on corrosion, 206(fig)
 hydrogen pickup, 233, 234(table)
 in steam, 132(fig), 137(fig)
 microstructure and corrosion studies,
 205
 weight gains of cladding materials spec-
 imens, 326–332(figs), discussion,
 742
 Zircaloy-4 cladding, 151
 Zircaloy-4 tubing, 128–140, discussion,
 731
 Zircaloy claddings—corrosion, 180 (ta-
 ble)
 zirconium-base alloys, 113–127, discus-
 sion, 730

Autoclaved claddings. *See* Claddings.

AWBA. *See* Advanced water breeder ap-
 plications

B

Behavior of thick/thin films, 14–18
 Behavior of Zircaloy in reactors, 21–
 23(figs), 266
See also Hydriding
 Beta-quenching
 oxidized zirconium alloys, 512–513
 Zircaloy-4, 452–458(figs), 467(fig), 470–
 471, 475
See also Quenching.
 Bettis laboratory tests
 Zircaloy clad fuel rods, 267
 Biaxial creep, 585–586(fig), 597, 612,
 613(fig)
 Binary alloys, 501, 504–506, 509, 512–514,
 discussion, 753
 Black oxide films, 366–371
See also Oxide films
 Blister growth
 experimental techniques methods, 51–57
 Blisters. *See* Hydride blisters.
 Boiling water reactor (BWR)
 nodular corrosion of zircaloy-2,
 alloying element effects,
 347–358, discussion, 744

Zircaloy cladding corrosion, 209–212
 Zircaloy nodular corrosion, 291–313 dis-
 cussion, 741
 Breakaway growth. *See* Accelerated
 growth.
 Bristles. *See* Acicular structures.
 Brittle fracture of zircaloy tubing, 521,
 524
 Burnup
 in light water and pressurized reactors,
 678
 in nuclear power plants, 548–569

C

Calandria tubes, 247, 571
 Canadian deuterium uranium pressurized
 heavy water (CANDU-PHW)
 Bruce nuclear generating station, 21
 Pickering nuclear generating station, 21
 pressure tubes, 21–34
 Zircaloy pressure tubes corrosion and
 hydriding, 16
 Zr–2.5Nb pressure tubes cold-worked
 compared to zircaloy, 21
 CANDU-PHW. *See* Canadian deuterium
 uranium pressurized heavy-water
 reactors.
 Carbon—effect on corrosion of zircaloy-4,
 123(fig), 126
 Chemical composition of zircaloys
 influence on autoclave corrosion, 113–
 127, 335–344, discussion, 730, 743
 influence on corrosion performance of
 fuel cladding, 214(table)
 influence on steam corrosion, 128–140,
 discussion, 731
 relationship to irradiation temperature
 and fluence, 667(table)
 zirconium-niobium alloys, 479(table)
 Chromium
 corrosion behavior in zirconium alloys,
 203, 228, 335–341(figs, tables),
 354–356, 406–412(figs, tables), dis-
 cussion, 745, 748
 diffusion in alpha-zirconium and zircon-
 ium alloys, 436–450, discussion, 751
 effects of neutron irradiation, 642, dis-
 cussion, 758–759
 influence on scale growth, 380, discus-
 sion, 746
 oxidation in zirconium alloys, 498, 509–
 510(fig), 513
 CIRENE loop, 166–170(figs, tables),
 176(table, fig)

- Cladding
 burst properties, 549–551, 552–553

(tables), discussion, 754	corrosion resistance, 563																																																									
in-reactor/out-of-reactor test program, 316–317 <table border="0"><tr><td style="vertical-align: top;">(tables)</td><td style="vertical-align: top;">lot-data, Zircaloy-4, 625(table)</td></tr><tr><td style="vertical-align: top;">measuring zirconium liner thickness, 392–402, discussion, 747</td><td style="vertical-align: top;">nucler fuel, 549</td></tr><tr><td style="vertical-align: top;">simulated fuel expansion(SIMFEX) testing, 518–534</td><td style="vertical-align: top;">tube corrosion—surface treatment comparisons, 331–332</td></tr><tr><td style="vertical-align: top;">zirconium alloy, 571–577(FIGS, tables), discussion, 756</td><td style="vertical-align: top;">Zircaloy cladding, 165–184, discussion, 734</td></tr><tr><td style="vertical-align: top;">Cladding corrosion behavior, 360, 535</td><td style="vertical-align: top;">Zircaloy-2 in Advanced Test Reactor (ATR), 246–247</td></tr><tr><td style="vertical-align: top;">performance rankings of materials, 326–333, discussion, 742</td><td style="vertical-align: top;">zircaloy 4, 118–121(FIGS), 122(table)</td></tr><tr><td style="vertical-align: top;">Zircaloy fuel rods, 284</td><td style="vertical-align: top;">zirconium alloys, 113–127, discussion, 730</td></tr><tr><td style="vertical-align: top;">Zircaloy nodular corrosion, 292</td><td style="vertical-align: top;">Corrosion acceleration with lithium chloride uptake tests, 187–201, discussion, 735</td></tr><tr><td style="vertical-align: top;">Cladding ductility, 562–563</td><td style="vertical-align: top;">Corrosion analytical model, 166–170</td></tr><tr><td style="vertical-align: top;">Cladding hydriding corrosion Zircaloy fuel rods, 267</td><td style="vertical-align: top;">Corrosion behavior in steam, 129, 206</td></tr><tr><td style="vertical-align: top;">zirconium alloys, 152, 166, 214, 227 discussion, 739</td><td style="vertical-align: top;">in Zircaloy-4 autoclave testing, 139</td></tr><tr><td style="vertical-align: top;">Cladding material, 678</td><td style="vertical-align: top;">in zirconium alloys, 228 variables, 382–383(FIG)</td></tr><tr><td style="vertical-align: top;">Cladding tubes—liner design, 392, discussion, 747</td><td style="vertical-align: top;">Corrosion data of Zr-Nb alloys, 231–233</td></tr><tr><td style="vertical-align: top;">CMA. <i>See</i> Computer-aided microanalysis.</td><td style="vertical-align: top;">Corrosion fatigue behavior of zircaloy in iodine, 536–547(FIGS), discussion, 753</td></tr><tr><td style="vertical-align: top;">CODF. <i>See</i> Crystallite orientation distribution function.</td><td style="vertical-align: top;">linked to stress corrosion cracking, 545</td></tr><tr><td style="vertical-align: top;">Cold worked stress relieved (CWSR) zircaloy, 576, 585–590, 718</td><td style="vertical-align: top;">Corrosion kinetics, 166–172(FIGS, tables), 178–181(FIGS)</td></tr><tr><td style="vertical-align: top;">Compression properties, 583</td><td style="vertical-align: top;">Corrosion resistant alloys</td></tr><tr><td style="vertical-align: top;">Computer-aided microanalysis, 348(FIG), 350–352, discussion, 744</td><td style="vertical-align: top;">cladding, 242–245, discussion, 740–741</td></tr><tr><td style="vertical-align: top;">Constitutive equation, 678–691</td><td style="vertical-align: top;">fuel cladding, 225</td></tr><tr><td style="vertical-align: top;">Coolant radiolysis, 16, 21, 280, 284</td><td style="vertical-align: top;">hydride cracking, 89, discussion, 729</td></tr><tr><td style="vertical-align: top;">Copper compression properties, 583</td><td style="vertical-align: top;">in pressure tubes, 21–22</td></tr><tr><td style="vertical-align: top;">Core compression rates, 521, 530–531</td><td style="vertical-align: top;">in Zircaloy-4, 141–152, 471, discussion, 732</td></tr><tr><td style="vertical-align: top;">Corrosion autoclave corrosion of zircaloys, 113–127, 128, 335–340 discussion, 731, 743</td><td style="vertical-align: top;">influence of iron + chromium, 381</td></tr><tr><td style="vertical-align: top;">burnup, 231</td><td style="vertical-align: top;">influence of tin content, 622–617, discussion, 757</td></tr><tr><td style="vertical-align: top;">CANDU-PHW reactors, 20–34, discussion, 727</td><td style="vertical-align: top;">scale growth, 379–381</td></tr><tr><td style="vertical-align: top;">chemical effects, 113–127, discussion, 730</td><td style="vertical-align: top;">Corrosion testing</td></tr><tr><td style="vertical-align: top;">cladding materials, 231</td><td style="vertical-align: top;">beta quenched Zircaloy-4, 454, 462–463, 468(FIG), 470–475(FIGS), 476</td></tr><tr><td style="vertical-align: top;">cladding tubes, 128, discussion, 731</td><td style="vertical-align: top;">cladding alloy, 239–243, (FIGS, tables), 348</td></tr><tr><td style="vertical-align: top;">cold-worked Zr–2.5Nb pressure tube effect of thermal ageing, 22(FIG)</td><td></td></tr></table>	(tables)	lot-data, Zircaloy-4, 625(table)	measuring zirconium liner thickness, 392–402, discussion, 747	nucler fuel, 549	simulated fuel expansion(SIMFEX) testing, 518–534	tube corrosion—surface treatment comparisons, 331–332	zirconium alloy, 571–577(FIGS, tables), discussion, 756	Zircaloy cladding, 165–184, discussion, 734	Cladding corrosion behavior, 360, 535	Zircaloy-2 in Advanced Test Reactor (ATR), 246–247	performance rankings of materials, 326–333, discussion, 742	zircaloy 4, 118–121(FIGS), 122(table)	Zircaloy fuel rods, 284	zirconium alloys, 113–127, discussion, 730	Zircaloy nodular corrosion, 292	Corrosion acceleration with lithium chloride uptake tests, 187–201, discussion, 735	Cladding ductility, 562–563	Corrosion analytical model, 166–170	Cladding hydriding corrosion Zircaloy fuel rods, 267	Corrosion behavior in steam, 129, 206	zirconium alloys, 152, 166, 214, 227 discussion, 739	in Zircaloy-4 autoclave testing, 139	Cladding material, 678	in zirconium alloys, 228 variables, 382–383(FIG)	Cladding tubes—liner design, 392, discussion, 747	Corrosion data of Zr-Nb alloys, 231–233	CMA. <i>See</i> Computer-aided microanalysis.	Corrosion fatigue behavior of zircaloy in iodine, 536–547(FIGS), discussion, 753	CODF. <i>See</i> Crystallite orientation distribution function.	linked to stress corrosion cracking, 545	Cold worked stress relieved (CWSR) zircaloy, 576, 585–590, 718	Corrosion kinetics, 166–172(FIGS, tables), 178–181(FIGS)	Compression properties, 583	Corrosion resistant alloys	Computer-aided microanalysis, 348(FIG), 350–352, discussion, 744	cladding, 242–245, discussion, 740–741	Constitutive equation, 678–691	fuel cladding, 225	Coolant radiolysis, 16, 21, 280, 284	hydride cracking, 89, discussion, 729	Copper compression properties, 583	in pressure tubes, 21–22	Core compression rates, 521, 530–531	in Zircaloy-4, 141–152, 471, discussion, 732	Corrosion autoclave corrosion of zircaloys, 113–127, 128, 335–340 discussion, 731, 743	influence of iron + chromium, 381	burnup, 231	influence of tin content, 622–617, discussion, 757	CANDU-PHW reactors, 20–34, discussion, 727	scale growth, 379–381	chemical effects, 113–127, discussion, 730	Corrosion testing	cladding materials, 231	beta quenched Zircaloy-4, 454, 462–463, 468(FIG), 470–475(FIGS), 476	cladding tubes, 128, discussion, 731	cladding alloy, 239–243, (FIGS, tables), 348	cold-worked Zr–2.5Nb pressure tube effect of thermal ageing, 22(FIG)	
(tables)	lot-data, Zircaloy-4, 625(table)																																																									
measuring zirconium liner thickness, 392–402, discussion, 747	nucler fuel, 549																																																									
simulated fuel expansion(SIMFEX) testing, 518–534	tube corrosion—surface treatment comparisons, 331–332																																																									
zirconium alloy, 571–577(FIGS, tables), discussion, 756	Zircaloy cladding, 165–184, discussion, 734																																																									
Cladding corrosion behavior, 360, 535	Zircaloy-2 in Advanced Test Reactor (ATR), 246–247																																																									
performance rankings of materials, 326–333, discussion, 742	zircaloy 4, 118–121(FIGS), 122(table)																																																									
Zircaloy fuel rods, 284	zirconium alloys, 113–127, discussion, 730																																																									
Zircaloy nodular corrosion, 292	Corrosion acceleration with lithium chloride uptake tests, 187–201, discussion, 735																																																									
Cladding ductility, 562–563	Corrosion analytical model, 166–170																																																									
Cladding hydriding corrosion Zircaloy fuel rods, 267	Corrosion behavior in steam, 129, 206																																																									
zirconium alloys, 152, 166, 214, 227 discussion, 739	in Zircaloy-4 autoclave testing, 139																																																									
Cladding material, 678	in zirconium alloys, 228 variables, 382–383(FIG)																																																									
Cladding tubes—liner design, 392, discussion, 747	Corrosion data of Zr-Nb alloys, 231–233																																																									
CMA. <i>See</i> Computer-aided microanalysis.	Corrosion fatigue behavior of zircaloy in iodine, 536–547(FIGS), discussion, 753																																																									
CODF. <i>See</i> Crystallite orientation distribution function.	linked to stress corrosion cracking, 545																																																									
Cold worked stress relieved (CWSR) zircaloy, 576, 585–590, 718	Corrosion kinetics, 166–172(FIGS, tables), 178–181(FIGS)																																																									
Compression properties, 583	Corrosion resistant alloys																																																									
Computer-aided microanalysis, 348(FIG), 350–352, discussion, 744	cladding, 242–245, discussion, 740–741																																																									
Constitutive equation, 678–691	fuel cladding, 225																																																									
Coolant radiolysis, 16, 21, 280, 284	hydride cracking, 89, discussion, 729																																																									
Copper compression properties, 583	in pressure tubes, 21–22																																																									
Core compression rates, 521, 530–531	in Zircaloy-4, 141–152, 471, discussion, 732																																																									
Corrosion autoclave corrosion of zircaloys, 113–127, 128, 335–340 discussion, 731, 743	influence of iron + chromium, 381																																																									
burnup, 231	influence of tin content, 622–617, discussion, 757																																																									
CANDU-PHW reactors, 20–34, discussion, 727	scale growth, 379–381																																																									
chemical effects, 113–127, discussion, 730	Corrosion testing																																																									
cladding materials, 231	beta quenched Zircaloy-4, 454, 462–463, 468(FIG), 470–475(FIGS), 476																																																									
cladding tubes, 128, discussion, 731	cladding alloy, 239–243, (FIGS, tables), 348																																																									
cold-worked Zr–2.5Nb pressure tube effect of thermal ageing, 22(FIG)																																																										
- effect of low hydrogen uptake, 32, 268–269
- hydride test materials, 155(table)
- irradiated zircaloy fuel rods, 269–275(FIGS), 280, 292–294
- lithium chloride accelerated, 187–201 discussion, 735
- N* reactor pressure tubes, 3–19 discussion, 725–726
- nodular corrosion test, 292–301 (FIGS, tables)
- nondestructive testing of tubes, 40–41
- oxidation and hydriding effects, 5–17, 24–31
- pressure tubing, 5–6(FIG), 20–34, discussion, 727
- Zircaloy cladding, 165–184, discussion, 734
- Zircaloy-2 in Advanced Test Reactor (ATR), 246–247
- zircaloy 4, 118–121(FIGS), 122(table)
- zirconium alloys, 113–127, discussion, 730
- Corrosion acceleration with lithium chloride uptake tests, 187–201, discussion, 735
- Corrosion analytical model, 166–170
- Corrosion behavior
- in steam, 129, 206
 - in Zircaloy-4 autoclave testing, 139
 - in zirconium alloys, 228 variables, 382–383(FIG)
- Corrosion data of Zr-Nb alloys, 231–233
- Corrosion fatigue
- behavior of zircaloy in iodine, 536–547(FIGS), discussion, 753
 - linked to stress corrosion cracking, 545
- Corrosion kinetics, 166–172(FIGS, tables), 178–181(FIGS)
- Corrosion resistant alloys
- cladding, 242–245, discussion, 740–741
 - fuel cladding, 225
 - hydride cracking, 89, discussion, 729
 - in pressure tubes, 21–22
 - in Zircaloy-4, 141–152, 471, discussion, 732
 - influence of iron + chromium, 381
 - influence of tin content, 622–617, discussion, 757
 - scale growth, 379–381
- Corrosion testing
- beta quenched Zircaloy-4, 454, 462–463, 468(FIG), 470–475(FIGS), 476
 - cladding alloy, 239–243, (FIGS, tables), 348

- Corrosion testing—*Continued*
 cold-worked Zr-2.5Nb pressure tube,
 23(fig)
 effects of iron + chromium content, 381
 materials in pressurized water and steam,
 115, 116–117(tables), 130
 nodular corrosion, 292–301
 performance of zircalloys, 148–150, 213–
 226, 315–333, discussion, 737–738,
 742
 Zircaloy-4 tubing, 135, 151(table)
 zirconium alloys, for improved corrosion
 resistance, 242–245, discussion,
 740–741
 zirconium alloys under irradiation, 247
 Counting procedure—hydrides, 14
 Crack growth rate
 Zircaloy corrosion-fatigue, 536–
 541(figs), 544–545, discussion, 753
 Crack initiation
 fatigue life affected by iodine, 539–
 541(figs)
 Cracking
 oxidized zirconium alloys, 511
 SIMFEX testing of zircaloy tubing, 517–
 518, 521, 525, 528
 Cracks and crack velocity, 89–102, discussion, 729
 Creep
 deformation model, 636(table)
 effect of crystal textures, 572, 586–
 588
 influence of tin content in zirconium al-
 loys, 622, 628–637(figs, tables), dis-
 cussion, 757
 Zircaloy cladding, 678–679
 Creep behavior
 Zircaloy cladding, 678–691
 zirconium alloys, 574–590
 Creep deformation, 597–607(figs), 615–
 616, 622, 636(table), 683–684, discussion, 757
 Creep hardening, 686–690(figs)
 Creep relaxation tests, 612–613(figs), 614–
 615(figs)
 Creep testing
 material properties, 680(table)
 Zircaloy-4 cladding, 625–632(figs, ta-
 bles)
 Critical crack length (CCL), 76–77(figs)
 Crystal plasticity models, 577–579, 587–
 590
 Crystal structure, 409(table), 470
 See also Acicular structures.
 Crystallite behavior, 591
 Crystallite orientation distribution function
 (CODF), 572–574(figs), 578, 584,
 587, 589–592
 Crystallographic data, ZrSn alloys, 482,
 484–485(tables)
 Crystallographic texture
 Zircaloy-2, 304
 zirconium alloys in the nuclear industry,
 571–595, 706, discussion, 756, 761
 Curie temperatures, 490(table)
 CWSR. *See* Cold worked stress relieved.
 CWSR cladding, microstructure, 626
 Cyclic loading
 crack growth, 545
 creep behavior of zircaloy cladding, 683–
 685(figs)
 pellet cladding interaction and corrosion
 fatigue, 535

D

- Decay curves for zirconium, 252, 254(fig)
 Defected fuel rods. *See* Fuel rods.
 Deflection in zircaloy-2 tube, 40
 Deformation
 and creep—Zircaloy, 574–577, 597
 anisotropic, 591, 623
 behavior—zircaloy cladding tubes, 596
 effects of cyclic loading, 544, 545
 model for anisotropic deformation, 623
 model for multiaxial creep, 622
 model for polycrystalline aggregate, 591–
 592
 temperature of irradiated zircaloy-4,
 549, 558(fig), 560–562, 566, discus-
 sion, 754
 transient deformation effects, 609
 zircaloy cladding, 678
 Density, dislocation, 669–670, 692–704,
 discussion, 759
 Design
 reactor pressure tubes, 35–36
 Destructive measurement, 400–401(figs)
 Deterioration in pressure tubes, 89, discus-
 sion, 729
 Deuterium concentration profiles
 zircaloy-2 pressure tubes, 41–47(figs)
 Deuterium oxide uptake in pressure
 vessel tubes, 21, 24–31(figs)
 Deuterium pickup
 pressure tube surveillance in demonstra-
 tion reactor, 35–39
 Diffraction patterns, ZrNb alloys, 482–485
 Diffusion, iron and chromium 432(table)
 Dislocation channeling, 561–563

Dislocation density
 accelerated growth, 668–671(figs)
 effect of microstructures on irradiation,
 698
 effect of stress relieving pressure tubes,
 22
 effect of temperature on irradiation
 growth, 706, discussion, 761
 Dislocation loop analysis, 661
 Dislocation networks, 460
 Dislocations, 658
 Ductility of irradiated zircaloy cladding,
 549, 562–563, 566, discussion, 754

E

Eddy current
 liner thickness measurement, 399–401
 oxide thickness measure, 41(fig)
 EDX. *See* Energy dispersive x-ray spec-
 troscopy.
 Elastic-plastic finite-element analysis, 105
 Electron diffraction patterns Zr alloys,
 485(fig)
 Electron microprobe examination
 irradiated zircaloy fuel rods, 281
 Electron microscopy(TEM), 406–408,
 426–427
 Elongation, 705
 Energy dispersive X-ray spectros-
 copy(EDX), 406–408, 479, 661
 Erosion—irradiated zircaloy fuel rods, 268
 Euler plots, 575–576(figs)
 Evaporation—analysis of surface atoms,
 426
 Expanding mandrel test
 material chemistry, 520(table)
 schematic diagrams, 518–519(fig) test
 methods, 519
 Experimental data analysis, 699
 Experimental procedures
 accelerated irradiation growth, 661–665
 creep behavior—material properties test
 apparatus, schematic diagram,
 681(fig) test conditions, 680(table),
 681–682(figs)
 lithium accelerated corrosion, 188–189
 microstructures, Zr–2.5%Nb, 706 (ta-
 ble), discussion, 761

F

Fabrication histories
 material corrosion resistance, 305
 Zircaloy irradiated fuel tubes, 292

Fabrication processing.
See Manufacturing.
 Failure
 zirconium alloy specimens, 431
 Fast neutron flux, 173–175(figs)
 Fast neutron irradiation, 246
 Fatigue crack growth rate, 544
 Fatigue life
 Zircaloy corrosion-fatigue behavior,
 536, 539–540(fig), 545, discussion,
 753
 Fatigue tests, 536–547(figs), discussion,
 753
 Ferromagnetic iron precipitates of zircaloy,
 496, discussion, 752
 Fitness-for-service
 Zircaloy-2 pressure tubes in demonstra-
 tion reactor, 35–49, discussion,
 727–728
 Flow stress, transverse
 vs temperature, 73(fig)
 Fluence
 accelerated irradiation growth of zircon-
 ium alloys, 658–665
 irradiated Zircaloy fuel rods, 282, 642–
 657, discussion, 758–759
 irradiated Zircaloy-4, 551, 560(fig), 564–
 565(table), discussion, 754
 neutron irradiation zircaloy-4, 646–
 657(figs, tables)
 relation to chemical composition and ir-
 radiation temperature in zirconium
 alloys, 667(table)
 Fluting under static loading, 545
 Flux, 172–174
 Fractography, 539–540, 543, 545
 Fracture
 hydride blisters, 50–65
 irradiated zircaloy, 548–569
 test results, 74(table)
 testing technique, 53–54
 Zircaloy tubing, 518, 520–532(figs, ta-
 bles)
 Fracture toughness
 behavior, 81, 83–87, 103
 brittle specimens, 86–87
 critical crack length (CCL) determin-
 ation, 76–80(figs)
 hydrides, 66–88, 99(fig)
 test methodology, 71–73(figs)
 vs temperature, 75
 Zircaloy pressure tubes, 45–47(figs)
 Zr2.5Nb, 66–88, discussion, 729
 Fracture toughness tests
 methodology, 71–73(figs)

Fracture toughness vs temperature
zircaloy-2 specimens, 67(fig)

Fuel corrosion properties
irradiated zircaloy fuel rods, 269

Fuel cycle cost reduction, 360

Fuel performance, 678

Fuel rods
cladding alloy, 235, 236–237 (tables, figs),
growth, 643–648(figs, tables), discussion, 758–759
hydriding, external/internal, 267–269
irradiated zircaloy, 266–288, discussion, 741
lifetime after fuel rod defects effect of heat flux, 282
neutron irradiation, 643–647 (figs, table)
ramp tests, 518
simulated fuel expansion (SIMFEX) testing of zircaloy tubing, 517–534

Fuel sheathing, Zr-Nb alloys, 478–486

G

Granulometry. *See* Precipitates.

Grain boundary, 692–704, discussion, 759

Grain size, 696(fig), 718–719

Graphite-lined tubing, 524(fig), 528–529

Growth kinetics
intermetallic precipitates, 412, 414–416, 418–419(figs, tables)

Ground claddings. *See* Claddings.

Growth
hydride blisters, 50–65
strain change, 699–701(figs)
temperature dependence, 659

Growth model, 694–695(tables)

H

Hanford site N reactor, 4

Heat flux, 172, 282, 285

Heat treatment—zirconium alloys
atom probe microanalysis, 426–427(table), 428–430, 432–433, discussion, 749
autoclave corrosion tests, 113–127 discussion, 730
magnetic study, 487–497
manufacturing process corrosion resistance, 141–152, discussion, 732
microstructure and corrosion studies, 202–212, discussion, 736

steam corrosion behavior, 128–140, 347–358(figs), discussion, 731, 744

High-pressure steam testing, 216

Hoop stress, 587(fig), 631(fig)

Hydride blisters, 50–65

Hydride blisters
characteristics, 57–663
crack depth relationship to blister depth, 59
detection technique ultrasonics, 51, 63
experimental techniques, 51–52
fracture testing, 58–59, 63–64
stress analysis, 63

Hydride crack velocity, 92–95, 100

Hydride cracking, 83, 89, 103, discussion, 729

Hydride distribution in pressure vessel tubes, 27, 43(fig)

Hydride morphology
effects on zr2.5Nb fracture toughness, 66–88, discussion, 729

Hydride test materials, 155(table)

Hydrides, 11–14

Hydriding
CANDU-PHW reactor pressure tubes, 20–34, discussion, 727
cladding materials for lightwater reactors, 154
hydrogen steam zircaloy tubing and sphere tests, 275
irradiated zircaloy fuel rods, 268–270, 271–275(tables), 281–285
laboratory (out of reactor) results, 158–161(tables, figs)

N reactor pressure tubes, 5–7(figs), 11–23, 14

Zircaloy fuel rods, 267–275

Hydrogen concentration, 66–88, discussion, 729

Hydrogen distribution, 17

Hydrogen embrittlement of zirconium-niobium alloys, 478

Hydrogen in pressure tubes, 11–13(figs)

Hydrogen in steam
effect on rate of corrosion in zircaloy-2 tubes, 326

Hydrogen isotope concentration
in-situ sampling, 41

Hydrogen migration
in irradiated Zircaloy fuel rods, 268–269, 284–285
in pressure tubes, 17

Hydrogen pickup
 irradiated Zircaloy fuel rods, 267, 281
 Zircaloy cladding, 225, 233, 241
 Hydrogen solubility, 100
 Hydrogen uptake of irradiated zircaloy-4,
 549–567(figs, tables), discussion,
 754
 Hydrogen uptake concentrations, 30–32
 Hydrogen utilization, 16–17
 Hydrostatic stress, 83

I

Impurities—zirconium alloys, 113–127
 discussion, 730
 Ingot melting practices, 335
 discussion, 743
 In-pile corrosion testing
 Zircaloy cladding, 204, 207–210, 216,
 222–226(table, figs)
 Zircaloy irradiated fuel rods, 269–276,
 282
 Zircaloy-2 performance ranking, 315–
 333, discussion, 742
 In-pile/out-of-pile
 corrosion data correlation, 332
 In-reactor hydriding
 data base, 154, 155(table)
 In-reactor irradiation, 166
 In-reactor nodular corrosion
 comparison of behavior with out-of-re-
 actor tests, 309
 In-reactor performance
 anisotropic creep behavior, 587–
 588
 Inspection
 liner thickness measurement, 400(figs)
 Intergranular corrosion
 crack initiation, 539–544(figs)
 stress, 542(fig)
 Intermetallic particles
 autoclave tests, 338, 342
 chemical analysis, 218(fig)
 oxidized zirconium alloys, 501–502
 size distributions, 134–135(figs),
 221(figs, table)
 Intermetallic precipitates
 iron and chromium, 642, 649, discussion,
 758–759
 oxidized zirconium alloys, 498–514
 Zircaloy cladding, 203, 343,
 zirconium alloys, 411–419(tables, figs)
 Zr-Nb alloys, 478–486
See also Precipitates.

Internal stress
 Zircaloy-2 in supereated steam, 364–
 365, 370–371
 Interstitial flow, 692–704, 717,
 discussion, 759
 Iodine SIMFEX test
 chemically embrittling additive, 518–
 519, 521–523(figs), 525–528(figs)
 Iodine induced stress corrosion, 535–
 547
 Iron
 corrosion behavior in zirconium alloys,
 203, 228, 335–341(figs, tables),
 354–357(figs), 406–414 (figs, ta-
 bles), discussion, 743, 748
 diffusion in alpha-zirconium and zircon-
 ium alloys, 436–450, discussion, 751
 effects of neutron irradiation, 642
 in zirconium alloys, 498–502, 504, 509,
 512–513, discussion, 753
 influence on scale growth, 380,
 discussion, 746
 Iron precipitates of zircaloy
 Zr intermetallic precipitates, 483, 486,
 496, 649,
 discussion, 752
 Irradiated cladding tubes, 307
 Irradiated Zircaloy fuel rods, 268–269
 Irradiation
 effects of microstructural factors, 692–
 704, discussion, 759
 effects on corrosion of zirconium alloys,
 245, discussion, 740–741
 fuel rods, 238, 266–269,
 discussion, 741
 hydriding properties of zirconium alloys,
 154–156, 267
 lead test assemblies, 335
 discussion, 743
 pressure tubes from CANDU nuclear re-
 actors, 24(table), 20–34, discussion,
 727
 temperature effects, 718–720
 temperature relationship to chemical
 composition and fluence, 667(table)
 test data, 277–279(tables)
 test programs, 235, 268–269
 Zircaloy cladding corrosion, 165–184,
 214, discussion, 734
 Irradiation growth
 accelerated—zirconium alloys, 658–677
 during neutron irradiation, 667
 effects of microstructural behavior, 695,
 698

Irradiation growth—Continued

- effects of temperature on irradiation growth of materials, 707–715 (figs, tables), discussion, 761
- temperature dependence, 660(fig)
- zirconium microstructures, 693–694(fig), 695, 698–703(figs)
- Zircaloy-4, 642, 643(table), 644–649 (figs, tables), discussion, 758–759
- zirconium alloys, 658–660, 714–715, discussion, 761
- Zr-Nb, 706

J*J-R* curves—tension tests

- Candu reactor pressure tubes, 73, 76(fig), 85

K*K* reduction

- stress/strain calculations at crack-tip region, 105–107(figs), 107–109 (Appendix)

KAHLWEIT theory, 414

L

Laboratory hydriding

- methods, 156–158(figs, tables)
- results and discussion, 158–163(figs, tables)

Lamellar structures, 454–456(figs), 459–460(fig), 467–469

Langevin function, 491, 494

Lattice structures, 368(fig), 372, 409(table)

Lightwater reactor (LWR) cladding materials, 153, 360, 517, discussion, 732

Liner thickness

- automatic measurement—system design, 392–394(figs, table), discussion, 747

LiOH. *See* Lithium/lithium hydroxide.

Lithiated water, 234

Lithium/lithium hydroxide (LiOH) uptake

- accelerated corrosion of zirconium alloys, 188–201(figs, tables)

- cladding alloy, 227–244, discussion, 739–740

- Zircaloy claddings—models, 166, 175–176, 178–179(figs)

- zirconium under ultra violet irradiation, 256–258, 261

Load creep deformation, 597

Load-displacement curves, 583

Load relaxation

- properties of zircaloy fuel cladding, 596–597

tests, 598(table), 599–612 (figs, tables)

Loading history, 89, discussion, 729

Log stress/strain curves from relaxation after creep, 613(fig)

Longitudinal loading, 546

Loops, 166–169, 667–668, 673, 718

LSW theory, 414

M

Magnetic susceptibility of zircaloy, 487–489(figs), 496–497, discussion, 752

Magnetization of zircaloy, 490–496(figs), discussion, 752

Mandrel, expanding, test.

See Simulated fuel expansion (SIMFEX) test

Manufacturing variables

- influence on zircaloy corrosion, 335–341(figs, tables), discussion, 743

Martensitic, 466

Material composition, 143

Material properties

- cladding alloy, 227–244, discussion, 739–740

- effects on nodular corrosion susceptibility, 306

neutron irradiation, 641–657

Materials for experimental procedures

- autoclave tests, 114, 115(table),
- hydride tests, 155(table)

Matrix composition, 423–424, 427(table), 428–431(tables, figs), discussion, 749

Measurement, automatic—system design

- liner tube thickness, 392–394(figs, tables), 398–400(figs),

discussion, 747

Mechanical properties

- anisotropic—zircaloys/TREX, 571, 584(table), discussion, 756

- tests of irradiated zircaloy-4, 550–568(Tables, figs),

discussion, 754

tubing of Zr-Nb alloys, 231(table)

- Zircaloy-4 cladding, 622–627 (figs, tables), discussion, 757

- zirconium alloys under irradiation, 155, 217(table), 548–569,

- discussion, 754
- Mechanical testing, 215–216
- Metal hydriding, 153–164, discussion, 732
- Metallography
- test program for corrosion behavior, 142(fig)
 - zirconium-niobium alloys, 479–481
- Metallurgical material properties
- Zircaloy corrosion fatigue behavior, 536(table), discussion, 753
- Microanalysis, 426, 430, discussion, 749
- Microcomputerized image analysis, 479
- Microhardness, 462, 468(fig), 472
- Microstructural damage caused by neutron exposure, 49
- Microstructures
- accelerated growth effects, 658
 - beta-quenched zircaloy-4, 453, 458–473(figs), 475–476
 - chemical compositions of tubes, 129 (table)
 - effects on irradiation, 695–696, 698
 - effects of temperature on irradiation growth, 706(table), discussion, 761
 - intermetallic precipitates, 411–419 (figs, tables), 651(table), 652–656(figs, tables), discussion, 758–759
 - iron precipitates, 649–650, 651(table)
 - neutron fluences, 641–657
 - oxide films in zircaloy-2 electron microscopy study, 360–373
 - Zircaloy-2 and zircaloy-4 PWR fuel cladding, 213–226, discussion, 737–738
 - Zircaloy-4 tubing, 128–140, discussion, 731
 - zirconium alloys, 659
 - Zr-2.5Nb pressure tubes, 20–34, discussion, 727
- Model—hydride crack velocity, 100
- Models
- anisotropic deformation model, 623
 - corrosion analytical model, 166
 - multiaxial creep, 622
 - oxide growth model from corrosion data of heating rods, 166
 - polycrystalline aggregates, 591–592
- Model predictions, 581(table). 582(fig)
- N**
- Needles. *See* Acicular structures, Oxide scale.
- Network dislocation, 670–671, 718–720
- Neutron exposure effects, 549
- Neutron fluence, 646–649
- Neutron flux, 172–175(figs)
- Neutron irradiation
- accelerated growth, 658–659
 - effects on beta-quenched zircaloy-4, 452–453, 463–465, 469–475(figs)
 - effects on microstructure and growth, 641–657
 - influence of tin in zircaloy-4, 622
 - irradiation growth, 646–649 (figs, tables)
 - zirconium alloys, 658
- Nickel
- alloy contamination, 281
 - compression properties, 583
 - corrosion behavior in zirconium alloys, 335, discussion, 743
 - diffusion in alpha-zirconium and zirconium alloys, 436–450, discussion, 751 in Zircaloy, 496
- Nickel in zirconium alloys, 203, 498–504(figs), 506–508(figs), 511(fig), 512–513, discussion, 753
- Niobium
- accelerated growth in zirconium, 672
 - in cladding alloy for high burnup, 227–244, discussion, 739–740
 - in irradiated zircaloy alloys, 563–566
 - in zirconium alloys, 478–486, 695, 705–721, discussion, 761
- Nodular corrosion
- influence of zircaloy chemical composition on autoclave tests, 335–341(figs, tables), discussion, 743
 - irradiated fuel tubes
 - corrosion tests, 308
 - experimental testing procedures, 292–294
 - fabrication histories, 293(table)
- magnetic study of zircaloy, 487, 497
- scale growth, 385–388
- treatment, 344
- Zircaloy cladding, 205(fig), 211
- Zircaloy-2, 348, 356–358
- Zircaloy-2 oxide films, 361–372(figs), discussion, 745
- Zircaloys, 291–314, discussion, 741
- Zircaloy-2
- alloying elements, 348–350, 356–359, discussion, 744
 - oxide films electron microscope study, 360–373
 - performance ranking, 315–333, discussion, 742

- Zircaloy-2—Continued**
- Scale growth, 375–378(figs), discussion, 746
 - Nodular corrosion resistance, 335–337, discussion, 743
 - Nodule formation, 388–390, discussion, 746
 - Nondestructive testing
 - evaluation of hydride blisters, 50–65, discussion, 728–729
 - of tubes—for corrosion, 40
 - NPD. *See* Nuclear power demonstration.
 - Nuclear fuel cladding, 392–402, discussion, 747
 - Nuclear fuel performance, 535
 - Nuclear power demonstration reactor, Rolphoton, Ontario, Canada
 - design, 36–37
 - pressure tube surveillance and testing, 35–49, discussion, 727–728
 - surveillance program, 35–49, discussion, 727–728
 - Nuclear reactor pressure tubes
 - composition, 5(table)
 - hydrogen content, 12–13(figs)
 - hydrogen utilization, 17
 - operating conditions, 6(fig)
 - oxidation rates, 9–11(figs, tables)
 - oxide thickness, 12(fig)
 - water quality specifications for coolant, 4(table)
 - Zircaloy behavior thick-film effect, 18
 - Zircaloy oxidation rates effects of radiolysis, 16–18
 - Zircaloy tubes, 4, 8–11
- O**
- Ontario hydro CANDU nuclear reactors
 - pressure tubes surveillance program, 21
- Optical microscopy, 461
- Ostwald ripening, 414
- Out-of-pile corrosion behavior
 - Zircaloy fuel cladding, 226, 276–277, 282–285
- Out-of-reactor
 - performance tests of zircaloy-2, 315–333, discussion, 742
 - steam corrosion tests, 309
- Oxidation
 - autoclave behavior, 343
 - corrosion of zircaloy cladding, 166, 181
 - in-pile fuel oxidation relationship to internal cladding hydriding, 269, 280
 - irradiation of zirconium alloys, 245–265, discussion, 741–742
 - lithium uptake and accelerated corrosion of zirconium alloys, 191
 - low-temperature of zirconium alloys under irradiation, 245–265, discussion, 741–742
 - zirconium alloys under irradiation, 252–256
 - Zr-2.5 wt% Nb pressure tubes, 58(figs)
- Oxidation data, 9–10(table)
- Oxidation kinetics, 500–513(figs)
- Oxidation
 - cladding materials for lightwater reactors, 153, discussion, 732
 - irradiated zircaloy-4, 549
- Oxidation rate
 - effect of radiation, 14
 - in-flux vs out-of-flux, 14–17
 - temperature effect, 15
 - thick/thin film behavior, 16
- Oxidation reaction
 - hydrogen utilization, 16–17
- Oxidation stress, 513–514
- Oxide films
 - atom probe microanalysis, 428–429
 - effect of precipitates, 499(fig)
 - electron microscopy study Zircaloy-2, 368
 - inside surface corrosion—irradiated fuel rods, 269
 - nodular corrosion, 361–367(figs), 369–372(figs), discussion, 745
 - oxidation kinetics, 502–505(figs)
 - scale growth, 374, 378–379
- Oxide growth, 264, 502
- Oxide nodules
 - testing for corrosion, 298–308 (figs, tables)
- Oxide porosity, 187–201, discussion, 735
- Oxide scale, 379–381(figs)
- Oxide thickness
 - corrosion resistance of experimental claddings, 317–318(fig)
 - Zircaloy-4 cladding, 549–551, 552–554(tables), 555–569, discussion, 754
- Oxide weight gain, 321
- Oxides
 - appearance in autoclave testing, 131
 - growth, 171
 - nondestructive testing of tubes, 40
 - porosity, 187–201, discussion, 735
 - pressure vessel tube examination, 24–28(figs)

thick/thin film effects, 16–18
 thickness
 in reactor pressure tubes, 5–10(figs), 41(fig)
 lithium accelerated corrosion of zircaloy-4, 189–191(figs)
 under ultraviolet irradiations, 248–257(figs)
 Zircaloy-4 cladding, 143(fig), 146(fig)
 Zircaloy cladding in pressure water reactors, 168, 204
 zirconium alloys under irradiation, 248–251
 thickness measurements, 248–249
 thin oxides
 indication of insufficient oxidant to maintain protection through oxidation, 31
 Zircaloy, 3–19
 discussion, 725–726
 Zr–2.5Nb, 20–34
 discussion, 727
 Oxidized zirconium alloys, 498–514
 Oxygen in steam
 effect on rate of corrosion in Zircaloy-2 tubes, 326
 Ozhennite fuel cladding, 228

P

Particle growth kinetics, 412–419(figs, tables)
 Particle size distributions
 intermetallic, 134–138(figs, table), 147(fig), 204, 218
 Particle size of precipitates
 Zircaloy magnetic study, 491–492
 Pellet-cladding interaction(PCI)
 SIMFEX testing of zircaloy tubing, 518–534
 Zircaloy cladding behavior, 535
 Percent theoretical uptake, 20–34
 discussion, 727
 Phase stability
 beta-quenched zircaloy-4, 452
 Photoconduction, 246–247, 256
 Photocurrent curves, 251, 253–257
 Pickering nuclear generating station
 pressure tube examination 24–27
 Pickled claddings. *See Claddings.*
 Pickling, 502
 Pitting corrosion, 512
 Plastic elongation, 705
 Plasticity, 596
 PNGS. *See* Pickering nuclear generating station.

Point-defect behavior, 697–698
 Polarization, 191, 193–195(figs)
 Pole figures, 571–574(figs),
 discussion, 756
 Polycrystalline materials, 499, 591,
 discussion, 753
 Porosity of oxide films, 195–197, 255, 260(fig), 262(fig), 263
 Post irradiation annealing, 644
 Precipitate density, 379, 385–386
 Precipitates
 See also intermetallic precipitates.
 accelerated growth
 atom probe analysis measurement, 429–430, discussion, 749
 beta-quenched zircaloy-4, 452–461(figs), 463–466(figs), 469, 471, 476
 corrosion behavior in zircaloy-4 tubing, 128–140, discussion, 731
 effects of irradiation, 650–655(figs, tables), 656–657, discussion, 758–759
 growth, 414–415
 irradiation effects, 648–656(figs, tables), discussion, 758–759
 magnetic studies of zircaloys, 487–497
 oxidized zirconium alloys, 498–514
 size distribution, 652
 Zircaloy nodular corrosion
 material evaluation, 306–307(table)
 texture measurement, 304(table)
 zirconium, 448, 498
 Precipitation, 20–34, discussion, 727
 Prefilmed claddings. *See Claddings.*
 Pressure tubing. *See also* Zircaloy
 behavior, 1–88
 changes in shape
 effect of irradiation creep and growth, elongation, diameter, deflection, 38–39(figs)
 comparison, NPD and CANDU 600, 37(table)
 corrosion resistance, 141–152, discussion, 732
 evaluation of zircaloy-2 in Nuclear Power Demonstration reactor, 35–49, discussion, 727–728
 fracture toughness of material, 82
 hydrides, 66–88, discussion, 729
 nondestructive testing, 40(fig)
 oxidation rates vs temperature, 11(fig)
 Zr–Nb alloys, 478–486
 waterside oxidation data, 9–10(table) vs operating time and surface temperature, 10(fig)
 Zr–2.5Nb, 66–88, discussion, 729

Pressurized water reactors
fuel cladding corrosion performance mechanical testing, 215
operating conditions, 128,
discussion, 731
tube corrosion and hydriding, 3-19, 128
discussion, 725-726
Zircaloy cladding corrosion studies, 209,
215
Prism-slip model predictions, 581(fig, table)
Pseudo-cleavage
effect of cyclic/static loading, 544-546,
discussion, 753
Purity, specimen
effect on accelerated growth, 671-672

Q

Quenched and tempered Zr-2.5Nb alloy, 228
Quenching
Zircaloys—performance testing autoclave corrosion, 335-343,
discussion, 743 corrosion performance, 215 corrosion resistance, 142-147(figs) nodular corrosion, 305, 347,
discussion, 744

R

Radiation
effect on oxidation rate, 14
Radiation anneal hardening (RAH), 559-560
Radiation exposures in Advanced Test Reactors, 247
Radiolysis of water
steam/hydrogen ratio, 280
Reactor coolant chemistry, 176
Reactor pressure tubes, 3-19
Recrystallization
autoclave corrosion, 342(fig), 343
cladding materials, 570-595
influence of iron and chromium on scale growth, 381
nodular corrosion, 349-352(figs)
Zircaloy-4 tubing, 131, 132(table), 133(figs)
Zircaloy-2 and zircaloy-4 fuel cladding, 225, 535
zirconium alloys irradiation, 246 nuclear industry applications, 571-595, discussion, 756

Refreshed autoclave. *See Autoclave.*
Relaxation(load) tests, 598-608(figs)

S

Scale growth, 374, 375-377(figs), discussion, 746
See also Oxide films
Scanning electron microscopy (SEM), 215, 217(figs), 479, 503(fig)
SCC. *See Stress corrosion cracking.*
Secondary hydriding. *See Hydriding.*
Sensitivity test data, SIMFEX test results 529-533
Sheet—Zircaloy
mechanical properties, 580(table)
textures, 571-579(figs, tables),
discussion, 756
Shippingport LWBR tests
Zircaloy fuel rods, 267
Shot-peening, 512
Simulated fuel expansion testing(SIMFEX), 517-534
Silicon—effect on corrosion
in zircaloy-4, 123(fig), 139
SIMFEX. *See Simulated fuel expansion.*
Single crystals—zirconium alloys, 436, 440-442(figs), 444-445, discussion, 751
Size-effect correlation, 445-447(figs)
Solubility
chromium/iron/iron + chromium in Zr-Sn-O system, 407-411, (tables, figs), 419
Specimen preparation for zircaloy-2 testing, 320-321
Spines. *See Acicular structures.*
Stacking faults, 672
Static autoclaves. *See Autoclave.*
Static loading, 545
Steam corrosion testing, 152(fig), 154, 227-244, discussion, 740-741
Steam tests
Zircaloy nodular corrosion, 291-314, 348-350(figs), 355, 358,
discussion, 741
Strain
SIMFEX testing of tubing liner materials; graphite, zirconium, Zircaloy, 518, 524, 528
See also Stress/strain
Strain hardening, 684-686(figs)
Strain recovery, 678-691
Strength of material, 89, 102,
discussion, 729

- Stress change in creep deformation, 683(figs)
- Stress corrosion cracking (SCC)
Zircaloy in iodine environment, 535, 538–545(figs)
- Stress/strain
creep behavior of zircaloy cladding, 683–686(figs)
finite element analysis of constant K, 105–107(figs), 107–109(appendix)
hydrides, 70–76, 90–100
intensity factor, 104, 540(fig), 541
SIMFEX testing of tubing liner materials; graphite, zirconium, zircaloy, 518, 524, 528
temperature effects, 720
Zircaloy cladding tubes, 596–617
zirconium alloys—texture, 577–595
- Stress/strain curves, 613(fig)
- Striation, 96(fig), 98(fig), 103–104
- Superheated steam—oxide film formation, 361–364, 368–370, discussion, 745
- Superparamagnetic state—Zircaloys, 491, 497
- Surface finishes, 499, 504, 507–512, discussion, 753
- Surface treatments
effects of different treatments on corrosion resistance, 331(table)
- Surveillance program
Zircaloy-2 pressure tubes, 35–49, discussion, 727–728
- T**
- Temperature change in creep deformation, 684(fig)
- Temperature deformation behavior, 591
- Temperature dependence
corrosion testing
Zircaloy nodular corrosion, 294–301(figs, tables), 310–312, 322(figs, tables)
Zircaloy-4 tube variants, 129
crack velocity, 102
effect on accelerated growth, 672
hydrogen migration, 17
irradiated zircaloy-4, 558–559(figs)
irradiation growth of zirconium alloys, 660(fig), 661–664(figs)
neutron irradiation, 642–643, discussion, 758–759
oxidation rates, 15–17
stress/strain, zircaloy cladding tubes, 596–617
- Zircaloy-2 pressure tubes, 45(fig)
- Temperature effects on irradiation growth of zirconium alloys, 716–717, discussion, 761
- Tensile load, 581
- Tensile properties
irradiated zircaloy, 546–567, discussion, 753
- Tension/relaxation
terminal solid solubility—hydrides, 100–101(fig)
tests, 72–73(figs), 598(table), 599–614(figs, tables)
- Tension tests
Zircaloy, effects of irradiation, 549, 553, 554(table), 556(table), discussion, 754
Zircaloy in iodine, 536–538(figs), discussion, 753
- Test facilities operating conditions, 170(table)
- Test methods
crack velocity, 90–95(figs, table)
hydride morphologies, 67–71(figs, tables)
specimen preparation, 71
hydrides in pressure tubes, 43(fig)
hydriding test materials, 155(table)
mechanical properties of pressure tubes, 43–48(figs)
SIMFEX tests, 519–520
stress/strain—zircaloy cladding tubes, 597–617
- Testing
Zircaloy nodular corrosion comparison of in-reactor behavior with out-of-reactor tests, 309–310
- Texture
influence on crack behavior, 545
zirconium alloy, crystallite orientation, 570–595
- Texture analysis, 631–632(table), 635–636
- Thermal ageing
effects on beta-quenched zircaloy-4, 451–477
of Zr–2.5Nb pressure tubes, 22–23(figs), 32
- Thermal and elastic expansion, 705
- Thermal efficiency
irradiated zircaloy, 548–569
- Thermal/hydraulic environment of fuel rods
analytic description for corrosion model, 166

Thermal hydraulic environment of fuel rods—*Continued*
 corrosion data, 166–170(figs, tables)
 experimental values of corrosion kinetics, 167–168(fig)

Thermal history, 89, discussion, 729

Thermodynamic data—radiolysis of water, 280–281

Thermomechanical processing, 338, 480, discussion, 752

Thick/thin film behavior, 16–18

Thick oxides, 3–19

Thickness
 automatic measuring system for liner tube thickness, 392–394(figs, table), discussion, 747

Thin oxides, 3–19, 27

3D transition elements
 in alpha-zirconium and zirconium alloys, 437(table), 442–448

Tin
 accelerated growth in zirconium alloys, 672
 corrosion behavior in zirconium alloys, 123–126, 228, 335–341(figs, tables), 348, discussion, 743
 in Zircaloy-4, 621–640

Tracer diffusion, 436, 437(table), 438–444(figs), discussion, 751

Transmission electron microscopy (TEM), 427, 478, 661

Transverse loading, 546

TREX. *See* Tube reduced extrusion.

Triple vacuum arc melting, 335, discussion, 743

Tube operating conditions. *See* Corrosion, Hydriding.

Tube reduced extrusion (TREX)
 high burnup cladding alloy, 228–229
 Zircaloy cladding 147–150(figs, tables)
 zirconium alloy crystallographic textures, 571–572, 575(figs), 580–583, 590, discussion, 756

Tubes. *See* Pressure tubes.

Tubing
 simulated fuel expansion(SIMFEX) testing, 517–534
 zirconium cladding alloys, 228–231(tables, figs), 570–595

U

Ultrasonic detection technique
 hydride blisters, 51

Ultraviolet irradiations
 zirconium alloys, 248, 252, 254–255

Uniaxial creep, 585–586, 597, 612, 613(fig)

Uniform corrosion, 205(fig), 432–433, discussion, 749

V

Vacancy, 692–704, discussion, 759

Von-Mises yield criterion for anisotropic material, 574

W

Water
 autoclave testing of zircaloy cladding, 227–244, discussion, 740–741

Water corrosion of zircaloy, 282

Waterside corrosion. *See* Nodular corrosion.

Weight gains
 autoclave corrosion testing, 339–342, discussion, 743
 cladding material specimens, 323–331(figs)
 nodular corrosion, 344

Widmanstätten, 466

Z

Zircaloy
 caladria tubes, 50

CANDU-PHW reactor, 20–34
 discussion, 727

cladding
 high burnup, 227–244, discussion, 740–741
 neutron fluences, 648–649(figs)
 creep behavior, 678–691
 effect of irradiation and hydriding, 548–569
 evaluation of NPD (Nuclear power demonstration) reactor, 35–49, discussion, 727–728
 fuel cladding material, 128, discussion, 731
 fuel rods, 646–648(figs)
 hydriding, 154, 266–288, discussion, 741
 in/out reactor behavior, 21–23(figs)
 material preparation for experimental procedure, 114
 neutron irradiation, 648–650(figs)
 oxidation rates, 15–17
 oxide thickness, 30

- pressure tube examination, 24–29
 pressure tube oxidation rates, 8–14(figs),
 16–17
 pressure tubes, 128, 213,
 discussion, 731, 737–738
 PWR fuel cladding, 213–226, discussion,
 737–738
 recrystallized claddings/TREX, 572–581
 rod and capsule tests
 in-pile cladding hydriding, 270–271,
 271–275(tables)
 surface properties, 281
 surveillance program, 38–39
 thick film effect, 18, 25(figs)
- Zircaloy cladding tubes
 crystallographic textures, 570–595
 stress/strain characteristics, 596–617
- Zircaloy corrosion
 autoclave, 335–344(figs, tables),
 discussion, 743
 behavior
 effect of chemistry, 123(fig, table),
 124
 Zircaloy-4 in steam/heat treatment—
 correlation, 128,
 discussion, 731
 zirconium alloy autoclave tests, 113–127,
 discussion, 730
 cladding, 165–184, discussion, 734
 iodine assisted corrosion fatigue, 536,
 discussion, 753
 irradiated fuel rods, 268–283
 scale growth in steam, 374–380(figs)
 discussion, 746
 stress linked to corrosion-fatigue behavior, 535–547
 See also Zircaloy
- Zircaloy nodular corrosion, 291–314,
 discussion, 741
- Zircaloy oxidation kinetics, 498–514
- Zircaloy tubes
 neutron irradiation, 647
 simulated fuel expansion(SIMFEX) testing, 517–534
 textures, 571–595, discussion, 756
- Zircaloy-2
 chemical composition, 214(table)
 cladding tubes, thickness
 discussion, 747
 measurement, 392–402,
 corrosion performance
 boiling water reactors(BWR), 315–
 333, discussion, 742
 PWR fuel cladding, 213,
 discussion, 737–738
- corrosion studies, –212
 ingot chemistry, 335(table)
 liner thickness, 395, discussion, 747
 magnetic study, 487–497
 nodular corrosion
 boiling water reactors(BWR), 348–
 350, 356–358, 361–362(figs), 368–
 371(figs), discussion, 744, 745
 oxidation kinetics, 498–514
 oxide films electron microscopy study,
 360–373
- Zircaloy-4
 atom probe microanalysis, 426–430 (figs,
 tables), discussion, 749
 beta-quenched, 452–458(figs), 467(fig),
 470–471, 475
 chemical composition, 214(table),
 427(table)
 corrosion resistance, 141–152,
 discussion, 732
 corrosion studies, 202–212,
 discussion, 736
 effect of tin content, 621–640
 external corrosion model, 166
 fuel cladding, 621
 heat treatment, 427(table)
 intermetallic precipitates, 405, 411,
 418
 lithium accelerated corrosion, 188–
 189
 magnetic study, 487–497
 thermal creep—fluence of tin content,
 621–640
- Zirconium alloys
 accelerated irradiation growth, 658–
 677
 autoclave corrosion, 335–344(figs, tables),
 discussion, 743
 cladding, 227–244, 570–595, discussion,
 740–741
 corrosion, 113–127, discussion, 729
 crystallographic textures, 570–595
 diffusion behavior, 436, 437(table),
 discussion, 751
 dissolution under ultraviolet irradiation,
 262–263
 hydriding properties under
 irradiation, 153–164,
 discussion, 732
 iron, chromium and nickel diffusion,
 436–450, discussion, 751
 iron and chromium solubility, 406–
 414(figs, tables),
 discussion, 748
 irradiation effects on corrosion, 245, 436,

- Zirconium alloys—*Continued*
 discussion, 741–742, 751
 laboratory tests methods, materials, results, 155–163(figs, tables)
 microstructure effects on irradiation, 694–695
 oxidation under irradiation, 245–255, discussion, 741–742
 simulated fuel expansion(SIMFEX) testing, 517–534
 transition elements, 435–450
 ultraviolet irradiations, 248(table)
Zircaloy-2, 35
Zr-2.5 wt% Nb, 89, discussion, 729
 Zirconium-based advanced alloy for improved corrosion resistance, discussion, 241–243
 Zirconium hydrides
 cracking, 89–110, discussion, 729
 fuel rods, 266–288
 Zirconium lined tubing
 design, 394–398(figs)
 simulated fuel expansion(SIMFEX) testing—graphite, zirconium, Zircaloy, 518–529
 Zirconium-niobium alloys, 478–486
 Zirconium oxide film, 281
 Zirconium phases—alpha/beta
 at extrusion temperature, 21
 precipitation effects, 27–28
Zirlo, 239(fig), 243
Zr-cladding, 570–595
Zr(FeCr)₂, 481–485
Zr-Nb alloys (zirconium-niobium)
 chemical analyses, 479(table)
 effects of microstructural factors on irradiation, 693–698, discussion, 759
 intermetallic precipitates, 481–484
 thermomechanical processing, 480
Zr₂Fe, 482–485(figs,tables)
Zr₃Fe
 crystallographic data, 482, 484–485(tables)
Zr-2.5Nb fuel cladding, 228
Zr-2.5Nb pressure tubes
 cold-worked
 irradiation histories, 24(table)
 microstructural changes after thermal ageing treatment and corrosion testing, 22–23(figs)
 deuterium concentration, 24–27(figs), 32
 fracture toughness, 66–88, discussion, 729
 high resistance to hydrogen pickup, 30
 in-pile corrosion behavior, 228
 irradiation, before/after microstructures, 29(fig), 32
 oxidation, 25(fig), 29(fig), 32
 oxide thickness in CANDUPHY reactor, 20–34, discussion, 727
 toughness affected by temperature, 83
Zr-2.5 wt% Nb
 effect of temperature on irradiation growth, 705–721
 lithium hydroxide corrosion behavior, 188
Zr-4
 stress corrosion to corrosion fatigue behavior, 535–547