

Subject Index

A

Acetylene reduction, in nitrogen fixation, 69
 Acute algal methods, 7, 40, 69
 Advance Notice of Proposed Rule Making (ANPR), Federal Register, 225
 Aerosol deposition, 127
 Agronomic species (*See* Crops and Forage)
 Air pollution, 1, 117, 156, 170
 due to aerosol deposition, 127
 and forest declines, 1, 143
 Alfalfa, 156
 Aflatoxin B1, 324
 Algae
 Anabaena Flos-aquae, 225
 Champia parvula, 10
 Chlorella vulgaris, 10, 34, 69, 225
 Coccomyxa minor, 42, 204, 324
 Haematococcus lacutris, 204
 Scenedesmus armatus, 204
 Scenedesmus dimorphus, 204
 Selenastrum capricornutum, 6, 40, 69, 225, 235, 324
 Skeletonema costatum, 225
 Algal assays, 2, 5, 10, 23, 205
 evaluation of protocols, 225
 for herbicides, 33, 69, 235
 as indicators for vascular plants, 10, 33, 69
 for pesticides, 14, 40, 69
 for promutagens, 324
 for waste water, 40, 225
 for metal pollution, 204
 in tier testing schemes, 33
 Aluminum sulfate, 267
Anabaena flos-aquae, 225
 Analysis of Variance (ANOVA), 225
 Antioxidants, 143
 Anthracene, 87
 Apparent free space (AFS), 87
 Aquatic exotoxicology (*See also* Algae, *Daphnia*, Epiphytes, *Lemna minor* (Duckweed), and *Thalassia testudinum* (Seagrass)), 8, 97, 204, 225

Arabidopsis thaliana, 10
 Archiving samples, 117, 156
 Arsenal, 235
 Ash-free dry-weight, 61
 ASTM Committee E-47, 1
 ASTM Subcommittee E-47.11, 1
 Atrazine, 40, 324
Avena sativa (Oats), 226
 Aviation fuel, 198

B

Bacteria, for mutagenicity testing, 324
 Barium, 280
 Barium chloride, 267
 Barley (*Hordeum vulgare*), 69, 73
 Baseline toxicity tests, 199
 Beets (*Beta vulgaris*), 190
 Bioaccumulation, 87, 97
 Bioassays, 1, 49, 188, 225
 chlorophyll fluorescence, 297, 308
 micronucleus assays, 170
 of promutagens, 324
 sister-chromatid-exchange, 319
 time-dependent toxicity tests, 235
 Biochemical markers, for air pollution tests, 143
 Bioindicators, 117, 156, 225
 diagnostic gas exchange technique, 143
 of soil toxicity, 190
 Biomass, 6, 69, 127, 255
 in Minnesota Bioindicator Study, 157
 Biomonitoring, 117
 Boric acid, 267
Brassica nigra (Mustard), 190
 Bush beans (*Phaseolus vulgaris*), 69, 73

C

Cadmium, 40, 118, 281, 308
 Cadmium chloride, 267
 Canada, testing in, 14
 Carbaryl, 40
 Carbohydrate content of rhizomes, 59
 Carbon dioxide fixation test, 41

Carcinogenicity testing, 11
Champia parvula, 10
 Chemical stress on plants, 1, 7, 11, 33, 49
 presymptom diagnosis, 333
 Chemical Information System (CIS), 14
 Chinese National Environmental Protection Agency, 170
Chlorella vulgaris, 10, 34, 69, 225
 Chlorides, 118
 Chlorophyll, 59, 297, 308
 content, 59, 255, 267, 333
 Chlorophyll fluorescence, 6, 297, 308
 Kautsky effect, 297
 Chloroplasts, 297
 Chlorosis, 188
 Chromium, 204, 281
 Chronic algal methods, 40
 Clover (*Melilotus alba*), 69, 87
 Coal combustion fly ash leachate, 267
 Cobalt chloride, 267
Coccomyxa minor, 204
 Coleoptile growth, 49
 Computer database (PHYTOTOX), 33
 Computer image analysis system (IAS), 333, 346
 Conductance, stomatal, 145
 Contaminants, 97, 188
 Copper, 40, 76, 118, 281, 308
 Copper sulfate, 69
 Corn (*Zea mays*), 226
 Crops and forage, 5, 11, 157, 226
 Cucumber (*Cucumis sativa*), 226
 Cultivated plants, as bioindicators, 117
 Cytogenetic studies, 319

D

Danish National Agency for Environmental Protection, 15
Daphnia, 6
 Delayed fluorescence, 333
 Development of testing, 198
 Di-*tert*-butyl phenol, 8
 Diagnostic gas exchange techniques, 143
 Diethyl phthalate, 40
 Dose-response, 156
 Drilling fluids, 255
 Dry weight tests, 267

E

Early seedling growth tests, 6, 8, 10–11, 49
 Ecological assessment, 177
 of obscurant smokes, 127
 Ecosystem-level effects, 127

Ecotoxicological studies, 1, 97
 Electrical conductivity (EC), 333
 Electron pool size, 308
 Element uptake, 127
Elodea densa, 97
 Enzymatic antioxidants, 143
 Environment Canada, 14
 Environmental hazards, 69, 117, 204
 data in PMNs, 6
 Environmental mutagens, 319, 324, 346
 EPA (See U.S. Environmental Protection Agency)
 Epiphytes, 59, 61, 255
 European Economic Community (EEC), 15
 Exposure benches, 117

F

Faunal studies, 1
 Federal Register, 225
Festuca arundinaceae (Fescue), 87
 Field studies, 7, 59, 117, 297
 in China, 170
 Minnesota Bioindicator Study, 156
 at Rocky Mountain Arsenal, 188
 in Switzerland, 117
 Field validation, 59
 Fish acute toxicity, 6
 Fluorescence (See Chlorophyll fluorescence)
 Fluorides, 11, 117
 Fluorometer, 308
 Fly ash leachate, 267
 Foliar symptoms, 157, 188
 Food chain contamination, 1, 5, 87, 324
 Forest declines, 1, 117, 143
 Formative effects, 188
 Foxtail millet (*Setaria italica*), 190, 280
 Free radicals, 143
 Fresh and saltwater algae, 9, 204
 Freshwater macrophytes, 204
 Fuel contamination, of soil, 198

G

Garlon 4, 235, 308
 Genetic indicator, 1, 324
 Genotoxicity testing, 170, 319, 346
 Germination, 49, 188, 225
Glycine max. (Soybeans), 69, 73, 156, 333
 Glyphosate, 235, 308
 Grass cultures, 117
 Growth chamber tests, 225, 267

H

- Haematococcus lacustris*, 204
 Hazardous waste site evaluation, 177, 188
 Health risk management, 11
 Heavy metals, 280, 308
 Herbicides, 69, 198, 235, 308, 333
 in algal assays, 10–11
 in Canada, 14
 and industrial wastes, 189
 in multispecies testing, 33, 69, 73
 Hexazinone, 235, 308
Hordeum vulgare (Barley), 73
 Hydrogen peroxide, 143
 Hydrogen sulfide, 170
 Hypocotyl growth, 49

I

- Image analysis system (IAS), 333, 346
 Imazapyr, 235
In situ testing (See Field studies)
In vivo testing, 297
 Indicator gardens, 117
 Indicator plants (See Bioindicators)
 Industrial chemicals and wastes, 188, 225, 255
 Inorganic mercuric chloride (HgCl_2), 97
 Interaction of factors, 97
 Intercellular CO_2 concentration, 143
 Ion accumulation patterns, 333
 Isolated root uptake test (IRUT), 87

J

- JP-4 aviation fuel, 198

K

- Kautsky effect, 297

L

- Laboratory studies, 49, 97, 198, 225
 comparison to field tests, 59
 evaluation of protocols, 225
 growth chamber tests, 7, 25, 267
 mathematical models, 280
 Leachates, 267
 Lead, 118
 Lead nitrate, 267
 Leaf chlorophyll content, 333
 Leaf protein content, 255
 Legumes, 73, 156, 198, 226, 333
 nitrogen fixation in, 7, 70, 255

- Lemna minor* (Duckweed), 6, 9, 204, 225
 Lettuce (*Lactuca sativa*), 49
 Lichen, 117
 Light emission, and photosynthesis, 297
 Light intensity, 97
 Lipid peroxidation, 143
 Loblolly pine (*Pinus taeda* L.), 143
 Long-term tests, 40, 69
Ludwigia natans, 97

M

- m-phenylenediamine (MPD), 324
 Macrophytes, 97, 204
 Malondialdehyde, 143
 Manganese, 281
 Mathematical model, for toxicological studies, 280
Melilotus alba (White sweet clover), 128
 Mercury compounds, 97
 Metabolic processes, 33
 Metabolism, of xenobiotic chemicals, 88
 Methylmercury chloride (CH_3HgCl), 97
 Microcosm technique, 128
 Micronucleus bioassays (MCN), 170, 346
 Milkweed, 156
 Millet (*Panicum miliaceum*), 280
 Millet, foxtail (*Setaria italica*), 190, 280
 Mineralized-acidic leachate, 267
 Minnesota Bioindicator Study, 156
 Moss (*Physcomitrella patens*), 267, 280
 Multispecies toxicity testing, 69, 73, 97
 Mustard (*Brassica nigra*), 190
 Mutagens, 11, 319, 324

N

- Naphthalene, 87
 Naphthol, 87
 Native plants, as bioindicators, 117
 Nickel, 118, 281
 Nitrogen fixation, 7, 69
 Nitrogen oxides (NO_x), 143
 Nontarget plant testing, 14
 No Observed Effect Concentration (NOEC), 50, 53, 82
 Nutrient loss, 127

O

- Oat (*Avena sativa*), 226
 Obscurant smokes, 127
 Octamethyl cyclotetrasiloxane, 8
 Organization for Economic Cooperation and Development (OECD), 15, 33

Organic methylmercury chloride
(CH₃HgCl), 97
Organic compounds, 34, 188, 225
Oxidant biomarkers, 143
Oxygen generation test, 41
Ozone, 143, 156

P

Pentachlorophenol, 40
Perennial ryegrass (*Lolium perenne*), 49,
127, 190
Peroxidase, 143
Pest Control Products (PCP) Act, R.S.C.
1970, C.P-10, 14
Pesticides, 14, 40, 69–70, 73
in Canada, 14
in food chain, 5
pH, 97
Phaeseolus beans, 73, 198, 226, 333
Phosphorus smoke-producing compounds,
127
Photoperiod (PH), 97
Photosynthesis, 143, 297
Kautsky effect, 297, 308
Photosystems I and II, 308
PHYTOTOX database, 33
Phytotoxicity studies, 1, 10, 49, 177, 267
in Canada, 14
evaluation of, 225
of heavy metals, 280
of herbicides, 10
of industrial wastes, 188
in Minnesota Bioindicator Study, 157
of organic chemicals, 34, 188, 225
of pesticides, 40, 69, 73
Picloram, 235, 308
Pinto beans (*Phaeseolus vulgaris*), 198, 226
Pistia stratiotes (Freshwater macrophytes),
204
Plant(s) (*See* Algae, Aquatic plants, Crops
and Forage, Trees)
Plant data, and risk assessment, 5, 11
Plant testing, (*See* Bioassays, Early seedling
growth tests, Field studies,
Laboratory studies, Multispecies
toxicity testing, Nitrogen fixation,
Toxicity)
Pollution damage, 117
Polynuclear aromatics, 87
Population growth tests, 40, 42
Portable exposure bench, 118
Potassium chloride, 333
Potato, 156

Premanufacture Notifications (PMN), 2, 5,
11
Presymptom diagnosis, 333
Promutagens, 324
Protein content, of leaves, 59

R

Radish (*Raphanus sativus*), 49, 69, 226
Red phosphorus/butyl rubber (RP/BR), 127
Regenerating clones, 267
Rhizobium, genetically altered, 7
Rhizobium-legume symbiosis, 69
Rhizome carbohydrate content, 255
Rocky Mountain Arsenal (RMA), 188
Root concentration factor (RCF), 88
Root elongation, 10, 49, 177, 280
Root nodules, 69
Rooted macrophytes, 97
Roundup, 235, 308
Ryegrass (*Lolium perenne*), 49, 118, 190

S

Salmonella typhimurium, as a genetic
indicator, 324
Salt concentrations, 267, 334
Saskatchewan Research Council, 14
Scenedesmus armatus, 204
Scenedesmus dimorphus, 204
Screening tests, 5, 33
Seasonal growth cycles, 59, 157
Sediment, 97
Seed germination and development, 10,
188, 225
and root elongation, 8, 117
Selenastrum capricornutum, 6, 40, 225,
235, 324
in herbicide testing, 69, 235
in pesticide testing, 14, 40, 69
promutagens in, 324
in waste water testing, 40
Short term tests, 40, 177, 33
multispecies testing, 69
Simazine, 40
Single-species toxicity tests, 177
Sister-chromatid-exchange (SCE), 319
Smoke exposure chamber, 127
Sodium chloride, 333
Sodium fluoride, 308
Sodium lauryl sulfate, 308
Soil pollution, 1, 189, 198, 235
contamination, 1, 177, 190, 198, 235
salinity of, 335

Soil-microcosm system, 127
 Sorghum (*Sorghum bicolor*), 198
 Soybean (*Glycine max.*), 69, 73, 156, 333
 Spiderwort (*See Tradescantia*)
 Standard grass cultures, 117
 Standing crop measurements, 59
 Static exposure system, 127
 Stomatal conductance, 143
 Streptomycin sulfate, 69
 Stress-ethylene test, 127
 Sugar beet (*Beta vulgaris*), 190
 Sulfur, 118
 Sulfur dioxide, 143, 156
 Superoxidase dismutase (SOD), 143
 Surrogate species, 33
 Symbiosis, 69
 Synergy (*See* Interaction of factors)

T

Temperature, 97
 Terrestrial microcosm, 127
 Terrestrial plant(s), 69
 and algal assays, 10, 33, 69
 testing, 6, 9, 49, 127, 177, 225
 Test methods (*See also* Algal assays,
 Bioassays, Bioindicators, Field
 Studies, Herbicides, Laboratory
 studies, Long term tests, Pesticides,
 Phytotoxicity studies, Short term
 tests), 1, 5
 validity of, 10, 40, 225
Thalassia testudinum (Seagrass), 59, 255
 Tier testing schemes, 33
 Time dependent toxicity tests, 235
 Tordon 101M, 235, 308
 Toxic Substances Control Act (TSCA), 2–
 10
 Toxicity (*See also* Air pollution,
 Herbicides, Industrial Chemicals and
 Wastes, Organic compounds,
 Pesticides, Soil pollution, Waste
 water, and Water pollution), 33, 40,
 177, 188, 235
 algal assays for, 40, 69
 bioassays for, 297
 and multispecies approaches, 69, 308
 presymptom diagnosis of, 333

Tradescantia paludosa (Spiderwort), 308,
 319
 micronucleus test (Trad-MCN), 170, 346
 sister-chromatid-exchange (SCE), 319
 Transpiration stream concentration factor,
 87
 Trees, 1, 117, 143
 Tributyltin, 255
 Triclopyr, 235, 308
Trifolium pratense (Clover), 87
Trifolium aestivum (Wheat), 128
 2,4-dichlorophenoxyacetic acid (2, 4-D),
 71

U

U.S. Army Medical Research and
 Development Command, 127
 U.S. Environmental Protection Agency, 15

V

Vanadium, 118
 Variable fluorescence, 308
 Vascular plants, 33
 Velpar L, 235
 Velpar ULW, 235, 308
Vicia faba leaf tip micronucleus test (*Vicia*-
 LTMT), 170
 Visual assessment, 5

W

Waste water, 40, 225
 Water pollution, 41, 97, 170
 Wheat (*Triticum aestivum*), 127
 White phosphorus/felt (WP/F), 127
 White sweet clover (*Melilotus alba*), 127
 Whole plant uptake test (WPUT), 87

X

Xenobiotics, 1, 59, 87
 Xylene, 170

Z

Zinc, 118, 281, 308